

A11102485769 Raamusseen, A. L/Low-level germanium dete OC100 .US6 NO.85-3041 V1988 C.1 NBS-PUB. TRANSFER STANDARD AT 1.064 µm

REFERENCE

NBS PUBLICATIONS

Alvin L. Rasmussen Douglas L. Franzen

National Bureau of Standards U.S. Department of Commerce Boulder, Colorado 80303

January 1986

-QC 100 •U56 85-3041 1986



NBSIR 85-3041

LOW-LEVEL GERMANIUM DETECTOR TRANSFER STANDARD AT 1.064μm



Alvin L. Rasmussen Douglas L. Franzen

Electromagnetic Technology Division Center for Electronics and Electrical Engineering National Engineering Laboratory National Bureau of Standards Boulder, Colorado 80303

January 1986



U.S. DEPARTMENT OF COMMERCE, Malcolm Baldrige, Secretary

NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director



Contents

		Page
1.	Introduction and Background	1
2.	Spatial Scanning of the Germanium PIN Photodiodes	2
3.	Construction of the Detection Systems	2
4.	Modulator System Calibration	5
5.	LED System Calibration	8
6.	Results	9
7.	References	10



Low-Level Germanium Detector Transfer Standard at 1.064 µm

Alvin L. Rasmussen Douglas L. Franzen

Electromagnetic Technology Division National Bureau of Standards Boulder, Colorado 80303

Two germanium PIN photodiodes have been calibrated in the 1 to $250~{\rm fJ/cm^2}$ range with 15 percent uncertainty for 1.064 ${\rm \mu m}$ laser pulses of 10 to 100 ns duration. To do these calibrations, we used (1) an acousto-optically modulated cw Nd:YAG laser beam and a silicon PIN photodiode transfer standard to provide low-level laser pulses of known energy and (2) a pulsed 1.06 ${\rm \mu m}$ LED beam. A 1 cm² collecting lens and a ground-glass diffuser were placed in front of each detector to improve sensitivity and spatial uniformity, respectively. In the future, these detectors may also be useful as transfer standards at wavelengths out to 1.7 ${\rm \mu m}$.

Keywords: beamsplitter attenuator; low-level laser measurements; modulated cw measurement system; 1.064 μm laser pulse measurements; germanium PIN photodiode transfer standard; pulse energy; pulsed 1.06 μm LED measurement system; spatial scanning of germanium photodiode detector

1. Introduction and Background

Because of Nd:YAG laser applications in low-level guidance receivers and range finders, the National Bureau of Standards (NBS) developed APD and PIN silicon photodiode transfer standards [1] to measure low-level peak power and energy, respectively, for 10 to 100 ns duration, 1.064 μm laser pulses at 10 to 15 percent uncertainty. Without a collecting lens, the silicon PIN photodiode transfer standards can measure pulses of about 10^{-14} J/cm² to 10^{-11} J/cm². Because of continuing interest in low-level measurements and the desire to extend them to longer wavelengths, NBS has developed germanium PIN photodiode transfer standards. At 1.06 μm , the latter are about 10 times more sensitive than the silicon PIN photodiode transfer standards.

In this article, we will describe spatial scanning of the germanium photodiodes, construction of the detection systems, modulation calibrations, and LED calibrations.

2. Spatial Scanning of the Germanium PIN Photodiodes


Using a cw 1.064 μm laser beam, we determined the spatial uniformity of the germanium PIN photodiodes with and without a 600 grit, ground-glass diffuser in front of the detector window (figs. 1 and 2). The room in which the measurements took place was almost totally dark. The beam was greatly attenuated, chopped, and focused to a diameter less than 1 mm. The 1/4 cm² area (6 mm diameter) germanium photodiode detectors were scanned in the order of 5 min. Detector output was fed into a lock-in amplifier, and the amplifier output was read on an oscilloscope. Scans showed large variations in the spatial uniformity of the diodes when no diffuser was used (figs. 1 and 2). The flat window in front of the diode may have contributed significantly to this nonuniform response. A diffuser in front of the window greatly improves the spatial uniformity of the diode (figs. 1 and 2).

3. Construction of the Detection Systems

The germanium detection systems were constructed as described below. The detectors were commercial units with the germanium PIN photodiode detector at one end of the Dewar flask and the fill hole for liquid N_2 and electrical connections at the other end. The specifications are given in table 1.

Table 1. Manufacturer's specifications for germanium PIN photodiode detectors.

Operating temperature Operating bias Detector area NEP Responsivity (we integrated the output for pulse energy measurements)	77 K -300 V 0.25 cm ² 2 · 10 ⁻¹⁴ and 1 · 10 ⁻¹⁵ W Hz ^{-1/2} 100 V/μW and 5000 V/μW
Time constant	15 μs and 1 to 2 ms
Window	sapphire
Operating position (we used them in a horizontal position)	vertical or horizontal






Figure 1. (a) Spatial uniformity of germanium detector Ge 6-1 at a wavelength of 1.064 $\mu m_{\mbox{\scriptsize H}}$ (b) same, with ground-glass diffuser.




Figure 2. (a) Spatial uniformity of germanium detector Ge 6-2 at a wavelength of 1.064 $\mu m;$ (b) same, with ground-glass diffuser.

(b)

The detectors were each sealed in a portable light-tight enclosure. The entrance includes a 1.00 cm² aperture and 5:1 beam reduction collimator. The latter had a narrowband 1.064 μm antireflection coated, positive lens followed by a negative lens. Once inside the box the beam travels about 5 cm and then passes through a unit consisting of a wedge, an aperture, and a diffuser before entering the sapphire window of the detector. The wedge is SF-6 glass with a 1 deg wedge angle. It was to provide a reflected beam for the purpose of pulse shape measurements. The aperture had a 0.4 cm diameter and was parallel to the rear face of the wedge. The diffuser, a quartz glass with a 600 grit ground rear face, was oriented approximately 0 deg to the original beam and was approximately 1/3 cm from the detector window.

4. Modulator System Calibration

The modulator system is a cw Nd:YAG laser beam acousto-optically modulated with a silicon PIN photodiode transfer standard in one of the beams of a beamsplitter attenuator to provide low-level laser pulses of known energy (fig. 3). The beamsplitter attenuator, BA-1, attenuates the beam according to the number of beam reflections between the front and back surfaces of a 2 deg quartz wedge.

To calibrate the germanium detection systems, a silicon PIN photodiode transfer standard in a higher order beam (attenuation about 900) monitors the pulse energy to the germanium detector in a still higher order beam (attenuation about 27,000). Black painted tubes were placed in front of all detectors to reduce the field of view; the room was kept fairly dark. A differential amplifier oscilloscope plug-in was used to read out the germanium detectors. The faster detector, Ge 6-1, was calibrated without problems. The slower detector, Ge 6-2, however, was easily saturated, yielded unsteady output, and could not follow rapid random changes in the laser output. Therefore, another scheme, described in the following section, was devised to calibrate detector Ge 6-2.




Figure 3. Low-level modulated cw measurement system.




Figure 4. Pulsed LED system for calibrating low-level detectors.

5. LED System Calibration

A pulsed LED system for calibrating low-level detectors (fig. 4) was used to calibrate the Ge 6-2 detector against the Ge 6-1 detector and to measure its linearity. One detector at a time was placed in the very stable LED beam. The LED system generated light pulses at approximately 1.06 $_{\mu}m$. The central wavelength and line width of pulses [2] are somewhat different from the Nd:YAG laser. Since the calibration of the silicon PIN photodiode varies rapidly with wavelength, the silicon PIN photodiode could not be used in the LED system to calibrate the germanium detectors. The latter, however, are much less sensitive to changes in wavelength in this range and can be used in the LED system to calibrate similar detectors.

A 12.5 cm diameter planoconvex lens placed about one focal length from the LED collimated the beam. A 10 cm diameter, nominally 1.06 μ m, interference filter and a detector followed the lens. The detector output changed negligibly when moved 50 cm along the optical axis of the beam. The beam cross section was uniform over an 8 to 10 cm diameter.

No spectrophotometer was available to evaluate the wavelength response of the 1.06 μm filter. A rough evaluation of the filter was made as described below. The filter was inserted in a low-level beam of the modulated cw system. The filter passed about 70 percent of the 1.064 μm beam. We used the Ge 6-1 detector to measure any difference in calibration of a silicon PIN photodiode between the LED and modulated cw systems. From this difference in calibration and the manufacturer's responsivity-versus-wavelength curve, we estimated the effective wavelength of the LED output to be 1.08 μm .

Applying precisely decreasing steps of current to the LED, we measured the output of the PIN 4-1 silicon transfer standard and the germanium (Ge 6-1 and Ge 6-2) PIN photodiode detectors. For the three detectors, measurement ratios of each step output to the maximum output were within 1 or 2 percent of each other. As each detector in the order of PIN 4-1, Ge 6-1 and Ge 6-2 descended into the noise, measurements were no longer possible. Since PIN 4-1 and Ge 6-1 were linear detectors, Ge 6-2 was also judged to be linear. We used Ge 6-1 to calibrate Ge 6-2. When Ge 6-1 could no longer be used as a transfer standard, we computed the pulse energy into Ge 6-2 from its own calibration.

6. Results

Two germanium PIN photodiodes were calibrated from 1 to 250 fJ/cm² with 15 percent uncertainty for 10 to 100 ns duration, 1.06 μ m laser pulses (tables 2 and 3). They are portable transfer standards, traceable to the national standard [3] of laser power and energy, and about 10 times more sensitive than the silicon transfer standards at 1.064 μ m. The latter systems have 1 cm² area. The spectral responsivity of the germanium detectors makes them potentially useful to 1.7 μ m.

Table 2. Ge 6-1 and Ge 6-2 germanium PIN photodiode system calibration.*

Detector	Calibra- tion J/V cm ² †	Number of calibra-tions (n)	Error in measure- ment aver- age at 95% Ci (%)	Total estimated error at 95% Ci (%)	Energy range fJ/cm ²	Readout range V †	Estimated noise fJ/cm ²
Ge 6-1 (817S) at H setting	5.1 • 10-13	105	0.4	15.1	2.5-250	0.005-0.5	~±0.2
Ge 6-2 (817L) at H setting	5.0 • 10-13	28	0.3	15.4	1-60	0.002-0.1	~±0.08

^{*}Pulses were less than 200 ns at 1.06 μm . Collector areas were for Ge 6-1, A = 0.992 cm² and for Ge 6-2, A = 0.998 cm².

tReadout TX 7904 oscilloscope [4], +CH, 7A22 plug-in, HF -3 dB point 1 MHz, LF -3 dB point 10 kHz. Measurements made from December 1984 through March 1985.

Table 3. Error budget Ge 6-1 and Ge 6-2.

Source of error	Uncertainty (%)*
PIN 4-3, silicon photodiode transfer standard (traceable to national standards)	8.0
Beamsplitter attenuator (beam ratio = 29.7)	0.7
PIN 4-3 oscilloscope readout	3.0
Ge 6-1 oscilloscope readout	3.0
Precision Ge 6-1 Ge 6-2	0.4 0.3
Total error budget** Ge 6-1 Ge 6-2	15.1 15.4

^{*} At the 95 percent confidence interval.

In calibrating Ge 6-2, ratios of output readings of Ge 6-1 and Ge 6-2 were used. Readout error was reduced to the measurement precision.

7. References

- [1] Sanders, A. A.; Rasmussen, A. L. A system for measuring energy and peak power of low-level 1.064 μm laser pulses. Nat. Bur. Stand. (U.S.) Tech. Note 1058; 1982.
- [2] Young, M. The use of LEDs to simulate weak YAG-laser beams. Nat. Bur. Stand. (U.S.) Tech. Note 1031; 1981.
- [3] Franzen, D. L.; Schmidt, L. B. Absolute reference calorimeter for measuring high power laser pulses. Appl. Opt. 15: 3115; 1976 December.
- [4] Certain trade names are used in this report in order to specify the experimental conditions used in obtaining the reported data. Mention of these products does not imply recommendation or endorsement by the National Bureau of Standards, nor does it imply that the materials or equipment identified are necessarily the best available for the purpose.

^{**} Over half of the error budget comes from the readout used. If a more accurate readout were obtained, the uncertainty could be significantly improved.

NBS-114A (REV. 2-80)					
U.S. DEPT. OF COMM.	1. PUBLICATION OR	2. Performing Organ. Report No	3. Publication Date		
BIBLIOGRAPHIC DATA	NBSIR 85-3041		January 1986		
SHEET (See instructions)	NB31K 03-3041		Juliary 1900		
4. TITLE AND SUBTITLE					
low-level Germa	nium Detector Transf	er Standard at 1064 m			
LOW-Level derilla	midil be seed of fransi	cr standard at 1004 m			
5. AUTHOR(S)					
Alvin L. Rasmus	sen and Douglas L. F	ranzen			
6. PERFORMING ORGANIZAT	TION (If joint or other than NB	S, see instructions)	7. Contract/Grant No.		
NATIONAL BUREAU OF S					
DEPARTMENT OF COMME			8. Type of Report & Period Covered		
WASHINGTON, D.C. 20234					
A SHANSHANING ARCANIZAT	ION NAME AND COMPLETE	ADDRESS (Street, City, State, ZIF			
		ADDICES (Street, City, State, 21)	,		
Department of D					
	rdination Group				
	nce and Metrology Ce	nter			
	e Station, Ohio				
10. SUPPLEMENTARY NOTES	S				
	05 105 50				
		PS Software Summary, is attached.			
bibliography or literature si	r less factual summary of most urvey, mention it here)	significant information. If docum	nent includes a significant		
3 , ,			1 to 250 files 2		
Wo dermanium P	IN photodiodes have	haan calinrated in the	I to 25U ti/cm range		
Two germanium PIN photodiodes have been calibrated in the 1 to 250 fj/cm² range with 15 percent uncertainty for 1.064 µm laser pulses of 10 to 100 ns duration.					
with 15 percent	uncertainty for 1.0	64 μm laser pulses of 1	10 to 100 ns duration.		
with 15 percent To do these cal	uncertainty for 1.0 ibrations, we used (64 μm laser pulses of 1 1) an acousto-optically	10 to 100 ns duration. y modulated cw Nd:YAG		
with 15 percent To do these cal laser beam and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod	64 μm laser pulses of 1 1) an acousto-optically iode transfer standard	10 to 100 ns duration. y modulated cw Nd:YAG to provide lgw-level		
with 15 percent To do these cal laser beam and laser pulses of	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2	64 μm laser pulses of 1 1) an acousto-optically iode transfer standard) a pulsed 106 μm LED b	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we	64 μm laser pulses of 1 1) an acousto-optically iode transfer standard) a pulsed 106 μm LED t re placed in front of 6	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm ² collecting each detector to improve		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 μm laser pulses of 1 1) an acousto-optically iode transfer standard) a pulsed 106 μm LED t re placed in front of 6	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser welspatial uniformity,	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be respectively. In the	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm ² collecting each detector to improve future, these detectors		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be replaced in front of each respectively. In the dards at wavelengths out	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm ² collecting each detector to improve future, these detectors ut to 1.7 μm.		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan entries; alphabetical order; c.tor; low-level laser	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of applicative only proper names; and so measurements; modulate	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm ² collecting each detector to improve future, these detectors ut to 1.7 μm.		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua 1.064 um laser pulse	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan tor; low-level laser emeasurements; germa	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of apitalize only proper names; and so measurements; modulate nium PIN photodiode tra	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm ² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua 1.064 µm laser pulse energy; pulsed 1.061	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan tor; low-level laser emeasurements; germa	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of apitalize only proper names; and so measurements; modulate nium PIN photodiode tra	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm ² collecting each detector to improve future, these detectors ut to 1.7 μm.		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua 1.064 um laser pulse	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan tor; low-level laser emeasurements; germa	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of apitalize only proper names; and so measurements; modulate nium PIN photodiode tra	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua 1.064 µm laser pulse energy; pulsed 1.06 µ 13. AVAILABILITY	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan tor; low-level laser emeasurements; germa	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of apitalize only proper names; and so measurements; modulate nium PIN photodiode tra	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level beam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua 1.064 µm laser pulse energy; pulsed 1.06 µm 13. AVAILABILITY	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stand as transfer stand entries; alphabetical order; ctor; low-level laser emeasurements; germaum LED measurement s	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of apitalize only proper names; and so measurements; modulate nium PIN photodiode tra	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua l.064 µm laser pulse energy; pulsed l.06 p 13. AVAILABILITY TO Official Distribution	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan entries; alphabetical order; cotor; low-level laser measurements; german LED measurement son. Do Not Release to NTIS	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be replaced in front of early In the dards at wavelengths of measurements; modulate nium PIN photodiode traystem; spatial scanning	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode 14. NO. OF PRINTED PAGES 16		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua l.064 µm laser pulse energy; pulsed l.06 p 13. AVAILABILITY TO Official Distribution	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan entries; alphabetical order; cotor; low-level laser measurements; german LED measurement son. Do Not Release to NTIS	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of 6 respectively. In the dards at wavelengths of apitalize only proper names; and so measurements; modulate nium PIN photodiode tra	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode 14. NO. OF PRINTED PAGES 16		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua 1.064 µm laser pulse energy; pulsed 1.06 p 13. AVAILABILITY The Unlimited For Official Distribution Order From Superintence 20402.	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan energy and the stan en	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of early in the dards at wavelengths out applicative only proper names; and some measurements; modulate nium PIN photodiode traystem; spatial scanning office, Washington of the proper name of the proper n	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode 14. NO. OF PRINTED PAGES 16		
with 15 percent To do these cal laser beam and laser pulses of lens and a grou sensitivity and may also be use 12. KEY WORDS (Six to twelve beamsplitter attenua l.064 µm laser pulse energy; pulsed l.06 p 13. AVAILABILITY The Unlimited For Official Distribution Order From Superintence 20402.	uncertainty for 1.0 ibrations, we used (a silicon PIN photod known energy and (2 nd-glass diffuser we spatial uniformity, ful as transfer stan ful as transfer stan entries; alphabetical order; cotor; low-level laser measurements; german LED measurement son. Do Not Release to NTIS	64 µm laser pulses of 1) an acousto-optically iode transfer standard) a pulsed 106 µm LED be re placed in front of early in the dards at wavelengths out applicative only proper names; and some measurements; modulate nium PIN photodiode traystem; spatial scanning office, Washington of the proper name of the proper n	10 to 100 ns duration. y modulated cw Nd:YAG to provide low-level peam. A 1 cm² collecting each detector to improve future, these detectors ut to 1.7 μm. separate key words by semicolons) ed cw measurement system; ansfer standard; pulse g of germanium photodiode 14. NO. OF PRINTED PAGES 16		





