DEPARTMENT OF THE INTERIOR UNITED STATES GEOLOGICAL SURVEY

GEORGE OTIS SMITH, DIRECTOR

Bulletin 567

RESULTS OF SPIRIT LEVELING
IN IDAHO

1896 TO 1914, INCLUSIVE

R. B. MARSHALL, CHIEF GEOGRAPHER



WASHINGTON
GOVERNMENT PRINTING OFFICE
1915


CONTENTS.

| | Page. |
|--|------------|
| Introduction. Previous publication. | 5 |
| Previous publication. | 5 |
| Personnel. | 5 |
| Classification | 5 |
| Bench marks | 6 |
| Datum | - 6 |
| Topographic maps | 7 |
| Precise leveling | 7 |
| Birch Creek and Weiser quadrangles (Canyon and Washington counties). | 7 |
| Primary leveling | 8 |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles (Boise and Washington counties). | 8 |
| St. Anthony and Victor quadrangles (Fremont County) | 15 |
| Crow Creek, Freedom, Henry, Lanes Creek, Montpelier, Pocatello, Slug | |
| Creek, Soda Springs, and Sterrett quadrangles (Bannock and Bear Lake | |
| counties) | 17 |
| Hailey, Picabo, Sawtooth, and Soldier quadrangles (Blaine County) | 26 |
| Arco, Bay Horse, Dickey, Mackay, May, Rabbit Foot, Salmon, Shelley, | , |
| and Tilden quadrangles (Bingham, Blaine, Custer, and Lemhi counties). | 28 |
| May and Salmon quadrangles (Lemhi County). | 42 |
| Chatcolet, Fernwood, and Taft quadrangles (Kootenai and Shoshone counties). | |
| Asotin, Bovill, Fish Creek, Kamiah, Kendrick, Lapwai, Pot Mountain, | 43 |
| Pullman, Summit Lake, The Crags Mountains, and Weippe quadran- | |
| gles (Idaho and Nez Perce counties) | EΩ |
| Mink Creek quadrangle (Oneida County) | 50 65 |
| Ammon, Hatch, Henry, Lanes Creek, Soda Springs, and Sterrett quad- | 69 |
| rangles (Bannock, Bingham, and Oneida counties) | 72 |
| Cataldo and Rathdrum 30' quadrangles and Cœur d'Alene special quad- | . 12 |
| rangle (Kootenai and Shoshone counties) | 78 |
| Bonners Ferry, Calispell, Pend Oreille, and Sandpoint quadrangles (Bon- | 10 |
| ner and Kootenai ocunties) | 92 |
| Priest Lake quadrangle (Kootenai County). | 95 95 |
| Bruneau, Mountain Home, Riddle, and Tindall quadrangles (Elmore and | 90 |
| | 00 |
| Appendix A: Elevations adjusted by the Coast and Geodetic Survey from | 98 |
| | 100 |
| precise leveling | 108 121 |
| Index | 107 |

ILLUSTRATION.

| | • | | Page. |
|----------|-------------------------|-------|-------|
| PLATE I. | Geological Survey bench | marks | 5 |

U. S. GEOLOGICAL SURVEY



GEOLOGICAL SURVEY BENCH MARKS.

A, Tablet used in cooperating States. The State name is inserted at G. B and D, Copper temporary bench mark, consisting of a nail and copper washer. A, C, and E, Tablets for stone or concrete structures. F, Iron post used where there is no rock.

RESULTS OF SPIRIT LEVELING IN IDAHO, 1896 TO 1914, INCLUSIVE.

R. B. Marshall, Chief Geographer.

INTRODUCTION.

Previous publication.—All results of spirit leveling in Idaho published by the United States Geological Survey in Bulletin 487 and all results of later work in the State are included in this report. Most of the elevations are based on the precise-level line of the U. S. Coast and Geodetic Survey from Seattle, Wash., via Pocatello, Idaho, to Evanston, Wyo., and have been corrected to agree with the adjustment made by that bureau in 1912.

Personnel.—The field work previous to 1903 was done under the general direction of R. U. Goode, geographer; that for 1903 to 1906, inclusive, under E. M. Douglas, geographer; that for 1907 under R. B. Marshall, geographer; and the later work under T. G. Gerdine, geographer, under the general direction of R. B. Marshall, chief geographer. Credit is given to the respective levelmen in the introductions to the several lists. The office work of computation, adjustment, and preparation of lists was done mainly by S. S. Gannett, geographer, and since 1907 under the general direction of E. M. Douglas, geographer.

Classification.—The elevations are classified as precise or primary, according to the methods employed in their determination. For precise lines instruments and rods of the highest grade are used, each line is run in both forward and backward directions, and every precaution is taken to guard against error. The allowable divergence between the forward and the backward lines in feet is represented by the formula $0.017\sqrt{D}$, in which D is the distance in miles between bench marks. For primary lines standard Y levels are used; lines are run in circuits or are closed on precise lines, with an allowable closing error in feet represented by the formula $0.05\sqrt{D}$, in which D is the length of the circuit in miles, sufficient care being given the work to maintain this standard. For levels of both classes careful office adjustments are made, the small outstanding errors being distributed over the lines.

Bench marks.—The standard bench marks are of two forms. The first form is a circular bronze or aluminum tablet (C and E, Pl. I), $3\frac{1}{2}$ inches in diameter and one-fourth inch thick, having a 3-inch stem, which is cemented in a drill hole in solid rock, in the wall of some public building, in a bridge abutment, or in other substantial masonry structure. The second form (F, Pl. I), employed where masonry or rock is not accessible, consists of a hollow wrought-iron post $3\frac{1}{2}$ inches in outer diameter and 4 feet in length, which is set about 3 feet in the ground. It is split at the bottom and expanded to a width of 10 inches in order to give a firm bearing on the earth. A bronze or aluminum-bronze cap is riveted upon the top of the post. A third style of bench mark with abbreviated lettering (B and D, Pl. I) is used for unimportant points. This consists of a special copper nail $\frac{1}{2}$ inches in length driven through a copper washer seven-eighths of an inch in diameter.

The tablets, as well as the caps on the iron posts, are appropriately lettered, and for cooperating States the fact of such cooperation is indicated by the addition of the State name (G, Pl. I). The numbers stamped on the bench marks described in the following pages represent the elevations to the nearest foot as determined by the levelman. These numbers are stamped with $\frac{3}{16}$ -inch steel dies on the tablets or post caps, to the left of the word "feet." The office adjustment of the notes and the reduction to mean sea-level datum may so change some of the figures that the original markings are 1 or 2 feet in error. It is assumed that engineers and others who have occasion to use the bench-mark elevations will apply to the Director of the United States Geological Survey, at Washington, D. C., for the adjusted values, and will use the markings as identification numbers only.

Datum.—All United States Geological Survey elevations are referred to mean sea level, which is the level that the sea would assume if the influence of winds and tides were eliminated. is not the elevation determined from the mean of the highest and the lowest tides, nor is it the half sum of the mean of all the high tides and of the mean of all the low tides, which is called half-tide level. sea level is the average height of the water, all stages of the tide being con-It is determined from observations made by means of tidal gages placed at stations where local conditions, such as long, narrow bays, rivers, and like features, will not affect the height of the water. To obtain even approximately correct results these observations must extend over at least one lunar month, and if great accuracy is desired they must extend over several years. At ocean stations half-tide level and mean sea level usually differ but little. It is assumed that there is no difference between the mean sea levels determined from observations in the Atlantic Ocean, the Gulf of Mexico, or the Pacific Ocean.

The connection with tidal stations for bench marks in certain areas that lie at some distance from the sea coast is still uncertain, and this fact is indicated by the addition of a letter or a word to the right of the word "Datum" on tablets or posts. For such areas corrections of published results will be made from time to time as the precise-level lines of the United States Geological Survey or other Government organizations are extended.

Topographic maps.—Maps of the following quadrangles wholly or partly in Idaho have been published by the United States Geological Survey up to December 31, 1914. They may be obtained, except as noted, for 10 cents each or \$3 for fifty, on application to the Director of the Survey at Washington, D. C.

Bear Valley.
Bisuka.
Boise.
Camas Prairie.
Cœur d'Alene special (Idaho-Montana)
(20 cents).
Garden Valley.
Hailey.
Hamilton (Montana-Idaho).
Idaho Basin.
Lolo.
Meadows.
Missoula (Montana-Idaho).
Mitchell Butte (Oregon-Idaho).

Mountain Home.
Nampa (Idaho-Oregon).
Oakesdale (Washington-Idaho).
Priest Lake.
Pullman (Idaho-Washington).
Rathdrum.
Rocky Bar.
Sandpoint.
Sawtooth.
Silver City.
Slug Creek.
Spokane (Washington-Idaho).
Squaw Creek.
Weiser (Idaho-Oregon).

PRECISE LEVELING.

Birch Creek and Weiser quadrangles. CANYON AND WASHINGTON COUNTIES.

The elevations in the following list are results of a line of precise leveling begun at Huntington, Oreg., and run southeast along the Oregon Short Line Railroad in Idaho to Ontario, Oreg. This line was redetermined by the Coast and Geodetic Survey, being part of its transcontinental line of precise leveling, and was corrected to accord with the heights obtained by the 1912 adjustment.

The double simultaneous method of leveling was employed, using a Van Orden type of precise level and special rods.

The leveling was done in 1903 by C. H. Semper. For results along this line in Oregon see Bulletin 556.

BIRCH CREEK QUADRANGLE.

[Latitude 44°-44° 30'; longitude 117°-117° 30'.]

From point near Huntington, Oreg., south along Oregon Short Line R. R. to Eaton, Idaho.

 Old's Ferry, 2.2 miles east of, on north side of railroad, 70 feet west of seventh telegraph pole east of milepost 530, 10 feet north of track; iron

Feet.

| Old's Ferry, 5.2 miles east of, on north side of railroad, 15 feet east of fifth |
|---|
| |
| telegraph pole east of milepost 527, 10 feet north of track; iron post |
| stamped "2087 H" 2, 094. 800 |
| Eaton, at road crossing; top of rail |
| line; iron post stamped "2097 H" |
| into, non possissimper 2007 in |
| WEISER QUADRANGLE. |
| [Latitude 44°-44° 30'; longitude 116° 30'-117°.] |
| From Eaton along Oregon Short Line R. R. to point 2.2 miles south of Payette. |
| Eaton, 3.2 miles southeast of, first telegraph pole west of milepost 521, at fence line; iron post stamped "2122 H" |
| Weiser, in front of station; top of rail |
| post stamped "2113 H" |
| Weiser, 6.3 miles south of, first telegraph pole south of milepost 512, at fence line west of track; iron post stamped "2112 H" |
| Crystal, in front of station sign; top of rail 2,123.4 |
| Crystal, 2.6 miles south of, first telegraph pole north of milepost 509, at |
| fence line west of track; iron post stamped "2123 H" |
| Payette, 0.9 mile north of, at fence line west of track, 27 feet south of mile- |
| post 506; iron post stamped "2139 H" |
| Payette, in front of station; top of rail |
| track; iron post stamped "2139 H" |
| PRIMARY LEVELING. |
| |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. |
| |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. BOISE AND WASHINGTON COUNTIES. |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G_6 of the Coast and Geodetic Survey at |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G_6 of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G_6 of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G_6 of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones. |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones. WEISER QUADRANGLE. [Latitude 44°-44° 30′; longitude 116° 30′-117°.] From Weiser along Pacific & Idaho Northern Ry. east 11.7 miles (checked line), thence north to Midvale (mean of direct and reverse lines). |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones. Weiser Quadrangle. [Latitude 44°-44° 30′; longitude 116° 30′-117°.] From Weiser along Pacific & Idaho Northern Ry. east 11.7 miles (checked line), thence north to Midvale (mean of direct and reverse lines). Feet. Weiser, in west wall of brick building occupied by the Masonic Lodge, 9.84 |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones. Weiser quadrangle. [Latitude 44°-44° 30′; longitude 116° 30′-117°.] From Weiser along Pacific & Idaho Northern Ry. east 11.7 miles (checked line), thence north to Midvale (mean of direct and reverse lines). Feet. Weiser, in west wall of brick building occupied by the Masonic Lodge, 9.84 feet (3 meters) north of the southwest corner and 3.94 feet (1.2 meters) |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones. Weiser quadrangle. [Latitude 44°-44° 30′; longitude 116° 30′-117°.] From Weiser along Pacific & Idaho Northern Ry. east 11.7 miles (checked line), thence north to Midvale (mean of direct and reverse lines). Feet. Weiser, in west wall of brick building occupied by the Masonic Lodge, 9.84 feet (3 meters) north of the southwest corner and 3.94 feet (1.2 meters) above ground; copper bolt leaded in wall, stamped "U. S. B. M." (C. & |
| Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. Boise and Washington counties. The elevations in the following list are based on the 1912 adjusted elevation of Bench Mark G ₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels. The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones. Weiser quadrangle. [Latitude 44°-44° 30′; longitude 116° 30′-117°.] From Weiser along Pacific & Idaho Northern Ry. east 11.7 miles (checked line), thence north to Midvale (mean of direct and reverse lines). Feet. Weiser, in west wall of brick building occupied by the Masonic Lodge, 9.84 feet (3 meters) north of the southwest corner and 3.94 feet (1.2 meters) |

| | , | Feet. | |
|---|------|---------------|------------|
| Weiser, in west wall of brick courthouse at Oldtown, about 1 mile east of | | | |
| railroad station; red metal disk lettered "C. & G. S. B. M. H ₆ ," set | | | |
| flush with surface | | 119. 0 | 009 |
| Weiser, 2 miles east of, 10 feet south of track, in foot of milepost 2; spike | | | _ |
| head level with ground | 2,] | 118, 2 | 8 |
| Weiser, 3.8 miles east of, 50 feet north of track, at edge of right of way, oppo- | | | |
| site milepost 4; iron post stamped "2136 W" | 2, 1 | 130. 9 | 777 |
| Weiser, 5.8 miles east of, south side of track, in foot of milepost 5; spike | | | |
| Weiser, 6.8 miles east of, 50 feet north of track, at edge of right of way, | | 100. 0 | 0 |
| opposite milepost 7, 30 feet east of wagon road crossing railroad at right | | | |
| angles, about 300 feet north of large yellow house; iron post stamped | | | |
| "2167 W" | 2, 1 | 67. 7 | 68 |
| Weiser, 9.8 miles east of, 50 feet north of track, opposite milepost 10, at | . ′ | | |
| mouth of Weiser River Canyon, 1,000 feet southeast of unused smelter, | | | |
| in outcropping bowlder; aluminum tablet stamped "2210 W" | 2, 2 | 211. 0 | 07 |
| Weiser, 10.8 miles east of, 10 feet south of track, in foot of milepost 11; | | | |
| spike | | 16. 4 | 1 |
| Weiser, 12.9 miles northeast of, 9 feet west of track, 165 feet north of mile- | | | |
| post 13, at foot of low retaining wall along upper side of grade, 100 feet | | | |
| from river, in top of large flat basalt bowlder on east side of rocky bluff, | | | |
| 1,800 feet south of mouth of large stream from east; aluminum tablet | | | |
| stamped "2249 W" | 2, 2 | 50. 7 | 46 |
| Weiser, 15.9 miles northeast of, opposite milepost 16, 40 feet south of track, | | | |
| near mound of rocks, in large basaltic bowlder, aluminum tablet stamped | | | ^~ |
| "2275 W" | 2, 2 | 75. 70 | U7 |
| Weiser, 19 miles northeast of, 600 feet north of milepost 19, north side of dry gulch, 50 feet west of track, on point of knoll, in volcanic bowlder beside | | | |
| mound of rocks; aluminum tablet stamped "2338 W" | 9 2 | 38 9 | 4 0 |
| Midvale, 9.5 miles south of, 270 feet north of milepost 22, near mouth of | 2, 0 | 00.0 | 10 |
| Thousand Spring Creek, 10 feet west of track, in large volcanic bowlder; | | | |
| aluminum tablet stamped "2373 W" | 2, 3 | 73. 6 | 21 |
| Midvale, 8.5 miles south of, east side of track, in foot of milepost 23; spike | | | |
| Midvale, 6.5 miles south of, at sharp curve in track, 18 feet northeast of | | | |
| milepost 25, 24 feet east of track, between track and river, near mound | | | |
| of rocks, in top of large bowlder; aluminum tablet stamped "2454 W" | 2, 4 | 55. 2 | 41 |
| Midvale, 4.5 miles south of, east side of track, in base of milepost 27; spike. | 2, 5 | 02. 1 | 5 |
| Diamond Springs, in front of section house; top of rail | 2, 5 | 07. 4 | |
| Midvale, 3.5 miles south of, 85 feet north of milepost 28, 14 feet east of track, | | | |
| beside a cairn of rock, top of volcanic bowlder; aluminum tablet stamped | | | |
| "2514 W" | 2, 5 | 15. 30 | 01 |
| Midvale, 1.5 miles south of, 45 feet west of track, in base of telegraph pole (milepost 30); spike | 0 - | 6 0 0. | , |
| (milepost 30); spike | z, 5 | ∠8. 8. | T |
| (milepost 31); spike | 9 5 | 33 E(| n |
| Midvale, cement block building occupied by Bank of Washington County, | 2, 0 | JJ. 00 | |
| at outer entrance, on south side and inner face of entrance, about 4.5 feet | | | |
| above floor; aluminum tablet stamped "2544 W" | 2, 5 | 45. 13 | 33 |
| | , - | | |

 $^{^{\}rm 1}$ The corner of building is cracked just above the bench mark from settling. The Coast and Geodetic Survey elevation was therefore not accepted.

From Midvale east along road to J. R. McMahan's ranch.

| Trum mittant outs along rows to b. 20. momental 3 rands. | Feet. |
|--|-------------|
| Midvale, 3.5 miles east of, on Midvale-Indian Valley road, 1,000 feet east of Richard Gaber's ranch house, 80 feet south of road and 40 feet south of wire fence in field, in volcanic bowlder, near mound of rocks; aluminum tablet stamped "2724 W" | 2, 726. 671 |
| T. 13 N., R. 2 W., sec. 21, 10.7 miles west of Indian Valley-Midvale cross-roads 1,000 feet east of ranch, 40 feet south of road, at mound of rocks, in top of volcanic bowlder; aluminum tablet stamped "3292 W" T. 13 N., R. 2 W., secs. 23 and 24, 7.2 miles west of Indian Valley-Midvale crossroads, 40 feet south of county road, at J. R. McMahan's ranch, 200 feet north of house, in volcanic bowlder; aluminum tablet stamped "3245 W" | 3, 294. 420 |
| 5240 W | 3, 241. 219 |
| CAMBRIDGE QUADRANGLE. | |
| [Latitude 44° 30′-45°; longitude 116° 30′-117°.] | |
| From Midvale northeast along Pacific & Idaho Northern Ry. to milepost 56. | |
| Midvale, 3.2 miles north of, 9 feet north of telegraph milepost 35, 40 feet west of track, 10 feet above and 40 feet north of small creek; iron post | |
| stamped: "2587 W" | 2, 587. 717 |
| Midvale, 4.2 miles north of, 25 feet southwest of milepost 36, 75 feet west of track; point on large bowlder | 2 500 01 |
| Trestle 30, northeast corner; bolthead marked with chiseled cross | |
| Midvale, 6.2 miles north of, 80 feet north of milepost 38, west side of track, | |
| in face of large volcanic bowlder; aluminum tablet stamped "2620 W" Midvale, 7.2 miles north of, 140 feet west of trestle 32, 450 feet south of mile- | 2, 621. 233 |
| post 39, on slope of rock; chisel mark | 2, 623. 80 |
| Cambridge, 70 feet north of station, at edge of right of way, corner of lot on | |
| south side of central boulevard, at edge of sidewalk; iron post stamped "2651 W" | 9 651 707 |
| Cambridge, 3.8 miles north of, 1,800 feet north of milepost 44, at short rock | 2,001.797 |
| cut near end of long low spur from main ridge to west, 20 feet west of track, | |
| top of bank, 8 feet above level of track, in outcropping rock; aluminum | 0 500 000 |
| tablet stamped "2700 W" | 2, 700. 369 |
| at point of hill, 10 feet west of track, in cap of box culvert; driftbolt | |
| marked with chiseled cross | 2, 718. 80 |
| Cambridge, 7.5 miles north of, 1.5 miles south of Goodrich Creek, 120 feet east of telegraph pole marked "48 miles," 40 feet west of track, on vol- | |
| canic bowlder 2.5 by 2.5 by 1 foot, near mound of rocks; aluminum tablet | |
| stamped "2736 W" | 2, 736. 447 |
| Cambridge, 8.5 miles north of, 150 feet south of milepost 49, 70 feet east of | |
| track, in root of lone leaning cottonwood tree in field; nail | 2, 736. 76 |
| River, 20 feet west of track, in cement at surface of ground; aluminum | • |
| tablet stamped "2782 W" | 2, 782. 849 |
| Council, 5.5 miles south of, 300 feet south of road crossing, 100 feet west of | 9 910 70 |
| track; point on large bowlder | 2, 819. 70 |
| 100 feet west of trestle 49, in face of solid rock wall 20 feet high, 5 feet | |

above ground, in cement wall flush with surface; aluminum tablet

| Along Indian Valley-Van Wyck road, near Van Wyck. | 77 4 |
|--|-------------|
| T. 14 N., R. 2 E., in sec. 25, on Indian Valley road, Lookout Mountain, in volcanic bowlder; aluminum tablet stamped "7811 W" | 7, 812. 885 |
| Van Wyck, 7.8 miles west of, in saddle 10 feet south of Van Wyck-Indian Valley road, in pine tree; 30-penny nail | |
| road, in pine tree; 30-penny nail with aluminum tag | |
| road, in pine tree; nail | |
| MEADOWS QUADRANGLE. | |
| [Latitude 44° 30′-45°; longitude 116°-116° 30′.] | |
| From milepost 56 north along Pacific & Idaho Northern Ry. to triangulation station 2 miles north of Council. | |
| Council, 4 miles south of, 10 feet east of track, in base of milepost 56; spike. Council 2.5 miles south of, sec. 27, T. 16 N., R. 1 W., county road crossing, just north of Cottonwood Creek, 25 feet east of track, east of crossing | 2, 916. 69 |
| signpost; iron post stamped "2939 W" | 2, 940. 600 |
| street of town, in angle of sidewalk and cross walk; iron post stamped "2910 W" | 2, 911, 564 |
| Council, in front of station; top of rail | |
| From triangulation station 2 miles north of Council east along road to crossroads in T. 17 N., R. 3 E., thence northwest along road to Meadows, thence southwest to point near Council. | |
| Council, 2.8 miles north of, on line between secs. 34 and 35, T. 17 N., R. 1 W., intersection of Council-Meadows and Mill Creek roads, 300 feet northeast of ranch house, west edge of road near fence; iron post stamped "3015 | |
| W" | 3, 016. 280 |
| bowlder; aluminum tablet stamped "4023 W" | |
| Council, 9.6 miles northeast of, near southwest corner of sec. 22, T. 17 N., R. 1 E., intersection of roads in saddle, 50 feet east of forks, 10 feet north of road, in volcanic bowlder; aluminum tablet stamped "5612 W" | 5 619 751 |
| Council, 10.1 miles northeast of, in base of pine tree 5 feet south of road; spike | • |
| Council, 10.3 miles northeast of, in base of fir tree 6 feet south of road; spike. Council, 10.6 miles northeast of, NW. 4 sec. 26, T. 17 N., R. 1 E., 50 feet east of road, on Miller Summit, at mound of rocks, in volcanic rock; | 6, 036. 88 |
| aluminum tablet stamped "6208 W" | |
| spike | |
| Mill Creek Summit, 1.8 miles east of, in fir tree 10 feet west of road; spike Mill Creek Summit, 3 miles northeast of, in balsam fir tree 10 feet south of | 6, 306. 99 |
| road; 20-penny spike | 6, 307. 09 |

| • | Feet. |
|--|-------------------|
| Mill Creek Summit, 3.6 miles east of, near quarter corner between secs. 6 | F 660. |
| and 31, Tps. 16 and 17 N., R. 2 E., 100 feet southeast of road, 100 feet west | |
| of east fork of Weiser River, in top of granite bowlder; aluminum tablet | |
| stamped "6245 W" | 6, 246. 498 |
| Mill Creek Summit, 4.5 miles east of, in tamarack tree 15 feet west of road; | 6 265 84 |
| Mill Creek Summit, 5.4 miles northeast of, in pine tree 20 feet north of road; | 0, 200. 01 |
| nail | 6, 399. 46 |
| Mill Creek Summit, 6.6 miles east of, in base of fir tree 5 feet northeast of road; nail | 6 527 69 |
| T. 17 N., R. 2 E., NW. 4 sec. 27, 120 feet east of road, at mound of rocks, | |
| in saddle, in volcanic rock; aluminum tablet stamped "6521 W" | |
| Long Valley Summit, 0.9 mile east of, 10 feet west of road, in fir tree; nail | |
| Long Valley Summit, 1.4 miles east of, 10 feet east of road, in fir tree; nail | |
| Long Valley Summit, 2.4 miles east of, 10 feet north of road, in fir tree; nail. | 5, 006. 749 |
| Long Valley Summit, 3.9 miles east of, SW. 4 sec. 19, T. 17 N., R. 3 E., | |
| junction of Long Valley and Mill Creek roads, northeast corner of James | |
| Hartsel's fence, 1,700 feet east of house, 175 feet west of Payette River, | 4 000 740 |
| 1,320 feet northeast of section corner; iron post stamped "4837 W" Long Valley Summit, 5.3 miles east of, corner of secs. 18, 19, 29, and 30, T. | 4, 838. 743 |
| 17 N., R. 3 E., in base of southeast corner fence post, at crossroads; | • |
| nail with aluminum tag | 4, 889, 67 |
| Long Valley Summit, 8.3 miles east of, sec. 22, T. 17 N., R. 3 E., 500 feet | 1,000.07 |
| south of log house, 5 feet north of road, at southeast corner of fence; iron | |
| post stamped "4897 W" | 4, 898. 870 |
| Long Valley Summit, 12.2 miles northeast of, in sec. 33, T. 18 N., R. 3 E., | |
| 50 feet southeast of road, in Sam Shaw's field, about 1,200 feet north of | |
| Tom Yount's house, 1,600 feet east of Gabriel Maenpad's house, in top of | r 000 000 |
| granite bowlder; aluminum tablet stamped "5029 W" | 5, 030. 623 |
| of pine tree; nail | 5 093 48 |
| Long Valley Summit, 14.9 miles northeast of, 10 feet west of road, in pine | 5, 000. 10 |
| tree; nail | 5, 074. 20 |
| Old Lardo, sec. 9, T. 18 N., R. 3 E., 16.4 miles northeast of Long Valley | • |
| Summit, south end of Payette Lake, 500 feet south of McCall Hotel, 200 | |
| feet north of sawmill, 20 feet south of road, in top of volcanic bowlder, | - |
| near mound of rocks; aluminum tablet stamped "5030 W" | |
| Old Lardo, in front of McCall Hotel; high-water mark | 4, 990 |
| Old Lardo, Payette Lake; surface of water July 30, 1907 | 4, 985. 9 |
| Lardo, 400 feet east of post office, in sec. 8, T. 18 N., R. 3 E., 17.5 miles northeast of Long Valley Summit, 100 feet south of Payette Lake, 50 feet | |
| south of Lardo-Roseberry road, in granite bowlder; aluminum tablet | • |
| stamped "5001 W" | |
| Lardo, 1 mile west of, 25 feet south of Lardo-Meadows stage road, in yellow- | -, -, |
| pine tree; nail | |
| Lardo, 2 miles west of, 20 feet west of Lardo-Meadows stage road, in pine | |
| tree; nail | |
| Lardo, 2.5 miles west of, sec. 1, T. 18 N., R. 2 E., on Payette River and | |
| Salmon Creek divide, about 80 feet north of Lardo-Meadows stage road, | |
| 20 feet above road, in top of granite bowlder; aluminum tablet stamped "5352 W" | 5 959 11 <i>e</i> |
| Lardo, 3.7 miles west of, south side of Lardo-Meadows stage road, in black- | o, 303. 110 |
| pine tree; nail. | 5, 105, 24 |
| Lardo, 4.8 miles west of, east of Lardo-Meadows stage road, in pine tree; nail. | 5, 052. 50 |
| | |

| | Feet. |
|---|-------------|
| Lardo, 5.8 miles west of, near center of sec. 34, T. 19 N., R.2 E., on Lardo-Meadows stage road, on Meadows Summit, in saddle 70 feet north of road, | |
| in top of granite bowlder; aluminum tablet stamped "5093 W" | |
| Lardo, 6.4 miles west of, east of Lardo-Meadows stage road, in fir tree; nail. | |
| Lardo, 7 miles west of, north of Lardo-Meadows stage road, in pine tree; nail. Meadows, south side of main street of town, north edge of sidewalk, north- | · |
| east corner of porch at Meadows Hotel; iron post stamped "3975 W" Meadows, 3.3 miles west of, on line between secs. 14 and 23, T. 19 N., R. 1 E.; on Council-Meadows stage road, 0.4 mile west of Little Salmon River, 100 feet north of road, 800 feet northeast of sawmill, in rock beside mound of rocks; aluminum tablet stamped "3964 W" | |
| Meadows, 4.4 miles west of, 10 feet south of Council-Meadows road, in pine | |
| tree; nail. Meadows, 5.4 miles west of, north of Council-Meadows road, in pine tree; | |
| nail. Meadows, 6.9 miles west of, sec. 17, T. 19 N., R. 1 E., on Council-Meadows stage road, at north end of Price Valley, on summit between Little Salmon | 4, 020. 51 |
| and Weiser rivers, 100 feet east of road, in top of volcanic rock near mound | |
| of rocks; aluminum tablet stamped "4186 \overline{W} " | 4, 187. 529 |
| in pine tree; nail | 4, 144, 29 |
| Meadows, 9.9 miles southwest of, 50 feet west of Council-Meadows stage road, in pine tree; nail | • |
| Meadows, 10.5 miles southwest of, in sec. 31, T. 19 N., R. 1 E., on Council-Meadows stage road, 1 mile south of Price Valley, at old sawmill site, 60 feet west of road, 50 feet north of small creek, in volcanic rock; aluminum tablet stamped "4089 W" | |
| Meadawa 10.5 miles couthwest of 60 feet west of Council Meadawa store | 4, 090. 177 |
| Meadows, 12.5 miles southwest of, 60 feet west of Council-Meadows stage road, in pine tree; nail | 3, 946. 30 |
| Meadows, 13.8 miles southwest of, 100 feet east of railroad grade, 200 feet east of Weiser River, in fir tree; nail | 3, 972. 40 |
| Evergreen, at terminal of Pacific & Idaho Northern Ry., in north part of sec. 30, T. 18 N., R. 1 E., 150 feet east of track, 200 feet directly east of Record Commercial Co.'s store, in top of volcanic bowlder; aluminum tablet | |
| stamped "3704 W" | 3, 705. 047 |
| Evergreen, 4.8 miles southwest of, sec. 2, T. 18 N., R. 1 W., 600 feet north of old sawmill, 300 feet north of track, at brow of hill, 200 feet northwest of log house, in volcanic bowlder near mound of rocks; aluminum tablet | |
| stamped "3302 W" | |
| Starkey (Hot Springs), in front of station; top of rail | |
| stamped "3172 W". | 3, 172. 960 |
| Starkey (Hot Springs), 3.3 miles south of, sec. 15, T. 17 N., R. 1 W., 200 feet west of milepost 66, 400 feet south of house, 100 feet west of railway cut, | |
| in top of volcanic bowlder near mound of rocks; aluminum tablet stamped "3065 W" | 3, 066. 420 |
| From crossroads in T. 17 N., R. 3 E., south along road through Roseberry to Van Wyck, thence west 11.7 miles. | |
| T. 17 N., R. 3 E., on line between secs. 23 and 26, 2.6 miles southeast of | |
| Lake Fork bridge, 40 feet south of Roseberry-Lardo stage road, 50 feet southeast of bridge across irrigation ditch; iron post stamped "4905 W" | 4, 906. 274 |
| Roseberry, near corner of secs. 11, 12, 13, and 14, T. 16 N., R. 3 E., in school yard opposite post office: iron post stamped "4871 W" | 4, 872, 384 |

| Tps. 15 and 16 N., R. 3 E., corner of secs. 1, Wyck stage road, northwest corner of so Mr. Moore's house, 360 feet west of log houm tablet stamped "4874 W" | hool yard, 300 feet southeast of ouse, in granite bowlder; alumi- | Feet. |
|---|--|-------------|
| Roseberry, 7.8 miles south of, near south R. 3 E., on Roseberry-Van Wyck stage Downing's house, 150 feet north of Dry | vest corner of sec. 14, T. 15 N., road, 300 feet southwest of Joe | 4, 879. 812 |
| volcanic bowlder; aluminum tablet stam Roseberry, 11.4 miles south of, on line be R. 3 E., on Roseberry-Van Wyck stage Marler house, 60 feet southeast of road | etween secs. 2 and 3, T. 14 N., road, 0.5 mile south of Newton | 4, 823. 466 |
| bowlder; aluminum tablet stamped "486 Van Wyck, on Main Street, at northeast of store; iron post stamped "4777 W" | 22 W"corner of C. B. Fisher's general | • |
| Van Wyck, 3.7 miles northwest of, near cer at road forks 100 feet west of sawmill roa Indian Valley road, near mound of roo | nter of sec. 20, T. 14 N., R. 3 E., d, 150 feet south of Van Wyck- cks, in volcanic bowlder; alu- | |
| minum tablet stamped "4910 W" Van Wyck, 4.7 miles west of, 10 feet north o in pine tree; nail | f Van Wyck-Indian Valley road, | • |
| Van Wyck, 5.8 miles west of, 10 feet north o in pine tree; nail | f Van Wyck-Indian Valley road, | |
| in fir tree; nail | | 6, 802. 16 |
| | • | |
| Crawford, 1.8 miles east of Van Wyck, no son's yard, opposite post office, 100 feet fr granite bowlder; aluminum tablet stamp Crawford, 1.9 miles east of, on section line a 29, T. 14 N., R. 4 E., at Anna J. Norris's feet southeast of house, in granite bowl "4811 W" | om main street of town, in top of ed "4759 W" | |
| | · · | 4, 013. 000 |
| North along Indian Valley, Midvale, and Council | roads to point near Indian Valley. | |
| T. 14 N., R. 1 W., on line between secs. 26 and Indian Valley road, at Hillsdale cr schoolhouse, at northwest corner of fence, bowlder near mound of rocks; aluminum | ossroads, 150 feet east of white 30 feet east of road, in volcanic | 2 165 050 |
| Van Wyck, 34.4 miles northwest of, on Va Valley road, 100 feet north of Little Wei nail in knuckle of cottonwood tree | on Wyck, Midvale, and Indian ser River, 20 feet west of road; | |
| Indian Valley, near corner of secs. 10, 11, southwest corner of blacksmith shop, east bowlder; aluminum tablet stamped "299 | 14, and 15, T. 14 N., R. 1 W., side of Main Street, in volcanic | , . |
| Indian Valley, 3.7 miles north of, near cent on Indian Valley-Council road, at foot north of Thorn Creek, 100 feet west of roa house, near mound of rocks, in bowld | er of sec. 27, T. 15 N., R. 1 W., of Thorn Creek Hill, 150 feet ad, 500 feet east of Sam Wood's er; aluminum tablet stamped | |
| "2931 W" | 15, T. 15 N., R. 1 W., on Indian Weiser River summit, 30 feet nite bowlder; aluminum tablet | |
| pramped 3009 W | • | 0, 011. 011 |

| | Feet. |
|--|-------------|
| Indian Valley, 7.3 miles north of, on Indian Valley-Council road, 50 feet south of creek, 3 feet east of bridge crossing of Middle Fork Creek, in cot- | |
| tonwood tree; nail | 2, 904. 35 |
| SQUAW CREEK QUADRANGLE. | |
| [Latitude 44°-44° 30'; longitude 116°-116° 30'.] | |
| In T. 13 N., R. 1 W. | |
| Van Wyck, 29.6 miles west of, T. 13 N., R. 1 W., 500 feet northeast of cross-roads, 100 feet east of Van Wyck-Indian Valley road, in top of volcanic bowlder beside mound of rocks; aluminum tablet stamped "3395 W" | |
| From point 11.7 miles west of Van Wyck southwest to Canyon Hill, sec. 27, T. 13 N., R. 1 E., thence northwest along Indian Valley road to junction of Midvale road. | |
| Van Wyck, 12.8 miles west of, 30 feet east of Van Wyck-Indian Valley road, | |
| in tree; nail | 5, 907. 20 |
| Van Wyck, 12.8 miles west of, 20 feet east of Van Wyck-Indian Valley road, | E 007 00 |
| in tree; 30-penny nail | 5, 037. 00 |
| in pine tree; 30-penny nail | 5, 949, 21 |
| Van Wyck, 15.3 miles west of, 50 feet south of Van Wyck-Indian Valley | ., |
| road, on Four-bit summit, near mound of rock, in volcanic rock; alumi- | |
| num tablet stamped "6154 W" | 6, 155. 570 |
| Van Wyck, 16.6 miles west of, 10 feet west of Van Wyck-Indian Valley road, in pine tree; 30-penny nail | 5 372 51 |
| Van Wyck, 17.9 miles west of, 70 feet north of Van Wyck-Indian Valley | 0,0.2.01 |
| road, in pine tree; 30-penny nail | 4, 743. 91 |
| Van Wyck, 19.1 miles west of, 10 feet north of Van Wyck-Indian Valley | |
| road, in pine tree; 30-penny nail | 4, 494. 82 |
| south of Van Wyck-Indian Valley road, in top of volcanic bowlder, near | |
| mound of rocks; aluminum tablet stamped "4464 W" | 4, 465. 383 |
| Van Wyck, 20.4 miles west of, in pine tree, 40 feet north of Van Wyck- | • |
| Indian Valley road; 30-penny nail | 4, 136. 98 |
| Van Wyck, 21.6 miles west of, 150 feet south of Van Wyck-Indian Valley | |
| road, on Canyon Hill summit, in volcanic bowlder, near mound of rocks; aluminum tablet stamped "4375 W" | 4 376 899 |
| Van Wyck, 23 miles west of, on Van Wyck-Indian Valley road, on top of | 1,070.022 |
| bowlder 2 by 2 by 3 feet; chisel mark | 3, 833. 91 |
| Van Wyck, 26 miles west of, 0.4 mile southeast of junction of Indian Valley | |
| and Midvale roads, in rim of rock, in top of volcanic rock; aluminum | 0 410 041 |
| tablet stamped "3409 W" | 3, 410. 941 |
| From Little Weiser River west along Midvale road to McMahan ranch. | |
| Indian Valley-Midvale crossroads, 4.2 miles west of, at J. W. Stippich's ranch, 100 feet northeast of house, in corner of yard, in volcanic bowlder; aluminum tablet stamped "3230 W" | 3, 231. 566 |
| St. Anthony and Victor quadrangles. | |
| FREMONT COUNTY. | |

The elevations in the following list were determined by primary leveling extended from level net in Wyoming and accord with the 1912 adjustment.

The leveling was done in 1899 by Goyne Drummond.

VICTOR QUADRANGLE.

[Latitude 43° 30′-44°; longitude 111°-111° 30′.]

| From Idaho-Wyoming line near Victor west, north, and east to boundary monument 192. | |
|---|-------------|
| Idaho-Wyoming State line, at Trail Creek, 8 feet north of road; bronze | Feet. |
| tablet stamped "B. M. 6681" | |
| Spencer's house, 30 feet west of, 20 feet east of road, 250 feet north of Moses | 0,001,100 |
| Creek; bronze tablet | |
| Victor, Idaho, northeast corner of Porter's store; iron post | |
| Chapin's house, 60 feet east of; iron post | |
| Chapin's ranch, 2 miles northwest of, 100 feet north of channel of Darby | |
| Creek, 20 feet east of road; iron post | 6, 125. 108 |
| Drigg's house, 40 feet east of; iron post | 6, 099. 709 |
| Rigby's house, 1,000 feet northwest of, milepost 192, Wyoming-Idaho State line; iron post | |
| State me, non post | 0, 404. 001 |
| From Drigg's via Kimball's and Swanner's ranches to Teton bridge. | |
| Kimball's house, 1,150 feet southwest of; iron post | |
| Swanner's yard, northeast corner of; iron post | 5, 976. 558 |
| From Drigg's west along road to point 9 miles east of Teton. | |
| Drigg's ranch, 3.5 miles north of, 80 feet east of new house; iron post | |
| Lathron's house, 50 feet east and 300 feet south of ford, east of southwest | |
| corner of sec. 28, T. 6 N., R. 45 E., north side of road; iron post | |
| Teton bridge, 400 feet east of, 6 feet from northwest corner of Alexander West's house; iron post | |
| Teton bridge, 3.4 miles northwest of, top of divide between Teton River | 0, 002. 000 |
| and Milk Creek; iron post | |
| Teton bridge, 5.4 miles northwest of, 20 feet west of Milk Creek, 600 feet | |
| south of road fork; iron post | 6,072.292 |
| Teton bridge, 7.9 miles northwest of, top of divide between Milk Creek and | |
| Canyon Creek, 300 feet southwest of dugway out of Milk Creek; bronze | |
| tablet Harris ranch, 3 miles northeast of, 30 feet north of road; iron post | |
| Harris house, on west side of Canyon Creek, in sec. 13, T. 6 N., R. 42 E., | 0, 900. 019 |
| 10 feet northeast of house; iron post painted "5639" | 5 641 904 |
| Teton, 9 miles east of, 20 feet south of road, on spur fork southwest; iron | 0, 011. 001 |
| post painted "5556" | 5, 558. 724 |
| ST. ANTHONY QUADRANGLE. | |
| [Latitude 43° 30′–44°; longitude 111° 30′–112°.] | |
| From point 9 miles east of Teton to Teton, thence north to St. Anthony (single spur | |
| line). | |
| T. 7 N., R. 41 E., at quarter corner south side of sec. 34; iron post painted | |
| "5067" | 5, 069. 124 |
| Teton, in south part of sec. 31, T. 7 N., R. 41 E., in front of post office, at | |
| southeast corner of lot 13, block 13; iron post painted "4950" | 4, 952. 783 |
| St. Anthony, southwest corner of Washing and Bridge streets, at north- | 4 065 470 |
| west corner of Baker's drug store, in stone post; bronze tablet | 4, 500. 4/9 |

Crow Creek, Freedom, Henry, Lanes Creek, Montpelier, Pocatello, Slug Creek, Soda Springs, and Sterrett quadrangles.

BANNOCK AND BEAR LAKE COUNTIES.

The elevations in the following list are part of the results of leveling done in 1909 in Idaho, Utah, and Wyoming, and are based on a bench mark of the Coast and Geodetic Survey near Onyx, Bannock County, Idaho, the first given in the following list. The elevation of this bench mark is accepted as 4,620.171 feet above mean sea level. From Onyx the line was run over the Oregon Short Line R. R. to a point 3.5 miles south of Montpelier, thence south by road through Laketown and Randolph, Utah, to Evanston, Wyo., closing on the Coast and Geodetic Survey bench mark at that point.

The leveling in Montpelier, Pocatello, Slug Creek, Soda Springs, and Sterrett quadrangles was done in 1909 by L. F. Biggs. Additional leveling was done in 1911 in Montpelier quadrangle by O. G. Taylor and in Soda Springs quadrangle by D. S. Birkett. The leveling in Crow Creek quadrangle was done by Taylor; in Freedom quadrangle by Taylor and Birkett; and in Henry and Lanes Creek quadrangles by Birkett, all in 1911.

POCATELLO QUADRANGLE.

[Latitude 42° 30′-43°; longitude 112°-112° 30′.]

| From point near Onyx along Oregon Short Line R. R. to Pebble. | |
|---|-------------|
| Onyx, 1 mile north of, near signboard "1 mile to Onyx," west of third telephone pole south of milepost 197, 24 feet west of right-of-way fence on west side of track, red stone post 6 feet long and 6 inches square; bottom of square hole cut in top marked "U. S. \square B. M." (C. & G. S. b. m. and | Feet. |
| 1911 preliminary adjustment value) | |
| McCammon, opposite station; top of east rail | 4, 750. 3 |
| (C. & G. S. b. m.) | 4, 754. 522 |
| McCammon, southeast corner of McCammon Investment Co.'s building, 3 feet above ground, in corner stone; aluminum tablet stamped "4767 B 1909 A" | 4, 767. 861 |
| McCammon, 2.6 miles southeast of, west side of track at turn east, in concrete foundation of semaphore 1888; aluminum tablet stamped "4834 B | |
| 1909 B" | 4, 834. 783 |
| McCammon, 6.1 miles east of, 1 mile west of Topaz station, south side of track, 250 feet east of road crossing, in concrete culvert; aluminum tablet stamped "4925 B 1909 C" | 4 096 260 |
| Renfro, 0.8 mile west of, northwest corner of north end wall of culvert 181 | 4, 520. 305 |
| F, 7 feet north of westbound track (100 feet west of original U. S. G. S. | |
| b, m. in signal 1818); chiseled square | 5, 017, 834 |
| Lava, in front of station; top of rail | |

49069°-Bull, 567-15-

| | Foot |
|--|--|
| Lava, 0.2 mile north of, in southwest corner of south end wall of culvert 177A under Oregon Short Line R. R. track (200 feet east of original | Feet. |
| U. S. G. S. b. m.); chiseled square. Lava, 3.7 miles north of, east side of track, cemented in concrete founda- | |
| tion of semaphore 1734; copper nail and washer stamped "5225 B. M. F". | 5, 226. 153 |
| STERRETT QUADRANGLE. | . • |
| [Latitude 42° 30′-42° 45′; longitude 111° 45′-112°.] | |
| From Pebble along Oregon Short Line R. R. to point near Alexander. | |
| Pebble, 1.5 miles north of, north end wall of culvert 168A, under Oregon Short Line R. R.; chiseled circle and cross (150 feet east of original U. S. G. S. b. m.). | 5, 311. 981 |
| Bancroft, 3.4 miles west of, south side of track, in concrete foundation of semaphore 1652; aluminum tablet stamped "5380 B 1909 H" | |
| aluminum tablet stamped "5417 B 1909 I" Bancroft, in front of station; top of rail | 5, 419, 103 5, 422, 8 |
| Bancroft, 4 miles east of, north side of track, in concrete foundation of | |
| semaphore 1581; aluminum tablet stamped "5502 B 1909 J" | |
| SODA SPRINGS QUADRANGLE. | , |
| [Latitude 42° 30′-42° 45′; longitude 111° 30′-111° 45′.] | |
| From point 7 miles north of Soda Springs south along highway to Soda Springs. | • |
| Soda Springs, 7 miles north of, in sec. 8, T. 8 S., R. 42 E., intersection of Henry road with road leading east about 1 mile to ranch, 45 feet south of east-west road, 100 feet east of Henry road; spike in base of telephone pole on Geo. Doull's telephone line, marked "U. S. 6170 B. M. 56" Soda Springs, 5.6 miles north of, in sec. 17, T. 8 S., R. 42 E., 1.9 miles north of Threemile Knoll, 350 feet east of Henry road, in line of Geo. Doull's telephone line, 20 feet south of pole; iron post stamped "6126 1911 30" Soda Springs, 3.8 miles north of, in sec. 29, T. 8 S., R. 42 E., east side of Threemile Knoll, 125 feet east of Henry road, 55 feet northwest of fence corner, 0.25 mile southeast of small bridge over irrigation ditch, 20 feet north of road leading east along fence, 5 feet east by 10 feet south of post of Doull's telephone line; iron post stamped "6023 1911 31" | 6, 126. 945 6, 023. 953 |
| Soda Springs, 1.5 miles north of, in sec. 30, T. 8 S., R. 42 E., 15 feet west of Henry road, 10 feet north of bridge over small irrigation ditch; point on top of basalt bowlder, marked "U. S. 5885 B. M. 21" | 5, 886. 17 |
| From point near Alexander southeast along Oregon Short Line R. R. to Rose. | |
| Alexander, 1.9 miles west of, south side of track, in concrete foundation of semaphore 1540; aluminum tablet stamped "5668 B 1909 K" | 5, 669. 804 5, 732. 4 5, 731. 743 5, 778. 5 |
| num tablet stamped "5777 B 1909 M" | 5, 778. 640 |

SLUG CREEK 15' QUADRANGLE.

[Latitude 42° 30′-42° 45′; longitude 111° 15′-111° 30′.]

| From Rose along Oregon Short Line R. R. to Novene. | Foot |
|---|-------------------|
| Rose, 1.5 miles southeast of, southwest corner of bridge over Bear River, in concrete abutment; aluminum tablet stamped "5807 B 1909 O" | Feet. 5, 808. 978 |
| Manson, 2.3 miles southeast of, south side of track, in concrete foundation of semaphore 1336; aluminum tablet stamped "5853 B 1909 P" | 5, 854. 100 |
| in abutment; aluminum tablet stamped "5881 B 1909,Q" | 5, 882. 943 |
| MONTPELIER QUADRANGLE. | • |
| [Latitude 42°-42° 30′; longitude 111°-111° 30′.] | |
| From Novene along Oregon Short Line R. R. to point 3.5 miles south of Montpelier, thence south along road on east side of Bear Lake to Idaho-Utah State line. | |
| Novene, in front of station; top of rail | 5, 889.7 |
| Woley's spur, 1 mile northwest of, southwest corner of bridge 137 over Bear | |
| River, in stone abutment; aluminum tablet stamped "5904 B 1909 R" | 5, 904. 179 |
| Pescadero, 1 mile northwest of, south side of track, in concrete foundation | |
| of semaphore 1218; aluminum tablet stamped "5923 B 1909 S" | |
| Pescadero, in front of station; top of rail | 5, 922. 2 |
| River, in concrete foundation; aluminum tablet stamped "5914 B | |
| 1909'T" | 5, 915, 709 |
| Montpelier, in front of station; top of west rail | |
| Montpelier, southeast corner of First National Bank building, on step at | • • |
| entrance to bank; aluminum tablet stamped "5944 B 1909 U" | 5, 946. 555 |
| Montpelier, 3.4 miles southeast of, east edge of right of way, at road crossing, | |
| in fence corner; iron post stamped "5951 B 1909 V" | 5, 953. 041 |
| Dingle, north end of town, at bend of road, opposite Bridge's ranch house, southwest corner of house yard; iron post stamped "5954 B 1909 W" | 5 056 270 |
| Meckley Lake; surface of water June 1, 1909. | |
| Dingle, 2.9 miles south of, 1,000 feet south of Meckley Lake, 50 feet south of | 0,020 |
| sheep pens, 150 feet west of road; iron post stamped "5939 B 1909 X" | 5, 941. 082 |
| Mud Lake; surface of water, June 1, 1909 | |
| Hot Springs, 1.6 miles north of, west edge of road, opposite Mini tunnel, | |
| on bowlder painted "5928 B. M. 72"; chisel point | 5, 930. 64 |
| Hot Springs, 500 feet west of north-south road, 100 feet south of Turnpike | |
| post office, west end of large gate to yard; iron post stamped "5947 B 1909 Y" | |
| Bear Lake, east shore; surface of water May 31, 1909, light west wind | 0, 010. 010 |
| blowing. | 5, 925. 0 |
| Hot Springs, 1 mile south of, north end of row of poplar trees, 300 feet north | • |
| of house, in base of 20-inch poplar tree; spike with aluminum tag stamped | |
| "5980 B. M. 73" | 5, 982. 49 |
| Hot Springs, 3.5 miles south of, opposite northeast corner of alfalfa field, at | F 000 F40 |
| lane to barn; iron post stamped "5958 B 1909 Z" | 5, 960. 748 |
| 1,000 feet south of clump of small bushes at rocky point on shore, on bowlder | |
| painted "5925 B. M. 76"; chisel point. | 5, 927. 75 |
| North Eden, 1.2 miles north of, 25 feet west of road, 150 feet east of small | |
| clump of trees, 100 feet east of lake; iron post stamped "5942 B 1909 A 1". | 5, 944. 725 |
| North Eden, 0.7 mile south of, at fence corner, 1,000 feet south of sheep | w aac |
| sheds, west edge of road; iron post stamped "5958 B 1909 B 1" | 5, 960. 503 |

¹ Additional elevations in this quadrangle will be found in Wyoming list, Bulletin 558.

| From Dingle along Oregon Short Line R. R. to Border. | Feet. |
|--|-------------|
| Dingle, 1.6 miles south of, in southeast corner of concrete abutment of bridge 117 over creek; aluminum tablet stamped "5983 B 1909 32" | |
| Harer, in front of station; top of rail | |
| Pegram, 4.8 miles north of, 2,000 feet south of Harer station, opposite south end of siding, 100 feet west of right of way, on west side of wagon road; iron post stamped "5998 B 1909 33" | 6 000 283 |
| Pegram, 200 feet east of station, east edge of right of way, northwest corner of field, at road crossing; iron post stamped "6030 B 1909 34" | |
| Pegram, 0.9 mile northeast of, northeast corner of steel bridge over Bear River, in cap; copper nail, with aluminum tag stamped "6042 B. M. 177". | |
| Pegram, 2.6 miles northeast of, east edge of right of way, opposite milepost 95; iron post stamped "6048 B 1909 35" | • |
| Border, opposite section house, south side of track, 3 feet east of Idaho-Wyoming State line post; iron post stamped "6072 B 1909 30" | |
| From Montpelier by road through Geneva and Raymond to Border. | |
| Montpelier, east side of steps of town hall, on first tier of concrete guard rail; aluminum tablet stamped "5962 B 1909 21" | 5, 964. 090 |
| Montpelier, 4.4 miles east of, at city water works, in top, at north end of dam; aluminum tablet stamped "6211 1909 B 22" | 6, 212. 840 |
| and Geneva roads, 200 feet south of creek, on point of hill, 20 feet east of road; iron post stamped "6444 B 1909 23" | 6, 445. 577 |
| Montpelier, 9.5 miles east of, 0.7 mile east of junction of Star Valley and Geneva roads, 3 miles west of summit, south side of road, on bowlder | |
| painted "6608 B. M. 148"; chisel point | |
| and Geneva; iron post stamped "7000 B 1909 24" | 7, 001. 893 |
| road, on bowlder painted "6310 B. M. 151"; chisel point | 6, 311. 76 |
| Geneva, 800 feet east of log house, at intersection of road to north, southwest corner of field; iron post stamped "6230 B 1909 25" | 6, 231. 826 |
| section of north-south road; iron post stamped "6171 B 1909 26" Geneva, 3.6 miles south of, 3.2 miles northeast of Raymond, south side of | • . |
| east-west road, 20 feet west of canal; iron post stamped "6205 B 1909 27". Raymond, 1,500 feet south of schoolhouse, at section corner, junction of | |
| east-west road; iron post stamped "6133 B 1909 28" | |
| 15 feet south of gate to lane; iron post stamped "6107 B 1909 29" | 6, 108. 961 |
| From Montpelier through Ovid, Paris, and St. Charles to Turnpike (Hot Springs). Montpelier, 1.7 miles west of, northeast corner of steel bridge over Bear | |
| River, in concrete abutment; bolthead painted "5925" | |
| of roads in southeast corner of field; iron post stamped "5922 B 1909 36" Ovid, southwest corner of school yard, at road junction; iron post stamped | |
| "5932 B 1909 37". Paris, southwest corner of county courthouse, 5 feet above ground; aluminum tablet stamped "5966 B 1909 38" | |
| | |

| St. Charles, 3 miles north of, northeast corner of field, at junction of road | Feet. | • |
|--|------------------------|------------|
| west, 60 feet south of log barn at Joe Patterson's ranch, 300 feet north of | | |
| creek; iron post stamped "5962 B 1909 39" | 5, 964. 6 | 330 |
| iron post stamped "B 1909 5953 40" | 5, 955. 6 | 368 |
| let of Bear Lake, on turnpike road; iron post stamped "5927 B 1909 41". Bear Lake; surface of water July 19, 1909 (light south wind and small | | |
| waves, poor level) | 5, 925. 3 5, 925. 1 | } L |
| From point 8.4 miles east of Montpeller north along highway to Halfway House. | | |
| T. 12 S., R. 45 E., sec. 34, 8.4 miles east of Montpelier, 600 feet southeast of junction of Star Valley and Geneva roads, 200 feet south of creek, on point of hill, 20 feet east of road; iron post stamped "6444 B 1909 23" | C 445 5 | < 77 |
| T. 12 S., R. 45 E., sec. 27, 0.7 mile north of junction of Star Valley and Geneva roads, on west side of road, 100 feet south of small drain; point | | |
| on rock, painted "B. M. 6463". T. 12 S., R. 45 E., sec. 27, 1 mile north of junction of Star Valley and | 6, 464. 0 |)7 |
| Geneva roads, east edge of road, on side of hill; point on top of large rock, painted "B. M. 6478" | 6, 479. 4 | 16 |
| stream crossing, 200 feet north of junction of valley roads, on point of hill, in base of telephone pole; spike, painted "B. M. 6502" nearby | 6, 503, 7 | 77 |
| T. 12 S., R. 45 E., sec. 15, 2.9 miles north of junction of Star Valley and Geneva roads, 0.9 mile north of house, 20 feet west of road, on gentle | | |
| slope; spike in base of corner fence post, painted "B. M. 6581" | 6, 582. 1 | 11 |
| from east, 80 feet north of stream crossing, on slope of hill, 20 feet north of road; iron post stamped "6606 1911 1" | 6, 607, 2 | 263 |
| T. 12 S., R. 45 E., sec. 11, 1 mile east of Montpelier Creek, 10 feet north of road, at right-angle bend in road, at junction of three valleys; spike in | | |
| base of telephone pole 433, painted "B. M. 6714 5" | 6, 715. 7 | '1 |
| of telephone pole 465, painted "B. M. 6791" | 6, 792. 1 | l 2 |
| Giveout, T. 11 S., R. 45 E., sec. 35, 1.6 miles north of right-angle bend in valley, on west side of road, in northeast corner of log barn, in top of | | |
| log; spike, painted "B. M. 6842 7" | | |
| north of Giveout, 20 feet west of road; iron post stamped "7023 1911 2". Giveout, 1.9 miles north of, in sec. 36, T. 11 S., R. 45 E., 300 feet north- | 7, 024. 6 | 377 |
| west of small stream crossing, 300 feet south of upper and lower roads, 100 feet west of road, in valley; spike in base of telephone pole 452, painted "B. M. 6955 8" | | 54 |
| T. 11 S., R. 45 E., sec. 23, 2.7 miles north of Giveout, on top of second divide north of Giveout, 15 feet west of road; spike in foot of 8-inch | | |
| quaking-asp tree, painted "B. M. 7243 9" | 7, 244. 8 | 38 |
| stream, 50 feet east of Star Valley road, on bench of hill; iron post stamped | 7. 009. 5 | 529 |

Feet.

| Halfway House, 2 miles south of, in sec. 14, T. 11 S., R. 45 E., 1.8 miles north of West Fork of Thomas Fork of Bear River, 800 feet north of junction of upper and lower roads, 50 feet north of stream crossing, on | | |
|---|-----------|------------|
| east edge of road; painted point on rock, marked "B. M. 7258 10" | 7, 259. 3 | 38 |
| 20 feet east of road; spike in base of telephone pole, painted "B.M. 7479 11" | 7, 480, 2 | 28 |
| Halfway House, 0.2 mile north of, between secs. 35 and 2, Tps. 10 and 11 S., R. 45 E., 15 feet west of road, in saddle, 1.2 miles northwest of highest divide on Star Valley road; iron post stamped "7154 1911 4" | | |
| CROW CREEK QUADRANGLE. | | |
| [Latitude 42° 30′-42° 45′; longitude 111°-111° 15′.] | | |
| From point 1 mile north of Halfway House to Idaho-Wyoming State line. | | |
| Halfway House, 1 mile northwest of, in sec. 35, T. 10 S., R. 45 E., 200 feet north of stream where road turns into Crow Creek Valley, east edge of | | |
| road; painted point on rock, marked "B. M. 6949" | 6, 950. 7 | (Đ |
| point on rock, marked "B. M. 6858 13" | 6, 859. 4 | 11 |
| of junction of large stream from the east with Crow Creek, 10 feet west of road, on small rise, 150 feet west of Crow Creek; iron post stamped | J | |
| "6754 1911 5" | 6, 756. 0 |)30 |
| northeast of Alleman's Spring road crossing, 30 feet east of road, at south- | | |
| west corner of old log house; spike in top of log, marked "B. M. 6695 14". | | 66 |
| T. 10 S., R. 45 E., sec. 11, 5 miles north of Halfway House, on northeast corner of Wells barn, 40 feet east of road; spike in side of log, painted "B. M. 6669 15" | e e70 o | <u>، ۸</u> |
| T. 10 S., R. 45 E., sec. 11, 6 miles north of Halfway House, 30 feet north | 0, 070. 9 | <i>,</i> 0 |
| of road, on southwest corner of Book's bunk house; spike in log, painted | | |
| "B. M. 6622 16" | 6, 623. 9 | 13 |
| north of Deer Creek, 800 feet west of Crow Creek, 15 feet north of Star Valley road, at bend in road, at base of hill; iron post stamped "6588 | | |
| 1911 6" | 6, 589. 9 | 11 |
| Deer Creek, 1.3 miles north of, 10 feet west of Star Valley road; spike in base of telephone pole 955, painted "B. M. 6501 17" | 6, 502. 9 | 5 |
| Deer Creek, 2.3 miles north of, 20 feet west of Star Valley road; spike in | | |
| base of telephone pole 989, painted "B. M. 6453 18" | 6, 454. 4 | 4 |
| tion of Star Valley and Sage Creek roads; iron post stamped "6423 1911 7" | 6, 424. 2 | 203 |
| Sage Creek, 1 mile north of, 150 feet east of Lowe's house, 20 feet west of Star Valley road; spike in base of telephone pole 1051, painted "B. M. | | |
| 6388 19" | 6, 389. 3 | 3 |
| south of dry ravine, 20 feet east of Star Valley road; spike in base of | | |
| numbered telephone pole, painted "B. M. 6378 20" | 6, 379. 7 | 9 |
| 80 feet west of Star Valley road, on gentle slope; iron post stamped | | |
| 46317 1011 8" | C 910 A | e a |

| · | Feet. | |
|--|---------|-----|
| Hardman's Hollow, 0.5 mile north of, 0.5 mile northeast of Idaho-Wyoming State line road crossing, on west edge of Star Valley road, on rocky point; painted point on rock, painted "B. M. 6268 21-" | 6, 269 | |
| FREEDOM QUADRANGLE. | | |
| [Latitude 42° 45′–43°; longitude 111°–111° 15′.] | | |
| From point 3 miles west of Auburn west along old Lander trail to summit on Lander trail. | | |
| Auburn, 3.6 miles west of, 250 feet northwest of Stump Creek, 10 feet north of junction of Stump Creek road with Tyger road, at base of hill; iron post stamped "6156 1911 13" | | 471 |
| Auburn, 5.1 miles northwest of, 100 feet south of Horse Creek road crossing, 120 feet east of forest ranger's house, 30 feet east of Stump Creek road; | 0.010 | 00 |
| spike in base of fence post, painted "B. M. 6215 31" | | • |
| white rock, painted "B. M. 6198 32" | 6, 199. | 66 |
| 1911 14" | 6, 258. | 137 |
| of flat, on high ground; chisel point on rock, painted "B. M. 6316 33" Auburn, 9.3 miles northwest of, 1 mile west of elbow in Stump Creek Valley, in small saddle on south edge of upper Stump Creek road; spike | 6, 317. | 85 |
| in root of red pine tree, tree painted "B. M. 6435 34" | · | |
| road, on large open bench; iron post stamped "6413 1911 15" | | |
| red-pine tree, painted "B. M. 6464 35" | | |
| base of dead red-pine tree, painted "B. M. 6622 36" | | |
| bad dugway; chisel point on rock, painted "B. M. 6972 37" | | |
| Auburn, 15.2 miles northwest of, top of second summit northwest of Auburn on Lander trail, 1.6 miles west of head of Tearas Canyon, 50 feet south of road; spike in 16-inch white-pine tree encircled with white paint, marked "U. S. 7435 B. M." | | |
| Auburn, 15.6 miles northwest of, top of third summit in mountains northwest of Auburn on Lander trail, 2 miles west of head of Tearas Canyon, 15 feet south of road; spike encircled with white paint at base of 10-inch | • | |
| quaking-asp tree, marked "U. S. 7478 B. M." Auburn, 16.9 miles northwest of, 3.25 miles west of head of Tearas Canyon, top of fourth summit in mountains northwest of Auburn on Lander trail, 20 feet north of read, iron post stamped "7327 1911 17" | 7, 479. | |

| | Feet. |
|--|-------------|
| Auburn, 17.5 miles northwest of, 3.8 miles west of head of Tearas Canyon, near bottom of west slope of fourth summit west of Tearas Canyon, 10 feet north of road; in top of 9-inch pine stump 2½ feet high; spike en- | |
| circled with white paint, marked "U. S. 7209 B. M." | 7, 210. 97 |
| B. M." | 7, 251. 56 |
| vation "7228" on pine log, 15 feet north of road, held on nail encircled with white paint | 7, 230. 04 |
| HENRY QUADRANGLE. | |
| [Latitude 42° 45′-43°; longitude 111° 30′-111° 45′.] | |
| From point 3.2 miles west of Fox ranch south along highway to point 8 miles north of Soda Springs. | |
| m = 0 T | |
| T. 7 S., R. 42 E., sec. 14, 3.2 miles west of Fox ranch, 2.6 miles northeast of bridge over Blackfoot River on Henry road, 0.3 mile west of log fence surrounding large field, at top of first hill west of fence, 15 feet north of | |
| road; iron post stamped "6329 1911 27" | 6, 329. 668 |
| T. 7 S., R. 42 E., sec. 10, 13.3 miles northeast of Soda Springs, 1.3 miles northeast of bridge over Blackfoot River, on Soda Springs-Grays Lake road, 30 feet west of intersection of Grays Lake and Blackfoot River roads to Henry; point on top of lava bowlder, marked "U. S. 6320 B. M. | |
| 52" | 6, 320. 43 |
| T. 7 S., R. 42 E., NE. 4 sec. 16, 150 feet north of Blackfoot River bridge, on east side of Henry road, 4 feet west of fence; iron post stamped "6131 | 0.707.00 |
| 1911 28" | 6, 131. 96 |
| 1911 | 6, 123. 3 |
| T. 7 S., R. 42 E., sec. 16, at intersection of Henry road and old road to Henry via old toll bridge now submerged by Henry Lake, 0.5 mile south of bridge over Blackfoot River on Henry road, 100 feet south of intersection, 50 feet west of Soda Springs road; spike in base of telephone | |
| pole, marked "U. S. 6133 B. M. 53" | 6, 133, 75 |
| T. 7 S., R. 42 E., sec. 21, 1.6 miles south of bridge over Blackfoot River, 170 feet east of Henry road, 450 feet north of cabin on east side of road; spike in base of pole of George Doull's telephone line, marked "U. S. | · |
| 6141 B. M. 54" | 6, 141. 93 |
| T. 7 S., R. 42 E., sec. 28, 9.2 miles north of Soda Springs, 2.8 miles south of bridge over Blackfoot River, 600 feet north of point where Henry | |
| road crosses to east side of George Doull's telephone line, near bottom | |
| of ravine, 50 feet east of road, 250 feet west of telephone line; point on top of large basalt bowlder, marked "U. S. B. M. 55" | 6 175 01 |
| Tps. 7 and 8 S., R. 42 E., secs. 33 and 34, 8.1 miles north of Soda Springs, | 0, 170. 01 |
| 1,000 feet east of intersection of George Doull's telephone line with spur | |
| line leading east, 1 mile to ranch house, 45 feet north of two large gates separated by east-west wire fence, 30 feet north of above spur telephone | |
| line, 150 feet east of Soda Springs-Henry road, 4 feet west of north-south fence; iron post stamped "6165 1911 29" | 6, 165. 861 |
| - | • |

LANES CREEK QUADRANGLE.

[Latitude 42° 45′-43°; longitude 111° 15′-111° 30′.]

| From seventh summit on Lander trail west along Lander trail and highway to point I mile west of Fox ranch. | |
|---|---------------------------|
| Auburn, 19.5 miles northwest of, top of seventh and last summit of mountains as counted west from head of Tearas Canyon, 2.5 miles east of Kunz Middle Dairy, 20 feet southwest of road; spike in top of 8-inch pine stump | |
| T. 6 S., R. 22 E., in unsurveyed sec. 2, 1.2 miles east of Kunz Middle Dairy, 50 feet east of point where road crosses a westward-flowing tributary of Lanes Creek, 20 feet south of road, 30 feet north of creek, on small knoll; | 7, 040. 65 |
| iron post stamped "6866 1911 18" | 6, 867. 290 |
| glomerate bowlder 4 féet south of road | 6, 717. 65 |
| 40 feet east of road; iron post stamped "6665 1911 19" | 6, 666. 364 |
| in base of telephone pole, marked "U. S. 6635 B. M. 43" | 6, 636. 65 |
| post stamped '6600 1911 20" | 6, 602. 243 |
| road, 1 mile south of Lower Dairy; marked elevation "6604" | |
| ley, 25 feet west of Lanes Creek road; iron post stamped "6504 1911 21". Lanes Creek road, 15 feet east of; marked elevation "6483" on fence post | 6, 484 |
| Lanes Creek road, 20 feet east of; marked elevation "6498" on fence post T. 7 S., R. 44 E., sec. 9, 2.4 miles northeast of Stocking sheep corral, top of hill north of junction of South Fork of Blackfoot River and Lanes Creek, hill underlain by basalt lava flow overlying sandstone, 20 feet | 6, 499 |
| west of Lanes Creek road; iron post stamped "6559 1911 22" | 6, 561. 151 |
| inch low-lying basalt bowlder, painted "U. S. 6465 B. M." T. 7 S., R. 44 E., sec. 8, 0.5 mile north of Stocking ranch house, 0.6 mile northeast of sheep-dipping corral, south side of Blackfoot River road; | |
| spike in base of fence post, marked "U. S. 6416 B. M. 45" | |
| 23" | 6, 444. 424 6, 455. 70 |
| "Narrows" of Blackfoot River, 50 feet northwest of river, 10 feet south of road; point on 2-foot limestone bowlder, marked "U. S. 6377 B. M. 46". T. 7 S., R. 44 E., in sec. 19, 0.3 mile from south end of "Narrows" of Blackfoot River, 3.5 miles northeast of Home ranch, 16 feet west of river, 3 feet west of road, 3 feet above road level, in limestone outcrop; aluminum | 6, 378. 67 |
| tablet stamped "6372 1911 24" | 6, 373. 658 |

| T. 7 S., R. 43 E., just west of section line between secs. 25 and 26, on south side of road intersection of Blackfoot road with road from southeast; spike | Feet. |
|---|-------------|
| in base of fence post, marked "U. S. 6361 B. M." | 6, 362. 36 |
| gate post, marked "U. S. 6323 B. M.". T. 7 S., R. 43 E., SW. 4 sec. 27, 500 feet northwest of ranch house, at Blackfoot ranch (Austin home ranch), 45 feet west of fence corner, west side of | 6, 324. 13 |
| road; iron post stamped "6339 1911 25" | 6, 339. 532 |
| "U. S. 6303 B. M.". T. 7 S., R. 43 E., sec. 19, 17.8 miles northeast of Soda Springs, north side of Soda Springs road, 25 feet west of gate leading to ranch house of Fox ranch, 12 feet west of platform for mounting, 110 feet south of ranch house; | |
| iron post stamped "6315 1911 26" | |
| Hailey, Picabo, Sawtooth, and Soldier quadrangles. | 0, 200. 01 |
| BLAINE COUNTY. | |
| | |
| The elevations in the following list are approximate and a on the height of the bench mark at Beckers ranch, determ the Oregon Short Line R. R. in 1914. | |
| The leveling was done in 1896 by A. B. Searle. | |
| HAILEY QUADRANGLE. | |
| [Latitude 43° 30′-44°; longitude 114°-114° 30′.] | |
| At Hailey Hot Springs. | Feet. |
| Hailey Hot Springs, at southwest corner of porch of hotel; iron post stamped "5418" | |
| · | 5, 414. 212 |
| Along Warm Springs Creek. | |
| Upper Hot Springs, at northwest corner of old cabin, on northeast side of road, about 20 yards from creek crossing; iron post stamped "6286" Punch Bowl Lakes, about 1.2 miles above, on southeast side of road; iron | |
| post stamped "6010" | |
| From Ketchum south along Oregon Short Line R. R. to Hailey. | |
| Cold Springs mill, about 0.2 mile south of, at Point of Rocks; iron post | |
| stamped "5690" | 5, 685. 514 |
| stamped "5544" | 5, 539. 411 |
| Becker's ranch, at fence corner west of railroad track, about 20 yards south | • |

From Ketchum north along Sawtooth road.

of road crossing; iron post stamped "5465"......

Ketchum, 2.5 miles north of, first bridge over Wood River, not on main road, about 40 feet northeast of east end, west of road; iron post stamped "5949"....

| Ketchum, 8.5 miles north of, about 90 feet north of third bridge over Wood River, 30 feet east of wagon road; iron post stamped "6236" | 6, 231. 615 | 5 |
|--|----------------------------|---|
| PICABO QUADRANGLE. | | |
| [Latitude 43°-43° 30'; longtiude 114°-114° 30'.] | | |
| From Hailey along Camas Prairie road to Doniphan. | | |
| Gilman, side of house where post office was formerly located, near forks of road; iron post stamped "5547". Kelly Creek crossing, 50 feet west of; iron post stamped "5857". Divide between Croy and Camp creeks, south side of road; iron post stamped "6114". | 5, 542. 701 5, 852. 600 |) |
| Doniphan, south side of post office building used also as assay office of Camas No. 2 mine; iron post stamped "5788" | | |
| SOLDIER QUADRANGLE. | | |
| [Latitude 43°-43° 30'; longitude 114° 30'-115°.] | | |
| Along Willow Creek. | | |
| Willow Creek road and short cut to Soldier, forks of, about 50 feet west of a lone tree at edge of small drain; iron post stamped "5094" Willow Creek and Soldier roads, about 4 miles north of intersection of, house of A. B. Arnold, at west side of county road, near rail fence at end of bars; iron post stamped "5298" Willow Creek and Buttercup mine roads, junction of, southeast corner of log house; iron post stamped "5530" | 5, 089. 652 5, 293. 425 | ; |
| From Smoky District to head of Soldier Creek. | | |
| Trail Creek and branch of Soldier Creek, divide between; iron post stamped "7082" T. 14 E., R. 1. N., south line of sec. 9, near Soldier Creek, at southeast corner of John Wordrupp's corral, about 20 feet west of forks of Soldier and Trail Creek roads; iron post stamped "5366" Soldier Creek, near, 30 yards northwest of little log cabin, west side of wagon road, where road makes right-angle turn after crossing creek near clump of quaking-asp trees; iron post stamped "5755". Soldier Creek, near, 2 miles west of mill, near cluster of big rocks, about 20 yards from large fir tree and 30 yards south of trail; iron post stamped "6558". | 5, 361. 31 5, 750. 70 | |
| SAWTOOTH QUADRANGLE. | | |
| [Latitude 43° 30′-44°; longitude 114° 30′-115°.] | | |
| From divide between Willow Creek and Smoky Creek to Castle Crag. | | |
| Willow Creek and Smoky Creek divide, highest point of, about 200 feet east of road; iron post stamped "6857" | | |
| Carrie Leonard road, junction with, west side of road, about 0.5 mile north of junction of Carrie Leonard and Little Smoky creeks; iron post stamped "6123" | | |

| | Carrie Leonard Creek and Warm Springs Creek, divide between; iron post stamped "8719" | Feet. 8, 714, 2 | 57 |
|---|---|--------------------|----|
| | Summit where Warm Springs Creek crosses road, about 3.5 miles east of, on south side of road, near group of large stumps; iron post stamped "7281". Castle Crag, 50 feet east of base of, at west side of road, midway between two creek crossings; in top of rock; bronze tablet stamped "6640" | 7, 277. 05 | 55 |
| | From Smoky District along south Boise trail toward Atlanta. | 0,000.00 | 02 |
| | Worswick's, 1.5 miles from, about 100 yards east of trail; iron post stamped | | |
| _ | | 7, 143. 9 | 45 |
| - | "7148" Little and Big Smoky creeks, junction of, about 200 yards south of forks of South Boise and Big Smoky trails, in east face of rock, about 50 feet above | | |
| | general elevation of valley; copper bolt stamped "5539" | 5, 534. 6 | 92 |
| | from lone fir tree; iron post stamped "5822" | | |
| | side of trail on flat, 50 yards east of creek; iron post stamped "5773" South Boise Creek, about 9.5 miles above placer claim, at south side of trail, at base of large accumulation of slide rock, at point where the canyon begins to narrow, and where trail goes down to creek; iron post stamped | 5, 768. 49 | 93 |
| | "6169" | 6, 165. 2 | 71 |
| | From point 13.5 miles northwest of Ketchum up Wood River to divide between Wood and Salmon rivers. | | |
| | Ketchum, about 13.5 miles northwest of, about 40 feet north of abandoned stable on top of small knoll, at south end of road, west of road crossing | | |
| | of Bowlder Creek; iron post stamped "6596" | · | |
| | "7020" | 7, 015. 4 | 44 |
| | Galena, near southeast corner of second building west of road; iron post stamped "7294" | 7, 289, 8' | 73 |
| | Galena, 1.2 miles west of, about 70 feet before road crosses stream; cross | • | |
| | mark on large rock west of road. Wood and Salmon rivers, divide between, 50 feet northwest of road; iron | 7, 421. 9 | |
| | post stamped "8795" | 8, 791. 20 | 60 |
| | | | |

Arco, Bay Horse, Dickey, Mackay, May, Rabbit Foot, Salmon, Shelley, and Tilden quadrangles.

BINGHAM, BLAINE, CUSTER, AND LEMHI COUNTIES.

The elevations in the following list were determined by an unadjusted primary-level line, run with prism level with yard and double-yard rod readings, and accord with the 1912 adjustment at Blackfoot. Rod, orthometric, and other corrections have been applied, and the line thus corrected closes 3.182 feet high upon an elevation determined by Barringer in 1910 by an unadjusted Y level line from Barratts, Mont., corrected also to accord with the 1912 adjustment and for various errors.

The leveling was done in 1912 by D. S. Birkett.

SHELLEY QUADRANGLE.

[Latitude 43°-43° 30'; longitude 112°-112° 30'.]

| From Blackfoot northwest along Oregon Short Line R. R. 10 miles. | | |
|---|--------------------------|--|
| Blackfoot, on north side of Bridge Street, at east corner of Odd Fellows Hall, southeast corner of projecting foundation; bottom of square hole lettered | Feet. | |
| "U. S." (C. & G. S. b. m. T 6) | 4, 497. 714 | |
| Blackfoot, at corner of East Main and Judicial streets, in northwest corner of Bingham County courthouse grounds, 3 meters from west fence, in top of stone post marked "U. S. B. M."; bottom of square hole (C. & G. S. | | |
| b. m. S 6) | | |
| track; chiseled square on steel bedplate, marked "U. S. B. M." | 4, 484. 66 | |
| Blackfoot, 3 miles northwest of, 1,000 feet east of milepost 3, 40 feet south of railroad track; spike in base of telegraph pole, marked "U. S. 4475 B. M.". Blackfoot, 4 miles northwest of, 175 feet west of milepost 4, 40 feet south of | 4, 474. 62 | |
| track; spike in base of telegraph pole, marked "U. S. 4472 B. M." Blackfoot, 5 miles northwest of, 1,000 feet east of milepost 5, middle of north | 4, 471. 75 | |
| side of bridge 3; driftbolt encircled in white paint, marked "U. S. 1490 B. M." (marked in yards instead of feet by mistake) | | |
| Blackfoot, 6.5 miles northwest of, 50 feet east of milepost 6.5, 20 feet south of track, in concrete collar for siphon; bronze tablet stamped "4458 | • | |
| 1912 2" | 4, 457. 659 4, 463. 9 | |
| north side of railroad bridge; driftbolt encircled in white paint, marked "U. S. 4469 B. M." | 4, 469. 05 | |
| Moreland Junction, 1.3 miles northwest of, 40 feet north of milepost 8.5, south side of cattle guard; top of driftbolt encircled with white paint, marked "U. S. 4475 Elev" | A A7A Q1 | |
| Moreland Junction, 2.3 miles northwest of, 125 feet east of milepost 9.5, in large lava bowlder; bronze tablet stamped "4481 1912 3" | | |
| TILDEN QUADRANGLE. | • | |
| [Latitude 43°-43° 30′; longitude 112° 30′-113°.] | | |
| From point 10 miles northwest of Blackfoot northwest along Oregon Short Line R. R. to point 2.4 miles northwest of Cerro Grande. | | |
| Moreland Junction, 3.8 miles northwest of, 1,100 feet northwest of milepost 10.5, 50 feet north of track, opposite railroad culvert; top of basalt lava | | |
| bowlder, point encircled in white paint, marked "U. S. 4497 Elev" Moreland Junction, 4.8 miles northwest of, 5 feet east of milepost 11.5, 5 feet south of railroad track; top of basalt lava bowlder, marked "U. S. 4523 | | |
| B. M." (should be 4526) | 4, 525. 54 | |
| stamped "4540 1912 4" | 4, 539. 863 | |
| marked "U. S. 4561 B. M." | 4, 560. 83 | |
| spike in base of milepost 14, marked "U. S. 4587 Elev" (railroad bench mark). | 4, 590, 87 | |

| Taber, 4.8 miles southeast of, 1,000 feet northwest of milepost 15, in top of | Feet. | |
|---|-------------|---|
| basalt lava bowlder; bronze tablet stamped "4611 1912 5" | 4, 611. 423 | , |
| Milepost 15.5; spike in base of (railroad bench mark, their value 4,614.468) | 4, 615. 33 | |
| Taber, 4.1 miles southeast of, 600 feet east of milepost 16, west end of south | | |
| side of west cattle guard; top of driftbolt encircled in white paint, marked | | |
| "U. S. 4617 B. M." | 4, 616. 72 | |
| Taber, 3 miles southeast of, opposite milepost 17, at end of present right of | | |
| way fence, west end of north side of cattleguard; top of driftbolt encircled | | |
| in white paint, marked "U. S. 4643 Elev" | 4, 642. 99 | |
| Taber, 2.3 miles southeast of, 1,530 feet east of milepost 18, 55 feet south of | | |
| track, 6 inches north of cairn of rocks 3 feet high, painted "B. M.," low- | | |
| lying basalt lava rock in place; bronze tablet stamped "4665 1912 6" | 4,664.670 |) |
| Taber, 1 mile southeast of, 10 feet east of milepost 19, 10 feet south of rail, | | |
| in top of wall of platform for handcar; point encircled in white paint on | | |
| basalt lava rock, marked "U. S. 4694 B. M." | | |
| Milepost 120; spike in base of (railroad bench mark; their value 4,726.072) | 4,726.841 | |
| Taber, 4 feet south of signboard, 250 feet northwest of milepost 20, 12 feet | | |
| north of rail, in base of foundation for signboard, in basalt rock; bronze | | |
| tablet stamped "4726 1912 7" | 4, 726. 293 | |
| Taber, 1 mile northwest of, 20 feet east of milepost 21, 6 feet south of rail, | | |
| in top of foundation of platform for handcar; point encircled with white | | |
| paint, marked "U. S. 4744 Elev" | 4, 743. 93 | |
| Taber, 1.6 miles northwest of, 500 feet northwest of milepost 21.5, in railroad | | |
| rock through cut, 9 feet south of rail, top of basalt lava rock; bronze tablet | | |
| stamped "4762 1912 8" | 4, 761. 898 | |
| Taber, 2.3 miles northwest of, 1,740 feet northwest of milepost 22, 20 feet north of rail; point encircled with white paint on basalt lava bowlder, | | |
| marked "U. S. 4774 Elev" | 4 779 04 | |
| Taber, 3.5 miles northwest of, 875 feet northwest of milepost 23, 30 feet north | 4, 113. 34 | |
| of rail; point encircled with white paint on basalt lava bowlder, marked | | |
| "U. S. 4815 B. M." | 4, 814, 79 | |
| Taber, 4 miles northwest of, 60 feet west of milepost 24, 30 feet north of rail, | , | |
| in top of large basalt lava bowlder; bronze tablet stamped "4848 1912 9" | 4,847.532 | |
| Taber, 5.1 miles northwest of, 360 feet northwest of milepost 25, 10 feet | • | |
| north of rail; point encircled with white paint on basalt lava rock, marked | | |
| "U. S. 4886 B. M." | 4, 885. 90 | |
| Taber, 5.3 miles northwest of, 640 feet north of milepost 26, in railroad rock | | |
| through cut, 8 feet south of rail, in basalt lava rock; bronze tablet stamped | | |
| "4929 1912 10" | 4, 929. 145 | |
| Taber, 6.6 miles northwest of, opposite milepost 27, 12 feet north of railroad | | |
| track; point encircled in white paint on basalt lava bowlder, marked | | |
| "U. S. 4952 Elev" | 4, 951. 58 | |
| Taber, 7.6 miles northwest of, 65 feet northwest of milepost 28, 9 feet north | | |
| of rail; point encircled in white paint on basalt lava rock, marked "U. S. 4995 B. M." | 4, 995, 00 | |
| Taber, 9.6 miles northwest of, 2,280 feet northwest of milepost 29, in railroad | , | |
| rock through cut, 6 feet south of rail, in basalt lava rock; bronze tablet | • | |
| stamped ''5053 1912 11'' | 5, 053. 118 | |
| Cerro Grande, 4.6 miles southeast of, 1,480 feet northwest of milepost 30.5, | | |
| in railroad rock through cut, 6 feet south of rail; point encircled in white | | |
| paint on basalt lava rock, marked "U. S. 5038 B. M." | 5, 037. 78 | |
| Cerro Grande, 4 miles southeast of, 240 feet northwest of milepost 31, end of | | |
| rock through cut; point encircled in white paint on basalt lava bowlder, | E 000 40 | |
| marked "U. S. 5039 B. M.". | o, voo. 40° | |

| • | 773 1 |
|---|---|
| Cerro Grande, 3 miles southeast of, 520 feet northwest of milepost 32, in top of foundation for platform for handcar, 10 feet north of rail; point encir- | |
| cled in white paint, marked "U. S. 5026 Elev" | |
| bronze tablet stamped "5025 1912 12" | 5, 025. 180 |
| 26 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5000 B. M.". | 4, 999. 58 |
| Cerro Grande, 1.3 miles southeast of, 750 feet southeast of milepost 34.5, 10 feet south of track; point encircled in white paint on basalt lava rock, marked "U. S. 4977 B. M." | , 4 075 00 |
| Cerro Grande, 0.6 mile southeast of, 60 feet southeast of milepost 35, in rock through cut, 6 feet south of rail, in basalt lava rock; bronze tablet | |
| stamped "4979 1912 13" | 4, 978. 717 4, 981. 8 |
| Cerro Grande, 0.4 mile northwest of, 115 feet southeast of milepost 36, 6 feet north of track, in foundation for platform of handcar; point encircled | , |
| in white paint on top of bowlder, marked "U. S. 4995 B. M.". Cerro Grande, 1.5 miles northwest of, 240 feet northwest of milepost 37, 12 feet north of rail, in top of foundation for line post between Bingham and | |
| Blaine counties, 12 feet north of rail; point encircled in white paint, marked "U. S. 5022 B. M." | |
| railroad rock through cut, 8 feet south of rail, in basalt lava rock; bronze tablet stamped "5050 1912 14" | 5, 049. 514 |
| | |
| ARCO QUADRANGLE. | |
| ARCO QUADRANGLE. [Latitude 43° 30'-44°; longitude 113°-113° 30'.] | , |
| | |
| [Latitude 43° 30'-44°; longitude 113°-113° 30'.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, | 5 067 94 |
| [Latitude 43° 30'-44°; longitude 113°-113° 30'.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M." | 5, 067. 24 |
| [Latitude 43° 30'-44°; longitude 113°-113° 30'.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". | • |
| [Latitude 43° 30'-44°; longitude 113°-113° 30'.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". Powell, 4 miles northwest of, 20 feet northwest of milepost 40, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5078 B. M.". Powell, 3.4 miles southeast of, 540 feet northwest of milepost 41, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5069 1912 15". | 5, 077. 15 |
| [Latitude 43° 30′-44°; longitude 113°-113° 30′.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Lesile. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". Powell, 4 miles northwest of, 20 feet northwest of milepost 40, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5078 B. M.". Powell, 3.4 miles southeast of, 540 feet northwest of milepost 41, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5069 1912 15". Powell, 2.5 miles southeast of, 430 feet northwest of milepost 42, in railroad rock through cut, 6 feet south of rail; point encircled in white paint | 5, 077. 1 5 5, 067. 937 |
| [Latitude 43° 30′-44°; longitude 113°-113° 30′.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". Powell, 4 miles northwest of, 20 feet northwest of milepost 40, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5078 B. M.". Powell, 3.4 miles southeast of, 540 feet northwest of milepost 41, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5069 1912 15". Powell, 2.5 miles southeast of, 430 feet northwest of milepost 42, in railroad rock through cut, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5047 B. M.". Powell, 1.6 miles southeast of, 30 feet southeast of milepost 43, 8 feet north | 5, 077. 15 5, 067. 937 5, 046. 34 |
| [Latitude 43° 30'-44°; longitude 113°-113° 30'.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". Powell, 4 miles northwest of, 20 feet northwest of milepost 40, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5078 B. M.". Powell, 3.4 miles southeast of, 540 feet northwest of milepost 41, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5069 1912 15". Powell, 2.5 miles southeast of, 430 feet northwest of milepost 42, in railroad rock through cut, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5047 B. M.". Powell, 1.6 miles southeast of, 30 feet southeast of milepost 43, 8 feet north of rail, in basalt lava rock; bronze tablet stamped "5037 1912 16" Powell, opposite signboard; top of rail. | 5, 077. 15 5, 067. 937 5, 046. 34 5, 036. 712 |
| [Latitude 43° 30′-44°; longitude 113°-113° 30′.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Lesile. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". Powell, 4 miles northwest of, 20 feet northwest of milepost 40, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5078 B. M.". Powell, 3.4 miles southeast of, 540 feet northwest of milepost 41, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5069 1912 15". Powell, 2.5 miles southeast of, 430 feet northwest of milepost 42, in railroad rock through cut, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5047 B. M.". Powell, 1.6 miles southeast of, 30 feet southeast of milepost 43, 8 feet north of rail, in basalt lava rock; bronze tablet stamped "5037 1912 16" Powell, 875 feet northwest of signboard, 90 feet northwest of road crossing, 8 feet south of track; point encircled in white paint on basalt lava rock, marked "U. S. 5057 B. M.". | 5, 077. 15 5, 067. 937 5, 046. 34 5, 036. 712 5, 052. 9 |
| [Latitude 43° 30′-44°; longitude 113°-113° 30′.] From point 2.4 miles northwest of Cerro Grande northwest along Oregon Short Line R. R. to point 1.4 miles northwest of Leslie. Cerro Grande, 3.4 miles northwest of, 1,440 feet northwest of milepost 40, 6 feet south of rail; point encircled with white paint on basalt lava rock, marked "U. S. 5068 B. M.". Powell, 4 miles northwest of, 20 feet northwest of milepost 40, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5078 B. M.". Powell, 3.4 miles southeast of, 540 feet northwest of milepost 41, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5069 1912 15". Powell, 2.5 miles southeast of, 430 feet northwest of milepost 42, in railroad rock through cut, 6 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5047 B. M.". Powell, 1.6 miles southeast of, 30 feet southeast of milepost 43, 8 feet north of rail, in basalt lava rock; bronze tablet stamped "5037 1912 16" Powell, 875 feet northwest of signboard, 90 feet northwest of road crossing, 8 feet south of track; point encircled in white paint on basalt lava rock, | 5, 077. 15 5, 067. 937 5, 046. 34 5, 036. 712 5, 052. 9 5, 056. 79 |

| Powell, 2.4 miles northwest of, 1,900 feet northwest of milepost 47, in rail- | | ; . |
|---|--------------------|------------|
| road rock through cut, 7 feet south of rail, in basalt lava rock; bronze tablet marked "U. S. 5098 B. M." | 5, 096. | . 282 |
| Powell, 3.8 miles northwest of, opposite milepost 48.5, in railroad rock through cut, 10 feet north of rail, in basalt lava rock; bronze tablet stamped "5128 1912 18" | ; | . 000 |
| Powell, 5.4 miles northwest of, 1,100 feet southeast of milepost 50, in rail-road rock through cut, 10 feet north of rail; point encircled in white paint on top of basalt lava rock, marked "U. S. 5174 B. M." | | |
| Arco, 8 miles southeast of, 45 feet east of milepost 51, 30 feet south of rail; point encircled in white paint on basalt lava rock, marked "U. S. 5223 | | |
| B. M."Arco, 7.8 miles southeast of, 626 feet southeast of milepost 51.1, 55 feet | | . 37 |
| south of rail, in basalt lava rock; bronze tablet stamped "5236 1912 19" Arco, 6.5 miles southeast of, 185 feet east of milepost 52.5, 8 feet north of | , | |
| rail; point on basalt rock, marked "U. S. B. M." | | . 51 |
| driftbolt painted white, marked "U. S. B. M." | 5, 282. | . 11 |
| rock through cut, 6 feet north of rail, in basalt lava rock; bronze tablet stamped "5302 1912 20" | | 270 |
| Arco, 3.1 miles southeast of, 330 feet southeast of milepost 56, 10 feet north of rail; top of collar of concrete siphon for irrigation ditch; chiseled | | 2.1 |
| square marked "U. S. B. M.". Arco, 2 miles southeast of, 170 feet northwest of milepost 57, north side of cattle guard; driftbolt encircled in white paint, marked "U. S. B. M.". | | |
| Arco, 1.3 miles southeast of, 1,730 feet southeast of milepost 58, top of collar for concrete siphon on irrigation ditch; bronze tablet stamped "5332 | | |
| 1912 21"Arco, opposite semaphore; top of rail | | |
| Arco, 300 feet northwest of station, 20 feet south of rail on northeast corner of northeast concrete pier for water tank; chiseled square | | |
| Arco, 1.1 miles northwest of, 275 feet northwest of milepost 60, west side of railroad track, on top of collar for concrete siphon under railroad track; | | |
| bronze tablet stamped "5347 1912 22" | 5, 345. | 298 |
| marked "U. S. 5362 B. M.". Arco, 3.5 miles northwest of, 240 feet northwest of milepost 62.5, at road | 5, 361. | 05 |
| crossing, on east end of south side of east cattle guard; driftbolt encircled in white paint, marked "U. S. 5394 B. M." | 5, 393, | 22 |
| Lost River, opposite signboard; top of rail | | |
| Lost River, 875 feet northeast of signboard, at road crossing, 40 feet north of rail, corner of right-of-way fence; iron post stamped "5415 1912 23" | 5, 413, | 210 |
| Lost River, 1.5 miles northeast of, 775 feet southeast of milepost 65, at road crossing, in west end of west cattle guard; driftbolt encircled in white | Ť | |
| paint, marked "U. S. 5437 B. M." | | |
| B. M." Moore, opposite signboard: top of rail | 5, 460. 5, 473. | 97 7 |
| MANUALO, ODDOUGLOG DISHIDUALU. LOD UL IAHAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | U. T/O. | 1 |

| The state of the s | Feet. |
|--|--------------------|
| Moore, 175 feet northwest of station, 300 feet south of rail; northeast corner of lot around red brick house of Mr. Walburn; iron post stamped "5474" | |
| 1912 24" | 5 479 169 |
| Moore, 1.6 miles northwest of, 300 feet southeast of milepost 68, center of | 0, 170. 100 |
| south side of east cattle guard; driftbolt encircled in white paint, marked | |
| "U. S. 5523 B. M." | 5, 522, 22 |
| Moore, 3.7 miles northwest of, 935 feet northwest of milepost 69.5, 38 feet | • • |
| east of rail, at corner of fence for road crossing; iron post stamped "5597 | r ror oor |
| 1912 25" | 5, 595. 991 |
| for concrete siphon, north wing, 30 feet south of rail; chiseled square, | |
| marked "U. S. 5618 B. M." | 5, 616, 96 |
| Darlington, 0.6 mile southeast of, 1,050 feet northeast of milepost 71, east | , |
| end of north side of west cattle guard; driftbolt encircled in white paint, | |
| marked "U. S. 5612 B. M." | 5, 610. 37 |
| Darlington, 90 feet northwest of signboard, 30 feet northeast of rail, 2 feet | r 000 non |
| north of line of fence at road crossing; iron post stamped "5605 1912 26" | |
| Darlington, opposite signboard; top of rail | 5, 606. 4 |
| rail; spike in base of fence post, marked "U. S. 5630 B. M." | 5 628 42 |
| Leslie, 3.1 miles southeast of, 525 feet northwest of milepost 74.5, center of | 0, 020. 12 |
| east side of railroad bridge 15; driftbolt encircled in white paint, marked | |
| "U. S. 5645 B. M." | 5, 644. 05 |
| Leslie, 2.6 miles southeast of, 525 feet southeast of milepost 75, in top of | |
| riprap at northwest end of bridge 16 over Big Lost River, 6 feet west of | w 040 500 |
| rail, in large basalt lava bowlder; bronze tablet stamped "5648 1912 27". | 5, 646. 966 |
| Leslie, 1.4 miles southeast of, 100 feet northwest of milepost 76, in east end of north side of west cattle guard; driftbolt encircled in white paint, | |
| marked "U. S. 5670 B. M." | 5, 666, 24 |
| Leslie, opposite signboard; top of rail | |
| Leslie, 0.2 mile northwest of; spike in base of milepost 77.5, marked "U.S. | • |
| 5708 B. M.'' (should be 5705) | 5, 703. 88 |
| Leslie, 1.4 miles northwest of, 1,000 feet southeast of milepost 79, at road | |
| crossing, 100 feet west of rail, at corner of right of way fence, south side of | |
| wagon road; iron post stamped "5740 1912 28" | 5, 738, 559 |
| MACKAY QUADRANGLE. | |
| [Latitude 43° 30′-44°; longitude 113° 30′-114°.] | |
| From point 1.4 miles northwest of Leslie northwest along Oregon Short Line R. R. to Mackay, thence northwest along highway 7.7 miles. | |
| Leslie, 2.8 miles northwest of, 100 feet northwest of milepost 80; spike in | |
| base of fence post, marked "U. S. 5764 Elev" | 5, 763. 22 |
| Huston Spur, opposite signboard; top of rail | 5, 784. 0 |
| Mackay, 4 miles southeast of, 700 feet northwest of milepost 81, in west side of north cattle guard; driftbolt encircled in white paint, marked "U.S. | |
| 5797 B. M.'' | 5, 796, 10 |
| Mackay, 3 miles southeast of, 1,225 feet northwest of milepost 82, 50 feet | , |
| southwest of railroad track, 30 feet west of wagon road, 2 feet south of line | |
| of fence; iron post stamped "5826 1912 29" | 5, 824. 367 |
| Mackay, 1.7 miles southeast of, 900 feet southeast of milepost 83.5, east end | |
| of south side of east cattle guard, at road crossing; driftbolt encircled in white paint, marked "U. S. 5865 B. M." | 5 862 69 |
| 49069°—Bull. 567—15——3 | o, ooo. u a |
| , | |

| · · | 774 |
|--|-------------|
| Mackay, 1 mile southeast of, opposite milepost 84, 50 feet north of rail; | Feet. |
| spike in base of fence post, marked "U. S. 5880 Elev" | |
| 10 feet east of outside line of trees; iron post stamped "5901 1912 30" Mackay, 1.7 miles northwest of, 40 feet east of road; nail in base of tele- | |
| phone pole 37, marked "U. S. 5948 Elev" | 5, 946. 75 |
| side of stage road; nail in top of stump of telephone pole, marked "U. S. 5967 B. M." (should be 5965) | 5, 965. 24 |
| T. 7, R. 24, southeast corner of sec. 18, 3.2 miles northwest of Mackay, 1 foot south of fence, 3 feet west of gate; iron post stamped "5988 1912 31" | 5, 986. 353 |
| Mackay, 4.1 miles northwest of, on south side of road; nail in base of telephone pole 65, marked "U. S. 6077 Elev" | |
| Mackay, 4.6 miles northwest of, 400 feet north of north end of dam, 50 feet north of small borrow pit, 30 feet north of stage road, 75 feet south of tele- | • |
| phone line; iron post stamped "6120 1912 32" | |
| of log cabin, 15 posts north of bend in fence; point encircled in white paint on top of brace for fence post, marked "U. S. 6019 Elev" | |
| Mackay, 7.8 miles northwest of, in line of fence leading from Pence ranch house, 300 feet south of corral, on west side of stage road; nail in base of | |
| fence post, marked "U. S. 6095 Elev" | 6, 093. 83 |
| east of road, 1 foot north of fence; iron post stamped "6122 1912 33" Mackay, 9.8 miles northwest of, 1,100 feet west of pole line, 450 feet north of | 6, 120. 969 |
| edge of river bench; point encircled in white paint on rock marked "U. S. 6150 B. M." | 6, 148. 31 |
| Mackay, 10.2 miles northwest of, 0.2 mile north of ranch house, 0.5 mile south of pole line, northeast corner of fence; nail in base of fence post, | C 100 F0 |
| marked on brace "U. S. 6189 Elev" | 0, 189. 52 |
| DICKEY QUADRANGLE. | |
| [Latitude 44°-44° 30'; longitude 113° 30'-114°.] | |
| From point 7.7 miles northwest of Mackay northwest along highway to point 3.6 miles northwest of Dickey. | • |
| Mackay, 11.5 miles northwest of, 0.8 mile south of tree known as the "Lone Cedar," 0.5 mile southeast of stage road, along telephone line, 0.4 mile | |
| north of "Big Lost" River, 50 feet south of corner of fence; iron post stamped "6208 1912 34" | 6 206 542 |
| Mackay, 13.8 miles northwest of, 1,000 feet east of Rye Grass ranch house, 30 feet west of stage road; top of quarter-section post between secs. 12 | . 200.012 |
| and 13, marked "U. S. B. M.," stamped "6255" on top | 6, 253. 81 |
| mile northwest of Rye Grass ranch, 300 feet east of river, 190 feet west of stage road, 25 feet south of fence corner; iron post stamped "6223 | |
| 1912 35" | 6, 221. 505 |
| southeast of Elk Horn stock ranch, 10 feet east of stage road; point encircled in white paint on bowlder, marked "U. S. 6251 B. M." | 6, 250. 18 |
| Mackay, 16.4 miles northwest of, 500 feet northeast of Elk Horn stock ranch, on log abutment for bridge on stage road; nail encircled in white | • |
| paint, marked "U. S. 6268 B. M." | 6, 266. 26 |

| | Feet. |
|---|---|
| Mackay, 17.5 miles northwest of, 0.8 mile northwest of Elk Horn ranch, | |
| 18 feet east of irrigation ditch, on line of fence, 25 feet east of corner; | |
| iron post stamped "6271 1912 36" | |
| Mackay, 18.5 miles northwest of, 0.75 mile east of Later ranch, point where stage road crosses telephone line; nail in stump of telephone pole, | |
| marked "U. S. 6288 B. M." | 6 286 30 |
| Mackay, 19.4 miles northwest of, 0.5 mile northwest of Later ranch, on | 0, 200. 00 |
| telephone line, 50 feet west of stage road, between telephone poles 343 | |
| and 344; copper nail in stump of telephone pole, marked "U. S. 6341 | |
| В. М.". | |
| Mackay, 19.5 miles northwest of, 0.5 mile west of Whiskey Springs, 300 feet | |
| east of R. V. Later's ranch hotel and stage station, 4 feet south of tele- | |
| phone pole 350; iron post stamped "6342 1912 37" | 6, 340. 555 |
| Mackay, 21.5 miles northwest of, 1 mile southeast of Dickey, opposite telephone pole 372, corner of fence; spike in base of fence post, marked | |
| "U. S. 6346 Elev" | 6 245 02 |
| Dickey, 0.5 mile south of, 1,000 feet north of ranch house, 140 feet south- | 0, 545. 02 |
| west of telephone pole 394, 10 feet south of road; copper nail in base of | |
| fence post, marked "U. S. 6326 B. M." | |
| Dickey, 50 feet southwest of Al West's ranch house, 270 feet south of Wil- | , |
| low Creek, 1 foot west of line of fence; iron post stamped "6345 1912 38" | 6, 343. 985 |
| Dickey, 1.5 miles northwest of, 15 feet north of road; nail in base of tele- | ' : |
| phone pole 435, marked "U. S. 6377 Elev" | 6, 375. 48 |
| Dickey, 3.6 miles northwest of, 4.8 miles from Willow Creek summit, 0.2 mile northwest of stage road, 6 feet south of telephone pole 466; iron | |
| post stamped "6492 1912 39" | 6 400 627 |
| post stamped 0102 1012 00 | 01,400.021 |
| BAY HORSE QUADRANGLE. | |
| [Latitude 44°-44° 30′; longitude 114°-114° 30′.] | |
| From point 3.6 miles northwest of Dickey north along highway to point 1.5 miles east of Challis. | 7 |
| Dickey, 5 miles northwest of, 300 feet west of stage road; nail in base of | |
| telephone pole 488, marked "6664 Elev" | 6, 662. 97 |
| Dickey, 5.9 miles northwest of, 250 feet west of road; copper nail in stump | |
| of brace for telephone pole 501, marked "U. S. 6751 Elev" | 6, 749. 28 |
| Dickey, 6.9 miles northwest of, 0.6 mile east of quarter-section post between | |
| secs. 10 and 11, 0.4 mile south of small butte, 100 feet west of stage road, between telephone poles 516 and 517; copper nail in stump of telephone | |
| pole, marked "U. S. 6757 Elev" | 6 755 60 |
| Willow Creek summit, 1.3 miles from, 0.5 mile northwest of quarter-section | 0, 100.00 |
| post between secs. 10 and 11, 800 feet east of pole line, 300 feet north- | |
| west of extensive outcrop of limestone, 40 feet west of stage road; iron | |
| post stamped "6760 1912 40" | 6, 759. 174 |
| Willow Creek summit, 40 feet northeast of stage road, 100 feet southwest of | _ = = = = = = = = = = = = = = = = = = = |
| telephone line; iron post stamped "7165 1912 41" | 7, 163, 38 |

Willow Creek summit, 0.8 mile northwest of, 60 feet northwest of telephone line, 300 feet east of stage road, where telephone line crosses gulch; point

encircled in white paint on lava bowlder, marked "U.S. 6945 B.M.".. 6,944.10

| · | |
|---|--------------------|
| Willow Creek summit, 2.6 miles northwest of, 40 feet west of stage road | |
| 60 feet west of telephone line, 50 feet west of forks of main road and road leading up Sheep Creek; iron post stamped "6629 1912 42" | 6, 627. 637 |
| miles north of Sheep Creek, 0.4 mile east of quarter-section post of General Land Office, 2 feet east of cairn 2 feet high; point on outcrop of lava rock encircled in white paint and marked "U. S. 6541 B. M." | 6, 540. 05 |
| tion post of General Land Office; painted "U. S. B. M." on post and stamped "6467" | 6, 465. 65 |
| wagon road, 1.5 miles east of the present stage and telephone lines, 40 feet southeast of forks in road, 1 mile northeast of ranch house; iron post stamped "6309 1912 43" | |
| Willow Creek summit, 8.1 miles north of, 30 feet east of Warm Spring Creek road, General Land Office quarter-section post between secs. 35 and 36, | |
| marked "U. S. B. M." on post with paint and stamped on top "6109" Willow Creek summit, 9.5 miles northwest of, 500 feet northwest of Mrs. West's desert claim, 400 feet north of Warm Spring Creek, 1 mile southeast of head of Grand View Canyon, 50 feet west of Warm Springs road, | • |
| on line of fence; iron post stamped "6018 1912 44" | 6, 016. 273 |
| 5964 B. M." | |
| of second culvert for Warm Spring Creek, northeast side of stage road point encircled in white paint on bowlder, marked "U. S. 5845 B. M." Grand View Canyon, 2.4 miles northwest of head of, 2 miles southeast of | 5, 843. 31 |
| Drake's home ranch, 100 feet east of Warm Spring Creek, 6 feet east of road; point encircled in paint on bowlder, marked "U. S. 5726 B. M." Grand View Canyon, 0.8 mile northwest of lower end, 1 mile southeast of | 5, 724. 23 |
| Drake's home ranch, 35 feet west of road, southeast corner of Drake's upper field, 30 feet west of corner of fence; iron post stamped "5652 1912 | : |
| 45" | 1 |
| marked "U. S. 5579 Elev" | 5, 577. 43 |
| Challis, 40 feet northwest of southwest corner of fence, 20 feet west of road, 600 feet east of D. C. Breyer's ranch house, 15 feet east of irrigation ditch; iron post stamped "5532 1912 46" | |
| Challis, 12 miles southeast of, at northwest corner of fence for lane; spike in base of corner fence post, marked "U. S. 5358 Elev" | |
| Challis, 10.7 miles southeast of, 4.1 miles southeast of Salmon River bridge, place where valley narrows down considerably, point where dugway on Warm River road crosses small saddle, 700 feet southeast of S. Van | |
| Camp's ranch house, 30 feet west of road, 15 feet west of line of fence, 500 feet east of Warm Spring Creek and small reservoir; iron post stamped | |
| "5310 1912 47" | o, 308. 743 |

| | Feet. | |
|--|---|-----|
| Challis, 9.8 miles southeast of, 1,000 feet northwest of S. Van Camp's ranch | | |
| house, wagon bridge across Warm Spring Creek, west end of south side of; | F 000 F1 | |
| spike in center of painted cross, marked "U. S. 5270 B. M." | 5, 268. 71 | L. |
| site southwest corner of James Rogers's upper field, 6-foot bowlder; | | |
| point encircled by white paint, marked "U. S. 5215 B. M." | 5 919 89 | , |
| Challis, 6.4 miles southeast of, 1.5 miles south of Salmon River bridge | 0, 210. 02 | ٠. |
| (steel), 0.4 mile north of James Rogers's ranch house; point encircled by | | |
| white paint, marked "U. S. 5143 B. M." | 5, 141, 49 |) |
| Challis, 4 miles south of, steel bridge over Salmon River, on stage road, | •,===================================== | |
| west end of south side; in top of concrete abutment; bronze tablet | | |
| stamped "4997 1912 48" | 4, 995. 15 | 53 |
| Challis, 3 miles southeast of, point where stage road joins Warm Spring | | |
| Creek road; spike in base of fence post, marked "U. S. 5008 B. M." | 5, 006. 59 |) |
| Challis, 2 miles southeast of, point where Mackay stage road crosses high | | |
| ditch, south end of east side of bridge; spike encircled in white paint, | | |
| marked "U. S. 5007 Elev". | 5, 005. 36 | j |
| Challis, 1.5 miles east of, 200 feet north of dry creek bed, beginning of lane, | | |
| 20 feet east of road; spike in base of fence post, marked "U. S. 4967 B. M." | 4 064 05 | , |
| D. M | 4, 904. 87 | 1 |
| RABBIT FOOT QUADRANGLE. | | |
| [Latitude 44° 30′-45°; longitude 114°-114° 30′.] | | |
| From point 1.5 miles east of Challis north along highway to Edson ranch. | | |
| Challis, 2.4 miles northeast of, 0.5 mile south of stage road, east side of lane; | | |
| spike in base of fence post, marked "U. S. 4966 B. M." | 4, 963, 97 | , |
| Challis, 3 miles northeast of, 0.8 mile north of Garden Creek, on stage road | • | |
| to Salmon, 35 feet west of corner of fence, 100 feet southwest of southwest | | |
| corner of J. Q. Adams's field; iron post stamped "4937 1912 49" | 4, 935. 60 | 00 |
| Challis, 4 miles northeast of, bridge over Challis Creek, east end of south | | |
| side; nail encircled by white paint, marked "U. S. 4905 Elev" | 4, 903. 26 | 3 |
| Challis, 5.3 miles northeast of, 600 feet north of point where road coming | | |
| down draw joins stage road, 1,000 feet north of B. W. Phillip's ranch house; spike in base of fence post, marked "U. S. 4889 B. M." | 4 000 OO | |
| Challis, 6.2 miles northeast of, on stage road to Salmon, 400 feet south of | 4, 000. 99 | , |
| John Stevens ranch house, south end of east side of wagon bridge over | | |
| Challis Creek; spike encircled by white paint, marked "U. S. 4860 | | |
| Elev'' | 4, 858. 37 | 7 |
| Monument, center pest 5, Gilmore & Pittsburg R. R. location line; top of | | |
| post, marked "4841" | 4, 839. 09 |) |
| Challis, 7.5 miles northeast of, on point of rocks known as McNabb's point, | | |
| 1,000 feet south of G. H. Bruno's ranch house, 3 miles upstream from | | |
| wooden wagon bridge over Salmon River, 0.5 mile upstream from foot | | |
| bridge, 100 feet west of Salmon River, 30 feet east of by 10 feet above | 4 010 40 | , T |
| level of stage road, in lava rock; bronze tablet stamped "4815 1912 50". Challis, 8.5 miles northeast of, 3 feet northwest of stage road, 20 feet north- | 4, 813. 43 | 1 |
| west of telephone line, 1,000 feet west of river; point encircled by white | | |
| paint on bowlder, marked "U. S. 4815 B. M." | 4, 813, 59 |) |
| Challis, 9.5 miles northwest of, 1 mile north of J. Blume's ranch house, | _, 0_0. 00 | |
| , | | |

northeast corner of bridge on stage road over Morgan Creek, top log of bridge pier; spike encircled by white paint, marked "U. S. 4803 Elev"... 4, 801. 26

| | Tions |
|---|--------------|
| Challis, 10.9 miles northeast of, 1.5 miles downstream from McNabb's point, | Feet. |
| 0.5 mile upstream from Emil Kleupfer's ranch, west side of river, east side of line of fence and pole line, opposite high lava bluff, in low-lying | |
| lava bowlder 3 by 3 feet; bronze tablet stamped "4750 1912 51" | 4. 748. 515 |
| Challis, 11.3 miles northeast of, 1,000 feet northwest of Salmon River, 400 | -, . 20. 020 |
| feet north of Emil Kleupfer's ranch house, 10 feet north of stage road; | |
| spike in base of fence post, marked "U. S. 4761 Elev" | 4, 758. 85 |
| Challis, 11.6 miles northeast of, east end of south side of wooden wagon | |
| bridge over Salmon River, 3 feet above floor, on bridge timber; spike | |
| encircled by white paint, marked "U. S. 4751 B. M." | 4, 749. 69 |
| Challis, 12.6 miles southeast of, 900 feet east of Albert Blume's ranch house, 400 feet north of barn and corrals, 500 feet northwest of point where stage | |
| road starts up over bench, 200 feet above level of river, 10 feet north of | |
| ledge of rock bordering old river channel, 300 feet southwest of present | |
| channel, 12 feet above level of water; bronze tablet stamped "4723 1912 | |
| 52" | 4, 720. 882 |
| Challis, 13.8 miles northwest of, 1,000 feet northwest of ranch house, point | |
| where road goes down to level of river, 50 feet southeast of Salmon River; | 4 505 05 |
| point on lava rock encircled by white paint, marked "U. S. 4709 Elev" Ellis, 7 miles southwest of, 60 feet north of point of rocks known as "Dead | 4, 707. 07 |
| Man's Hole," 30 feet northwest of dugway, on edge of bluff over Salmon | |
| River, 12 feet above level of water, passing station for wagons, in lava | |
| rock; bronze tablet stamped "4701 1912 53" | 4, 699. 034 |
| Ellis, 6.1 miles southeast of, 600 feet south of and 3 feet above level of stage | |
| road, 1.8 miles north of Dead Man's Hole; point encircled by white paint | |
| on large bowlder, marked "U. S. 4846 Elev" | 4, 844. 71 |
| Ellis, 5.4 miles south of, top of most northerly of series of summits, on bench, just north of Eagle Rock; nail in top of small peg witnessed by small cairn | |
| and beer bottle. | 4, 909, 22 |
| Ellis, 4.1 miles southwest of, southeast corner of fence, 19 posts north of | |
| corner post; spike in base of fence post, marked "U. S. 4799 Elev" | 4, 796. 90 |
| Ellis, 2.5 miles west of, 0.5 mile south of bridge over Pahsimaroi River, | |
| west line of fence, 400 feet west of stage road, nearest junction with Sal- | |
| mon River, 300 feet north of top of summit, 250 feet north of point where | |
| fence turns down over bench; spike in base of fence post, marked "U. S. 4763 B. M." | 4 761 10 |
| Pahsimaroi River, near junction of Salmon River, north side of bridge; | 4, 701. 10 |
| surface of water November 7, 1912 | 4, 639. 7 |
| Pahsimaroi River; elevation of bridge over | |
| Ellis, 1.2 miles west of, 600 feet west of lower bridge over Pahsimaroi River, | |
| 100 feet southwest of Harry Harkey's ranch house, 1 foot north of fence; | |
| iron post stamped "4648 1912 54" | 4, 646. 312 |
| Ellis, 1.6 miles north of, 0.5 mile northeast of Harry Harkey's ranch, top of summit, 20 feet west of road; spike in base of fence post, marked "U. S. | |
| 4857 Elev" | 4, 855, 145 |
| Ellis, 2.2 miles north of, east side of Vance's upper field, 400 feet down- | |
| stream from end of dugway, 0.5 mile southwest of house, 1,000 feet east | |
| of river, 100 feet west of road; spike in base of fence post, marked "U. S. | • |
| 4663 B. M." | 4, 661. 40 |
| Ellis, 3.8 miles northwest of, 1 mile northeast of W. E. Vance's lower field, | |
| west side of Salmon River, opposite first rocky point on east side of river, 3 feet west of and 4 feet above level of stage road; point encircled by | |
| white paint on large bowlder, marked "U. S. 4620 Elev" | 4, 618. 59 |
| - · · · · · · · · · · · · · · · · · · · | |

| • | Feet. |
|--|--------------------|
| Ellis, 4 miles northeast of, 1.3 miles north of Vance's place, 2,000 feet | |
| below head of canyon, east side of river, 4 feet east of and about 2 feet | |
| above level of stage road, 15 feet above and 40 feet west of Salmon River, | |
| in lava rock; bronze tablet stamped "4607 1912 55" | |
| Ellis, 5 miles north of, 0.5 mile downstream from mouth of canyon, where | |
| valley broadens considerably, 1 mile upstream from J. Well's ranch house, 20 feet west of and 10 feet below level of stage road, 20 feet east | |
| of and 15 feet above level of Salmon River; point encircled by white | |
| paint on large rock, marked "U. S. 4599 B. M." | 4 507 O7 |
| Ellis, 5.4 miles north of, 0.8 mile north of mouth of canyon, 0.5 mile south | |
| of J. Well's ranch house and mouth of Cow Creek, 100 feet west of and | |
| 12 feet above level of river, 3 feet east of stage road; point encircled by | |
| white paint on large bowlder, marked "U.S. 4590 B.M." | 4, 587. 75 |
| Ellis, 6.5 miles northeast of, 0.5 mile north of J. Well's ranch and mouth | , |
| of Cow Creek, 40 feet west of northwest corner of Well's upper field, | |
| opposite long flume for irrigation ditch, over slide rock, 300 feet east of | |
| Salmon River, 10 feet east of stage road, in large lava bowlder; bronze | |
| tablet stamped "4573 1912 56" | 4, 571. 252 |
| Ellis, 7.6 miles north of, 1.5 miles downstream from mouth of Cow Creek, | |
| point on bluff where dugway is blasted from solid rock, 40 feet above | |
| level of river, 20 feet south of stage road, outermost part of rock; point | |
| encircled by white paint, marked "U. S. 4572 B. M." | 4, 569. 70 |
| Ellis, 8.5 miles north of, 100 feet south of bridge over Allison Creek, 100 | |
| feet west of stage road, 100 feet east of river; point on bowlder encircled | |
| by white paint, marked "U. S. 4538 B. M." | 4, 536. 27 |
| Ellis, 9 miles north of, 2 miles northeast of mouth of Allison Creek, 18 feet | |
| east of road, at foot of short dugway, southwest corner of J. Leonard's lower field, 200 feet south of large red-lava ridge, near river; iron post | |
| stamped "4529 1912 57" | 4 596 7 0 |
| Ellis, 10.5 miles north of, 0.5 mile north of schoolhouse, east side of Dick | 1, 020. 10 |
| Leonard's ranch, 50 feet east of road, 1,000 feet east of river; point on | |
| large bowlder encircled by white paint, marked "U. S. 4515 B. M." | 4, 513, 30 |
| Ellis, 12.1 miles north of, opposite H. B. King's ranch house, 50 feet east of | -, |
| east line of fence and stage road, 600 feet south of point where stage road | |
| goes up over bluff, 20 feet south of gate to alfalfa field; point on large | |
| bowlder encircled by white paint, marked "U. S. 4489 B. M." | 4, 486. 75 |
| Ellis, 12.5 miles north of, 9 posts north of southwest corner of Guy Edward's | |
| upper field, 400 feet north of top of hill, 50 feet east of stage road; spike | |
| in base of fence post, marked "U. S. 4583 Elev." (should be 4582) | 4, 58 0. 52 |
| Ellis, 13 miles north of, southwest corner of Guy Edward's lower field, at | |
| point where road gets down to river bench, end of dugway, 1.5 miles | |
| north of McKimms Creek, 1,000 feet east of river, 10 feet east of stage | 4 470 500 |
| road; iron post stamped "4481 1912 58" (should be 4478) | 4, 476. 556 |
| site high bluff and slide rock, 200 feet east of river, 20 feet east of stage | |
| road, on slide-rock lava bowlder; painted point encircled by white paint | |
| marked "U. S. 4450 B. M." | 4. 447. 67 |
| Ellis, 14.4 miles northeast of, 600 feet downstream from Lambeth's ranch, | -, |
| 60 feet east and 8 feet above the level of Salmon River, 1,000 feet up- | |
| stream from head of small canyon, 20 feet west of stage road, in large | |
| bowlder partly embedded; bronze tablet stamped "4432 1912 59" | 4, 429. 874 |
| Ellis, 15.5 miles northeast of, 1 mile downstream from Lambeth's ranch, | |
| 900 feet south of Ringle ranch house, 200 feet east of river, 10 feet east | |
| of stage road; point encircled by white paint on large slide-rock bowlder, | |
| marked "U. S. 4422 B. M." | 4, 420 . 35 |

| | | Feet. | |
|---|---|-------------|---|
| | Ellis, 17.6 miles northeast of, 600 feet upstream from footbridge over Salmon River, across river from large ranch house, base of high bluff; point | | |
| | encircled by white paint on lava rock, marked "U. S. 4407 Elev" | 4, 404. 63 | |
| | Ellis, 17.9 miles northeast of, 200 feet southeast of barn and haystacks at | | |
| | Edson ranch, 0.5 mile downstream from footbridge, 400 feet south of | | |
| | Edson Creek, 1,000 feet east of river, in white paint on face of large | | |
| | bowlder; bronze tablet stamped "4393 1912 60" | 4, 390. 876 | 6 |
| | MAY QUADRANGLE. | , | |
| | [Latitude 44° 30′-45°; longitude 113° 30′-114°.] | | |
| | From Edson ranch north along highway to Briney ranch. | | |
| | Ellis, 19.6 miles northeast of, 0.4 mile north of district school No. 23, at | | |
| | base of high bluff, 6 feet west of stage road; point encircled by white | | |
| | paint on lava rock, marked "U. S. 4369 Elev" | 4. 366. 74 | |
| | Ellis, 21.1 miles northeast of, 0.8 mile downstream from mouth of Edson | | |
| | Creek, 600 feet east of forks of roads, at base of high bluff, 3 feet south | | |
| | of road; point encircled by white paint on lava rock, marked "U. S. | | |
| | 4342 Elev" | 4, 340. 22 | |
| | Ellis, 21.2 miles northeast of, 1 mile north of mouth of Warm Spring Creek, | , | |
| | 0.4 mile south of W. Shultze's ranch, point where stage road passes over | | |
| | hill, 100 feet east of and 30 feet above level of river, 10 feet west of and | | |
| | about the level of stage road, in red-lava bowlder; bronze tablet stamped | | |
| | "4367 1912 61" | 4, 365. 28 | 8 |
| | Salmon, 21.3 miles southwest of, 1 mile downstream from mouth of Rye | | |
| | Grass Creek, 300 feet east of river, 3 feet east of stage road, east line of | | |
| • | fence of H. O. Harris's lower field; point encircled by white paint on | | |
| | large lava bowlder, marked "U. S. 4322 B. M." | 4, 320. 51 | |
| | Salmon, 19.9 miles southwest of, 400 feet north of bridge over Prow Creek, | | |
| | 200 feet east of river, 40 feet west of stage road, 400 feet downstream from | | |
| | three very large conspicuous bowlders, in channel of river, in large bowlders, have been at the transport of 1010, 202 | 4 914 90 | c |
| | der; bronze tablet stamped "4316 1912 62" | 4, 314. 39 | 0 |
| | Salmon, 18.9 miles south of, 1,000 feet downstream from D. Spellman's | | |
| | ranch house, 600 feet upstream from point where dugway is cut from | • | |
| | solid rock, 1,000 feet upstream from high cliff, projecting ledge on east side of river, 20 feet above level of water, 20 feet west of and 3 feet | • | |
| | below level of stage road; point encircled by white paint on lava rock, | | |
| | marked "U. S. 4295 B. M." | 4 292 59 | |
| | Salmon, 18.3 miles south of, 1 mile downstream from D. Spellman's ranch, | 1, 202.00 | |
| | 0.5 mile downstream from Second Creek, 300 feet east of river, 50 feet east | | |
| | of stage road; point encircled by white paint on large bowlder, marked | | |
| | "U. S. 4286 B. M." | 4, 284. 34 | : |
| | Salmon, 17.7 miles south of, 1.8 miles downstream from D. Spellman's | , | |
| | ranch, 1 mile downstream from Second Creek, 25 feet east of and 9 feet | | |
| | above level of Salmon River, 30 feet west of stage road, in large bowlder; | | |
| | bronze tablet stamped "4263 1912 63" | 4, 260. 60 | 7 |
| | Salmon, 16.3 miles south of, 0.5 mile south of W. A. Briney's ranch house, | | |
| | opposite southeast corner of upper field, 3 feet south of Briney's ditch, | | |
| | 6 feet west of stage road; point encircled by white paint on large bowlder, marked "U. S. 4270 B. M." | 4 967 00 | |
| | Salmon, 15.7 miles south of, 100 feet northwest of W. A. Briney's ranch | 4, 207. 99 | ' |
| | house, 2 feet west of fence and large gate, 100 feet east of river; iron post | | |
| | stamped "4241 1912 64" | 4, 238. 53 | 0 |
| | - | - | |

SALMON QUADRANGLE.

[Latitude 45°-45° 30'; longitude 113° 30'-114°.]

| From Briney ranch north along highway to Salmon. | |
|--|-------------|
| | Feet. |
| Salmon, 14.3 miles south of, 1.2 miles north of W. A. Briney's ranch house, | |
| 1,000 feet south of T. J. Stroud's upper field, 400 feet east of river, 25 feet | • |
| east of stage road; point encircled by white paint on large bowlder, | 4 000 04 |
| marked "U. S. 4321 B. M." (should be marked 4229) | 4, 229. 04 |
| Salmon, 13.4 miles south of, west bank of T. J. Stroud's ditch, 100 feet | |
| southeast of point where stage road crosses ditch; point encircled by | 4 005 50 |
| white paint on large bowlder, marked "U. S. 4267 Elev" | 4, 200. 76 |
| Salmon, 12.7 miles south of, 300 feet north of Twelvemile Creek, 800 feet northwest of T. J. Stroud's ranch house, 60 feet north of Twelvemile | |
| schoolhouse, 50 feet west of stage road, 2 feet west of fence; iron post | |
| stamped "4279 1912 65" | 4 976 776 |
| Salmon, 11.3 miles south of, 0.5 mile north of north fence of Stroud's lower | 1, 270. 770 |
| field, 300 feet east of river, 10 feet west of stage road; point encircled by | |
| white paint on large bowlder, marked "U. S. 4171 B. M." | 4 160 TT |
| Salmon, 11 miles south of, 200 feet southeast of southeast corner of T. J. | 4, 103. 11 |
| Harding's upper field, 400 feet east of river, 100 feet east of stage road; | • |
| point encircled by white paint on large bowlder, marked "U. S. 4158 | |
| B. M." | 4 156 10 |
| Salmon, 10.4 miles south of, center of east side of bridge over Tenmile | 1, 100. 10 |
| Creek; spike encircled by white paint, marked "U. S. 4163 Elev" | 4. 160. 56 |
| Salmon, 9.7 miles south of, east side of T. J. Harding's upper field, 25 feet | 2, 2001 00 |
| east of east-line fence, 6 feet east of stage road, 1.5 miles south of T. J. | |
| Harding's house and barns, in conspicuous outcrop of granite at point | |
| of hill; bronze tablet stamped; "4120 1912 66" | 4, 117, 453 |
| Salmon, 8.9 miles south of, 0.2 mile southeast of Harding's ranch house, | |
| 40 feet east of east line of fence for upper field, 10 feet west of stage road, | |
| point where stage road leads up over point of rock; point encircled by | |
| white paint on lava rock, marked "U. S. 4112 B. M." | 4, 109. 78 |
| Salmon, 6.9 miles south of, 1 mile north of T. J. Harding's ranch, 25 feet | |
| east of Salmon River, 12 feet above level of river, 3 feet east of and 3 feet | |
| above level of stage road, projecting point of rock, 30 feet north of old | |
| prospect hole, in face of ledge; bronze tablet stamped "4066 1912 67" | 4, 063. 937 |
| Salmon, 6.7 miles south of, bridge over Fourmile Creek, south end of west | |
| side; driftbolt encircled by white paint and marked "U. S. 4080 Elev" | 4 000 40 |
| (should be 4078) | 4, 078. 41 |
| Salmon, 6.1 miles south of, west end of south side of small bridge, east end | |
| of approach to wagon bridge over Salmon River, 600 feet east of river; | 4 040 06 |
| nail encircled by white paint; marked "U. S. 4043 Elev" | 4, 040. 80 |
| irrigation ditch, 0.8 mile north of bridge over Salmon River, west side of | |
| stage road; spike in base of fence post, marked "U. S. 4035 B. M." | 4 033 04 |
| Salmon, 5.2 miles south of, 600 feet south of J. McKelvey's ranch house, | 1, 000. 01 |
| 0.9 mile north of bridge over Salmon River, southeast corner of road | |
| intersection; iron post stamped "4037 1912 68" | 4, 034, 671 |
| Salmon, 3.9 miles south of, intersection of north and east roads at Weir's | , |
| ranch; spike in base of telephone pole, marked "U. S. 4018 Elev" | 4, 015, 86 |
| Salmon, 3.1 miles south of, center one of three small bridges over Warm | |
| Spring Creek; driftbolt encircled by white paint, marked "U. S. 3997 | |
| Elev" (should be 3998). | 3, 997. 84 |
| Salmon, 1.9 miles south of, northeast corner of Azline ranch, intersection | |
| of roads, in line of north-south fence; iron post stamped "3970 1912 69". | 3, 968. 030 |

| Salmon, at intersection of Lena Street and stage road to Challis; in cul- | Feet. |
|---|--------------------|
| vert; copper bolt marked "U. S. B. M." | , 955. 60 |
| Salmon, west side of concrete steps at front entrance to Pioneer Bank build- | |
| ing, about 2 feet above level of sidewalk; aluminum tablet stamped | |
| "1910" 3 | , 939. 647 |
| Salmon, at northeast corner of Lemhi County courthouse, on stone coping | |
| about 3 feet above level of ground; aluminum tablet 4 | , 002. 725 |
| Salmon, 1 mile east of, Gilmore & Pittsburg R. R. water tank, in south concrete pillar abutment; iron bolt encircled by red paint (3,959.862 is | |
| Barringer's elevation based upon 1912 adjustment at Barratts, Mont.) | 3, 963. 044 |

May and Salmon quadrangles.

LEMHI COUNTY.

The following elevations were determined by an unchecked line of primary levels based on Coast and Geodetic Survey bench mark "W," 1.2 miles south of Barratts, Mont. A connection was made by D. S. Birkett in 1912 with the last bench mark of the Idaho part of this line, his corrected elevation being 3.182 feet greater than the value of that bench mark by this line.

The leveling was done in 1910 by W. H. Barringer.

MAY QUADRANGLE.

[Latitude 44° 30′-45°; longitude 113° 30′-114°.]

| From Idaho-Montana State line along trail to point 4 miles southeast of Sunfield (unadjusted line). | |
|---|-----------------|
| | Feet. |
| Midway, 5 miles west of, along Salmon City road, about halfway between | |
| summit and bottom of long hill, in broad horseshoe bend; chisel point | |
| on bowlder, painted "U. S. B. M. 6967" | 6, 964. 63 |
| Midway, 7 miles west of, 1.5 miles east of Copper Queen mine, near foot of | |
| steep grade on west side of divide, 1,000 feet west of forks of two deep | |
| gulches, north side of road; chisel point on bowlder, painted "U. S. | |
| B. M." | 6, 451. 92 |
| Sunfield, 0.2 mile east of Copper Queen mine, Salmon City road, deep | |
| canyon, under and south of rocky outcrop and rocky slide; chisel point | |
| on large bowlder, painted "U. S. B. M.". | 6, 101. 07 |
| Copper Queen mine, 0.2 mile north of, at Copper Queen stage station, 300 | |
| feet east of station; chisel point on quartz bowlder, painted "U.S.B.M." | 5, 895. 04 |
| Sunfield, 8 miles east of, 1.8 miles north of Copper Queen mine, northwest | |
| corner of log house at Cold Springs ranch, in bowlder; aluminum tablet | 6, 728. 106 |
| Sunfield, 6.8 miles east of, 1.2 miles west of Cold Springs ranch, 0.2 mile | |
| west of old log house and corral, on lower side of road; chisel point on | |
| large bowlder, painted "U. S. B. M." | 5, 615. 26 |
| Sunfield, 4 miles east of, 4 miles west of Cold Springs ranch, on south side | ~ 004 00 |
| of road; chiseled point on small rock in ground, painted "U.S. B. M." | 5, 384. 32 |
| Sunfield, west of Cold Springs ranch, at sharp turn in road, on lower side of | r 000 01 |
| road; chisel point on bowlder, painted "U. S. B. M." | 5, 290. 91 |
| Sunfield, 4.5 miles east of, west of Copper Queen mine, 2.5 miles east of | |
| forks of Junction and Salmon-Red Rock roads, south side of road, in | E 007 700 |
| bowlder; aluminum tablet | 5, 097. 730 |

SALMON QUADRANGLE.

[Latitude 45°-45° 30'; longitude 113° 30'-114°.]

| From Sunfield along highway to Salmon (unadjusted line). | Feet. |
|--|--|
| Fendoy station, Gilmore & Pittsburg R. R., green water tank, south side of | 2 000. |
| east main concrete pillar foundation; aluminum tablet | |
| Fendoy, 2.2 miles north of, south end of east side of Gilmore & Pittsburg | |
| R. R. trestle 70 feet long; copper nail in stringer, painted "U. S. B. M." | 4, 719. 66 |
| Fendoy, 3.5 miles north of, 60-foot trestle over Lemhi River, north end of east side; copper nail in stringer, painted "U. S. B. M.," aluminum tag | 4, 669. 67 |
| Fendoy, north of, yellow ranch house, Gilmore & Pittsburg R. R., Salmon | • |
| City road crossing, 250 feet north of, northeast corner of yard, in bowlder; | |
| aluminum tablet | 4, 605. 404 |
| Fendoy, north of, 75-foot Gilmore & Pittsburg R. R. trestle over Lemhi | |
| River, north end of east side; copper nail in stringer, painted "U. S. B. | |
| M.", with aluminum tag | 4, 505. 15 |
| Fendoy, north of, 300 feet from small wagon bridge and farm crossing, 35- | |
| foot Gilmore & Pittsburg R. R. trestle over Lemhi River; copper nail in | |
| stringer, painted "U. S. B. M.", and aluminum tag | 4, 423. 02 |
| Salmon, 6.3 miles south of, at lane crossing, 400 feet southeast of small blue | |
| house, south side of lane, 100 feet west of track, in bowlder; aluminum | 4 000 000 |
| tablet, marker painted "U. S. B. M." | 4, 238. 320 |
| burg R. R. trestle; copper nail in stringer, painted "U. S. B. M.", alumi- | |
| num tag | 4 177 1 9 |
| Salmon, south of, at Lee's ranch, 300 feet north of Gilmore & Pittsburg R.R., | ±, 177. 10 |
| in center of farmyard; sandstone monument set in cement, aluminum | |
| tablet | 4, 076, 275 |
| Salmon, 1 mile east of, Gilmore & Pittsburg R. R. water tank; iron bolt set | -, -, -, -, -, -, -, -, -, -, -, -, -, - |
| in south concrete pillar abutment (Birkett's corrected value of this bench | |
| mark is 3,963.044; difference equals 3.182 feet) | 3, 959. 862 |
| | • |

Chatcolet, Fernwood, and Taft quadrangles.

KOOTENAI AND SHOSHONE COUNTIES.

The elevations of the following bench marks were determined by primary levels and agree with elevations in adjacent quadrangles. An unchecked spur line was run from St. Maries southeast along the Elk River branch of the Chicago, Milwaukee & Puget Sound Ry. to Clarkia, which will probably be closed later.

The leveling was done in 1911 by D. S. Birkett, except that the bench mark at Lovell in the Chatcolet quadrangle was set in 1903 by E. M. Fry.

CHATCOLET QUADRANGLE.

[Latitude 47°-47° 30'; longitude 116° 30'-117°.]

| At Lovell. | Feet. |
|--|-------------|
| Lovell, 150 feet west of section house, 100 feet east of railroad tool house, 10 | reet. |
| feet west of milepost 407, 20 feet south of track; iron post stamped "2586 | |
| S" | 2, 587. 882 |

| From point near St. Maries northwest along Chicago, Milwaukee & Puget Sound Ry. to Harrison. | Feet. |
|---|----------------------------|
| St. Maries, 2.5 miles east of station, 15 feet east of road crossing, 50 feet north of railroad, 2 feet south of right-of-way fence, 90 feet north of switch leading into "Material Yard"; iron post stamped "2138 1911 26" | |
| where it leaves main line, 50 feet south of road; spike at base of large gate post, marked "U. S. 2143 B. M.". St. Maries, corner of College Avenue and First Street, 250 feet south of railroad, northeast corner of Kootenai County State Bank, in top of concrete | 2, 143. 50 |
| step; bronze tablet stamped "2150 1911 27" | • |
| of City of St. Maries's concrete bench mark. St. Maries, in front of station, opposite semaphore staff; top of rail. St. Maries, 0.6 mile west of station, at first through cut on railroad west of | 2, 143. 3 |
| city; point in circle of paint on basalt rock, marked "U. S. 2142 B. M.". St. Maries, 2.25 miles west of, 18 feet north of road crossing, 30 feet north of railroad, in line of telegraph poles, 8 feet east of pole; iron post stamped "2140 1911 28". | |
| Ramsdell, 0.9 mile east of, 600 feet west of house on Sweeny Place, in through cut, 15 feet south of railroad; point in circle of paint on rock, | |
| marked "U. S. 2144 B. M.". Ramsdell, at station, in front of semaphore staff; top of rail. Ramsdell, 40 feet east of section foreman's house, 22 feet west of center of water tank, 52 feet south of nearest rail of railroad, 52 feet south of sema- | 2, 142. 0 |
| phore staff in front of station; iron post stamped "2141 1911 29" | 2, 141. 650 |
| large spike painted white in base of very large post of former fence gate, marked "U. S. 2133 B. M." | 2, 132. 99 |
| stump, marked "U. S. 2133 B. M." T. 46 N., R. 4 W., 4 miles east of Chatcolet, 20 feet south of house on C. A. Berry's place, 35 feet north of gate to yard, 0.8 mile north of St. Joe River | 2, 133. 43 |
| iron post stamped "2134 1911 31". Cœur d'Alene Lake, 0.8 mile southeast of long trestle over lake; marked elevation on rock at edge of lake, marked "2129". | 2 , 134. 401 |
| Chatcolet, 2 miles east of, 100 feet west of house near edge of Coeur d'Alene Lake, on A. J. Smith's place; copper nail in root of tree, marked "U. S. | • |
| 2130 B. M.". Chatcolet, 1.5 miles east of station, 100 feet east of east end of long trestle at south end of Coeur d'Alene Lake, 55 feet south of railroad track, on hill- | t - |
| side, 150 feet east of edge of lake; iron post stamped "2134 1911 32" Chatcolet, 2.5 miles east of, 358 feet west of trestle E 28, in through cut, 15 feet south of track; point in circle of paint on rock, marked "U. S. 2141 | 5 |
| B. M.". T. 47 N., R. 3 W., sec. 17, 3 miles south of Harrison, 300 feet north of mile post 27, 650 feet north of trestle, 45 feet west of railroad track, 50 feet east | - t |
| of edge of Coeur d'Alene Lake, at Master's place; iron post stamped "2136 1911 33" | . 2, 138. 407 |
| of tracks; point in circle of white paint on basalt rock, marked "U. S 2141 B. M." | |

| | Feet. |
|---|-------------------------|
| Harrison, 1.1 miles south of, 20 feet east of railroad track; spike in top of pine stump, marked "U. S. 2141 B. M." | 2, 141. 41 2, 124. 3 |
| within circle of paint on concrete base of semaphore staff, marked "U. S. 2138 B. M." | 2, 138. 47 2, 138. 7 |
| From St. Maries southeast along Elk River branch of Chicago, Milwaukee & Puget Sound Ry. to point 1 mile southeast of Rover (unchecked spur line). | |
| St. Maries, 1.3 miles southeast of, 900 feet south of sign "Station 1 mile," 15 feet east of railroad; spike in top of pine stump, marked "U. S. 2141 B. M." | 2, 141. 58 |
| 45 feet east of railroad, 5 feet south of crossing of road leading to barn on John Flint's place, in line of fence; iron post stamped "2142 1911 34" St. Maries, 4.1 miles southeast of, 35 feet north of road crossing, 25 feet east of track; copper nail in top of pine stump 2 feet high, marked "U. S. | i |
| 2139 B. M.''. St. Maries, 5.7 miles southeast of, 1.9 miles north of section foreman's house, 10 feet west of railroad, 1,600 feet north of road crossing; point on quartz- | 2, 139. 70 |
| ite rock overlain by basalt lava, marked "U. S. 2143 B. M." | 2, 143. 05 |
| south by 15 feet east of section foreman's house; iron post stamped "2155 1911 35" | 2, 155. 316 |
| marked "U. S. 2171 B. M.". Lotus, 1 mile southeast of, 700 feet northwest of water tank, 15 feet north of railroad, in quartzite rock painted "S. B. M. No. 36;" bronze tablet | 2, 171. 54 |
| stamped "2214 1911 36" | 2, 214. 272 |
| 2272 B. M." | · |
| Rover, in front of station sign; top of rail | 2, 431. 2 |
| "U. S. 2452 B. M." Rover, 1 mile southeast of, opposite old wing dam in river, 600 feet northwest of water tank, 12 feet north of track, near figures "S. B. M. No. 37" painted on rock, in basalt lava rock of railroad side cut; bronze tablet | · |
| stamped "2469 1911 37" Rover, 2 miles southeast of, 130 feet southeast of sign "Water tank one mile," 10 feet northwest of railroad; copper nail in top of stump 2 feet high, marked "U. S. 2517 B. M." | • |
| From Maxwell's boat landing to point on St. Joe River 4.5 miles east of Chatcolet (single unchecked line). | |
| Chatcolet, 4.5 miles east of, 2.8 miles down St. Joe River from Ramsdell, 1,000 feet down river from Long Point landing, on J. A. Nye's place, 45 feet north of St. Joe River, 15 feet north of private road along river bank, in face of his increase in the control of private road along river bank, | |
| in fence line; iron post stamped "2131 1911 30" | 2, 131, 429 |

TAFT QUADRANGLE.

[Latitude 47°-47° 30'; longitude 115° 30'-116°.]

| From Mullan east along Northern Pacific Ry. to Lookout. | |
|---|---|
| Mullan, 15 feet west of station, at corner of sidewalk at base of Northern Pacific Ry. steps; iron post stamped "3244 S" | |
| Mullan, 1 mile east of, 100 feet west of sign "Water ½ mile," 35 feet south of railroad; spike in base of telegraph pole, marked "U. S. 3336 B. M." Larson, 2 feet east of northeast corner of station, 30 feet south of railroad. | 3, 335. 76 |
| spike in base of telegraph pole, marked "U. S. 3492 B. M." | 3, 492. 19 |
| bowlder, marked "U. S. 3584 B. M." | 3, 584. 28 |
| crete abutment; aluminum tablet stamped "3629 1911 1" | ; |
| spike in base of telegraph pole, marked "U. S. 3691 B. M." | |
| 1911 2" | 4, 390. 499 |
| with white paint, marked "U. S. 4574 B. M." | 4,574.52 |
| ter Root Mountains; 30 feet west of station; iron post stamped "4727 S" | |
| From St. Paul Pass southwest along Chicago, Milwaukee & Puget Sound Ry. to point 3.7 miles west of Ethelton. | ; |
| St. Paul Pass, summit of Bitter Root Mountains, 20 feet east of Idaho-Montana State line, 50 feet south of old wagon road from Taft to Grand Forks; iron post stamped "5163 1911 7" | 5, 163. 414 4, 148. 3 |
| feet west of track, in concrete foundation of turntable house; bronze | |
| tablet stamped "4147 1911 8" | 4, 146. 653 |
| tablet stamped "4147 1911 8" | 4, 146. 653 3, 829. 65 |
| tablet stamped "4147 1911 8" | 4, 146. 653 3, 829. 65 3, 234. 58 |
| tablet stamped "4147 1911 8" Roland, 0.7 mile southwest of, on north side of wagon road from Taft to Grand Forks; point on rock, marked "U. S. 3829 B. M.". Grand Forks (former site of), 0.5 mile north of Falcon, 5 feet northeast of point where road from Avery to Taft meets the road leading up east branch of North Fork of St. Joe River; copper nail at base of 2-foot pine stump 2 feet high, marked "U. S. 3234 B. M.". Falcon, in front of station, 10 feet north of track, in concrete base of semaphore staff; bronze tablet stamped "3413 1911 9" | 4, 146. 653 3, 829. 65 3, 234. 58 3, 413. 155 |
| tablet stamped "4147 1911 8" Roland, 0.7 mile southwest of, on north side of wagon road from Taft to Grand Forks; point on rock, marked "U. S. 3829 B. M.". Grand Forks (former site of), 0.5 mile north of Falcon, 5 feet northeast of point where road from Avery to Taft meets the road leading up east branch of North Fork of St. Joe River; copper nail at base of 2-foot pine stump 2 feet high, marked "U. S. 3234 B. M.". Falcon, in front of station, 10 feet north of track, in concrete base of semaphore staff; bronze tablet stamped "3413 1911 9" Falcon, 1.1 miles west of, 10 feet north of track, on top of concrete retaining wall; cross within circle of white paint, marked "U. S. 3314.4 B. M." | 4, 146. 653 3, 829. 65 3, 234. 58 3, 413. 155 3, 314. 57 |
| tablet stamped "4147 1911 8" Roland, 0.7 mile southwest of, on north side of wagon road from Taft to Grand Forks; point on rock, marked "U. S. 3829 B. M." Grand Forks (former site of), 0.5 mile north of Falcon, 5 feet northeast of point where road from Avery to Taft meets the road leading up east branch of North Fork of St. Joe River; copper nail at base of 2-foot pine stump 2 feet high, marked "U. S. 3234 B. M.". Falcon, in front of station, 10 feet north of track, in concrete base of semaphore staff; bronze tablet stamped "3413 1911 9" Falcon, 1.1 miles west of, 10 feet north of track, on top of concrete retaining wall; cross within circle of white paint, marked "U. S. 3314.4 B. M." Falcon, 2.7 miles west of, 100 feet west of west portal of tunnel 29, 30 feet north of track; spike in base of telegraph pole, marked "U. S. 3185 B. M." Kyle, 1.9 miles east of, 3.6 miles west of Falcon, 0.5 mile west of tunnel 32, | 4, 146. 653 3, 829. 65 3, 234. 58 3, 413. 155 3, 314. 57 3, 185. 34 |
| tablet stamped "4147 1911 8" Roland, 0.7 mile southwest of, on north side of wagon road from Taft to Grand Forks; point on rock, marked "U. S. 3829 B. M." Grand Forks (former site of), 0.5 mile north of Falcon, 5 feet northeast of point where road from Avery to Taft meets the road leading up east branch of North Fork of St. Joe River; copper nail at base of 2-foot pine stump 2 feet high, marked "U. S. 3234 B. M." Falcon, in front of station, 10 feet north of track, in concrete base of semaphore staff; bronze tablet stamped "3413 1911 9" Falcon, 1.1 miles west of, 10 feet north of track, on top of concrete retaining wall; cross within circle of white paint, marked "U. S. 3314.4 B. M." Falcon, 2.7 miles west of, 100 feet west of west portal of tunnel 29, 30 feet north of track; spike in base of telegraph pole, marked "U. S. 3185 B. M." | 4, 146. 653 3, 829. 65 3, 234. 58 3, 413. 155 3, 314. 57 3, 185. 34 3, 092. 927 |

| | Feet. |
|---|-------------|
| Kyle, 0.4 mile east of, 250 feet east of section foreman's house, 0.2 mile west of tunnel 32, 10 feet north of track, on top of concrete base of semaphore | • |
| staff; cross within circle of white paint, marked "U. S. 3017 B. M." Kyle, in front of semaphore staff; top of rail | |
| Kyle, 0.5 mile west of, 300 feet west of tunnel 33, 10 feet south of track, top of concrete base of semaphore staff; cross within circle of white paint, | • |
| marked "U. S. 2955 B. M." (should be 2956) | |
| stamped "2838 1911 11" | 2, 838. 008 |
| "U. S. 2758 B. M." | 2, 758. 51 |
| road; point on rock of railroad cut, marked "U. S. 2634 B. M." | 2,634.60 |
| south of railroad; point on rock of railroad cut, marked "U. S. 2549 B. M." | 2, 549. 63 |
| Avery, in front of station, opposite semaphore staff; top of rail | |
| "2492 1911 12" | 2, 492. 182 |
| B. M." | 2, 471. 21 |
| 2458 B. M." Avery, 3.6 miles west of, 0.5 mile west of section house near conspicuous | 2, 458. 46 |
| contact of granite with quartzite showing in recently excavated right of way, 10 feet north of track; point on rock, marked "U. S. 2444 B. M." | 2, 444. 05 |
| Ethelton, 5.1 miles west of Avery, on rock dump intended for erection of section house, 45 feet south of track, 15 feet south by 1 foot west of | |
| station house; iron post stamped "2419 1911 13" | |
| 2404 B. M.". Ethelton, 1.9 miles east of, north side of bridge E E 2 spanning Slate Creek, 10 feet from west end, in top of guard stringer spike, encircled with | |
| paint, marked "U. S. 2394 B. M.". Ethelton, 3.7 miles west of, 140 feet west of small creek entering from north, 30 feet west of telegraph pole painted "P. B. M. No. 14," 17 feet south of track, in rock; bronze tablet stamped "2366 1911 14" | · |
| FERNWOOD QUADRANGLE. | |
| [Latitude 47°-47° 30'; longitude 116°-116° 30'.] | • |
| From point 3.7 miles west of Ethelton west along Chicago, Milwaukee & Puget Sound Ry. to point 2.5 miles east of St. Maries. | |
| Pocono, 3.5 miles east of, 700 feet west of contact of large granite mass with quartzite showing along right of way, 100 feet west of small stream entering St. Joe River from north, 12 feet south of track, in through cut of railroad grade; point on quartzite rock, marked "U. S 2351 B. M." | 2, 351. 74 |
| · | |

| \cdot | F | eet. | |
|---|-------|-----------------|-----|
| Pocono, 1.9 miles east of, 0.5 mile east of water tank, east end of a through cut of railroad, 15 feet south of track, point on quartzite rock, marked "U. S. 2331 B. M." | | | |
| Pocono, 1.4 miles east of, 600 feet east of water tank, 60 feet north by 20 feet west of telegraph pole painted "P. B. M. No. 15," 30 feet north of track, 3 feet above ground, in granite rock; bronze tablet stamped "2326 | Ť | | |
| 1911 15" | | | |
| Pocono, in front of station; top of rail | 2, 30 | 03. | 0 |
| "2299 1911 16" | | | |
| south of tracks; iron post stamped "2278 1911 17" | | | |
| Herrick, 1 mile east of, 500 feet west of tunnel 37, 45 feet north of tracks, | | | |
| in top of cedar stump 3½ feet high; spike marked "U. S. 2243 B. M.". Herrick, 130 feet east of station, 75 feet north of main line, in triangle formed by logging Y connecting with tracks, 45 feet east of logging road past post office, 70 feet north of culvert 81; iron post stamped "2226 | 2, 2 | 1 2. | 91 |
| 1911 18" | • | | |
| railroad; spike in base of telegraph pole, marked "U. S. 2233 B. M." Herrick, 1.8 miles west of, in middle of through cut, 12 feet south of rail- | · | • | |
| road; point in circle of paint on rock, marked "U. S. 2228 B. M." | | | |
| 65 feet west of trestle E E 10; iron post stamped "2225 1911 19" | | | |
| B. M.". Calder (Elk Prairie), 20 feet south of post office, in southeast corner of H. J. Holbrook's yard, 45 feet north of tracks, 200 feet west of section | 2, 20 | 02. | 46 |
| foreman's house; iron post stamped "2188 1911 20" | | | |
| rail; railroad spike, marked "U. S. 2186 B. M." | | | • |
| on rock, marked "U. S. 2185 B. M.". Zane, 875 feet west of signboard, in side cut, 15 feet north of track, in quartz- ite rock 2 feet above roadbed, rock painted "P. B. M. No. 21" above | | | |
| tablet; bronze tablet stamped "2164 1911 21" | | | |
| St. Joe, 3.7 miles east of, east end of steel bridge over St. Joe River, on north side, in top of concrete abutment; aluminum tablet stamped "2164 | | | |
| 1911 22" St. Joe, 1.3 miles east of, 0.4 mile east of sign "Station 1 mile," 50 feet south of track, 100 feet southwest of old log cabin; copper nail in charred cedar stump, marked "ILS, 2152 B, M" | 2, 16 | | |
| LUGI DVIIII II II II II U. D. 4104 D. M | 4. 1 | ,,, | , , |

| | F | et. |
|---|---------|-------|
| St. Joe, 0.4 mile east of station, 60 feet west of wagon-road crossing, 50 feet north of track, 100 feet south of St. Joe River; iron post stamped "2138" | ; | |
| 1911 23" | | |
| St. Joe, at station, in front of semaphore staff; top of rail | | 7. 3 |
| St. Joe, 0.8 mile east of station, 350 feet east of most westerly sidetrack, | | |
| opposite row of company houses, 40 feet south of track; copper nail in | L | |
| base of cedar stump, marked "U. S. 2148 B. M." | 2, 147 | 7. 86 |
| St. Joe, 2.5 miles west of, 1,350 feet east of road crossing, 140 feet east of | | |
| culvert 93, 40 feet north of track; point in circle of paint on top of rock, | | |
| marked '' U. S. 2150 B. M.''. | 2, 150 |). 45 |
| St. Joe, 4 miles west of, west end of big swamp, 0.5 mile east of road crossing, | | |
| 20 feet north of track; copper nail in top of cedar stump, marked "U. S. | | |
| 2143 B. M." | | 3. 70 |
| St. Joe, 4.5 miles west of, on Mr. Martin's place, 85 feet east of point where | | |
| county road turns up mountain to south, 60 feet west of trestle E E 30, | | |
| 50 feet south of tracks, 50 feet east of barn, in fence corner of garden; iron | | |
| post stamped "2134 1911 24" | 9 134 | 225 |
| Omega, 1.1 miles east of, on railroad through cut, on sharp curve, 15 feet | 2, 101 | |
| north of railroad; point in circle of paint on rock, marked "U. S. 2145 | | |
| B. M. " | | - 00 |
| | | . ZZ |
| Omega, 400 feet west of signboard, 125 feet north of railroad, 90 feet south | | |
| of St. Joe River, 2 feet east of north-south fence, 45 feet south of barn on | | |
| ranch, 60 feet north of edge of right of way; iron post stamped "2137 1911 | 0.70= | |
| 25" | 2, 137 | , 655 |
| Omega, 2.4 miles west of, 110 feet west of private railroad crossing on John | | |
| Bowlton's place; copper nail in top of culvert 231 on south side, marked | | |
| "U. S. 2132 B. M.". | 2, 132 | . 41 |
| St. Maries, 2.5 miles east of station, 15 feet east of road crossing, 50 feet | | |
| north of tracks, 2 feet south of right of way fence, 90 feet north of switch | | |
| leading into "material yard;" iron post stamped "2138 1911 26" | 2, 138. | 549 |
| From Flat Creek dam southeast along Elk River branch of Chicago, Milwaukee & Puget Sound Ry. to Clarkia (single unchecked spur line). | | |
| | | |
| Flat Creek dam, 2.4 miles southeast of Rover, 60 feet south of bridge (top | | |
| of Flat Creek dam) over St. Maries River, 30 feet west of road leading | | |
| to bridge; iron post stamped ''2523 1911 38'' | 2, 523. | . 270 |
| Flat Creek dam, 1.1 miles southeast of, 20 feet north of track, in railroad | | |
| side cut; point in circle of paint on basalt rock, marked "U. S. 2543 B. M." | 2, 543. | 49 |
| Mashburn, 1.7 miles northwest of, 600 feet southwest of cabin of old logging | | |
| camp, 35 feet east of track; copper nail in top of cedar stump 3½ feet | | |
| high, marked ''U. S. 2568 B. M.''. | 2, 568. | 63 |
| Mashburn, 1 mile northwest of, at northwest end of long fill, 15 feet north | | |
| of track; point in circle of paint on quartzite rock, marked "U. S. | | |
| 2575 B. M.'' | 2, 575. | 01 |
| Mashburn, 50 feet west of station sign, 55 feet south of track, 270 feet east | | |
| of new barn, in line of right of way fence; iron post stamped "2582 1911 | | |
| 39'' | 2, 582. | 446 |
| Mashburn, at west end of wagon bridge; top of rail | 2, 595. | 8 |
| Mashburn, 1 mile southeast of, 150 feet west of two log cabins, 6 feet east | , | |
| of private road, 20 feet south of center of track; copper nail in top of | | |
| pine stump 3 feet high, marked "U. S. 2614 B. M." | 2, 613. | 96 |
| Santa, 1.5 miles west of, at road crossing; top of rail | | |
| 49069°—Bull, 567—15——4 | , | - |
| | | |

Feet.

| Santa, 1.2 miles northeast of, opposite sign "Station 1 mile," 60 feet west | |
|--|--|
| of culvert 2093; spike in top of large stump 15 feet north of tracks, marked | |
| "U. S. 2633 B. M." | |
| Santa, 75 feet west by 65 feet south of sign "Santa," 50 feet south of rail- | |
| road, 40 feet west of road crossing; iron post stamped "2674 1911 40" 2, 674. 274 | |
| Santa, 1 mile west of, 110 feet east of sign "Station 1 mile," 15 feet south | |
| of track; nail in top of stump, marked "U. S. 2709 B. M." | |
| "Water tank 1 mile," 10 feet north of tracks; point in circle of paint on | |
| column of basalt lava rock, marked "U. S. 2711 B. M." | |
| Fernwood, 1 mile west of, 500 feet west of water tank, 420 feet east of logging | |
| spur, 20 feet east of road crossing, 20 feet north of tracks; spike in stump, | |
| marked "U. S. 2710 B. M." | |
| Fernwood, 180 feet east of station, 40 feet north of tracks, 25 feet east of | |
| section tool-house, 20 feet south of logging spur; iron post stamped | |
| ''2710 1911 41'' | |
| Fernwood, 1 mile east of, opposite sign "Station 1 mile," 10 feet north of | |
| track; point in circle of paint on basalt rock, marked "U.S. 2713 B.M.". 2,713.46 | |
| Fernwood, 2 miles southeast of, 0.5 mile southeast of ranch with large red | |
| barn, 170 feet east of private-road crossing, 15 feet south of track, top of | |
| pine stump 2 feet high; copper nail marked "U. S. 2704 B. M." 2,704.52 | |
| Coxs Spur, 3.1 miles southeast of Fernwood, 0.3 mile northwest of Mr. | |
| Olson's place, 75 feet west of switch stand at intersection of logging spur | |
| with railroad, 50 feet south of track, 10 feet east of fence post painted "S. B. M. No. 42;" iron post stamped "2714 1911 42" | |
| Coxs Spur, 1.1 miles southeast of, 4.2 miles southeast of Fernwood, 0.2 | |
| mile west of old log cabin, 235 feet east of private-road crossing, 20 feet | |
| south of track; copper nail in top of culvert 2141, marked "U. S. 2729 | |
| B. M.'' | |
| Jims Spur, 0.7 mile southeast of, 320 feet east of private-road crossing, 15 | |
| feet north of track; spike in base of telegraph pole, marked "U. S. 2755 | |
| B. M.'' | |
| Crawford Mill Spur, 3.3 miles northwest of Clarkia, 600 feet southwest of saw- | |
| mill, 180 feet east of switch stand at intersection of mill spur with main | |
| track, 100 feet west of trestle E E 548 over Little Creek, 50 feet south | |
| of main line, 15 feet west of private-road crossing; iron post stamped | |
| ('2765 1911 43'' | |
| Clarkia, 2.3 miles northwest of, 0.6 mile southwest of bridge over St. Maries River, east end of trestle E E 552, on south side; top of bolt in circle of | |
| paint, marked "U. S. 2785 B. M." 2, 785. 59 | |
| Clarkia, 1 mile northwest of, 450 feet west of sign "Station 1 mile," 40 feet | |
| north of track, top of cedar stump 3 feet high; copper nail marked "U. S. | |
| 2807 B M'' | |
| Clarkia, 275 feet southwest of sign "Clarkia," 50 feet south of tracks, 30 | |
| feet south of switch, 330 feet southeast of road crossing, in line of right of | |
| way fence, 45 feet west of culvert 2193; iron post stamped ''2828 1911 44''. 2, 828, 182 | |
| Asotin, Bovill, Fish Creek, Kamiah, Kendrick, Lapwai, Pot Mountain, Pullman, | |
| Summit Lake, The Crags Mountains, and Weippe quadrangles. | |
| , | |

IDAHO AND NEZ PERCE COUNTIES.

The elevations in the following list were determined by primary leveling based on a U. S. Geological Survey bench mark in the wall

of the First National Bank of Genesee, Idaho, and extended to Lolo Hot Springs, Mont., via Orofino, Kooskia, and Selwai River. The line from Fords Creek to Powell Station via Lolo Trail, has a closure error of +5.81 feet and is unadjusted.

The work was done in 1911 by L. F. Biggs, excepting the bench marks in Kendrick and Pullman quadrangles near Moscow, which were set in 1903 by E. M. Fry.

PULLMAN QUADRANGLE.

[Latitude 46° 30'-47°; longitude 117°-117° 30'.]

At Moscow.

Moscow, 20 feet north of Northern Pacific Ry. station, 5 feet west of platform, near coal house, 15 feet west of track; iron post stamped "2564 S". 2, 564. 873

KENDRICK QUADRANGLE.

[Latitude 46° 30'-47°; longitude 116° 30'-117°.]

From Genesee south along public highway to point 4 miles north of Central Ferry.

| From denesse south along public nighway to point 4 miles notin of counter 2013. | | |
|--|------------------|-----------|
| Genesee, northeast corner of Main and Third streets, in brick wall at front entrance to First National Bank; bronze tablet stamped "2676 S" | , 814. , 605. | 528 56 |
| From Myrtle east along Northern Pacific Ry. to Ahsahka. | | |
| Myrtle, 1.5 miles east of, in top of milepost 5; copper nail stamped "856" Myrtle, 2.5 miles east of, in top of milepost 6; copper nail stamped "864" | 856. 864. | |
| Myrtle, 3.5 miles east of, in top of milepost 7; copper nail stamped "871" Myrtle, 4.2 miles east of, 0.2 mile west of milepost 8, opposite whistle post, 30 feet north of track, midway between house and barn, in bowlder; | 871. | 22 |
| aluminum tablet stamped "874 B 1911 10" | 873. | |
| Agatha, 3 miles west of, in top of milepost 9; copper nail stamped "888" | 888. | |
| Agatha, 2 miles west of, in top of milepost 10; copper nail stamped "890". | 890. | |
| Agatha, 1 mile west of, in top of milepost 11; copper nail stamped "896" | 897. | |
| Agatha, in top of milepost 12; copper nail stamped "905" | 905. | |
| above ground, in bed rock; aluminum tablet stamped "905 B 1911 11". | 905. | |
| Leonore, in top of milepost 13; copper nail stamped "914" | 914. | |
| Leonore, 1 mile east of, in top of milepost 14; railroad spike stamped "920". | 920. | |
| Leonore, 2 miles east of, in top of milepost 15; railroad spike stamped "924". | 924. | |
| Leonore, 3 miles east of, in top of milepost 16; railroad spike stamped "938". Leonore, 3.4 miles east of, 0.4 mile east of milepost 16, 15 feet south of track, 15 feet north of small pine tree, in bowlder outcrop; aluminum tablet | 938. | 20 |
| stamped "935 B 1911 12" | 934. | |
| Leonore, 4 miles east of, in top of milepost 17; railroad spike stamped "943". | 943. | |
| Leonore, 5 miles east of, in top of milepost 18; spike stamped "948" | 947. | |
| Peck, 1.2 miles west of, in top of milepost 19; spike marked "952" Peck, 25 feet north of station, north edge of wagon road, in bowlder outcrop; | 952. | 03 |
| aluminum tablet stamped "959 B 1911 13" | 958. | 978 |
| Peck, 0.8 mile east of, in top of milepost 21; copper nail marked "964" | 964. | 28 |

| | Treat |
|--|---|
| Peck, 1.8 miles east of, in top of milepost 22; copper nail marked "978" Peck, 2.8 miles east of, in top of milepost 23; copper nail marked "988" Ahsahka, 2 miles west of, in top of milepost 24; copper nail marked "1001". Ahsahka, 75 feet east of railroad bridge over North Fork of Clearwater River, north edge of right of way, at fence line, in bowlder; aluminum tablet stamped "990 B 1911 14" | 978. 11 988. 35 991. 71 989. 862 |
| From Genesee via county road to Moscow. | |
| Genesee, northeast corner of Main and Third streets, in brick wall at front entrance to First National Bank, 1 foot above sidewalk; bronze tablet stamped "2676 S" | 2, 676. 945 |
| Along Thorn Creek road to Moscow. | |
| Bangs, 2 feet from southeast corner of schoolhouse, in brick foundation, 3 feet north of steps; bronze tablet stamped "2745 S" | |
| LAPWAI QUADRANGLE. | |
| [Latitude 46°-46° 30′; longitude 116° 30′-117°.] | |
| From point 4 miles north of Central Ferry, south along public highway to point near Central Ferry, thence east along Northern Pacific Ry. to Myrtle. | |
| Central Ferry, 2.9 miles north of, southwest corner of bridge over Hataway Creek; top of bolthead on brace, scribed and painted "1120" | 1, 120. 54 |
| fence post, scribed and painted "1110" | 1, 109. 67 802. 02 |
| side of road, north bank of river, in bowlder; aluminum tablet stamped "784 B 1911 3" | 783. 766 742. 8 |
| Central Ferry, 0.5 mile south of, at railroad crossing; spike in base of fence post, scribed and painted "756" | 755. 80 |
| north edge of wagon road, opposite house; spike in base of telephone pole, scribed and painted "768" | |
| Lewiston, 4.5 miles east of, in top of milepost 132; copper nail stamped "772" | 772. 24 |
| "777" | 777. 59 |
| marked by rock cairn; aluminum tablet stamped "776 B 1911 6" Lewiston, 6.5 miles east of, in top of milepost 130; copper nail stamped | 776. 198 |
| "782" Lewiston, 7.5 miles east of, in base of milepost 129; spike marked "788" North Lapwai, 0.5 mile west of, in top of milepost 128; copper nail stamped | 781. 80 788. 19 |
| "797" North Lapwai, north edge of right of way, opposite station, on fence line, in bowlder buried flush with ground; aluminum tablet stamped "800 B | 796. 84 |
| | |

| North Lapwai, 0.5 mile east of, in top of milepost 127; copper nail stamped | reet. |
|---|---|
| "807" | 806. 92 |
| North Lapwai, 1.4 miles east of, north end of railroad bridge over Clearwater | |
| River, in top of string piece; copper nail stamped "814" | 813. 73 |
| North Lapwai, 2.4 miles east of, in top of milepost 125; copper nail stamped | |
| "831" | 831. 53 |
| Arrow Junction, 0.7 mile west of, in top of milepost 124; copper nail stamped | |
| "823" | 823.66 |
| Arrow Junction, 60 feet north of bridge over creek, midway between tracks, | |
| on small knob, in bowlder outcrop; aluminum tablet stamped "822 B | |
| 1911 8" | 822. 092 |
| Arrow Junction, 1 mile east of, in top of milepost 1; copper nail stamped "834" | 02/ 11 |
| Arrow Junction, 2 miles east of, in top of milepost 2; copper nail stamped | 834. 11 |
| "843" | 842. 77 |
| Arrow Junction, 3 miles east of, in base of milepost 3; spike stamped "8472" | 846. 86 |
| Myrtle, in front of station; top of rail | 847. 1 |
| Myrtle, 0.5 mile east of, 450 feet east of mile post 4, south edge of right of way, | |
| on fence line, at small cut, in bowlder, 6 inches above ground; aluminum | |
| tablet stamped "851 B 1911 9" | 851. 191 |
| ASOTIN QUADRANGLE. | |
| | |
| [Latitude 46°-46° 30'; longitude 117°-117° 30'.] | |
| From Clearwater ferry west via Northern Pacific Ry. to Lewiston (double spur line). | |
| Lewiston, 3 miles east of, 0.5 mile south of Central Ferry, at railroad cross- | |
| ing; spike in base of corner fence post, aluminum tag stamped "756" | 755. 80 |
| Lewiston, 2 miles east of, south bank of Clearwater River, at Stockyards | |
| ferry; spike in base of cable support, marked "7372" | 737. 02 |
| Milepost 136; spike in base of, aluminum tag stamped "7412" | 741. 32 |
| Lewiston, at main entrance to courthouse, in concrete step on east side of | |
| porch; aluminum tablet stamped "741 B 1911 4" | 740. 984 |
| Lewiston, Carnegie Public Library, in step at southeast entrance; aluminum tablet stamped "820 B 1911 5" | 820. 025 |
| tablet stamped 620 D 1911 5 | 020. 020 |
| KAMIAH QUADRANGLE. | |
| [Latitude 46°-46° 30'; longitude 116°-116° 30'.] | |
| From Ahsahka via Northern Pacific Ry. east and southeast to Kooskia. | |
| Ahsahka, 0.5 mile east of, in top of milepost 26; copper nail stamped "996" | 996. 54 |
| Orofino, 2 miles west of, in top of milepost 27; copper nail stamped "1005" | |
| Orofino, 1 mile west of, in top of milepost 28; copper nail stamped "1020" | |
| Orofino, northwest corner of railroad bridge over Orofino Creek, in top of | |
| stringer; copper nail stamped "1021" | 1, 020. 93 |
| Orofino, northeast corner of Main Street bridge over Orofino Creek, in top of | |
| concrete retaining wall; aluminum tablet stamped "1016 B 1911 15" | |
| | |
| Orofino, 0.5 mile east of, in top of milepost 30; copper nail stamped "1026" | 1, 026. 17 |
| Orofino, 1.5 miles east of, in top of milepost 31; copper nail stamped "1039". | 1, 026. 17 1, 039. 32 |
| Orofino, 1.5 miles east of, in top of milepost 31; copper nail stamped "1039". Orofino, 2.5 miles east of, in base of milepost 32; spike stamped "1047" | 1, 026. 17 1, 039. 32 |
| Orofino, 1.5 miles east of, in top of milepost 31; copper nail stamped "1039". Orofino, 2.5 miles east of, in base of milepost 32; spike stamped "1047" Ford Creek, 800 feet west of, 100 feet south of milepost 33, 15 feet from north | 1, 026. 17 1, 039. 32 |
| Orofino, 1.5 miles east of, in top of milepost 31; copper nail stamped "1039". Orofino, 2.5 miles east of, in base of milepost 32; spike stamped "1047" Ford Creek, 800 feet west of, 100 feet south of milepost 33, 15 feet from north bank of river, in bowlder outcrop; aluminum tablet stamped "1056 B | 1, 026. 17 1, 039. 32 1, 047. 28 |
| Orofino, 1.5 miles east of, in top of milepost 31; copper nail stamped "1039". Orofino, 2.5 miles east of, in base of milepost 32; spike stamped "1047" Ford Creek, 800 feet west of, 100 feet south of milepost 33, 15 feet from north bank of river, in bowlder outcrop; aluminum tablet stamped "1056 B 1911 16" | 1, 026. 17 1, 039. 32 1, 047. 28 1, 056. 208 |
| Orofino, 1.5 miles east of, in top of milepost 31; copper nail stamped "1039". Orofino, 2.5 miles east of, in base of milepost 32; spike stamped "1047" Ford Creek, 800 feet west of, 100 feet south of milepost 33, 15 feet from north bank of river, in bowlder outcrop; aluminum tablet stamped "1056 B | 1, 026. 17 1, 039. 32 1, 047. 28 1, 056. 208 1, 061. 38 |

| · | |
|---|-------------|
| Wilesant 90 and in house of a lamina and a second of 1/2001 to | Feet. |
| Milepost 36; spike in base of, aluminum tag stamped "1081" | |
| Greer, east end of town, 150 feet west of ferry, at railroad crossing, north | 1, 0/0. 1/0 |
| edge of wagon road, in bowlder; bronze tablet stamped "1089 B 1911 85". | 1 009 509 |
| Greer, 0.2 mile east of, in base of whistle post; spike, aluminum tag stamped | 1, 000. 002 |
| "1089" | 1 002 06 |
| Milepost 39; spike in base of, aluminum tag stamped "1101" | 1,000.00 |
| Milepost 40; spike in base of, aluminum tag stamped "1101" | |
| Milepost 41, 100 feet east of, 200 feet west of tunnel 2, north edge of right of | 1, 007. 000 |
| way, in bedrock; bronze tablet stamped "1114 B 1911 84" | 1 107 848 |
| Milepost 42; spike in base of, aluminum tag stamped "1118" | 1, 107, 040 |
| Milepost 43; spike in base of, aluminum tag stamped "1128" | |
| Milepost 44; spike in base of, aluminum tag stamped "1133" | |
| Pardee, in front of station; top of rail. | |
| Milepost 45; spike in base of, aluminum tag stamped "1146" | |
| Tramway, 250 feet west of warehouse, north edge of right of way, in bowlder; | 2, 2001 00 |
| aluminum tablet stamped "1160 B 1911 83" | 1, 153, 567 |
| Milepost 47; spike in base of, aluminum tag stamped "1159" | |
| Milepost 48; spike in base of, aluminum tag stamped "1169" | |
| Milepost 49; spike in base of, aluminum tag stamped "1179" | |
| Milepost 50; spike in base of, aluminum tag stamped "1183" | |
| Clearwater River, on railroad bridge; top of rail | |
| Milepost 51; spike in base of, aluminum tag stamped "1191" | |
| Kamiah, in front of station; top of rail | |
| Kamiah, southeast corner of steel toll bridge over Clearwater River, in | |
| concrete abutment; bronze tablet stamped "1196 B 1911 82" | 1, 189. 615 |
| Milepost 52; spike in base of, aluminum tag stamped "1196" | |
| Milepost 53; spike in base of, aluminum tag stamped "1204" | |
| Milepost 54; spike in base of, aluminum tag stamped "1215" | |
| Milepost 55; spike in base of, aluminum tag stamped "1223" | |
| Milepost 56; spike in base of, aluminum tag stamped "1231" | |
| Milepost 57; spike in base of, aluminum tag stamped "1241" | 1, 235. 12 |
| Milepost 58; spike in base of, aluminum tag stamped "1241" | 1, 235. 25 |
| Kooskia, 1 mile west of, 25 feet south of milepost 59, in base of telephone | |
| pole; spike, aluminum tag stamped "1251" | |
| Kooskia, in front of station; top of rail | 1, 253. 1 |
| Kooskia, northwest corner of bridge over south fork of Clearwater River, | 7 054 45 |
| in stringer; copper nail, aluminum tag stamped "1260" | 1, 254. 47 |
| Kooskia, in front wall of Gilbach Building, 4 feet above ground; bronze tablet stamped "1259 B 1911 81" | 1 059 400 |
| каргет вкашрец 1259 В 1911 81 | 1, 200. 400 |
| From mouth of Ford Creek east along public highway to district schoolhouse No. 15. | |
| (Part of unadjusted line from mouth of Ford Creek to Powell station | |
| which has a closing error of plus 6 feet.) | |
| Mouth of Ford Creek, 0.4 mile northeast of, west side of road, spike in root | |
| of 36-inch yellow-pine tree; scribed and painted "1144" | 1, 144. 62 |
| Mouth of Ford Creek, 1.2 miles northeast of, west edge of road; copper nail | |
| in root of yellow-pine tree; scribed and painted "1325" | 1,325.00 |
| Mouth of Ford Creek, 2.1 miles northeast of, north edge of road; copper | • |
| nail in root of 36-inch fir tree, scribed "1808" | 1,807.40 |
| Mouth of Ford Creek, 2.8 miles east of, at Camp Springs, 75 feet south of | |
| road; copper nail in root of 30-inch fir tree, scribed "2007" | 2,006.83 |
| Mouth of Ford Creek, 4 miles east of, on saddle of ridge, north side of road; | |
| copper nail in root of pine tree, scribed "2663" | 2, 663. 70 |
| • | |

| | Feet. |
|--|-------------|
| Mouth of Ford Creek, 4.4 miles east of, 1,000 feet east of Reuben Dennis ranch, 1,000 feet west of top of steep grade, 30 feet north of road, in bowlder; aluminum tablet stamped "2917 B 1911 17" | 2, 917. 189 |
| "3026" | 3,026.06 |
| sawmill, on summit of hill, 300 feet south of house; nail in root of pine tree, scribed "3146" | |
| south of road; copper nail in root of 24-inch pine tree, scribed "2994" Peckham Brothers' sawmill, 2.3 miles west of, at T road; copper nail in | 2, 994. 70 |
| root of 36-inch yellow-pine tree, marked "3092" | 3, 092. 47 |
| of pine tree, scribed "3034" | |
| aluminum tablet stamped "3033 B 1911 18" | 3, 033. 549 |
| nail in root of 30-inch pine tree, scribed "3043" | 3,042.99 |
| scribed "3090" | 3, 090. 76 |
| at road crossing; copper nail in root of pine tree, scribed "3088" Weippe, 3.7 miles west of, 1,000 feet west of district schoolhouse No. 15, at road crossing, at fence corner, in bowlder buried flush with ground; aluminum tablet stamped "3087 B 1911 19" | · |
| \cdot | 5,067.516 |
| WEIPPE QUADRANGLE. | |
| [Latitude 46°-46° 30'; longitude 115° 30'-116°.] From district No. 15 schoolhouse east via county road and Lolo trail to Rocky Ridge. | |
| (Part of unadjusted line from mouth of Fords Creek to Powell station which has a closing error of plus 6 feet.) | |
| Weippe, 2.4 miles west of, north side of road; copper nail in root of 24-inch tamarack tree, scribed "3168" | 3, 167. 82 |
| fir tree, scribed "3142" | 3, 142. 01 |
| weippe, opposite Erb Brothers store, copper hair in root of pine tree, scribed "3006" | 3, 006. 47 |
| in bank of small drain, in bowlder; aluminum tablet stamped "3002 B 1911 20". | 3 001 762 |
| Weippe, 1.2 miles east of, 50 feet east of small creek, north side of road; copper nail in root of 20-inch pine tree, scribed "3040" | • |
| Weippe, 2.2 miles east of, south side of road; copper nail in root of 30-inch fir tree, scribed "3113" | |
| Weippe, 3 miles east of, south side of road, west end of meadow, copper nail in root of 24-inch fir tree, scribed "3055" | |
| Weippe, 3.9 miles east of, 3.6 miles west of Browns Creek; copper nail in root of 24-inch pine tree, scribed "3132" | 3, 132. 69 |

| | | Feet | |
|--|--------|--------------|------|
| Weippe, 4.4 miles east of, 3.1 miles west of Browns Creek, south edge of | | | |
| road, in flat bowlder 12 feet long extending over road; aluminum tablet | | 000 | 050 |
| stamped "3327 B 1911 21"Browns Creek, 2.1 miles west of, south side of road; copper nail in root of | 3, 6 | 5Z0. | 870 |
| 20 inch temperals tree gordhed (1997). | 9 | 07A | 99 |
| 30-inch tamarack tree, scribed "3271" | 3, | 470. | 34 |
| | 9 | 100 | 75 |
| copper nail in root of 36-inch fir tree, scribed "3184" | ٥, | 100. | 10 |
| Browns Creek, 0.6 mile east of, 4.1 miles west of Musselshell, north edge of road, 200 feet north of small cabin, in bowlder outcrop; aluminum | | | |
| tablet stamped "3225 B 1911 22" | Q (| 999 | 198 |
| Browns Creek, 0.3 mile east of, 200 feet southeast of gate to pasture; copper | υ, . | <i></i> | 120 |
| nail in root of 36-inch fir tree, scribed "3170" | 3 | 170 | 65 |
| Browns Creek, 1 mile east of, 2.3 miles west of Musselshell, north edge of | υ, | _,,, | 00 |
| road; copper nail in root of 36-inch fir tree, scribed "3412" | 3. | 412. | 51 |
| Musselshell, 1.3 miles west of, south edge of road; copper nail in root of | ٠, | | - |
| 48-inch white pine tree, scribed "3376" | 3. | 376. | 00 |
| Musselshell, 0.5 mile west of, junction of old road; copper nail in root of | ٠, | | |
| 30-inch fir tree, scribed "3205" | 3, | 205. | 48 |
| Musselshell, 1,000 feet southwest of Parson's cabin, 150 feet east of gate to | • | | |
| pasture; copper nail in root of 50-inch fir tree, scribed "3171" | 3, | 171. | 19 |
| Musselshell, 1.5 miles east of, south edge of Lolo trail, in 12 inch by 10 | | | |
| inch by 4 foot bowlder; aluminum tablet stamped "3426 B 1911 23" | 3, | 426 . | 468 |
| Musselshell, 2.6 miles east of, south side of trail; copper nail in root of | | | |
| 36-inch fir tree, scribed "3646" | 3, | 646. | 45 |
| Musselshell, 3.7 miles east of, junction of Pioneer mine and Lolo trails, in | | | |
| bowlder outcrop; chisel point marked "X U. S." | 3, | 699. | 91 |
| Musseslshell, 3.7 miles east of, junction of Pioneer mine and Lolo trails; | _ | = 00 | ٠. |
| copper nail in root of 20-inch fir tree, scribed "3706" | 3, | 706. | 30 |
| Musselshell, 4.4 miles east of, north edge of trail, east bank of canyon; copper nail in root of 72-inch tamarack tree, scribed "3706" | 9 | 706 | 14 |
| Musselshell, 5.2 miles east of; copper nail in root of 36-inch fir tree, scribed | ٥, | 700. | 14 |
| "3522" | 3 | 522 | 38 |
| Lolo Forks, 25 feet north of Lolo Creek at ford; copper nail in root of 22-inch | υ, | · · | |
| cedar tree, scribed "3390" | 3. | 390. | 72 |
| Lolo Forks, east edge of trail, 50 feet east of forks of creeks, in bowlder | ٠, | | - |
| outcrop; aluminum tablet stamped "3391 B 1911 24" | 3. | 391. | 284 |
| Lolo Forks, 1.2 miles east of, south edge of trail; copper nail in root of | ٠, | | |
| 30-inch tamarack tree, scribed "4040" | 4. | 040 | . 50 |
| Lolo Forks, 1.9 miles east of, north edge of trail; copper nail in root of | , | | |
| 30-inch cedar tree, scribed "4191" | 4, | 191. | 63 |
| Lolo Forks, 3 miles east of, 3 miles west of Camp Martin, at foot of steep | • | | |
| grade, 10 feet north of trail, in root of 30-inch fir tree; copper nail scribed | | | |
| " 4446 " | 4, | 446. | 01 |
| Camp Martin, 1.7 miles east of, on saddle of ridge, south side of trail, in | | | |
| granite bowlder; aluminum tablet stamped "4873 B 1911 25" | 4, | 873. | 281 |
| Camp Martin, 1.4 miles west of, at camp ground; copper nail in root of | | | |
| 40-inch fir tree, scribed "4868" | 4, | 868. | 60 |
| Camp Martin, 150 feet west of junction of Pierce City and Lolo trails; cop- | | | |
| per nail in root of 72-inch fir tree, scribed "5147" | ъ, | 146. | 79 |
| Camp Martin, 1 mile east of, on summit of ridge, east edge of trail; copper | 6 1 | ∩9 <i>4</i> | 90 |
| nail in root of 20-inch fir tree, scribed "6024" | , v, v | U44. | 40 |
| per nail in root of 30-inch pine tree, scribed "5903" | | 902 | 86 |
| por mant in 1000 or 00-mon princ stee, Scribed 0000 | ٠, ١ | JU2. | .00 |

| Camp Martin, 2 miles east of, 50 feet south of junction of trail to Soldier | , Fee | t. |
|---|--------|--------|
| Meadow, in bowlder outcrop; aluminum tablet stamped "5903 B 1911 27" | 5, 903 | s. 573 |
| Soldier Meadow, 0.8 mile east of, west side of trail; copper nail in root of 20-inch fir tree, scribed "5816" | • | |
| Soldier Meadow, 1.7 miles east of, at forks of trail to small meadow; copper nail in root of 24-inch fir tree, scribed "5303" | | |
| Soldier Meadow, 2.5 miles east of, at junction of Pete King and Lolo trails; copper nail in root of 60-inch fir tree, scribed "5898" | | |
| Soldier Meadow, 3.3 miles east of, 1.5 miles west of Rocky Ridge triangulation station, at large burn; copper nail in root of 36-inch fir tree, scribed | | |
| "6016" | • | |
| south of trail, on granite bowlder; chisel point, painted "6022" | | |
| Rocky Ridge triangulation station, in bowlder outcrop, center of station; bronze tablet stamped "6542 B 1911 28" | | |
| From Ohara Bar west via trail and public road along Selwai River to Kooskia. | · | |
| Ohara Bar, 1.5 miles west of, south edge of trail; copper nail in root of 36- | | |
| inch yellow-pine tree, aluminum tag stamped "1528" | 1, 521 | . 27 |
| porting cable; copper nail stamped "1520" | 1, 513 | . 00 |
| birch tree; copper nail, aluminum tag stamped "1508" | 1,502 | . 89 |
| stamped "1521 B 1911 76" | 1, 514 | . 223 |
| per nail, aluminum tag stamped "1493" | 1,486 | . 15 |
| 30-inch cedar tree; copper nail, aluminum tag stamped "1472" | 1, 466 | . 59 |
| Lowell, 0.5 mile east of, on bluff over Selwai River, 1,000 feet east of mouth of Selwai River, north edge of trail, in bowlder; bronze tablet | | 0-1 |
| stamped "1547 B 1911 77" | 1, 541 | . 371 |
| "1470" | 1, 464 | . 08 |
| copper nail, aluminum tag stamped "1478" | 1,472 | . 35 |
| copper nail, aluminum tag stamped "1459" | 1, 453 | . 40 |
| per nail, aluminum tag stamped "1510" | 1, 504 | . 17 |
| feet west of old cabin, in bowlder outcrop; bronze tablet stamped "1431 | 1 405 | 0.05 |
| B 1911 78" | | |
| tree; copper nail, aluminum tag stamped "1440" | | |
| fir tree; copper nail, aluminum tag stamped "1419" | · | |
| per nail, aluminum tag stamped "1431" | 1.425 | . 42 |

| | Feet. | |
|--|------------|----------------|
| U. S. Forest Service Cabin One, midway between house and barn, 15 feet northwest of road, in granite bowlder; bronze tablet stamped "1397 B | 100. | , |
| 1911 79". Cabin One, 1 mile west of, at National Forest boundary line, in root of 24- | 1, 391. 14 | 1 1 |
| inch pine tree; copper nail, aluminum tag stamped "1398" | 1, 392. 39 | • |
| inch pine tree; copper nail, aluminum tag stamped "1365" | | |
| copper nail, aluminum tag stamped "1353" | | |
| yellow-pine tree, scribed "1343" | | |
| copper nail, aluminum tag stamped "1331" | | |
| edge of road, in flat bowlder; bronze tablet stamped "1321 B 1911 80" Turner ranch, 1.1 miles west of, north edge of road, in root of 36-inch pine | | |
| tree; copper nail, aluminum tag stamped "1314" | | |
| 36-inch pine tree, scribed "1299" | | |
| Kooskia, 5.2 miles east of, north edge of road; in root of 30-inch pine tree; copper nail, aluminum tag stamped "1292" | | |
| Kooskia, 1.2 miles east of, 250 feet east of ferry; in root of 36-inch pine tree; copper nail, aluminum tag stamped "1261" | | |
| Clearwater River, at Kooskia ferry; surface of water Oct. 19, 1911 | | |
| THE CRAGS MOUNTAINS QUADRANGLE. | | |
| [Latitude 46°-46° 30'; longitude 115°-115° 30'.] | | |
| From Rocky Ridge east via Lolo trail to Indian Grave. | | |
| (Part of unadjusted line from mouth of Ford Creek to Powell station having a closing error of plus 6 feet.) | | |
| Rocky Ridge triangulation station, east monument, at base of signal; chisel | | |
| point on bowlder, painted "6527" | 6, 527. 3 | 8 |
| Rocky Ridge triangulation station, 0.5 mile east of, south side of trail; copper bolt in root of 72-inch fir tree, scribed "6290" | 6 200 7 | Λ |
| Little Weitas, west side of meadow, north edge of trail; copper nail in root | 0, 230. 7 | U |
| of 36-inch fir tree, marked "5434" | 5, 433. 7 | 7 |
| fir tree, scribed "5752" | 5, 752. 0 | 7 |
| creek; copper nail in root of 30-inch fir tree, scribed "5460" | 5, 460. 6 | 4 |
| trail, in granite bowlder; aluminum tablet stamped "5557 B 1911 29" Little Weitas, 3.5 miles east of, 400 feet east of small creek; copper nail | 5, 556. 9 | 23 |
| in root of 20-inch fir tree, scribed "5870" | | |
| trail; chisel point on flat bowlder, painted "5562" | | |
| root of 36-inch fir tree, scribed "5030" | | |
| pine tree, scribed "5310" | 5, 305. 8 | 4 |

| • | Foot | |
|--|-------------|---|
| Big Burn, 0.7 mile east of, 10 miles west of Bald Mountain, on summit of ridge south side of trail; copper nail in root of 24-inch white-pine tree, | | |
| scribed "5733" | 5, 733. 36 | j |
| Sherman Saddle, south edge of trail; copper nail in root of 20-inch fir tree, scribed "4762" | | |
| Sherman Saddle, 1 mile east of, 7.3 miles west of Bald Mountain, south edge of trail; copper nail in 36-inch fir tree in drain, scribed "5630" | | |
| Sherman Saddle, 1.5 miles east of, 7.1 miles west of Bald Mountain, south edge of trail, in granite bowlder; aluminum tablet stamped "5769 B 1911 | 0, 000. 00 | • |
| 30" | 5, 770. 08 | 2 |
| point on flat granite bowlder extending over trail, painted "6078" | 6, 078. 88 | , |
| Sherman Saddle, 2.8 miles east of, 1 mile west of Noseem Meadow, at small creek, at base of 20-inch fir tree; chisel point on granite bowlder, painted | | |
| "6131" | 6, 132. 30 | 1 |
| Bald Mountains, 4.7 miles west of, 300 feet west of camp, Noseem Meadow, south edge of trail, in flat granite bowlder; aluminum tablet stamped | | _ |
| "5909 B 1911 31" | 5, 910. 639 | 9 |
| Bald Mountains, 3.4 miles west of, north edge of trail; copper nail in root | | |
| of 20-inch fir tree, scribed "5992" | | |
| scribed "5934"; copper nail | 5, 935. 13 | |
| Bald Mountains, 300 feet west of ranger's cabin, at camp ground; copper nail in root of 36-inch fir tree, scribed "6282" | 6, 283. 39 | |
| Bald Mountain triangulation station, in granite bowlder at center of station; bronze tablet stamped "6528 B 1911 32" | 6, 529. 327 | 7 |
| Bald Mountains, 1 mile east of, 200 feet south of saddle; chisel point on bowlder outcrop, painted "5905" | 5, 906. 16 | |
| Bald Mountains, 2.4 miles east of, on top of ridge, south edge of trail; copper nail in root of 24-inch pine tree, scribed "6251" | 6, 252. 50 | |
| Bald Mountains, 3.8 miles east of, 3.1 miles west of Indian Grave, south edge of trail, on long sharp ridge, in granite bowlder marked by rock | | |
| cairn; aluminum tablet stamped "6519 B 1911 33" | | |
| ders, north edge of trail; chisel point on granite bowlder, painted "6555". Bald Mountains, 6 miles east of, 0.8 mile west of Indian Grave, on summit | 6, 556. 00 | - |
| of ridge, 100 feet north of trail, in granite bowlder; aluminum tablet stamped "6576 B 1911 34," marked by rock cairn | 6, 577. 297 | 7 |
| From Meeker Creek west via trail along Selwai River to O'Hara Bar. | | |
| Meeker Creek, 25 feet west of north edge of trail, in bowlder; bronze tablet | 9 090 551 | , |
| stamped "2026 B 1911 67" | 1 005 06 | L |
| Warm Spring Creek, 1.1 miles west of, south edge of trail, in root of 72-inch fir tree; copper nail, aluminum tag stamped "2016" | • | |
| Warm Spring Creek, 250 feet north of mouth, 100 feet south of cabin, in bowlder; bronze tablet stamped "1944 B 1911 68" | | , |
| Warm Spring Creek, 1 mile west of, 50 feet east of milepost 43, in root of 60-inch yellow-pine tree; copper nail, aluminum tag stamped "1957" | • | |
| Warm Spring Creek, 2 miles west of, 150 feet west of milepost 42, south edge of trail, in root of 36-inch pine tree; copper nail, aluminum tag | | |
| | 2, 179, 01 | |

| • | Theat |
|---|-------------|
| Warm Spring Creek, 3 miles west of, 25 feet east of milepost 41, in root of 50-inch fir tree; copper nail, aluminum tag stamped "2053" | |
| Milepost 40, in root of pine tree; copper nail, aluminum tag stamped | |
| "2485". Warm Spring Creek, 4.7 miles west of, 150 feet west of milepost 39, south | |
| edge of trail, in bowlder; bronze tablet stamped "2200 B 1911 69" Ballinger Creek, 25 feet east of, in large bowlder; bronze tablet stamped | |
| "1924 B 1911 70" | |
| root of 24-inch fir tree; copper nail, aluminum tag stamped "1827" Milepost 36, 50 feet east of, north edge of trail, in root of 50-inch fir tree; | 1, 820. 13 |
| copper nail, aluminum tag stamped "1864" | 1, 856. 98 |
| num tag stamped "1868" | 1, 861. 45 |
| tree; copper nail, aluminum tag stamped "1791" | |
| Tepee Cabin, 50 feet northeast of, in granite bowlder; bronze tablet stamped "1811 B 1911 71" | |
| Tepee Cabin, 1.2 miles west of, 100 feet north of milepost 32, 150 feet west of Creek 2, in root of 24-inch fir tree; copper nail, aluminum tag stamped | |
| "1798" | 1, 791. 68 |
| num tag stamped "1784" | 1, 777. 06 |
| "1764" | 1, 757. 25 |
| bowlder; bronze tablet stamped "1725 B 1911 72" | 1, 718. 168 |
| num tag stamped "1696" | 1, 689, 02 |
| "1687" | 1, 680. 50 |
| tree; copper nail, aluminum tag stamped "1666" | 1,678.66 |
| Milepost 24, 100 feet west of, south edge of trail, in root of 20-inch cedar tree; copper nail, aluminum tag stamped "1659" | 1, 651. 63 |
| Milepost 23, 200 feet west of, 25 feet south of trail, 25 feet east of bridge over small creek, in bowlder; bronze tablet stamped "1646 B 1911 73" | 1,639.379 |
| Milepost 22, 300 feet west of, south edge of trail, in root of 60-inch fir tree; copper nail, aluminum tag stamped "1622" | |
| Milepost 21, 100 feet west of, south edge of trail, in root of 30-inch fir tree; copper nail, aluminum tag stamped "1626" | 1, 619, 22 |
| O'Hara Bar, 3.4 miles east of, 0.1 mile west of mile post 21, west bank of creek, 100 feet south of bridge, in bowlder; bronze tablet stamped "1626 | |
| B 1911 74" | 1,619.201 |
| tree; copper nail, aluminum tag stamped "1578" | 1, 571. 29 |
| root of 60-inch yellow-pine tree; copper nail, aluminum tag stamped | |
| "1554" O'Hara Bar, 0.3 mile west of ranger station, south edge of trail, in bowlder: | • |
| bronze tablet stamped "1556 B 1911 75" | 1, 049. 453 |

POT MOUNTAIN QUADRANGLE.

[Latitude 46° 30′-47°; longitude 115°-115° 30′.]

| [Datitude 40 50 -47 , longitude 115 -115 50 .] | |
|--|-------------|
| From Indian Grave east via Lolo trail to Indian post office. | Theat |
| (Part of unadjusted line from mouth of Ford Creek to Powell station which closed 6 feet high.) | Feet. |
| 5 , | • |
| Indian Grave, 50 feet east of creek, south edge of trail, in root of 24-inch fir | 0.000.07 |
| tree; copper nail scribed "6268" | 6, 269. 07 |
| bowlder, painted "5891" | 5 200 12 |
| Indian Grave, 1.7 miles east of, east bank of canyon, north edge of trail, in | 0, 092. 10 |
| granite bowlder marked by rock cairn; aluminum tablet stamped "5982 | |
| B 1911 35" | 5, 983, 561 |
| Indian Grave, 2.6 miles east of, south edge of trail, 15 feet east of small | 0,000.002 |
| creek; copper nail in root of 30-inch fir tree, scribed "5682" | 5, 683. 06 |
| Indian Grave, 3.2 miles east of, 3 miles west of Howards Camp, in saddle, | |
| south edge of trail; copper nail in root of 48-inch fir tree, scribed "5399". | 5, 400. 17 |
| Howards Camp, 2.3 miles west of, south edge of trail; copper nail in root | |
| of 30-inch white-pine tree, scribed "5853" | 5, 854. 29 |
| Howards Camp, 1.5 miles west of, 20 feet north of trail, 150 feet north of | |
| large granite rocks locally known as Devils Chair, in granite bowlder; | |
| aluminum tablet stamped "6424 B 1911 36" | 6, 425. 254 |
| Howards Camp, 0.7 mile west of, south edge of trail, on summit of ridge, in | 0 000 01 |
| root of 24-inch white-pine tree; copper nail, tree scribed "6622" | 0, 023. 31 |
| scribed "6178" | 6. 179. 71 |
| Howards Camp, 1 mile east of, south edge of trail; copper nail in root of | -, |
| 36-inch white-pine tree, scribed "6554" | 6, 554. 76 |
| Howards Camp, 1.7 miles east of, on saddle of ridge, north edge of trail, in | |
| granite bowlder 4 inches above ground and marked by rock cairn; alumi- | |
| num tablet stamped "6443 B 1911 37" | 6, 444. 558 |
| Howards Camp, 2.7 miles east of, south edge of trail, in saddle; copper nail in base of 30-inch fir tree, scribed "6098" | e 000 40 |
| Howards Camp, 4.2 miles east of, south edge of trail; copper nail in root of | |
| 36-inch fir tree, scribed "6364" | |
| Indian post office triangulation station, in bowlder at base of signal; alumi- | 0,000 |
| num tablet stamped "7035 B 1911 37" | 7, 036. 337 |
| FISH CREEK QUADRANGLE. | |
| [Latitude 46° 30′-47°; longitude 114° 30′-115°.] | |
| From Indian post office east along Lolo trail to Lost Lakes, thence south to Powell ranger station. | |
| (Part of unadjusted line from mouth of Ford Creek to Powell station | |
| which closed 6 feet high.) | |
| Indian post office, triangulation station, 1.4 miles east of, at foot of small | |
| butte, south edge of trail; copper nail in root of 24-inch pine tree, scribed "6813" | 6. 814. 29 |
| Indian post office, 2.1 miles east of, south edge of trail; chisel point on | 0, 0.2.2.20 |
| granite bowlder, painted "6701" | 6, 701. 90 |
| Indian post office, 3.2 miles east of, south edge of trail, in saddle; copper | |
| nail in root of 30-inch fir tree, scribed "6108" | 6, 109. 14 |
| Cayuse Creek, 4 miles west of, on point locally known as "Spring Moun- | |
| tain," 100 feet south of trail, in bowlder; aluminum tablet stamped | a 200 055 |
| "6311" | 0, 309. 955 |
| | |

| · | 73 4 |
|--|---------------------------|
| Cayuse Creek, 3 miles west of, on shoulder of ridge, 30 feet south of tr copper nail in double fir tree, scribed "6022" | |
| Cayuse Creek, 2.4 miles west of, north edge of trail, on edge of sharp bl copper nail in root of 30-inch fir tree, scribed "6014" | uff; 6, 014. 75 |
| Cayuse Creek, 1.2 miles west of, on summit of spur; copper nail in roo 60-inch double fir tree, scribed "5874" | 5, 875. 55 |
| old Lolo trails, in bowlder; aluminum tablet stamped "5358 B 1911 39 | |
| LINE LEAVES LOLO TRAIL AND GOES VIA LOST LAKES. | |
| Cayuse Creek, north bank of, 50 feet east of trail; copper nail in room 60-inch fir tree, scribed "5063" | 5, 064. 33 d) B |
| 1911 40" | |
| Lost Lakes, 2.4 miles west of, south edge of trail, at forks of old Lolo t leading east; copper nail in root of 30-inch fir tree, scribed "5400" Lost Lakes, 1.3 miles west of, north edge of trail, 150 feet east of cross | 5, 401. 36 |
| at small creek; copper nail in root of 30-inch fir tree, scribed "5586". Lost Lakes, west end of meadow, on summit of small knoll, in gran | 5, 587. 03 |
| bowlder marked by cairn; aluminum tablet stamped "6137 B 1911 41 Lost Lakes, 1 mile south of, east edge of trail; chiseled point on gran | nite |
| bowlder, painted "6231" | t of |
| Lost Lakes, 1.8 miles south of, on highest point of ridge, 100 feet wes monument, at foot of large dead tree, in bowlder outcrop; alumin | t of |
| tablet stamped "7016 B 1911 42" | 7, 016. 171 new |
| trail to Lost Lakes, south edge of trail; copper nail in root of 36-inclutree, scribed "6787" | |
| LINE FOLLOWS LOLO TRAIL. | |
| Lost Lakes, 3.3 miles east of, at east end of bare side of hill, south edge | |
| trail; copper nail in root of 20-inch pine tree, scribed "6483" Lost Lakes, 4 miles southeast of, 25 feet east of small creek, at camp grou | 6, 484. 54 nd: |
| copper nail in root of 24-inch double fir tree, scribed "6053" | 6, 054. 35 |
| Lost Lakes, 5.2 miles southeast of, south edge of trail, where trail drops o ridge; copper nail in root of 20-inch pine tree, scribed "5874" Lost Lakes, 6 miles southeast of, north edge of trail, copper nail in roo | 5, 875. 64 |
| 30-inch pine tree, scribed "5676" | 5, 677. 36 |
| aluminum tablet stamped "5967 B 1911 43" | 5, 968. 283 |
| in root of 36-inch pine tree, scribed "5878" | |
| LINE LEAVES LOLO TRAIL AND CONTINUES ALONG TRAIL TO POWELL JUTTION, THENCE TO LOLO HOT SPRINGS. | NC- |
| Powell Junction, 0.5 mile south of, east edge of trail; copper nail in roo 30-inch fir tree, scribed "5543" | t of 5, 545. 21 |
| Powell ranger station, 3.6 miles northeast of, east edge of trail, at top steep grade locally known as "Parachute Hill," in bowlder outer aluminum tablet stamped "5370 B 1911 44" | o of cop; |
| wamman motor sympton out D 1011 11 | 0,010.001 |

| | Feet. |
|--|-------------|
| Powell ranger station, 2.9 miles northeast of, south edge of trail, at ruins of old cabin; copper nail in root of 48-inch fir tree, scribed "4665" | |
| Powell ranger station, 2.5 miles north of, east edge of trail; copper nail in | |
| root of 120-inch cedar tree, scribed "4478" | 4, 479. 34 |
| Powell ranger station, 1.7 miles north of, south edge of trail; copper nail in root of 24-inch fir tree, scribed "4116" | 4, 118. 25 |
| Powell ranger station, 0.8 mile north of, north end of small meadow; copper nail in root of 30-inch fir tree, scribed "3559" | 3, 560. 24 |
| From Powell station northeast along trail to Lolo Pass (Idaho-Montana boundary). | • |
| Powell ranger station, 200 feet northeast of cabin, 25 feet south of trail, in | · |
| bowlder; aluminum tablet stamped "3409 B 1911 45" | • |
| saw River; copper nail in root of 36-inch fir tree, scribed "3456" | - |
| Locksaw River, at ford; surface of water August 15, 1911 | 3, 446. 3 |
| root of 24-inch white-pine tree, scribed "3607" | 3, 602. 28 |
| Powell ranger station, 3.4 miles east of, south edge of trail; copper nail in | • |
| root of 36-inch fir tree, scribed "3547" | 3, 542. 10 |
| Powell ranger station, 3.7 miles northeast of, west edge of trail, 50 feet | |
| above water's edge, in granite bowlder; aluminum tablet stamped "3574 B 1911 46" | 9 560 904 |
| Powell ranger station, 4.8 miles northeast of, south edge of trail; copper nail | 5, 509. 204 |
| in root of 84-inch cedar tree, scribed "3637" | 3, 632. 50 |
| Powell ranger station, 5.8 miles northeast of, north edge of trail; copper nail in root of 36-inch fir tree, scribed "3689" | |
| Powell ranger station, 7.1 miles northeast of, west side of trail; copper nail | |
| in root of 36-inch fir tree, scribed "3789" | 3, 784. 59 |
| Powell ranger station, 7.8 miles northeast of, west edge of trail, 50 feet east of corduroy; copper nail in root of 36-inch fir tree, scribed "4071" | 4 065 07 |
| Brushy Fork, east end of bridge, east edge of trail, in granite bowlder; alu- | 4,000,01 |
| minum tablet stamped "3919 B 1911 47" | 3, 913. 997 |
| Brushy Fork, 1.2 miles north of, east edge of trail; copper nail in root of | |
| 40-inch fir tree, scribed "4312". | 4, 306. 20 |
| Brushy Fork, 2.2 miles northeast of, south edge of trail; copper nail in root of 48-inch fir tree, scribed "4681" | 4 675 79 |
| Brushy Fork, 2.8 miles northeast of, 4.2 miles southwest of Packers Meadow, | 1, 070. 72 |
| north edge of trail, in granite bowlder; aluminum tablet stamped "4814 B | |
| 1911 48" | 4, 809. 632 |
| Packers Meadow, 2.5 miles south of, north edge of trail; nail in root of | E 114 E7 |
| stump, scribed "5119" | 0, 114. 07 |
| station; copper nail in root of 24-inch fir tree, scribed "5168" | 5, 163. 42 |
| Packers Meadow, east end of, 0.5 mile south of Idaho-Montana State line, | • |
| 150 feet east of trail, 150 feet west of corral, in large flat bowlder; alumi- | |
| num tablet stamped "5203 B 1911 49" | 5, 198. 860 |
| SUMMIT LAKE QUADRANGLE. | |
| [Latitude 46°-46° 30'; longitude 114° 30'-115°.] | |
| From Powell station southwest along trail via Graves Peak, Elk Summit, and Three Forks to Meeker Creek. | |
| Powell ranger station, 200 feet northeast of cabin, 25 feet south of trail, in bowlder; aluminum tablet stamped "3409 B 1911 45" | 3, 404. 799 |

| | Fee | |
|---|--------|--------|
| Locksaw River, at Powell station ford; surface of water August 24, 1911 | 3,376 | 3. 2 |
| Powell ranger station, 0.8 mile south of, east edge of trail; copper nail in | | |
| root of 24-inch cedar tree, scribed "3649" | 3,642 | . 39 |
| Powell ranger station, 1.6 miles south of, west edge of trail; copper nail in | | |
| root of 48-inch fir tree, scribed "4576" | 4,570 | . 76 |
| Powell ranger station, 3 miles south of, at edge of burn; copper nail in root | | • |
| of 24-inch fir tree, scribed "5631" | 5, 625 | . 43 |
| Powell ranger station, 3.7 miles south of, 0.6 mile north of Goat Roost, on summit of bench, at base of 20-inch pine tree; chisel point on rock, tree | | |
| scribed "6317". | 6, 311 | . 69 |
| Goat Roost, east edge of trail, 100 feet north of triangulation monument, in | | |
| flat bowlder; bronze tablet stamped "6772 B 1911 53" | 6, 766 | . 808 |
| Goat Roost, 1 mile south of, east edge of trail, on summit of ridge at rocky | | |
| point; copper nail in root of 24-inch pine tree, scribed "7040" | 7,034 | . 95 |
| Goat Roost, 2 miles south of, west edge of trail, at meadow, south end of | | |
| camp ground; copper nail in root of 30-inch fir tree, scribed "6673" | 6,667 | . 45 |
| Walton Lake, on bluff overlooking lake, 75 feet west of edge, in saddle, | | |
| west edge of trail, in bowlder; aluminum tablet stamped "7090 B | | |
| 1911 54 " | 7,084 | . 859 |
| Wind Lake, 0.8 mile northeast of, on edge of bluff where trail turns down to | · | |
| Wind Lake, in granite bowlder; aluminum tablet stamped "7883 B | | |
| 1911 55" | 7,877 | 7. 792 |
| Wind Lake, at junction of Fish Lake and Elk Summit trails, in granite | | |
| bowlder; chisel point marked "7138" | 7, 132 | 2. 46 |
| Wind Lake, 0.8 mile south of, on Snail Pass, south edge of trail, in flat gran- | | |
| ite bowlder marked by rock cairn; aluminum tablet stamped "7940 B | | |
| 1911 56" | 7, 934 | . 726 |
| Snail Pass, 1 mile south of, east end of lake; copper nail in root of 36-inch | | |
| tamarack tree, scribed "7000" | 6, 994 | . 54 |
| Snail Pass, 3 miles southeast of, at Kokooska Meadow, south edge of, near | | |
| camp ground, in bowlder; aluminum tablet stamped "6116 B 1911 57" | 6, 110 | . 195 |
| Kokooska Meadow, 1 mile south of, 4 miles northeast of Elk Summit ranger | | |
| station, on ridge, in bowlder; aluminum tablet stamped "6985 B 1911 58" | 6,979 | . 571 |
| Elk Summit ranger station, 2.5 miles north of, on summit of Weihold Ridge, | | |
| at base of small pine tree, in bowlder buried flush with ground, marked | | |
| "6974," tree blazed | 6, 968 | 3. 22 |
| Elk Summit ranger station, 0.5 mile north of, 30 feet east of trail, on rocky | | |
| point; chiseled point on bowlder, marked "6085," marked by rock | | |
| cairn | 6, 079 |). 21 |
| Elk Summit ranger station, 100 feet west of cabin, in bowlder; aluminum | | |
| tablet stamped "5761 B 1911 59". | | |
| Hoodoo Lake; surface of water September 20, 1911 | | . 3 |
| Elk Summit ranger station, 1.5 miles south of, west edge of trail; chisel | | |
| point on large bowlder, marked "6267" | 6,260 | 0. 02 |
| Elk Summit ranger station, 2.9 miles south of, opposite mouth of canyon, | | |
| east edge of trail; chisel point on bowlder, marked "5837" | 5, 831 | . 81 |
| Elk Summit ranger station, 4.3 miles south of, east edge of trail, 3.3 miles | | |
| north of Cedar Creek, on 36-inch fir tree; aluminum tag stamped "5141". | 5, 136 | i. 19 |
| Elk Summit ranger station, 5 miles south of, 50 feet east of trail, 50 feet | | |
| south of blazed tree, on rock bluff over Cedar Creek, in bowlder; bronze | | |
| tablet stamped "4641 B 1911 59" | 4, 636 | 5. 545 |
| Mouth of Cedar Creek, 2 miles northeast of, north edge of trail, in root of | | |
| 30-inch fir tree: conner nail aluminum tag stamped "3741" | 3 735 | 24 |

| • | | Fee | ٠ |
|---|------|------|----------|
| Cedar Creek, 0.6 mile north of, on shoulder of ridge, 15 feet north of trail, in bowlder; bronze tablet stamped "3430 B 1911 60" | | | |
| Cedar Creek, 150 feet south of ford, east edge of trail, on 40-inch fir tree; aluminum tag stamped "3287" | | | |
| Cedar Creek, 1.4 miles south of, east edge of trail, in root of 60-inch fir tree; copper nail, aluminum tag stamped "3194". | | | |
| Elbo Bend, 1.8 miles north of, 150 feet west of cabin, at cedar flat, on 36-inch cedar tree; aluminum tag stamped "3128". | · | | |
| Elbo Bend, 0.5 mile west of, on small flat, at camp ground, in granite | | | |
| bowlder; aluminum tablet stamped "3037 B 1911 61" | · | | |
| bowlder, marked "2908" | · | | |
| aluminum tablet stamped "2751 B 1911 62" | | | |
| cedar tree; copper nail, aluminum tag stamped "2609" | | | |
| tree; copper nail, aluminum tag stamped "2495" | 2, | 492. | 43 |
| inum tablet stamped "2489 B 1911 63" | 2, | 485. | 864 |
| tablet stamped "2390 B 1911 64" | 2, | 387. | 598 • |
| tree; copper nail, aluminum tag stamped "2312" | 2, | 309. | 55 |
| copper nail, aluminum tag stamped "2332" | 2, | 329. | 20 |
| copper nail, aluminum tag stamped "2374" | 2, | 371. | 33 |
| trail up Selwai Creek, in root of 60-inch cedar tree; copper nail, aluminum tag stamped "2312" | 2, | 301. | 71 |
| Mouth of Moose Creek, west bank of creek, at ford, in large bowlder; aluminum tablet stamped "2198 B 1911 65" | | | |
| Mouth of Moose Creek; surface of water September 29, 1911 | 2, | 176. | 2 |
| bowlder, marked "2402" | 2, | 400. | 02 |
| inch fir tree; copper nail, aluminum tag stamped "2198" | 2, | 195. | 80 |
| small creek, in large bowlder; bronze tablet stamped "2084 B 1911 66". Mouth of Moose Creek, 3.5 miles west of, 25 feet west of small creek, at camp | 2, (| 080. | 979 |
| ground, on 48-inch cedar tree; aluminum tag stamped "2123" | 2, | 118. | 25 |
| marked "2098" | 2, | 092. | 13 |

Mink Creek quadrangle.

ONEIDA COUNTY.

The elevations in the following list were determined by primary leveling and accord with the 1912 adjustment.

The leveling was done in 1913 by Howard Clark and in 1914 by F. L. Whaley. Some bench marks by the Utah Power & Light Co. are included with adjusted elevations.

MINK CREEK QUADRANGLE.

[Latitude 42°-42° 30'; longitude 111° 30'-112°.]

| From point 2.5 miles south of Franklin north along Oregon Short Line R. R. to Franklin, thence west along highway to Cornish, Utah. | Feet. |
|---|-------------|
| Franklin, 1.1 miles south of, at Utah-Idaho State line, 10 feet north of boundary post, on northeast corner of stone culvert under railroad track; | |
| chisel mark painted "4502" | 4, 503. 12 |
| station; standard b. m. post stamped "4504" | |
| Franklin, 0.6 mile west of, in tie at north end of middle pier of bridge over Cub River; copper spike stamped "U. S. G. S. B. M." | 4, 476. 98 |
| Franklin, 1.8 miles west of, on northeast corner of concrete culvert under highway; chisel mark painted "4493" | 4, 494. 07 |
| Franklin, 3.6 miles west of, at road crossing, on southwest corner of concrete platform at front of store; chisel mark painted "4515" | 4, 516. 26 |
| Franklin, 4.7 miles west of, at road crossing, 50 feet north of east-west road and 20 feet east of north-south road; standard b. m. post stamped "4516". Franklin, 5.4 miles west of, where road makes square turn to north, on | 4, 516. 463 |
| southwest corner of concrete wall of culvert under east-west highway; chisel mark painted "4525" | 4, 525, 78 |
| Weston, 2.5 miles east of, on northwest corner of stone abutment of wooden bridge over Bear River; chisel mark painted "4445" | |
| Weston, 2.0 miles east of, on north side of highway, in west end of ground tie of trestle under flume crossing highway; copper spike stamped "U. S. | • |
| G. S. B. M." Weston, at east side of station, near southeast corner, on northeast corner of | |
| bottom concrete step; chisel mark painted "4606" | |
| "U, S. G. S. B. M." | 4, 565. 52 |
| From Niter southwest along highway to Preston, thence west to point near Dayton. | |
| Niter, southwest corner of crossroads, in northeast corner of Mormon Church yard, in butt of tall flag pole; iron spike marked "5407.2" | 5, 407. 18 |
| Niter, 1 mile south of, 100 feet south of T road east, top of lava ledge; chiseled square marked "5375.5" | 5, 375. 54 |
| ner, 2 feet west of east fence; iron post stamped "5304 1914" Niter, 3 miles south of, on top of south end of ridge, west side of road at | 5, 304. 176 |
| Nangle, in base of corner fence post; copper nail marked "5272.6" Niter, 4.3 miles south of, 3.2 miles north of East Thatcher, northwest corner of crossroads, in butt of telephone pole with wooden brace; copper nail | 5, 272. 57 |
| marked "5143". East Thatcher, 2.2 miles north of, 5.3 miles south of Niter, northeast angle | 5, 142. 99 |
| of T road east, east side of road, 20 feet north of fence corner; iron post stamped "5082 1914". | 5, 081, 902 |
| East Thatcher, 0.9 mile north of, in base of corner fence post where road turns east; copper nail marked "5039.8" | 5,039.71 |
| southwest corner of wooden bridge over Trout Creek, top of black bowlder chiseled circle marked "4897.4". | |

| East Thatcher, 1.2 miles south of, 2.3 miles north of Perry, east side of road, | | Feet. | |
|--|------|---------|--------|
| in southwest corner of William Behle's yard; iron post stamped "4966 1914". | | 965 44 | 40 |
| Perry, 1.4 miles north of, 2.1 miles south of East Thatcher, west side of road, opposite T road east, in butt of cedar fence post; copper nail marked | | 000.1 | |
| "4975" | | 974. 90 |) |
| near center of road, in base of telephone pole; copper nail marked "4923.3". | 4, | 923. 25 | 5 |
| Perry School House, 1 mile south of, 100 feet south of north plank bridge over Bridge Creek, at T road east, west side of road, on top of large yellow | | | |
| sandstone bowlder; chiseled circle marked "4932.7" | 4, | 932.63 | } |
| McGregor Steel Bridge, 50 feet southeast of road forks to Cleveland, east side of road; iron post stamped "4930 1914" | 4, | 929. 55 | 55 |
| Cleveland, 0.5 mile by air line southeast of, at north end of Bear River canyon, 30 feet west of road, near small hot spring, in top of rock ledge | | 000 00 | |
| deposit; chiseled circle marked "4969.7". Hot Springs, 0.8 mile north of, at north end of open spot in canyon, 5 feet | | | |
| west of road, on top of large gray bowlder; chiseled circle marked "4897.6". Hot Springs, 3 miles north of Utah Power & Light Co.'s camp No. 3, in southwest corner of yard of C. M. Hopkins's residence, 5 feet east of road; | | | |
| iron post stamped "4900 1914" | 4, | 900. 03 | ;9 |
| camp No. 3 (called Oneita), in north end of open spot in canyon, 5 feet west of road, on top of large red bowlder; chiseled mark stamped "4902.3". | 4, | 902. 25 | ó |
| Utah Power & Light Co.'s Dam at camp No. 3 (called Oneita), 1.8 miles north of, 2 miles south of Hot Springs, at entrance to thicket, 5 feet west of road, on top of red granite bowlder; chiseled circle marked "4895.8" | 4, | 895. 67 | 7 |
| Utah Power & Light Co.'s Dam No. 3 (called Oneita), 0.25 mile north of, south side of road where it makes sharp bend to east, on top of large | | | |
| granite bowlder; chiseled circle marked "4913.2" | | | |
| tion of water surface October 26, 1914, 10.55 a.m | 4, | 851. 47 | • |
| Utah Power & Light Co.'s Dam No. 3 (called Oneita), in southeast corner of camp site, north side of high ridge on east side of Bear River, 30 feet east of road, 40 feet south of culvert at small drain from east; iron post | | | |
| stamped "4820 1914" | 4, | 820. 05 | |
| 4721.604"); chiseled mark "4724.7" | 4, ' | 724. 54 | [[|
| Utah Power & Light Co.'s Dam No. 3 (called Oneita), 2.5 miles south of about 800 feet east of three frame houses on west side of Bear River, 40 feet west of road, in butt of large fence post bearing "Private roadway" | | | |
| sign; copper nail marked "4702.6" | 4, | 702. 42 | ; |
| top of large white limestone rock; bronze tablet stamped "4681 1914" Bear River, at north side of wooden bridge; water surface October 27, | 4, | 680. 93 | 8 |
| 1914. 2.15 p. m. | 4. | 673, 15 | |

| | Feet. |
|---|-------------------|
| Utah Power & Light Co.'s Dam No. 3 (called Oneita), 4.6 miles south of, 1 | 2000 |
| mile south of wooden bridge over Bear River, west side of canyon, west | • |
| side of road, on blue rock ledge outcrop; chiseled circle marked "4656.2". | 4, 656. 00 |
| Utah Power & Light Co.'s Dam No. 3 (called Oneita), 5.9 miles south of, 0.75 | |
| mile north of syphon bridge across Bear River, on west side of road, in top | |
| of north end of wooden culvert; copper nail marked "4641.2" | |
| Bear River, at wooden bridge 6.8 miles south of camp No. 3 (called Oneita); | |
| water surface October 28, 1914, 11.00 a. m | |
| Preston, 9.8 miles north of, 4 miles north of Riverdale, 0.3 mile northwest of | |
| road fork to Paris, 350 feet east of wooden bridge over Bear River, north side of road at bend; iron post stamped "4611 1914" | |
| Preston, 8.8 miles north of, 3 miles north of Riverdale, 0.5 mile north of | |
| Utah Power & Light Co.'s Halfway House, east side of road, at small | |
| opening in brush, 30 feet north of telephone pole marker, on top of blue | |
| rock; chiseled circle marked "4597.9" | |
| Preston, 7.8 miles north of, 2 miles north of Riverdale, 0.5 mile south of | |
| Utah Power & Light Co.'s Halfway House, east side of road, north end of | |
| second bench above river, in butt of telephone pole; iron spike marked | |
| "4690.9" | |
| Preston, 6.9 miles north of, 1 mile north of Riverdale, 300 feet east of junc- | |
| tion of T road east to Preston, north side of road; iron post stamped | |
| "4685 1914" | |
| Preston, 5.7 miles north of, 0.7 mile north of high divide, at dim road west | |
| through field, west side of road, at south end of old railway fill, in base of | |
| an old gate post; copper nail marked "4849.3". | |
| Preston, 4.9 miles north of, 350 feet south of top of divide, east side of road, in base of fence post; copper nail marked "5010.2" | F 010 10 |
| Preston, 3.6 miles northeast of, 250 feet south of Nels J. Nelson's residence, | 9, 010. 10 |
| east side of road, 1 foot west of fence; iron post stamped "4812 1914" | |
| Preston, 2.7 miles northeast of, 150 feet west of T road north, north side of | |
| road, in butt of telephone pole; iron spike marked "4782.9" | |
| Preston, 1 mile north by 1 mile east of, southwest corner of crossroads, in | |
| butt of telephone pole; copper nail marked "4741.5" | |
| Preston, 1 mile north of, at crossroads, top of guard wall of west end of south | |
| concrete culvert; chiseled square marked "4727.1" | |
| Preston, at southwest corner of cross streets, in northeast corner of Preston | |
| Third Ward Church yard; iron post stamped "4714 1914" | |
| Preston, 1 mile west of, on road to Dayton, near east angle of T road north, in | |
| butt of telephone pole; railroad spike marked "4718" | |
| Preston, 2 miles west of, on southwest corner of truss seat resting on south- | • |
| west pier of Preston Bridge (steel), on top of painted rivet head; chiseled cross marked "4462.3" | 1 169:05: |
| Preston, 3 miles west of, west side of north-south road at T road east; iron | |
| post stamped "4503 1914" | 4 503 054 |
| Preston, 4 miles west of, 2 miles west of Preston Street Bridge, at north turn | 1,000.001 |
| in road on third bench above river, near field gate, in base of fence; cop- | |
| per nail marked "4651.5" | |
| Preston, 4.3 miles west of, 2.5 miles southeast of Dayton, at T road west, in | |
| north angle, in butt of telephone pole; copper nail marked "4708.9" | |
| Dayton, 1.5 miles south of, at road crossing, 50 feet east of Oregon Short Line | |
| R. R. tracks, north side of highway, in butt of telephone pole; railroad | l . |
| spike, marked "4747.5" | 4, 747. 38 |
| bench mark. | , |
| out mark. | |

| From point 0.5 mile north of Weston Bridge over Bear River, west along highway to Weston, thence north along Oregon Short Line R. R. to Swan Lake. | | Feet | |
|--|------|------|----|
| Weston Bridge, 0.5 mile north of, on iron bolt 3 posts from west bank of river, 1 foot north by 1 foot west of marker, fence runs east and west, sec- | | | |
| ond fence north of Weston Bridge, about 1,000 feet southeast of two small log cabins; Utah Power & Light Co.'s bench mark 68 | | 445. | 98 |
| S. B. M." (Old bench mark) | 4, | 480. | 28 |
| pole; copper nail, marked "4563.6" | 4, | 565. | 90 |
| horizontally, marked "4648.5" | 4, | 650. | 72 |
| horizontally, marked "4689" | 4, | 691. | 28 |
| in top of white 0.25 mile board marked "68 A"; copper nail, marked "4718.1" and "4720.5" | 4, 7 | 720. | 35 |
| Dayton, 1 mile south of, west side of tracks, 300 feet north of "Station One Mile" sign, 1,800 feet south of road crossing, in butt of telegraph pole; railroad spike, marked "4750.6" | 4. | 750. | 44 |
| Dayton, in east concrete foundation wall of railroad station, below telegraph window, 3 inches above ground; bronze tablet stamped "4748 1914" | 4, | 747. | 92 |
| Dayton, in front of station; top of east rail of main track | | | |
| south of pole No. 72; railroad spike, marked "4747.1" | | | |
| "4751.6" | | | |
| pole south of pole No. 74; railroad spike, marked "4746.7" | | | |
| Garner, 1 mile north of, 1,200 feet south of road crossing, west side of tracks, in butt of telegraph pole No. 76; railroad spike, marked "4746.5" | | | |
| Garner, 2 miles north of, 1 mile south of Coulam, west side of tracks, opposite "Station One Mile" sign, in butt of telegraph pole; railroad spike | | | |
| driven horizontally, marked "4752". Coulam, between two south steel granaries, at south end of elevator, in con- | · | | |
| crete foundation floor; bronze tablet stamped "4748 1914" | | ۰ | • |
| Oxford, 1 mile south of, west side of tracks, in butt of first telegraph pole north of pole marked "80"; railroad spike driven horizontally, marked "4744.8" | | | |
| Oxford, in yard of abandoned creamery, 12 feet south of gate, 30 paces east of main tracks, in top of sandstone post; bottom of square hole, marked | | | |
| "U. S. ☐ B. M." (C. & G. S. b. m. E.) | | • | |
| Swan Lake, 1.25 miles south of, west side of tracks, 500 feet south of white post marked "S," in butt of square telephone pole; railroad spike driven | | | |
| horizontally, marked "4768.8" | 4, | 768. | 76 |

| | Feet | ; . |
|--|---------|------------|
| Swan Lake, north side of road at crossing, in northwest wing wall of concrete | | |
| culvert; bronze tablet stamped "4780 1914" | 4, 780. | 156 |
| Swan Lake, 1.3 miles north of, at private-road crossing No. 85 B, west side | | |
| of tracks, in base of south gatepost; railroad spike driven horizontally, | | |
| marked "4776.5" | 4, 776. | 48 |
| Swan Lake, 2.6 miles north of, east side of tracks, in top of milepost marked | , | |
| "86 B"; copper nail, marked "4775.7" | | 71 |
| Swan Lake, 3.7 miles north of, at milepost 88, 1 foot north of white fence on | , | |
| north side of road crossing the tracks, south of hill known as "Red Rock," | | |
| in angle made by main right-of-way fence and roadway fence, 100 feet | | |
| east of tracks, in top of sandstone post; bottom of square hole, marked | | |
| "U. S. \(\sigma \) B. M." (C. & G. S. b. m. F.) | 4 776 | 821 |
| Note.—This post had been covered by a 2-foot fill. | -, | 02. |
| Utah Power & Light Co.'s bench marks. (Comprising only the part supported | | |
| satisfactorily by levels of the U.S. Geological Survey.) | | |
| Weston Bridge, 0.5 mile north of, fence runs east and west, 1,000 feet | | |
| southeast of two small log cabins, on iron bolt, 3 posts from west bank of | | |
| river, 1 foot north and 1 foot west of marker, second fence north of | | |
| bridge. (B. M. 68) | 4, 445. | 98 |
| West Cache Canal, 250 feet east of, on west side of river, 40 feet from west | | |
| bank of slough, 300 feet northeast of old sheep shed, 400 feet northeast | | |
| of old house foundation on prominent point of land, 1 foot north and 1 | | |
| foot east of marker post on east-west fence; bench mark on iron bolt. | | |
| (B. M. 69) | 4, 447. | 73 |
| Bench mark about 1,000 feet from river (measured west along fence line), | | |
| 1 foot east of marker post 300 feet northwest of river and on east-west | | |
| fence, 300 feet east of corner where fence leaves east-west line to meander | | |
| around slough; on iron bolt 6 inches south of eleventh post east of slough. | | |
| (B. M. 70) | 4, 449. | 16 |
| West Cache Canal, about 2,000 feet north of large through cut, 2,000 feet | | |
| southeast of another cut, on west side of river, on iron bolt 1 foot west of | | |
| marker, on section line 35 feet from river bank at angle of river, just | | |
| below 180° bend. (B. M. 71) | 4, 451. | 20 |
| Canal spillway line produced, 200 feet north of, 20 inches from marker, | | |
| 15 inches from fence post, 30 inches from river bank, on iron bar 1 inch | | |
| by 0.25 inch, 25 feet west of river (measured along fence), at second fence | | |
| post on east-west 150-foot fence, starting at block willow tree. (B. M. 72). | 4, 456. | 36 |
| T. 15 S., R. 39 E., northwest corner of sec. 28, on southwest corner of truss | | |
| seat resting on southwest pier of Preston Bridge, "X," on head of rivet. | | |
| (B. M. 73) | 4, 461. | 97 |
| T. 15 S., R. 39 E., center of sec. 20, on west side of river, on rock set 1 foot | | |
| southwest of corner of fence running 1,000 feet N. 80° E. of L. N. Nenden- | | |
| hall's house, 1 mile northwest of Preston Bridge, 200 feet south of river. | | |
| (B. M. 74) | 4,462. | 18 |
| T. 15 S., R. 39 E., near east-west center line of sec. 17, 0.75 mile southeast | | |
| of flume on West Cache Canal, 20 feet west of river and 1,000 feet | | |
| south of junction of Deep Creek and Bear River, on iron pin southwest | | |
| of lava outcrop 250 feet east of road. (B. M. 75) | 4, 474. | 04 |
| Sharp's Warm Springs, 75 feet below, on west side of river, 10 feet south | | |
| by 20 feet east of concrete wall, near center of sec. 8, T. 15 S., R. 39 E., | | |
| on iron bolt. (B. M. 76) | 4, 477. | 88 |
| Battle Creek Bridge, on east rivet head on northeast pier of, SW. 1 NW. 1 | | |
| | 4 487 | 28 |

| | Fe | et. |
|--|----------------|-------|
| T. 15 S., R. 39 E., on east-west center line of sec. 4, set in ground at base | | |
| of fence post about 100 feet from west bank of Bear River, on east-west | | |
| fence heading down from mouth of canyon, about 1 mile north of Battle | | |
| Creek Bridge; bolt. (B. M. 78) | | 3. 23 |
| T. 15 S., R. 39 E., near center of N. ½ sec. 3, 2 miles N. 45° E. of Battle | | |
| Creek Bridge, in ground on west side of river, where bench and low flat | | |
| join, 1 foot south of marker; bolt. (B.M. 79) | 4, 49 | 7. 93 |
| Riverdale Ford, 200 feet north of, on west side of river, T. 14 S., R. 39 E., | | |
| on east-west center line of E. ½ SE. ¼ sec. 34, on east-west fence, 6 feet | | |
| from bank, 600 feet east and 50 feet south of northwest from Winger's house. (B. M. 80) | 4 50 | e 10 |
| T. 14 S., R. 39 E., NW. \(\frac{1}{4}\) SE. \(\frac{1}{4}\) sec. 35, set in ground on east side of river, | 4, 00 | 0. 12 |
| 1 foot east of post, 1 foot south of marker, 20 feet from bank, on old north- | | |
| south fence about 200 feet long, 1,500 feet N. 30° E. to old log cabin, | | |
| 1,000 feet due east to old barn and house, 2,000 feet due south to Hobb's | | |
| house; iron spike. (B. M. 81) | 4, 525 | 2. 27 |
| T. 14 S., R. 39 E., NE. 4 NE. 4 sec. 36, about 1,000 feet south of river, 1,000 | , | |
| feet northwest of Ben Meek's barn, on north-south fence, about 0.25 | | |
| mile below Riverdale Bridge, on west side of river. (B. M. 82) | 4, 54 | 4. 59 |
| T. 14 S., R. 40 E., NW. 1 NE. 1 sec. 31, 0.25 mile north of Riverdale Bridge, | • | |
| 30 feet south of east bank, on prominent point of land below cut on canal; | | |
| bolt. (B. M. 83) | 4, 576 | 3. 84 |
| T. 14 S., R. 40 E., SE. 1 NW. 1 sec. 29, on east side of river, about 1,000 | | |
| feet due west of Half-Way House, on east-west woven-wire fence; bolt. | | |
| (B. M. 84) | 4, 590 |). 15 |
| T. 14 S., R. 40 E., NW. $\frac{1}{4}$ NW. $\frac{1}{4}$ sec. 28, about 0.75 mile below new bridge | | |
| over Bear River at mouth of canyon, 175 feet west and 25 feet south of | | |
| southwest corner of D. P. Evan's house, set in ground on east side of | 4 400 | |
| river, on north-south fence line; 2-foot strap of steel. (B. M. 85) | | 2. 06 |
| T. 14 S., R. 40 E., NW. 1 SE. 1 sec. 21, near Mink Creek, 37 feet west of | | |
| center line of road and 175 feet north of company bridge below siphon, on west side of river, set in base of cottonwood stump in a clump of 3 cotton- | | |
| wood trees; 2 by 4 inch marker; log screw. (B. M. 86) | 4 611 | 94 |
| T. 14 S., R. 40 E., NE. ½ NE. ½ sec. 21, on southwest corner of west concrete | T , 011 | 01 |
| pier of siphon bridge of Oneida Irrigation Canal Co.; bench mark No. 1, | | |
| marked 4597.43. (B. M. 87) | 4, 629 | . 09 |
| T. 14 S., R. 40 E., SW. & SE & sec. 16, about 1 mile up canyon from siphon, | , | |
| about 100 feet north of rock point at mouth of canyon, on rock on west side | | |
| of wagon road and river, 10 feet from center line of road. (B. M. 88) | 4, 641 | . 34 |
| T. 14 S., R. 40 E., near north line of NE. 1 NE. 1 sec. 16, on bowlder 10 feet | | |
| from wagen road on west side of river, about 600 feet south of second tele- | | |
| phone booth down canyon and loading platform, east of large cave in rock | | |
| cliffs. (B. M. 89) | 4, 653 | . 96 |
| T. 14 S., R. 40 E., on west bank of Bear River, 10 feet from wagon road, | | |
| 0.5 mile from bridge below camp No. 2, on large bowlder; 2 by 4 inch | 4 079 | 95 |
| marker. (B. M. 90) | 4, 075 | . 30 |
| 30 feet from river, at lower dam site on west side; 2 by 4 inch marker. | | |
| (B. M. 91) | 4. 689 | . 10 |
| T. 14 S., R. 40 E., NW. ½ NW. ½ sec. 2, on east side of river, 8 feet from | -, 500 | . 20 |
| river and 30 feet north of east end of bridge at camp No. 2, on poplar post | | |
| | 4 696 | 69 |

| | Feet. |
|--|-----------|
| T. 13 S., R. 40 E., near center of NW. 4 sec. 35, on rock 150 feet from east | |
| bank of river, near edge of brush, 30 feet from wagon road, 1,000 feet south | |
| of ranch house and 1.25 miles south of camp No. 3; 2 by 4 inch marker. | |
| (B. M. 93) 4 | , 724. 54 |

Ammon, Hatch, Henry, Lanes Creek, Soda Springs, and Sterrett quadrangles.

BANNOCK, BINGHAM, AND ONEIDA COUNTIES.

The elevations in the following list were determined by primary leveling and accord with the 1912 adjustment of precise leveling. Orthometric and rod corrections have been applied.

The leveling was done in Lanes Creek quadrangle in 1912 by F. A. Danforth; in Ammon and Henry quadrangles in 1912 by Danforth and in 1914 by F. L. Whaley; in Hatch, Soda Springs, and Sterrett quadrangles in 1914 by Whaley.

HENRY QUADRANGLE.

[Latitude 42° 45'-43°; longitude 111° 30'-111° 45'.]

| From Blackfoot bridge north along highway to point 0.4 mile north of Chubb Springs. | |
|---|-------------|
| T. 7 S., R. 42 E., NE. ½ sec. 16, 150 feet north of Blackfoot River bridge, 4 feet west of fence, east side of Henry road; iron post stamped "6131 1911 | Feet. |
| 26" | 6, 131. 960 |
| Blackfoot River bridge, 1 mile north of, 200 feet west of Henry road, south | |
| side of ridge, north side of large pile of lava rocks, at north side of small | |
| drain, on large bowlder; circle, painted "6163.8" | 6, 163. 81 |
| Bridge over Blackfoot River, on Soda Springs-Henry road, 2.1 miles north | |
| of, 5 feet east of said road, 50 feet south of road junction; iron post stamped "6205" | 6, 206, 029 |
| Blackfoot River bridge, 3.1 miles north of, 100 feet west of road, 0.25 mile | , |
| south of main divide, in small drain in flat, on top of large lava bowlder; | |
| circle, painted "6333.6". | 6, 333, 65 |
| Blackfoot River bridge, 3.9 miles north of, 30 feet east of Henry road; cop- | , |
| per nail in telephone post, marked "U. S. 6284 B. M." | 6, 283. 00 |
| Blackfoot River bridge, 4.6 miles north of, on summit, 6 feet north of | |
| Henry road, 300 feet south of junction of said road with old Soda Springs- | |
| Henry road, now partly submerged by Blackfoot Reservoir; iron post | |
| stamped "6171" | 6, 171. 713 |
| Henry, 1.3 miles south of, at top of divide, 30 feet north of road, on top of | |
| large lava bowlder; circle, painted "6191.7" | |
| Blackfoot Reservoir; surface of water September 25, 1912 | • |
| Blackfoot Reservoir; surface of water September 23, 1914, at 2.30 p. m | 6, 107. 9 |
| Henry, bridge over Little Blackfoot River, 15 feet north of, 10 feet east of | |
| road, in limerock; bronze tablet stamped "6132" | 6, 132. 444 |
| Henry, 1.2 miles north of, on summit, 50 feet west of Henry-Wayan stage | |
| road, 600 feet south of junction of said road with new road to Wayan; | |
| copper nail in telephone pole with wooden brace, marked "U. S. 6324 B. M." | C 004 10 |
| B. M.". Henry, 2 miles north of, 40 feet west of road, in lava rock outcrop, southeast | 6, 324. 18 |
| corner of Pelican Slough meadow, on top of large lava bowlder; circle, | |
| painted "6222.0" | 6 222 02 |
| PWEERVOR | 0, 444.04 |

| | Troot | |
|--|------------|----|
| Henry, 2.4 miles north of, 50 feet west of road; copper nail in telephone pole, marked "U. S. 6244 B. M." | | 5 |
| Henry, 3.2 miles north of, at junction of stage road and private road to Joe Hanson's ranch, 4 feet west of road, 3 feet east of gate; iron post stamped | | |
| "6215" | 6,215.7 | 98 |
| Pelican Slough; surface of water September 26, 1912 | | |
| marked "U. S. 6250 B. M." | 6, 249. 8 | 9 |
| Henry, 5.2 miles north of, 3 feet west of road; copper nail in corner fence post, marked "U. S. 6256 B. M." | 6, 255. 8 | 6 |
| Henry, 7.5 miles north of, 1,260 feet south of Chubb Springs, on summit, 8 feet west of road, 4 feet east of fence; iron post stamped "6334" | 6, 333. 8 | 49 |
| Chubb Springs, 0.4 mile north of, on summit, 30 feet west of road; copper nail in telephone pole, marked "U. S. 6368 B. M." | 6, 367. 6 | 2 |
| From Chubb Springs west along highway to point 4.4 miles east of Blackfoot Reservoir Dam. | | |
| Chubb Springs, 2.8 miles west of, 0.4 mile east of R. P. Hanson's house, at | | |
| point where road crosses lane through two high gates, 6 feet east of road; | | |
| copper nail in gate post of north gate, marked "U. S. 6268 B. M." | 6, 267. 8 | 7 |
| Chubb Springs, 3.9 miles west of, 0.4 mile west of R. P. Hanson's house, at | | |
| point where road passes through gate, 2 feet north of road; copper nail | | |
| in north gate post, marked "U. S. 6293 B. M." | 6, 292. 88 | 8 |
| Chubb Springs, 4.5 miles west of, 0.9 mile west of R. P. Hanson's house, at point where road crosses main road from Henry to Idaho Falls, 8 feet | | |
| north of road, 15 feet west of Idaho Falls road; iron post stamped "6269". | 6, 268, 63 | 70 |
| Chubb Springs, 6 miles west of, 2.4 miles west of R. P. Hanson's house, 70 | 0, 200. | |
| feet south of road; copper nail in 8-inch quaking-asp tree, marked | | |
| "U. S. 6389 B. M." | 6, 388. 92 | 2 |
| Chubb Springs, 7.1 miles west of, 8.2 miles east of Blackfoot Reservoir | C CEO 46 | 00 |
| dam, at summit in pass, 6 feet south of road; iron post stamped "6650" Chubb Springs, 8 miles west of, 0.9 mile west of pass, 5 feet south of road; | 0, 000. 40 | 33 |
| top of lava bowlder, marked "U. S. 6549 B. M." | 6, 548, 63 | 3 |
| Chubb Springs, 9.3 miles west of, 2.2 miles west of pass, 30 feet north of | ., | |
| road, 1 foot north of rock pile; top of lava bowlder, marked "U. S. 6357 | | |
| B. M." | 6, 356. 65 | 5 |
| Chubb Springs, 10.3 miles west of, 5 miles east of Blackfoot Reservoir dam, at point where road joins main road from Henry to dam, 8 feet north of | | |
| road, 15 feet east of Henry road; iron post stamped "6245" | 6, 245, 35 | 52 |
| Chubb Springs, 11 miles west of, 4.4 miles east of Blackfoot Reservoir dam, | 0, ==== | _ |
| 4 feet south of road; copper nail in gate post, marked "U.S. 6221 B.M.". | 6, 221. 08 | 8 |
| On line southwest of Blackfoot Reservoir dam. | | |
| Blackfoot Reservoir dam, 4.2 miles southwest of, 300 feet west of wooden | | |
| bridge over Corral Creek, on Fort Hall road, on west side of Corral Creek | 0.000 | |
| canyon, on lava-rock ledge; circle, painted "6059.5" | 6, UD9. 44 | 4 |
| bridge across Corral Creek, on Fort Hall road, 100 feet south of road, on | | |
| west side of Corral Creek canyon, on lava-rock ledge; bronze tablet, | | |
| stamped "6057 1914" | 6, 057. 25 | 53 |
| Blackfoot Reservoir dam, 3.2 miles southwest of, 1 mile northeast of Corral | | |
| Creek bridge, 100 feet west of road, in butt of telephone pole; copper nail, marked "6116.1" | 6 116 OF |) |
| Many manager Office | 0, 110. 02 | ۵ |

| | Blackfoot Reservoir dam, 2.2 miles southwest of, 2 miles northeast of Corral Creek bridge, 200 feet west of road on east bank of Blackfoot | Feet. |
|---|---|------------|
| | River, in butt of telephone pole; copper nail, marked "6152.4" | |
| | butt of telephone pole; copper nail, marked "6161.4" | 6, 161. 38 |
| | AMMON QUADRANGLE. | |
| | [Latitude 43°-43° 30′; longitude 111° 30′-112°.] | |
| | Near Blackfoot Reservoir dam. | |
| | Chubb Springs, 12.1 miles west of, 3.2 miles east of Blackfoot Reservoir dam, 40 feet north of road; chiseled cross on limestone rock, marked "U. S. 6148 B. M." | 6, 148. 18 |
| | Chubb Springs, 13 miles west of, 2.3 miles east of Blackfoot Reservoir dam, 500 feet west of road, 100 feet east of old stone cellar, 300 feet north of reservoir; top of granite bowlder marked "U. S. 6147 B. M." | 6, 147. 20 |
| | Blackfoot Reservoir; surface of water October 21, 1912 | • |
| | 6187 B. M.". Blackfoot Reservoir dam, at north end of dam, north end of small suspension bridge over spillway; in top of concrete support post, bronze tablet | |
| | stamped "6129" | |
| | Blackfoot Reservoir dam, 0.5 mile west of, at bridge over Blackfoot River; surface of water September 18, 1914. | |
| | From point 11.2 miles north of Chesterfield along highway northeast and southeast to point 7.7 miles west of Blackfoot Reservoir dam. | |
| | Chesterfield, 11.2 miles north of, 30 feet east of road on ridge sloping toward Blackfoot River, 2 miles north of main divide, on large white rock; | •• |
| | circle, painted "6356.8" | |
| | rock; circle, painted "6109.7" | |
| | rod 0.5 inch by 2 feet driven in ground, marked "5961.1" | |
| | gate pole; copper nail, marked "5923". Blackfoot Reservoir dam, 11.4 miles west of, 3 feet south of Fort Hall road; circle on point of black rock, painted "5926.1" | |
| | Blackfoot Reservoir dam, 10.7 miles west of, 10 feet south of road; U. S. General Land Office iron post marking corner of secs, 26, 27, 34, and 35, | |
| | T. 4 S., R. 39 E., stamped "5927 1914". Blackfoot Reservoir dam, 9.5 miles west of, 30 feet east of road, on north side of low ridge, in butt of telephone pole; copper nail marked | |
| a | "5972.8" | |
| | stamped "5983.5" | |

| | Feet. |
|---|-----------|
| Blackfoot Reservoir dam, 7.7 miles west of, 1.5 miles west of Nigger Creek, | |
| 100 feet north of road, on west side of drain, in butt of teplehone pole; | |
| copper nail, marked "6005.5" | , 005. 41 |

LANES CREEK QUADRANGLE.

[Latitude 42° 45′-43°; longitude 111° 15′-111° 30′.]

From point 0.4 mile north of Chubb Springs east and southeast along road to Kunz Middle Dairy.

| Middle Dairy. | |
|---|--------------------|
| Chubb Springs, 1.3 miles north of, 8.4 miles northwest of Wayan, 0.3 mile west of F. M. Merrill's shearing plant, on summit, 15 feet north of road, in triangle at road junction; iron post stamped "6369" | 6, 369. 270 |
| Merrill's shearing plant, 0.8 mile south of, 5 feet east of road; copper nail in telephone pole, marked "U. S. 6373 B. M." | 6, 373. 53 |
| B. M.'' | 6, 398. 7 2 |
| in road, 2 feet west of corner fence post; iron post stamped "6396" | |
| Wayan, 4.3 miles west of; surface of water in Grays Lake, October 2, 1912. Wayan, 4.2 miles northwest of, 4.1 miles southeast of Merrill's shearing plant, 40 feet east of log cabin, 7 feet east of road; copper nail in fence | 6, 386. 4 |
| post, marked "6395" Wayan, 2.3 miles west of, 0.7 mile east of W. W. Call's ranch house, 500 feet west of new log house, at junction of main road with road from south, | 6, 394. 59 |
| 30 feet south of main road, 2 feet north of fence; iron post stamped "6391" Wayan, 1.3 miles northwest of, 50 feet south of bend in road, 200 feet east of log cabin, 30 feet east of road; copper nail in telephone pole, marked | 6, 391. 164 |
| "U. S. 6399 B. M." | 6, 399. 35 |
| in gate post, marked "6452 B. M. U. S.". Wayan, 0.4 mile south of, 0.8 mile north of Otto Peterson's ranch house, 600 feet north of log cabin, 15 feet east of road, 2 feet west of fence; iron post | 6, 452. 33 |
| stamped "6421" | 6, 421. 470 |
| 8-inch quaking-asp tree, marked "U. S. 6437 B. M." | 6, 437. 11 |
| stamped "6711" | • |
| copper nail in northwest corner of wooden shed, marked "6704" | 6, 703. 98 |
| B. M.". T. 5 S., R. 44 E., sec. 34, at Kunz's Middle Dairy, on Lanes Creek, 135 feet south of W. J. Kunz's house, 135 feet west of creek, 40 feet west of stable, | |
| 40 feet east of road; iron post stamped "6665 1911 19" | 6, 666. 364 |

HATCH QUADRANGLE.

[Latitude 42° 45′-43°; longitude 111° 45′-112°.]

| From point near Bancroft north along highway to point near Blackfoot River. | | |
|--|-------------|---|
| Bancroft, 3.25 miles north of, 200 feet north of T road west, on east side of | | |
| road, on large lava bowlder; chisled O, marked "5436.6" | 5, 436. 63 | |
| Bancroft, 3.5 miles north of, on west side of Bancroft-Chesterfield road, | | |
| 200 feet south of C. M. Reed's residence, in rock-ledge outcrop; bronze tablet, stamped "5450" | E 450 040 | |
| Bancroft, 4.3 miles north of, in southeast angle of crossroads, on rock ledge; | 0, 400. 545 | , |
| chisled (), marked "5431.8" | 5, 431. 77 | |
| Bancroft, 5.4 miles north of, on west side of Bancroft-Chesterfield road, | | |
| 820 feet north of T road west; chisled O, marked "5413.9" | 5, 413. 86 | |
| Bancroft, 6.3 miles north of, 2 miles west of Hatch, 30 feet east of road, in | | |
| field at T road west, on top of lava-ledge outcrop; chisled O, marked "5385.7" | E 20E 62 | |
| Bancroft, 6.8 miles north of, 4 miles south of Chesterfield, northwest end of | ა, აია. სა | |
| dam near J. F. Brown's homestead, 10 feet north of property fence line, | | |
| in rock ledge; bronze tablet, stamped "5384" | 5 383 680 | 1 |
| Chesterfield, 3 miles south of, 7.8 miles north of Bancroft, 1,190 feet north | 0, 000. 000 | , |
| of crossroads, on west side of road, in butt of telephone pole; copper nail, | | |
| marked "5354" | 5, 353, 90 | |
| Chesterfield, 2.3 miles southeast of, 8.25 miles north of Bancroft, at T road | -, | |
| east, on west end of corrugated culvert; square, painted "5351.7" | 5, 351. 61 | |
| Chesterfield, 1.3 miles southeast of, 9.25 miles north of Bancroft, on west | | |
| side of road, in field 20 feet west of fence, on west side of brace to tele- | | |
| phone pole; copper nail driven vertically, marked "5390.7" | 5, 390. 62 | |
| Chesterfield, east part of town, in front brick wall of W. S. Higginson's | • | |
| residence, 1.5 feet above ground; bronze tablet, stamped "5454 1914" | 5, 453. 516 | ; |
| Chesterfield, 1 mile north of, at T road south, north side of east-west road, | | |
| in root of tree; copper nail, marked "5579.6" | 5, 579. 55 | |
| Chesterfield, 2.3 miles northeast of, east side of road up Twentyfourmile | | |
| Creek, 300 feet south of log cabin on top of small ridge, on lava rock; circle, painted "5697.3" | 5 607 90 | |
| Chesterfield, 3.5 miles northeast of, 0.25 mile north of dam on west fork of | 0, 097.20 | |
| Twentyfourmile Creek, 100 feet east of road climbing south side of ridge | | |
| above meadow, on white rock; circle, painted "6041.1" | 6 041 18 | |
| Chesterfield, 4.25 miles north of, 1.5 miles north of dam on west fork of | 0, 011.10 | |
| Twentyfourmile Creek, 160 feet north of road near top of second ridge | | |
| from dam; bronze tablet, stamped "6158 1914" | 6, 157. 946 | j |
| Chesterfield, 6 miles north of, 1 mile south of first divide going north, 5 feet | , | |
| west of road, on top of white bowlder; circle, painted "6207.6" | 6, 207. 64 | |
| Chesterfield, 7.3 miles north of, 1 mile south of first divide at head of west | | |
| fork of Twentyfourmile Creek, 20 feet west of road, at northeast corner | | |
| of quaking-ash grove, in root of old stump 6 inches in diameter; copper | | |
| | 6, 360. 69 | |
| Chesterfield, 8.8 miles north of, at head of Twentyfourmile Creek, 500 feet | | |
| west of road, on south slope of ridge, on top of large white rock; circle, | | |
| painted "6628.7". | 6, 628. 90 | |
| Chesterfield, 9 miles north of, on divide at head of Twentyfourmile Creek, | | |
| 800 feet east of road, 50 feet south of small spring branch, north side of ridge, in top of white bowlder 4 feet by 4 feet; bronze tablet, stamped | | |
| "6601 1914" | 6 601 170 | , |
| OOOT 1914 | 0, 001. 1/8 | |

| · · · · | 39 |
|--|-------------|
| Chesterfield, 10.2 miles north of, 1 mile north of main divide, 5 feet west of road, in tree root; copper nail, marked "6536" | |
| Pebble, 1.5 miles north of, north end wall of culvert 168 A under Oregon Short Line R. R., 150 feet east of site of original tablet bench mark; chiseled circle and cross (set by Oregon Short Line R. R., in place of | |
| destroyed aluminum-tablet bench mark of the U. S. Geological Survey stamped "5318 B. G. 1909") | 5, 311. 981 |
| Near Blackfoot Reservoir dam. | • |
| Blackfoot Reservoir dam, 6.3 miles southwest of, 150 feet east of wooden bridge over Nigger Creek, in top of black-lava rock, rock monument 4 feet high is 2 feet east; bronze tablet stamped "6021 1914" | 6, 020. 845 |
| SODA SPRINGS QUADRANGLE. | |
| [Latitude 42° 30′-42° 45′; longitude 111° 30′-111° 45′.] | |
| From Alexander southwest along highway to Niter. | |
| Alexander, 1 mile west of, south side of track, in butt of post marked "Alex- | • |
| ander one mile"; copper nail, marked "5685.4" | 5, 685. 46 |
| cement base of warning post; chiseled square, marked "5731.5" | |
| Alexander, in front of station; top of south rail of main line | |
| base bolt, marked "5732" | |
| of telephone pole 114; railroad spike, marked "5723.8" | 5, 723. 83 |
| Alexander, 2 miles south of, 4 miles north of Grace, 0.25 mile south of T road south, west side of road; iron post stamped "5686 1914" | 5, 686. 566 |
| Grace, 2.75 miles north of, 30 feet west of road, 750 feet south of railroad crossing, 40 feet north of fence corner, on top of lava-ledge outcrop; chis- | |
| eled square, marked "5619.7" | 5, 619. 80 |
| Grace, 1.7 miles north of, northeast wing wall of wooden bridge over irri- | |
| gation ditch; chiseled square, marked "5586.5" | 5, 586. 58 |
| over Bear River; cross in concrete, marked "5540.7." (This mark is | |
| also Utah Power & Light Co.'s bench mark 124) | 5, 540. 79 |
| crete floor; bronze tablet, stamped "5533 1914" | 5, 532. 965 |
| Grace, 1 mile south of, 400 feet south of crossroads, in butt of third telephone pole south of crossroads; spike driven horizontally, marked | |
| "5524.7" | 5, 524. 77 |
| in butt of telephone pole; copper nail, marked "5510.3" | 5, 510. 39 |
| Grace, 3 miles south of, at east end of "Threemile Knoll," in north angle | |
| of T road east, in butt of telephone pole at fence corner; spike driven horizontally, marked "5536.8" | 5, 536, 88 |
| Grace, 3.25 miles south of, 1.8 miles north of Niter, 0.25 mile south of | 0, 000. 00 |
| "Threemile Knoll," southwest corner of T road west; iron post, stamped "5518 1914" | E 210 22A |
| Niter, 1 mile north of, 750 feet south of crossroads, east side of road, in butt | 0, 010. 000 |
| of telephone pole; railroad spike, marked "5427.5" | 5, 427. 57 |

STERRETT QUADRANGLE.

[Latitude 42° 30'-42° 45'; longitude 111° 45'-112°.]

Near Bancroft.

| | Near Bancroit. | Foot |
|---|--|-------------|
| | Bancroft, in northeast corner of brick Mormon Church, 4 feet above ground; | Feet. |
| | aluminum tablet, stamped "5417 1909 B I" | 5, 419. 103 |
| | crop; chiseled square, painted "5454.4" | 5, 454. 43 |
| | telephone pole; copper nail, marked "5470" | 5, 470. 06 |
| | top of white railroad post No. 164; nail | |
| | Bancroft, 1 mile west of, south side of track, east end of concrete culvert; painted square | |
| | Cataldo and Rathdrum 30' quadrangles and Cœur d'Alene special qua | drangle. |
| | KOOTENAI AND SHOSHONE COUNTIES. | |
| | The elevations in the following list are based on primary | leveling |
| | extended from bench marks in adjacent quadrangles. | |
| | The leveling in the Cataldo and Cœur d'Alene quadran | gles was |
| • | done in 1900 by F. E. Washburn, in 1901 by S. M. Hatch, and | l in 1905 |
| | by A. P. Anderson; that in the Rathdrum quadrangle was | done in |
| | 1899 by M. P. Page. | , |
| | RATHDRUM QUADRANGLE. | |
| | [Latitude 47° 30′-48°; longitude 116° 30′-117°.] | |
| | Near Spirit Lake and Fish Lake. | Feet. |
| | Sullivan's ranch, south end of, 4 feet south of road, in root of 40-inch yellow- | reev. |
| | pine tree; tack | 2, 298. 7 |
| | Spirit Lake, 200 feet east of landing, 15 feet south of road; iron post stamped | |
| | "2490 S" | 2, 490. 593 |
| | Fish Lake, 1.5 miles north of, 4 feet west and south of forks of road, in top | 2, 112. 0 |
| | of bowlder 20 by 12 inches, 6 inches above ground; cross mark | 2, 429. 4 |
| | Fish Lake, 600 feet east of, northeast of forks of roads, in top of bowlder 10 | |
| | inches by 6 feet; cross mark | |
| | Fish Lake; surface of water | 2, 313. 6 |
| | post stamped "2366 S" | 2, 366. 308 |
| | From point near Hauser Junction along Northern Pacific Ry. to milepost marked "W. 204, H. 42." | |
| | | |
| | Hauser Junction, 1.4 miles east of, 30 feet north of public road, 120 feet north of railroad, in south end of bowlder 40 by 30 inches; bronze tablet | |

Milepost 190, 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan," in notch of fir tree 18 inches in diameter; copper

Ramsey, 50 feet north of center of track, 3 feet east of telegraph pole, 20 feet

| | 1 | Feet. | |
|---|-------|------------------|-----------|
| Milepost 196, 215 feet northeast of, 100 feet north of railroad, in pine tree; | | | |
| copper nail | | 368. | 80 |
| telegraph pole; iron post stamped "2396 T" | | 396. | 22 |
| Milepost 201, 390 feet northeast of, 40 feet north of track, in north side | | | _ |
| of 24-inch fir stump; railroad spike | | | |
| Athol, in front of railroad section house; center of track | | | |
| nail. | | 93. | 40 |
| Milepost 204, 13 feet west of, 20 feet west of center of track; iron post stamped "2350 T" | | 350. | 54 |
| From Hauser Junction via Northern Pacific Ry. to Cœur d'Alene, | | | |
| Post Falls, 150 feet south of woolen mill, 200 feet east of bridge over Spokane | | • | |
| River, 100 feet west of railroad spur, in large bowlder 20 feet south of road; | | | |
| aluminum bolt stamped "2147 S" | 2, 1 | 47. | 903 |
| Post Falls, 6 miles east of, 500 feet south of track, 8 feet southwest of tele- | 0 1 | 10 | 104 |
| graph pole; iron post stamped "2148 S" | ۷, 1 | 40. | Tâ |
| of Merriam building, 2 feet above sidewalk and 1 foot from door; alu- | | | |
| minum tablet stamped "2157 S" | 2. 1 | 57. 5 | 909 |
| Cœur d'Alene Lake, at Johnson's boat landing, in cottonwood tree, at sur- | -, - | | ••• |
| face of water May 20, 1899; spike | 2, 1 | 31. | 1 |
| Cœur d'Alene Lake; surface of water May 23, 1899 | | | |
| Cœur d'Alene Lake; surface of water August 23, 1899 | | | |
| Post Falls, at dam; surface of Spokane River, August 23, 1899 | 2, 13 | 20.] | I. |
| From Cour d'Alene via King's ranch to Ramsey. | | | |
| Cœur d'Alene, 1 mile north of, 20 feet west of road, 200 feet southwest of | | | |
| house, in pine stump; spike. | 2, 2 | 34. (| 69 |
| Cœur d'Alene, 2 miles north of, 30 feet east of road, 200 feet northeast of road forks, in pine tree; spike | 0 0 | 9 K 9 | 26 |
| Cœur d'Alene, 3.5 miles north of, 40 feet north of forks of road, in gate post; | ۵, ۵ | JJ. (| 30 |
| spikespike | 2, 2 | 54. 2 | 27 |
| Cœur d'Alene, 4.3 miles north of, 40 feet northeast of road crossing, 80 feet | • | | |
| southwest of schoolhouse, near corner of secs. 13, 14, 23, and 24, T. 51 N., | | | |
| R. 4 W., in pine tree; spike | 2, 28 | 80. (| 30 |
| Cœur d'Alene, 6.2 miles north of, 30 feet south of crossroads, at corner of | | | |
| secs. 1, 2, 11, and 12, T. 51 N., R. 4 W., in top of pine stump; spike Cour d'Alene, 7.2 miles north of, in pine bearing tree to secs. 1, 2, 35, and 36, | 2, 3. | 14.] | L |
| Tps. 51 and 52 N., R. 4 W.; spike | 2 3 | 20 7 | 73 |
| Cœur d'Alene, 8.2 miles north of, 30 feet west of road, at edge of timber, | 2, 02 | 20. 1 | 0, |
| in pine tree; spike | 2, 3 | 16. 3 | 31 |
| Cœur d'Alene, 9.5 miles north of, 3 feet west of road, in root of 36-inch pine | • | | |
| stump; spike | 2, 28 | 85. 4 | 13: |
| From Cœur d'Alene to Fernan Lake. | | | |
| Fernan Lake, 15 feet north of, 200 feet east of Fernan's house, on stone 20 | | | |
| by 30 by 20 inches; cross | 2, 13 | 33. 6 | 66 |
| Fernan Lake; surface of water August 18, 1899 | 2, 12 | 29. 5 | 53 |
| From Rathdrum along telephone road to point on Cœur d'Alene branch of Northern Pacific Ry. 2.5 miles east of Post Falls. | | | |
| Rathdrum, 2.8 miles south of, corner common to secs. 12, 7, 13, and 18, | | | |
| T. 51 N., Rs. 4 and 5 W., on stone at foot of telephone pole: cross | 2, 2 | 56. C |)7 |

| Rathdrum, 3.8 miles south of, 20 feet northwest of crossroads, 300 feet northeast of Thornton's barn, corner common to secs. 13, 18, 24, and 19, T. 51 N., Rs. 4 and 5 W.; iron post stamped "2241 S" | |
|---|---|
| From Hauser Junction via county road to Hayden Lake. | ** |
| Hauser Junction, 4 miles east of, in post southeast of corner of secs. 22, 23 26, and 27, T. 51 N., R. 5 W.; spike | 2, 231. 93 |
| post stamped "2293 S" | , |
| Hayden Lake; surface of water August 29, 1899. | |
| From corner of Tps. 51 and 52 N., Rs. 3 and 4 W., north along township line to Hayden Lake. | |
| Corner of Tps. 51 and 52 N., Rs. 3 and 4 W.; iron post stamped "2424 S". T. 52 N., R. 3 W., 30 feet east of quarter corner of S. ½ sec. 33, in root of fir tree; spike. Hayden Lake, 100 feet west of, 3 feet east of trail, on stone; cross | 2, 465. 46 |
| From corner of secs. 4, 5, 31, and 32, Tps. 51 and 52 N., R. 3 W., to Hudlow's ranch, or | |
| Hayden Lake. | , , |
| Rim Rock, 300 feet northwest of schoolhouse, 60 feet north of road, in tamarack stump; spike. Hudlow's ranch, 25 feet northeast of house, 600 feet north of Hayden Lake iron post stamped "2267 S". | 2, 519. 19 |
| From Cœur d'Alene via French Gulch to Kelley's ranch. | |
| Cœur d'Alene, 2 miles northeast of, 30 feet north of road and 50 feet west of bridge, in root of tamarack stump; nail | 2, 296. 39 |
| From west end of Spirit Lake along trail to Brickel's cabin. | Toot |
| Spirit Lake, 1 mile west of, 30 feet west of log cabin, 60 feet east of creek, 5 feet north of trail, in root of 24-inch fir tree; nail | 2, 456. 0 7 |
| From schoolhouse at east end of Eightmile Prairie, 2 miles south of Ramsey, east along county road to Pend Oreille Lake. | : |
| Schoolhouse at east end of Eightmile Prairie, 100 feet west of, 250 feet east of Northern Pacific Ry.; iron post stamped "2385 S" | 2, 385. 500 2, 432. 67 2, 2, 398. 79 2, 465. 608 |
| Pend Oreille Lake, 8 feet east of road, 9 feet south of corner of fence, in root of 10-inch cottonwood tree; nail | 2, 071. 09 |

| From Collin's ranch along road and Leiberg trail to Chilto Mountain. | | |
|---|---------|-----|
| Collin's ranch, 2.5 miles east of, 20 feet south of forks of roads, in root of | Feet | |
| 12-inch fir-tree; nail. Collin's ranch, 3.5 miles east of, 4 feet north of trail at its beginning, 100 feet | , | |
| south of creek; iron post stamped "2684 S" | | |
| From Ramsey via Seneaguoteen and Rathdrum road to Sheep Springs. | | |
| | 0.050 | 00. |
| Ramsey, 1 mile north of, 30 feet west of road, in root of pine tree; nail Ramsey, 2.8 miles north of, 10 feet west of road, 100 feet west of fork of roads; iron post stamped "2424 S" | • | |
| Ramsey, 4.3 miles north of, 30 feet west of fork of roads, 5 feet west of road, in root of pine tree; nail | 2, 440. | 22 |
| Ramsey, 5 miles north of, 40 feet north of road, 60 feet northeast of fork of | | 40 |
| roads, in root of pine tree; nail | | |
| Ramsey, 7.5 miles north of, 30 feet west of road, in root of tree; nail Sheep Springs, 200 yards southwest of, 15 feet north of road, in root of fir | 2, 521. | 38 |
| tree; nail | 2, 486. | 24 |
| From Cœur d'Alene via Wolf Lodge to Fourth of July Canyon. | | |
| Cœur d'Alene, 2.8 miles southeast of, 60 feet southwest of fork of roads, on stone 30 by 20 by 12 inches; cross | 2, 504. | 445 |
| iron post stamped "2691 S" | 2, 691. | 893 |
| road, in fir tree; nail | 2, 545. | 83 |
| Cœur d'Alene, 6.7 miles southeast of, 5 feet north of road, 50 feet east of fork of roads, in fir tree; nail | 2, 162. | 86 |
| Lodge Creek ford; iron post stamped "2155 S" | • | |
| in root of fir tree; nail | 2, 339. | 00 |
| north of road; iron post stamped "3136 S" | 3, 137. | 062 |
| From Harrison along track of Oregon-Washington R. R. & Navigation Co. to Lane. | | |
| Harrison, base of fence around residence of M. Ribstene, in sixth tier of stone wall; aluminum tablet stamped "2207 8" | 2, 206. | 970 |
| Lane, 600 feet southeast of post office and station, 40 feet north of house, in granite bowlder 24 by 36 by 40 inches; aluminum bolt stamped "2153 8" | 2, 153. | 438 |
| From Len Landing through Bellgrove to State line. | | |
| Len Landing, 1 mile southwest of, 10 feet north of road, in root of fir tree; | | |
| nail | • | |
| mountain, in root of pine tree; nail | | |
| roads, in root of fir tree; nail | 2, 502. | 91 |
| • • | | - |

| | Theat |
|--|---------------------|
| Bellgrove, 1 mile south of, 20 feet east of an old deserted cabin, 100 feet north of fork of roads; iron post stamped "2411 S" | |
| Bellgrove, 2 miles southwest of, 5 feet west of road, 20 feet south of fork or roads, in root of fir tree; nail | f - 2, 464. 55 |
| Three Pine Springs, 1.1 miles west of, 20 feet south of road, at summit of hill, in root of fir tree; nail | f . 2, 753. 54 |
| From Bellgrove via Mica Bay to Post Falls. | |
| | |
| Bellgrove, 0.9 mile north of, 15 feet east of road at summit of divide, 60 feet north of B. F. Williams's house; iron post stamped "2585 S" Bellgrove, 2.1 miles north of, 24 feet north of creek, 500 feet southeast of | . 2, 585. 372 |
| barn, 20 feet east of fence, in root of fir tree; nail | 2, 331. 21 |
| tree; nail | 7 |
| inches; cross | e. |
| 36 by 24 by 18 inches; cross | f · |
| T. 49 N., R. 4 W., 30 feet east of quarter corner between secs. 4 and 5; iro post stamped "2578 S" | n · |
| Cougar Creek, 2 miles northwest of, 12 feet south of road, on summit of | |
| divide between Spokane River and Cougar Creek, 800 feet north cabin; iron post stamped "2810 S" | . 2, 810. 936 |
| of pine tree; nail | . 2, 139. 44 |
| in root of pine tree; nail | |
| CATALDO 30' QUADRANGLE AND CŒUR D'ALENE SPECIAL QUADRANGLE | . |
| [Latitude 47° 30′-48°; longitude 116°-116° 30′.] | |
| From Cataldo along road to mouth of Fourth of July Canyon. | Troot |
| Cataldo, 4 feet west of section house; iron post stamped "2143 S" | Feet. 2 142 886 |
| Cataldo, 1 mile northwest of, in base of telephone pole 1034; spike Cataldo, 3 miles northwest of, 175 feet northwest of schoolhouse, in root of | . 2, 135. 450 of |
| pine stump; nail | |
| Cataldo, 3.7 miles northwest of, north of road at forks, in root of fir tree; nail Cataldo, 4.6 miles northwest of, 6 feet west of telephone pole 900, in root of | of |
| stump; spike | е |
| pole 857, in root of fir stump; spike | d |
| From Kingston along trail via Little North Fork to Cascade Creek, thence northeat via Leiberg mine, Bear Creek, and Weber mine to Lake View. | • |
| Little North Fork of Cœur d'Alene River, 150 feet north of mouth of, 3 | 0 |
| feet west of, on top of large cliff; iron post | . 2, 204. 880 |
| 6 feet above water, on narrow projecting rock; cross | . 2, 193. 450 |
| nail | |

| | F | eet | |
|---|---------------|------|-----------|
| Delta, Murray, and Little North Fork roads, 210 feet east of intersection of, | | | |
| 40 feet south of creek, at bend in road, in root of 12-inch pine tree; nail | 2, 5 | 32. | 48 |
| Delta, Murray, and Little North Fork roads, 0.45 mile from intersection of, | | | |
| 20 feet north of creek, in root of fir tree; spike marked "2436" | 2, 4 | 37. | 06 |
| Delta, Murray, and Little North Fork roads, 1.2 miles from intersection of, | | | |
| 20 feet south of road, in root of pine tree; nail | 2, 2 | 60. | 99 |
| Delta, Murray, and Little North Fork roads, 1.98 miles north of intersection of, 1,700 feet northwest of Jacobson's house, 30 feet west of road, in root of | 0.7 | . = | • |
| large cedar stump; nail marked "2195" | | | |
| Ben Vener's house, 50 feet northwest of, in root of 24-inch fir tree; nail | 2, 1 | 99. | 25 |
| Ben Vener's house, 1 mile northwest of, edge of trail between North Fork of Cœur d'Alene and Little North Fork rivers, in root of 20-inch pine | | | |
| tree; nail marked "2462" | 9 4 | 62 | 44. |
| North Fork and Little North Fork rivers, summit of trail between, 25 feet | 2, 1 | 04. | 11 |
| north of trail, in root of 26-inch fir tree; nail marked "2641" | 2.6 | 41 | 58 |
| North Fork of Cœur d'Alene River, 1.25 miles from, 10 feet north of trail, 20 | 2, 0 | | |
| feet north of small rill, in root of 16-inch fir tree; nail marked "2515" | 2 51 | 14 | 82 |
| Little North Fork River, 500 feet northwest of, at edge of trail, in root of | <i>-</i> , 01 | . 1. | - |
| fir tree; nail marked "2380" | 2. 38 | 32. | 27 |
| Canning's house, 880 feet north of, 150 feet northwest of Little North Fork | _, _, | | |
| River, 40 feet south of trail, in root of 36-inch cottonwood tree; nail | | | |
| marked "2205" | 2, 2 | 06. | 10 |
| Canning's house, 0.5 mile north of, 80 feet west of Little North Fork River, | , | | |
| 30 feet east of trail, in root of 34-inch cedar tree; nail marked "2212" | 2, 2 | 12. | 52 |
| Glenwood, 40 feet-west of log house, 300 feet northwest of Little North Fork | | | |
| River, in root of 12-inch fir tree; nail marked "2218" | 2, 2 | 18. | 42 |
| Bumble Bee, east of river, in top of rock 12 feet above water; aluminum | | | |
| tablet stamped "2239 S" | 2, 23 | 39. | 444 |
| Bumble Bee, 0.25 mile southwest of, 30 feet southeast of river, at edge of | | | |
| trail, in root of 36-inch cottonwood tree; nail marked "2241" | $2, 2^{4}$ | 41. | 25 |
| Bumble Bee, 0.8 mile northwest of, 10 feet west of river, at edge of trail at | | | |
| ford, in root of 30-inch cottonwood tree; nail marked "2245" | 2, 2 | 45. | 09 |
| Bumble Bee, 1.5 miles northwest of, opposite high cliff at bend in river, on | 0.0 | ~^ | 40 |
| bank of river, in root of 24-inch cottonwood tree; nail marked "2250" | 2, 2 | 50. | 43 |
| Bumble Bee, 2.8 miles northwest of, 1,600 feet south of cabin, 30 feet southwest of river, in root of 36-inch cedar tree; nail marked "2273" | 0.0 | 70 | 90 |
| Old Mission trail, intersection with Little North Fork of Cœur d'Alene | ۷, ۲ | 10. | 39 |
| River crossing, 20 feet south of river, in root of 36-inch fir tree; nail | | | |
| marked "2300" | 2. 30 | 00. | 06 |
| Old Mission trail, 0.1 mile from, intersection with Little North Fork of | -, 0 | | • |
| Cœur d'Alene River, 10 feet from north bank of river, in root of 30-inch | | | |
| pine tree; nail | 2, 30 | 06. | 29 |
| Cox's logging camp, 70 feet east of, 50 feet west of Copper Creek, 30 feet | | | |
| west of Old Mission trail; iron post stamped "2335 S" | 2, 3 | 35. | 780 |
| Cox's logging camp, 0.25 mile north of, 200 feet from Copper Creek, 10 feet | | | |
| east of trail, in root of 16-inch white-pine tree; nail marked "2336" | 2, 33 | 36. | 85 |
| Cox's logging camp, 1 mile north of, 20 feet southeast of Little North Fork | | | |
| River, at edge of trail where it makes first steep climb above Cox's camp, | | | |
| in root of 30-inch hemlock tree; nail marked "2357" | 2, 3 | 57. | 25 |
| Little North Fork River, west side of stream, at base of cliff 300 feet high, | | | |
| 10 feet from three large cottonwood trees, in root of fir tree; nail marked | 9 9 | 00 | 2 = |
| "2388". Old Mission trail 20 feet north of south hank of river in root of 48 inch | 4, ئ | 00. | აა |
| Old Mission trail, 20 feet north of, south bank of river, in root of 48-inch | | | |

| • | Fee | ıt. |
|---|--------|--------------|
| Cox's lower logging camp, 3 miles northwest of, 50 feet south of river, 10 | 100 | ,,,, |
| feet south of Old Mission trail; iron post stamped "2406 S" | | 3. 773 |
| Little North Fork River, south bank of stream at bend, at base of cliff 75 | | |
| feet high, on shelving rock, in root of 18-inch hemlock tree; nail marked | | |
| "2444" | 2,444 | 1. 97 |
| Old Mission trail, 20 feet north of, 40 feet south of river, in root of 24-inch | | . =0 |
| hemlock tree; nail marked "2467" | 2, 468 | 3. 70 |
| Little North Fork River, near bend at base of cliff 100 feet high projecting over river, in root of 36-inch cottonwood tree; nail marked "2481" | 0.401 | |
| Little North Fork River, south bank of, clump of four trees, one partly cut | 2, 401 | L. 29 |
| by beavers, in root of cottonwood tree; nail marked "2502" | 2 509 | 3 20 |
| Leiberg and Old Mission trails, 200 feet west of intersection of, west bank | | J. 20 |
| of river, on large rock; cross marked "2540" | |). 40 |
| Leiberg and Old Mission trails, 40 feet north of intersection of, 6 feet east | , | |
| of trail, in root of 20-inch hemlock tree; nail marked "2541" | 2, 54 | 1. 78 |
| Leiberg and Old Mission trails, 12 feet west of intersection of, 0.75 mile | | |
| northwest of Handspike mine, 200 feet west of mouth of Leiberg Creek; | | |
| iron post stamped "2541 S" | | L. 860 |
| S. W. Cope's cabin, 250 feet northeast of, 10 feet north of river, 70 feet | | |
| below crossing of Old Mission trail, in root of 30-inch cottonwood tree; | | |
| nail marked "2558" | | 9. 04 |
| steep wooded slope, in root of 18-inch cedar tree; nail marked "2630" | | 1 26 |
| Old Mission trail, 100 feet south of, on south bank of river, 400 feet above | | 1. 00 |
| large riffle, in root of 30-inch cottonwood tree; nail marked "2673" | | 2. 52 |
| Old Mission trail, 170 feet south of, 50 feet east of large talus slope, south | | |
| bank of river, in root of 24-inch cottonwood tree; nail marked "2692" | | 2. 56 |
| Old Mission trail ford, 200 feet north of, north bank of river at bend, in | | |
| root of 12-inch black-pine tree; nail marked "2717" | 2, 718 | 3. 04 |
| Skookum Creek, mouth of, on bank, in root of dogwood tree; nail marked | | |
| "2732" | | 2. 54 |
| Old Mission and Cour d'Alene trails, 10 feet east at intersection, 115 feet | | 2 00# |
| north of mouth of Deception Creek; iron post stamped "2740 S" | | J. 627 |
| Old Mission and Court d'Alene trails, 0.5 mile north of intersection, 200 | | |
| feet northeast of ford of Old Mission trail, north bank of river, in root of 20-inch white-pine tree; nail marked "2754" | | 1 70 |
| Old Mission and Cour d'Alene trails, 1.5 miles north of intersection of, | | 1. 10 |
| 20 feet east of river, 6 feet west of Old Mission trail, in root of white-pine | | |
| tree; nail marked "2792" | | 2. 89 |
| Cascade Canyon, mouth of, 240 feet south of mouth of Cascade Creek, 30 | • | • |
| feet east of river, edge of trail at ford, in root of large pine stump; nail | | |
| marked "2834" | 2,834 | 4. 62 |
| Cascade Creek, 230 feet south of mouth, 80 feet east of river, 10 feet east of | | |
| forks of trail; iron post stamped "2837 S". | | 7. 547 |
| Cascade Canyon, 0.8 mile northeast of mouth of, 400 feet northeast of cabin, | 0.014 | |
| edge of trail, in root of 30-inch white-pine tree; nail marked "2912" Cascade Canyon, 1.2 miles northeast of mouth of, 20 feet south of trail, in | | 2. 58 |
| root of 38-inch white-pine tree; nail marked "2980" | | 76 |
| Moore's cabin, 0.8 mile southwest of, between trail and creek, in root of | | <i>J.</i> 10 |
| 36-inch white-pine tree; nail marked "3155'' | | 6. 26 |
| Moore's cabin, 0.5 mile southwest of, 10 feet north of trail, 30 feet south of | | |
| cabin, in root of 24-inch hemlock tree; nail marked "3293" | | 3. 82 |
| Moore's cabin, 340 feet south of, 30 feet east of small creek, 6 feet north of | | |
| trail in root of 22 inch hamlack trace nail marked "2246" | 2 94 | 7 10 |

PRIMARY LEVELING.

| Magraia askin 1 700 fact morthwest of 5 fact courth of trail in root of 94 in sh | Fee | t. |
|--|--------|-------|
| Moore's cabin, 1,700 feet northeast of, 5 feet south of trail, in root of 24-inch hemlock tree; nail marked "3437" | | 95 |
| Moore's cabin, 0.6 mile northeast of, edge of trail, in root of hemlock tree; | | |
| nail marked "3642". | 3, 643 | . 33 |
| Moore's cabin, 1.5 miles northeast of, north edge of trail, in root of 12-inch fir tree; nail marked "3900" | | . 36 |
| Moore's cabin, 1.8 miles northeast of, edge of trail, in root of 10-inch white- | | |
| pine tree; nail marked "4144" | 4, 148 | . 50 |
| Moore's cabin, 1.9 miles northeast of, edge of trail, in root of 20-inch white- | 4 007 | |
| pine tree; nail marked "4300" | 4, 301 | . 09 |
| Moore's cabin, 2 miles northeast of, at forks of trail and beginning of second switchback, in root of 20-inch fir tree; nail marked "4473" | 4 470 | 70 |
| Moore's cabin, 2.25 miles northeast of, 60 feet above last switchback, edge of | | . 19 |
| trail, in root of 18-inch black-pine tree; nail marked "4661" | | 00 |
| Moore's cabin, 2.25 miles northeast of, 800 feet south of Leiberg mine, edge | 1, 002 | . 00 |
| of trail, in root of 24-inch white-pine tree; nail marked "4665" | 4 666 | 59 |
| Leiberg mine, 0.5 mile south of, edge of trail, in root of 10-inch black-pine | | . 00 |
| tree; nail marked "4809" | | 65 |
| Leiberg mine, 0.8 mile south of, 300 feet west of summit of trail, 6 feet | 1,000 | . 00 |
| north of trail, in root of 10-inch black-pine tree; nail marked "5100" | 5. 100 | . 64 |
| Leiberg mine, 0.8 mile south of, top of summit, in large rock, 20 feet south | -, | |
| of trail; aluminum tablet stamped "5127 S" | 5, 127 | . 864 |
| Leiberg mine, 0.9 mile southeast of, 6 feet south of trail, at base of rocky | , | |
| knoll, in root of white-pine tree; nail marked "5094" | 5,094 | . 68 |
| Summit of trail, 1,600 feet northeast of, 18 feet north of trail, on steep smooth | | |
| slope, in root of black-pine tree; nail marked "4919" | 4,920 | . 495 |
| Leiberg mine, 1 mile southeast of, 0.5 mile east of summit of trail, 3 feet | | |
| north of trail, in root of 12-inch black-pine tree; nail marked "4926". | 4,926 | . 796 |
| Leiberg mine, 1.25 miles southeast of, south edge of trail, in root of fir tree; | | |
| nail marked "4822" | 4,822 | . 846 |
| Leiberg mine, 1.8 miles east of, in low sag on ridge, 3 feet south of trail, in | | |
| root of 12-inch white-pine tree; nail marked "4457" | 4, 458 | . 21 |
| Leiberg mine, 3 miles southeast of, top of last summit between Cascade and | | |
| Trail creeks, on top of large white-quartz bowlder 30 feet south of trail; cross marked "4581" | 4 500 | 5.6 |
| Leiberg mine, 3.1 miles southeast of, 400 feet southeast of last summit on | 4, 002 | . 50 |
| trail between Cascade and Trail creeks, in root of 10-inch hemlock tree; | | |
| nail marked "4522". | 4, 523 | . 25 |
| Leiberg mine, 3.25 miles southeast of, edge of trail, in root of 16-inch white- | -, | |
| pine tree; nail marked "4439" | 4, 440 | . 20 |
| Leiberg mine, 4 miles southeast of, 1 mile southeast of last summit on trail, | • | |
| edge of trail, in root of 10-inch white-pine tree; nail marked "4169" | 4, 170 | . 14 |
| Leiberg mine, 4.5 miles southeast of, 0.5 mile west of Trail Creek, 3 feet | | |
| south of trail, in root of 12-inch hemlock tree; nail marked "4001" | 4,002 | . 13 |
| Leiberg mine, 4.8 miles southeast of, 500 feet east of Teany's cabin, 1,200 | | |
| feet west of Trail Creek, 3 feet south of trail, in root of white-pine tree; | | |
| nail marked "3802" | 3, 803 | . 57 |
| Webb's cabin, 0.25 mile south of, 800 feet west of Trail Creek, on sharp ridge | | |
| sloping down to creek, 3 feet west of trail, in root of 24-inch red-fir tree; | 9 570 | |
| nail marked "3571" | 3, 572 | . 00 |
| 29, T. 52, R. 1 E., 3 feet west of trail, in root of 12-inch white-pine tree; | | |
| nail marked "3332" | 3, 333 | . 61 |
| | -, $-$ | |

| | Feet. |
|---|------------|
| Webb's cabin, 0.2 mile east of, 100 feet east of Trail Creek, 8 feet east of forks of trail; iron post stamped "3273 S" | |
| Trail Creek, 50 feet east of, 2,000 feet north of McDarman's cabin, in root of | |
| 10-inch white fir tree; nail marked "3213" | • |
| nail marked "3195" | • |
| east of trail, in root of 16-inch white-fir tree; nail marked "3147" Big Meadows, 4.8 miles southwest of, 12 feet west of Trail Creek, 4 feet east | |
| of trail, in root of 36-inch spruce tree; nail marked "3137" | |
| north of Trail Creek, in root of 30-inch spruce tree; nail marked "3082". Big Meadows, 1.8 miles southwest of, 3 feet south of trail, in root of 16-inch | |
| hemlock tree; nail marked "3054". Big Meadows, 1.25 miles southwest of, 3 feet north of trail, 70 feet north of | , |
| Trail Creek, in root of 24-inch spruce tree; nail marked "3025" | |
| View and Cœur d'Alene trails, 3 feet north of trail, 300 feet northwest of mouth of Bear Creek, in root of 10-inch balsam-fir tree; nail marked | |
| "3021" | 3, 022. 00 |
| From mouth of Cascade Canyon to point 2.5 miles northwest of Wright's ranch (spur line). | |
| Wright's ranch, 400 feet west of, 10 feet north of river, in root of 24-inch white-pine tree; nail marked "2856" | 2, 855. 94 |
| Burnt Cabin Creek, 55 feet northeast of mouth, 0.8 mile west of Wright's ranch, on large protruding rock 3 feet above water; cross marked "2874". | 2, 874. 99 |
| Wright's ranch, 1.25 miles northwest of, 1,600 feet northwest of mouth of Burnt Cabin Creek, 10 feet south of river, in root of white-fir tree; nail | • |
| marked "2882" | · |
| trail, in root of 36-inch spruce tree; nail marked "2902" | |
| willow swamp, south bank of river at sharp bend, in root of 20-inch spruce tree; nail marked "2916" | |
| From mouth of Bear Creek along trail via Magees to mouth of East Fork of Cœur d'Alene River, thence down river to mouth of Little North Fork. | |
| Big Meadows, 0.2 mile west of, 300 feet west of mouth of Teepee Creek, on steep hillside, 25 feet south of trail, in root of 18-inch red-fir tree; nail | |
| marked "3138" | |
| feet south of trail, in root of 22-inch spruce tree; nail marked "2997" C. Magee's cabin, 120 feet south of, 300 feet north of Trail Creek, 60 feet north | |
| of trail, on gravel knoll, in open meadow; iron post stamped "2984 S" C. Magee's cabin, 1 mile northeast of, 50 feet northwest of Trail Creek, 6 feet | |
| southeast of trail, in root of 8-inch white-fir tree; nail marked "2957" C. Magee's ranch, 2 miles northeast of, 70 feet south of trail, bank of Trail | |
| Creek, on projecting rock 3 feet above water; cross marked "2926" Scott's cabin, 150 feet northeast of, 50 feet west of Trail Creek, 20 feet west of trail, in small meadow, in root of balsam-fir tree in clump of three; nail | |
| marked "2919" | 2, 920. 12 |

PRIMARY LEVELING.

| | | - | |
|--|------|-------------------|-----|
| T. S. Vickere's cabin, 220 feet northwest of, 20 feet southwest of Trail Creek, 8 feet east of trail, in root of spruce tree forking in two; nail marked | • | Feet | |
| "2903" | | | |
| knoll; iron post stamped "2894" | 2, | 895. | 168 |
| marked "2874" | 2. | 874. | 93 |
| Independence Creek, 2.25 miles northeast of mouth, 30 feet north of river, | ′ | | |
| in root of 35-inch white-pine tree; nail marked "2847" | 2, | 848. | 41 |
| East Fork of Cœur d'Alene River, 1 mile northwest of mouth, 0.5 mile | ĺ | | |
| southeast of Peterson's cabin, north bank of river, in root of 12-inch cot- | | | |
| tonwood tree; nail marked "2813" | 2, | 813. | 68 |
| East Fork of Cœur d'Alene River, 240 feet southeast of mouth, 30 feet south | | | |
| of north fork of river, 40 feet west of Miss Otterson's cabin; iron post | | | |
| stamped "2796 S" | 2, | 797. | 072 |
| East Fork of Cour d'Alene River, 1.25 miles southeast of mouth of, on | | | |
| north bank of river, opposite limestone cliff, in root of 18-inch cottonwood | | | |
| tree; nail marked "2768" | 2, | 769. | 56 |
| East Fork of Cour d'Alene River, 2.25 miles southeast of mouth of, on east | | | |
| bank of river, on large square rock sloping into river and 3 feet above | | | |
| surface of water; cross marked "2748" | 2, | 749. | 32 |
| East Fork of Cœur d'Alene River, 3.25 miles southeast of mouth, on east | | | |
| bank of river, opposite large riffle, in root of 18-inch cottonwood tree; nail | | | |
| marked "2731" | 2, | 731. | 70 |
| East Fork of Cœur d'Alene River, 4.25 miles southeast of mouth, 30 feet | | | |
| south of river, 90 feet northeast of cabin, in root of 10-inch willow tree; | | | |
| nail marked "2714" | 2, ' | 715. | 14 |
| East Fork of Cœur d'Alene River, 5 miles southeast of mouth, on south bank | | | |
| of river, 4 feet above water, on shelving rock protruding from a high cliff, | _ | | |
| 600 feet west of L. Sherman's cabin; cross marked "2701" | 2, | 702. | 32 |
| Big Henk's meadow, 0.5 mile southeast of, at sharp bend in river, 6 feet | _ | | |
| above water, on large projecting rock; cross marked "2674" | 2, (| 575. | 07 |
| Big Henk's meadow, 1.25 miles southeast of, 350 feet south of mouth of | | | |
| creek, at base of cliff 200 feet high, 3 feet north of 24-inch white-pine | ο , | 007 | Λ. |
| tree, on top of rock; cross marked "2661" | ۷, ۱ | 301. | 94 |
| base of cliff, 25 feet above water, on shelving rock; cross marked "2640" | 9 1 | 641 | 91 |
| Big Pool, 60 feet north of, 220 feet southeast of an old cabin, 7 feet northeast | ۷, ۱ | 741. | 21 |
| of 30-inch hemlock tree; iron post stamped "2636 S" | 2 (| 836 | 84N |
| Big Pool, 1.25 miles southeast of, 300 feet east of mouth of creek, opposite | -, (| ,,,,, | 010 |
| old cabin, 3 feet above water, on highest point of large rock projecting | | | |
| above water; cross marked "2607" | 2. (| 307. | 77 |
| Big Pool, 2.5 miles southeast of, on east bank of river, 60 feet west of foot of | | | |
| high cliff, 3 feet above water, on highest point of large rock; cross marked | • | | |
| "2587" | 2, 5 | 587. | 59 |
| Big Pool, 3 miles southeast of, on west bank of river, at base of cliff, 6 feet | | | |
| | 2, 8 | 580. | 27 |
| Big Pool, 4 miles southeast of, west bank of river, opposite high cliff, in | | | |
| root of 30-inch cottonwood tree; nail marked "2564" | 2, 8 | 564. ['] | 77 |
| Kit Price's prairie, southeast end of, 40 feet west of river, in root of 48-inch | | | |
| twin cottonwood tree: nail marked "2535" | 2. 5 | 536. | 11 |

| | | Feet. | |
|--|----|-------|-----|
| Kit Price's prairie, 1 mile southeast of, near middle of river, 3 feet above water, on large rock; cross marked "2519" | | | |
| Kit Price's prairie, 2 miles southeast of, on west bank of river, in root of | | | |
| 30-inch cottonwood tree; nail marked "2506" | | | |
| marked "2492" | • | | |
| cottonwood tree forking in three; nail marked "2474" | | • | |
| above high-water mark; aluminum tablet stamped "2472 S" | 2, | 472. | 314 |
| cliff; cross marked "2455" | 2, | 456. | 11 |
| rock; cross marked "2438" | 2, | 438. | 32 |
| marked "2425" | 2, | 425. | 88 |
| site rocky point, in root of 24-inch twin cottonwood tree; nail marked "2409" | 2, | 409. | 74 |
| northwest of old cabin, opposite burned steep rocky slope, in root of 12-inch cottonwood tree; nail marked "2387" | 2, | 387. | 56 |
| North Fork of Cœur d'Alene River, east side of, 200 feet north of Delta road, at foot of cliff, 7 feet above water; aluminum tablet stamped "2370 S" | 2, | 372. | 469 |
| North Fork of Cœur d'Alene River, 30 feet east of, 160 feet north of Delta road, on narrow rock projecting from cliff, 11 feet above water; aluminum tablet stamped "2376 S" | 2, | 376. | 238 |
| Beaver Creek, 3.3 miles west of, on south side of river, 800 feet north of cliff, in root of 30-inch cedar tree; nail marked "2325" | 2, | 327. | 24 |
| craggy cliff, at edge of burn, in root of 10-inch cedar tree; nail marked "2280" | 2, | 280. | 08 |
| Castle Rock, 50 feet east of west end, flat rock sloping toward cliff; highest part marked "2256" | | 257. | 61 |
| Steamboat Creek at mouth; aluminum tablet stamped "2248 S" | | 249. | 44 |
| From mouth of Bear Creek through Lake View to Pend Oreille Lake. | | | |
| Bear Creek, 0.8 mile north of mouth, 40 feet east of Bear Creek, 10 feet west of trail, in root of 20-inch spruce tree; nail marked "3098" Bear Creek, 1.25 miles north of mouth, 2 feet west of track, in root of black | | • | |
| stump; nail marked "3151" | | | |
| Bear Creek, 2.3 miles north of mouth, on steep open incline, 20 feet northeast of trail, in root of 10-inch black-pine tree; nail marked "3575" | | | |

| Bear Creek, 2.5 miles north of mouth, on steep open incline sloping south, | Feet. |
|---|-----------------|
| 6 feet west of trail, in root of 24-inch line white-pine tree; nail marked | 3,975.44 |
| Bear Creek, 2.8 miles north of mouth, on steep open incline sloping south, | • |
| 25 feet east of trail, in root of 20-inch red-fir tree; nail marked "4440". Bear Creek, 2.9 miles north of mouth, on steep open incline sloping south, | · |
| 20 feet east of trail, in root of 9-inch fir tree; nail marked "4684" Bear Creek, 3 miles north of mouth, on top of first summit on trail between mouth of Bear Creek and Lake View, 3 feet north of trail, in root of 24- | • |
| inch red-fir tree; nail marked "4734" | · |
| Bear Creek, 3.25 miles northwest of mouth, on top of ridge, where trail makes first big drop toward Independence Creek, 5 feet west of trail, in root of 9-inch balsam-fir tree; nail marked "4838" | |
| Bear Creek, 3.5 miles northwest of mouth, 1.8 miles south of Independence Creek, 3 feet east of trail, in root of 24-inch tamarack tree; nail marked | |
| "4522" | 4, 523. 21 |
| Creek, at foot of steep slope, in root of 30-inch fir tree; nail marked "4364. | 4, 365. 71 |
| Bear Creek, 4 miles northwest of mouth, 1.5 miles south of Independence Creek, 30 feet west of trail, on west slope of small grassy knoll, in root of balsam-fir tree forking in two; nail marked "4320" | 4, 321. 39 |
| Bear Creek, 4.25 miles northwest of mouth, 1.25 miles south of Independence Creek, on high bushy knoll, in root of 12-inch white-fir tree; nail marked "4515" | , . 4 516 97 |
| Bear Creek, 4.4 miles northwest of mouth, 1 mile south of Independence Creek, on steep brushy incline sloping west, 30 feet southwest of trail, | • |
| in root of 10-inch hemlock tree; nail marked "4200" | 4, 201. 41 |
| nail marked "3691" | 3, 692. 46 |
| Independence Creek, 0.2 mile south of, on steep wooded point sloping down to creek, 20 feet north of trail, in root of 20-inch hemlock tree; nail marked "3576" | 3 577 04 |
| Mrs. Lovell's cabin, 6 feet southwest of, 120 feet south of Independence Creek, 5 feet north of trail, 11 miles southeast of Lake View; iron post | |
| stamped "3275 S" | |
| 10-inch fir tree; nail marked "3429" | |
| marked "3645" | |
| tamarack tree; nail marked "4280" | |
| inch tamarack tree; nail marked "4908" | |
| north of trail, in root of 24-inch tamarack tree; nail marked "4983" | 4, 984, 75 |

| Lake View, 6 miles southeast of, 1 mile southeast of Weber mine, at head of graded road, on lowest part of divide; iron post stamped "4602 S" | Feet. 4, 604. 5 | . 642 |
|---|---|--|
| Weber mine, 120 feet southwest of entrance, 30 feet northwest of road, in root of large black stump; nail marked "3606" | 3, 607. 9 | 7 |
| Conjecture mill, 4 miles southeast of Lake View, in top of stringer in southwest corner of mill; nail marked "3164" | 3, 165. 4 | 9 |
| root of black tree; nail marked "2764" | 2, 764. 9 | 6 |
| Lake View, 1.8 miles southeast of, on top of hill, 7 feet east of county road, in root of 9-inch jack-pine tree; nail marked "2695" | 2, 697. 1 | .2 |
| Lake View, corner of South Street and Rus Avenue, 1 foot north of southwest corner lot 8, block 6, 75 feet southeast of post office; iron post stamped "2269 S". | 2 260 8 | 194 |
| Pend Oreille Lake, 100 feet south of, 1,500 feet north of Lake View, 50 feet east of North Gold Creek, in root of 36-inch twin cottonwood tree; nail | | |
| marked "2064" | 2, 065. 6 | 0 |
| face; bridge spike | | |
| water Sept. 9 and Sept. 12, 1905. | 2, 051. 4 | : |
| From Kingston via Oregon-Washington R. R. & Navigation Co.'s tracks to Wallace. | | |
| Kellogg, 200 feet southeast of station, 5 feet west of northwest corner of Hotel McKinniss; iron post stamped "2305 S" | 2, 305. 7 | 20 |
| Osburn, 300 feet northwest of hotel, 3 feet north of north corner of grocery store, on west side of Mullan Avenue; iron post stamped "2521 S" | 2, 521. 8 | 74 |
| Wallace, 1 foot north of schoolhouse, 1 foot east of wall, 7 feet south of north- | | |
| east corner; iron post stamped "2728 S" | 2, 728. 5 | 06 |
| | 2, 728. 5 | 06 |
| east corner; iron post stamped "2728 S" | | |
| east corner; iron post stamped "2728 S" | 2, 785. 3 | 85 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 | 85 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 | 85 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 | 85 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 2, 772. 4 | 85 319 35 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 | 85 319 35 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 2, 601. 5 | 85 35 35 28 518 |
| east corner; iron post stamped "2728 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 2, 601. 5 2, 547. 0 | 85 319 35 35 228 318 388 |
| From Osburn via Beaver and Delta to Murray. Beaver, 6 feet north of northeast corner of station house, 3 feet east of fence, 5 feet north of porch; iron post stamped "2785 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 2, 601. 5 22, 547. 0 2, 549. 8 2, 619. 7 | 35 35 228 38 38 96 |
| From Osburn via Beaver and Delta to Murray. Beaver, 6 feet north of northeast corner of station house, 3 feet east of fence, 5 feet north of porch; iron post stamped "2785 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 2, 601. 5 2, 547. 0 2, 549. 8 2, 619. 7 2, 626. 7 | 85 35 35 228 318 888 996 73 |
| From Osburn via Beaver and Delta to Murray. Beaver, 6 feet north of northeast corner of station house, 3 feet east of fence, 5 feet north of porch; iron post stamped "2785 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 2, 601. 5 2, 547. 0 2, 549. 8 2, 619. 7 2, 626. 7 | 85 35 35 228 318 888 996 73 |
| From Osburn via Beaver and Delta to Murray. Beaver, 6 feet north of northeast corner of station house, 3 feet east of fence, 5 feet north of porch; iron post stamped "2785 S" | 2, 785. 3 3, 321. 8 2, 772. 4 2, 654. 0 2, 601. 5 2, 547. 0 2, 549. 8 2, 619. 7 2, 626. 7 | 85 619 35 928 618 888 896 73 616 |

| | Feet. | _ |
|---|---|------------------------|
| From Wallace east along Northern Pacific Ry. to Idaho-Montana boundary line. | | |
| Mullan, 15 feet west of station, at corner of sidewalk, at base of Northern Pacific Ry. station steps; iron post stamped "3244 S" | 3, 244. | |
| From Wallace east via Gem and Burke to Glidden Pass. | | |
| Granite, opposite Granite mill, 10 feet north of Canyon Creek, in root of pine stump; spike Gem, 725 feet east of Granite mill, 6 feet west of house, on fence line, 45 feet north of Northern Pacific Ry., 20 feet north of wagon road, in granite bowlder 5 by 5 by 4 feet; aluminum bolt, stamped "3197 8". Burke, 15 feet north of Northern Pacific Ry. track, 15 feet east of house, 17 feet northeast of telegraph pole, 60 feet west of road crossing, 10 feet north of wagon road, 180 feet west of station, in rock at base of cliff aluminum tablet stamped "3736 8". Burke, in front of station; top of rail Burke, 1.6 miles northeast of, south of Tiger-Poorman electric station, 18 feet north of wagon road, in spruce tree; spike Burke, 3 miles east of, 100 feet north of flume, 1 foot south of road, in root of 4-inch fir tree; spike. Glidden Pass, 15 feet east of road, summit of Bitterroot Mountains, in white limestone pillar 5 by 5 inches at top, 2.3 feet high, projecting 4 inches above ground; aluminum tablet stamped "5768". | 3, 168. 3, 197. 3, 736. 3, 740. 4, 100. | 045 657 9 33 |
| From Murray east through Raven to Thompson Pass, Idaho-Montana State line. | | |
| Murray, 1 mile east of, 2 feet west of road, in root of pine stump; spike Raven, 100 feet south of old sawmill, at north end of Burke trail, at mouth of Granite Creek, in bowlder 6 inches above ground, at base of stump aluminum tablet stamped "3060 S". Raven, 1.1 miles east of, 20 feet south of road, in root of 8-inch pine tree spike Sullivan, 1 mile east of, 2 feet north of road, 35 feet northeast of blazed tree on south side of road, in sandstone; cross | 3, 060. 3, 258. 3, 908. | 761 155 |
| Summit of Bitterroot Mountain, 25 feet northeast of road, 25 feet southeast of flume; iron post stamped "4862 S" | | 202 |
| | 1, 002. | |
| From Burke along trail to Raven. | | |
| Burke, 1 mile north of, 2 feet south of trail at switchback, in root of 5-inch spruce tree; spike | 4, 632, | 70 _. 468 |
| From Beaver through Dobson Pass to Wallace. | | |
| Beaver, 2 miles southeast of, 12 feet east of road, in 1-foot pine tree; spike. Beaver, 3 miles southeast of, 6 feet east of road, in 2-foot spruce tree; spike. Dobson Pass, 12 feet south of road; iron post stamped "4179 S" Dobson Pass, 1.1 miles southeast of, 10 feet west of road, in root of 18-inch tamarack tree; spike | 3, 948. 4, 179. | 90 9 34 |
| From Kellogg via county road to Wardner. | | |
| Kellogg, 0.7 mile south of, 20 feet southeast of telephone pole, west of road, in cedar stump; nail | 2, 521. | 353 |

| | Feet. |
|--|-------------|
| Wardner, in foundation of Empire State-Idaho Mining & Developing Co.'s compressor, under cylinder head of high pressure air cylinder; aluminum | |
| tablet stamped "2880 S" | |
| Wardner, Bunker Hill & Sullivan machine shop, 300 feet north of, on rock | |
| west of road; cross | |
| | |
| From Delta along wagon road and trail down North Fork of Cœur d'Alene River to Kingston. | ı |
| Delta, 1 mile northwest of, 150 feet southeast of house, on west side of bend | |
| in road, in root of poplar tree; nail | 2, 471. 035 |
| Delta, 2 miles northeast of, east side of road, in root of dead fir tree; nail | |
| North Fork of Cœur d'Alene River, at intersection of road with river, in | |
| twin cedar; nail | 2, 369. 643 |
| North Fork of Cœur d'Alene River, east side of, 200 feet north of Delta road, | |
| at foot of cliff, 7 feet above river; aluminum tablet stamped "2370 S" | 2,371.772 |
| Morrison's mine, on rock at entrance; cross | 2, 332. 901 |
| Big Jam, 450 feet east of, sunk into a flat rock sloping into river, 3 feet above | |
| surface, on south side; aluminum tablet stamped "2297 S" | 2,298.950 |
| Big Jam, 1 mile west of, 1,000 feet southwest of junction of old channel and | |
| northwest channel of river, on south side, on rock 3 feet above surface | |
| of water; cross | 2, 287. 046 |
| • | |

Bonners Ferry, Calispell, Pend Oreille, and Sandpoint quadrangles. BONNER AND KOOTENAI COUNTIES.

The elevations in the following list were determined by a double primary-level line from Tacoma and by other primary lines. The list includes descriptions taken from the appendix to the Twentieth Annual Report of the Geological Survey, pages 471 to 474, inclusive, and pages 521 and 522, with readjusted elevations.

The leveling was done in the Sandpoint quadrangle in 1897 by Charles Harlow, jr., in 1898 by W. R. Prowell and H. S. Crowe; in the Pend Oreille quadrangle in 1898 by Crowe, and in 1903 by G. H. Kendall; in the Calispell quadrangle in 1898 by Prowell; and in the Bonners Ferry quadrangle in 1904 by M. S. Bright, J. G. Hefty, and Kendall.

SANDPOINT QUADRANGLE.

[Latitude 48°-48° 30'; longitude 116° 30'-117°.]

| From Granite along Northern Pacific Ry. to Sandpoint. | |
|---|-------------|
| | Feet. |
| Granite, in front of station; top of rail | 2, 260. 7 |
| Granite, 45 feet west of west edge of station platform, 20 feet south of center | |
| of track, near telegraph pole; iron post stamped "2262 T" | |
| Milepost 213, 19 feet west of, 28 feet west of center of track; iron post | |
| stamped "2251 T" | |
| Cocolalla, in front of section house; base of rail | 2,220.3 |
| Milepost 218, 250 feet northeast of, 18 feet north of railroad, southeast of | |
| whistling post; iron post stamped "2226 T" | |
| Algoma siding; top of east head block | 2, 177.4 |
| Milepost 224, 390 feet southeast of, 25 feet south of railroad track, at west | |
| end of cut; iron post stamped "2167 T" | 2, 167. 277 |

| | Feet. |
|---|-------------|
| Sandpoint, in front of station; top of rail | |
| when reset | 2, 085. 107 |
| Ry section house; iron post stamped "2117 T" | |
| From Albane Falls east and north along Great Northern Ry. to point 3 miles northeast of Colburn. | |
| | 0.000.4 |
| Priest River, in front of station; top of rail. Priest River, 75 feet south by 167 feet east of water tank, 75 feet south of | · |
| south rail; iron post stamped "2077 P. R.". Markham, in southeast corner of sec. 20, T. 56 N., R. 3 W., 60 feet from front | |
| door of post office, inside yard; iron post stamped "2088 P. R." T. 57 N., R. 3 W., SW. ½ sec. 26, in center of C. Carr's front yard, 100 feet | |
| from house; iron post stamped "2087 P. R.". Colburn, 1.2 miles north of section house, northwest corner of T. 58 N., R. 1 | • |
| W., 1,700 feet northwest of railway track; iron post stamped "2127 P. R.". | 2, 133. 432 |
| From Elmira siding to corner of Tps. 59 and 60 N., Rs. 1 and 2 W. | |
| Elmira, 3.2 miles west of, northwest corner of T. 59 N., R. 1 W.; aluminum tablet stamped "4031 P. R.". | 4, 037. 680 |
| From Cary Ferry south and west to Medler Lake. | |
| T. 55 N., R. 4 W., sec. 33, 100 feet from Vogler's house, at north gatepost; iron post stamped "2222 P. R.". T. 54 N., Rs. 4 and 5 W., quarter corner between secs. 24 and 19, 900 feet south of road; iron post stamped "2286 P. R.". | |
| From Priest River northwest along road up West Branch. | , |
| | |
| Terrells Falls, near east side of sec. 16, T. 57 N., R. 5 W., at east end of bridge across West Branch of Priest River, just below falls, about 600 feet east of Terrell's house; iron post stamped "2289 P. R." | 2, 294. 785 |
| side and north end of bridge across small stream, about 400 feet from section corner; iron post stamped "2411 P. R." | 9 416 109 |
| | 2, 410. 102 |
| From Priest River north along road to Priest Lake. | |
| Tps. 56 and 57 N., R. 4 W., on line between, 5 yards west of road; iron post stamped "2371" | |
| post stamped "2405" | 2, 410. 730 |
| Tps. 58 and 59 N., R. 4 W., on line between, 4 yards west of road; iron post stamped "2543" | 2 548 002 |
| Coolin, in west end of town, on property of Mr. Warren, 2 feet southwest of dead tree used as telephone pole, 3 feet inside fence inclosing office of Kaniksu National Forest, 75 feet south of Priest Lake; iron post stamped | |
| "2446" | |
| Priest Lake; surface of water September, 1898 | |
| Priest Lake, at Coolin, August 29, 1905 | |

| From Coolin to corner of Tps. 59 and 60 N., Rs. 4 and 5 W. | Feet. | |
|--|--|---|
| Coolin, 2.5 miles northwest of, northwest corner of T. 59 N., R. 4 W., in rock; aluminum tablet stamped "2760" | | 354 |
| From Coolin to corner of Tps. 59 and 60 N., Rs. 3 and 4 W. | | |
| Coolin, 3.8 miles northeast of, northwest corner of T. 59 N., R. 3 W., in rock; aluminum tablet stamped "3852 P. R." | 3, 857. 7 | 716 |
| From Priest Lake road east to southwest corner of T. 58 N., R. 3 W. | | |
| T. 58 N., R. 3 W., southwest corner of, in rock; aluminum tablet stamped "3491 P. R." | | 581 |
| Spur line from Northern Pacific Ry. to northwest corner of T. 56 N., R. 1 W. | | |
| T. 56 N., R. 1 W., northwest corner of, 5.5 miles from Sandpoint, 1.8 miles east of Northern Pacific Ry. track; iron post stamped "3376" | 3, 381. 8 | 801 |
| Spur line from Northern Pacific Ry. to northwest corner of T. 54 N., R. 2 W. | | |
| T. 54 N., R. 2 W., northwest corner of, 0.6 mile east of Northern Pacific Ry. track; iron post stamped "2289" | 2, 294. (| 004 |
| PEND OREILLE QUADRANGLE. | | |
| [Latitude 48°-48° 30'; longitude 116°-116° 30'.] | | |
| From Sandpoint along Northern Pacific Ry. to Idaho-Montana boundary line. | | • |
| Kootenai, 60 feet north of post office door; iron post stamped "2117 T" Oden siding; top of east headblock. Milepost 240, 300 feet east of, on knoll, 30 feet south of center of track; iron post stamped "2079 T" Hope, in front of telegraph office; top of rail. Hope, 70 feet west of station, in lot between hotel and station, 20 feet north of center of track; iron post stamped "2080 T" Thornton, 225 feet southeast of station, east end of siding, 45 feet south of track at east end of cut; iron post stamped "2103 T" Clark Fork, 90 feet east of milepost marked "H 10 Hlna 288," at east corner of fence of railroad section house; iron post stamped "2081 T" Clark Fork, second crossing; surface of water. Cabinet, in front of section house; top of rail Idaho-Montana boundary line, at signboard 15 feet north of track; iron post stamped "2212 T" | 2, 075. 2 2, 078. 2 2, 078. 2 2, 079. 0 2, 102. 3 2, 081. 2 2, 082. 3 2, 186. 4 | 2 951 2 692 546 141 5 |
| From point near Elmira north via Great Northern Ry. | | |
| • | 2, 148. | 539 |
| BONNERS FERRY QUADRANGLE. | | |
| [Latitude 48° 30'-49°; longitude 116°-116°.30'.] From point near McCarthy siding north along Great Northern Ry. to Bonners Ferry. | | |
| | | 070 |
| Milepost 1383, 135 feet south of, 40 feet southeast of track, in slope; iron post. Naples, 1,000 feet south of station, opposite milepost 1380, 65 feet east of track, 700 feet south of water tank; iron post. Naples, in northeast corner of northeast foundation stone under water tank; cross. | 2, 018. | 337 |
| Bridge 211, 1,000 feet north of, 300 feet northwest of cut, 120 feet west of track, at first telegraph pole south of milepost 1377; iron post | | |
| | | |

| Milepost 1374, opposite, 300 feet northeast of tunnel 10, 150 feet west of | | Feet. | |
|---|----|-------|------------|
| track on old roadbed, 100 feet southwest of road at Dunn's ranch; iron post. | 1. | 834. | 911 |
| Moravia, in front of station sign; top of west rail | | | |
| Mirror Lake; surface of water July 13, 1904 | | | |
| Bonners Ferry, 2.5 miles southwest of, opposite milepost 1371, 60 feet west | | | |
| of track, on east shore of Mirror Lake; iron post | | | |
| Bonners Ferry, in front of Great Northern Ry. station; top of rail | 1, | 778. | 8 |
| From Bonners Ferry via Kootenai Valley Ry. to international boundary line. | | | |
| Bonners Ferry, 0.5 mile east of, 30 feet northeast of railroad track where it enters a cut, south corner of town lot 18, block 1, near residence of Benj. | | | |
| Morrow; iron post | 1. | 786. | 594 |
| Bonners Ferry, near Kootenai River, under bridge; surface of water March | | | 001 |
| 28, 1904 | 1, | 748 | |
| Bonners Ferry, 2.4 miles north of, at edge of right of way, 30 feet east of | | | |
| track, at north edge of small cleared flat at mouth of draw on sharp curve | 1 | 700 | 004 |
| of track; iron post | Ι, | 792. | 204 |
| Bonners Ferry, 6 miles north of, 30 feet east of track, 150 feet north of Wrider's cabin, at fence; iron post | 1 | 780 | 949 |
| Bonners Ferry, 9 miles north of Empy's house, at road crossing, 30 feet east | т, | 100. | 444 |
| of track, at edge of wagon road, at foot of rocky bank; iron post | 1. | 788. | 097 |
| Copeland, 5 miles south of McRay's ranch, in front of house, 20 feet east of | -, | | |
| track, 50 feet north of small creek; iron post | 1, | 789. | 184 |
| Copeland, 2.4 miles south of, 150 feet south of milepost 14, 30 feet east of | • | | |
| track; iron post | 1, | 799. | 751 |
| Copeland, 450 feet north of Cole's store, 40 feet east of track; iron post | 1, | 788. | 474 |
| Port Hill, 2.8 miles south of, on bank 30 feet east of track, 170 feet north | | | |
| of trestle 10; iron post° | | | |
| Port Hill, in front of station; top of rail | 1, | 781. | 7 |
| Port Hill, international boundary line, 4 feet west of original stone monu- | | | |
| ment marking boundary, 60 feet east of railroad, east of Kootenai River; | | -0- | |
| iron post | Ι, | 797. | 277 |
| CALISPELL QUADRANGLE. | | | |

CALISPELL QUADRANGLE.

[Latitude 48°-48° 30'; longitude 117°-117° 30'.]

From Newport south to Medler Lake.

| Newport, Washington-Idaho State line, corner of secs. 24 and 25, T. 56 N., | |
|--|-------------|
| R. 6, W.; iron post stamped "2128 P R." | 2, 133. 281 |
| T. 54 N., R. 5 W., northwest corner of; iron post stamped "2326 P. R." 2 | 2, 331. 843 |

Priest Lake quadrangle.

KOOTENAI COUNTY.

The following elevations are based on that of an iron post stamped "2442" near the edge of Priest Lake, at Coolin, the accepted elevation of which is 2,447.102 feet. Water leveling was used in determining elevations at other points on the lake, and from these single-spur primary-level lines were run, and the elevations are therefore unchecked. The Coolin elevation is determined in part through primary circuits and in part by a single-spur line in the Sandpoint quadrangle

from the double line from Tacoma, as published on page 521 of the appendix to the Twentieth Annual Report of the Geological Survey.

The leveling was done in 1905 by A. L. Glover.

PRIEST LAKE QUADRANGLE.

[Latitude 48° 30'-49°; longitude 116° 30'-117°.]

Near Reeder Creek and Bear Creek.

| Priest Lake; surface of water August 31, 1905 | 2, 467. 999 |
|---|--------------------------------|
| From Thoroughfare (watercourse between Lower and Upper Priest lakes) north along Continental mine trail to Continental mine. | • |
| Thoroughfare, on east bank, at south end, 200 feet from water opposite entrance, between two blazed tamarack trees about 18 inches in diameter, one of which has top broken off—the only large trees on the end of bar—10 feet from each tree; iron post stamped "2447" | 2, 447. 107 4 2, 447. 08 |
| root of 10-inch pine tree; spike marked "2450" | |
| diameter, near tree blazed and marked "2455"; spike | 2, 455. 41 |
| northeast of end of sand point; iron post stamped "2447" | |
| "2447" | |
| cedar tree, in stump; nail marked "2454" | |
| cedar tree; spike marked "2489" | • |
| Continental mine, 8.9 miles south of, 12 feet east of trail, in root of 24-inch hemlock tree; nail marked "2487" | |
| Continental mine, 8.2 miles south of, 20 feet east of trail, in root of dead 12-inch stump 30 feet high; nail marked "2594" | 2, 594. 30 |

| | | Feet | t. |
|---|------|---------------|-----|
| Continental mine, 7.8 miles south of, 4 feet west of trail, in root of 24-inch | | | 0.0 |
| cedar tree; nail marked "2620" | z, t | 620. | 36 |
| hemlock tree; nail marked "2638" | | 690 | '07 |
| Continental mine, 6.8 miles south of, 15 feet east of trail, in root of 30-inch | | 050. | 41 |
| cedar tree; nail marked "2664" | | 664. | 31 |
| Continental mine, 6.5 miles south of, 4 feet west of trail, in root of 12-inch | | | - |
| hemlock tree; nail marked "2676" | 2, 6 | 676. | 34 |
| Continental mine, 5.8 miles south of, 4 feet east of trail, in root of 36-inch | | | |
| cedar tree; nail marked "2705" | 2, 7 | 704. | 82 |
| Continental mine, 5.1 miles south of, short distance east of mouth of Cedar | | | |
| Creek, 1 foot above and 2 feet east of trail to Continental mine, 10 feet | | | |
| northwest of blazed and marked 18-inch cedar tree 4 feet west of trail, on | | | |
| top of small hill over the end of which the trail passes, in 3-foot granite rock; aluminum tablet stamped "2736" | 9 7 | 725 | 000 |
| Continental mine, 4.8 miles south of, west edge of trail, in root of 18-inch | ۵, ۱ | 30, | 990 |
| hemlock free; nail marked "2873" | 2 8 | 279 | 84 |
| Continental mine, 4.4 miles south of, 6 feet east of trail, in root of 30-inch | ۷, ۵ |) i 2i. | 0.1 |
| cedar tree; nail marked "2913" | 2. 9 | 913. | 15 |
| Continental mine, 4.1 miles south of, 15 feet east of trail, in root of 30-inch | _, - | | |
| hemlock tree; nail marked "2950" | 2, 9 | 950. | 44 |
| Continental mine, 3.7 miles south of, 15 feet southeast of trail, about 200 | | | |
| yards south of first cabin on Cedar Creek where trail crosses, in root of 42- | | | |
| inch hemlock tree; nail marked "3079" | 3,0 | 079. | 23 |
| Continental mine, 3.4 miles south of, in Cedar Creek at trail crossing, surface | | | |
| of water September 17, 1905; elevation marked on 24-inch cedar log across | | | |
| stream 4 feet above water, 30 feet northeast of trail crossing and 75 feet south of cabin | 9 (| non | 7 |
| Continental mine, 3.4 miles south of, 100 feet north of creek, 15 feet west of | ٥, ١ | ooə. | ' |
| northwest corner of cabin, at trail crossing Cedar Creek, I foot east of trail, | | | |
| in root of 48-inch cedar tree; nail marked "3115" | 3. 1 | 114. | 77 |
| Continental mine, 3 miles south of, 2 feet south of second cabin on trail, 7 | • | | |
| feet east of southeast corner of house, side of house marked "3381;" | | | |
| marked point on rock | 3, 3 | 381. | 22 |
| Continental mine, 2.6 miles south of, south edge of trail, on top of first high | | | |
| point crossed by trail, above second cabin on trail, in root of 4-inch birch | | | |
| tree; nail marked "3705". | 3, 7 | 705. | 44 |
| Continental mine, 2.2 miles south of, 10 feet north of trail, 50 feet northwest of small creek just before reaching Cedar Creek, where trail crosses at | | | |
| lowest place trail strikes, in root of 30-inch cedar tree; nail marked | | | • |
| "3693" | 3. 6 | 3 92 . | 87 |
| Continental mine, 1.8 miles south of, 200 feet north of Cedar Creek, 20 feet | -, - | | |
| south of trail, 2 feet southeast of stream 1 foot wide, 100 feet south of large | | | |
| stream, both crossed by trail which then runs parallel to Cedar Creek, in | | | |
| root of 48-inch hemlock tree; nail marked "3920" | 3, 9 | 919. | 59 |
| Continental mine, 1.77 miles south of, on trail, 1,000 feet south of third cabin | | | |
| up trail, near 12-inch hemlock tree 5 feet north of trail, in a 5-foot granite | 2 0 | 100 | ۸ег |
| rock, 2 feet above ground; aluminum tablet stamped "3932" | 3, 8 | 334. | UOO |
| burnt fir tree marked "4058," 400 feet south of cabin; marked point on | | | • |
| rock | 4, 0 | 058. | 07 |
| Continental mine, 1.5 miles south of, at southeast corner of cabin, in log; | - | | |
| nail, marked on cabin "4176" | 4, 1 | 175. | 66 |
| 49069°—Bull. 567—15——7 | | | |

| | Feet. |
|--|-------------|
| Continental mine, 1.1 miles south of, 2 feet east of trail, near point where | |
| trail crosses gulch below Dark Horse mine; point on rock marked "4773". | 4, 773. 12 |
| Continental mine, 0.8 mile south of, 5 feet east of trail, 6 feet north and 50 | |
| feet east of point where trail crosses second draw below Dark Horse | |
| mine; point on rock marked "4989" | 4, 989. 18 |
| Continental mine, 0.7 mile south of, 12 feet east of trail; point on rock | |
| marked "5167" | 5, 166. 92 |
| Continental mine, 400 feet south of shaft house, on outcropping rock above | |
| rock pile above slide; marked point on rock | 5, 774. 26 |
| Continental mine, 400 feet east of shaft house, near top of mound in center | |
| of upper saddle in ridge between Cedar Creek and Blue Joe Creek, 12-inch | |
| stump blazed and marked on all four sides; nail marked "5850" | 5,850 |
| Continental mine, 6 feet north of trail from Continental boarding house to | |
| Continental shaft house, at top of ridge between Cedar Creek and Blue | |
| Joe Creek, in solid rock outcrop; aluminum tablet stamped "5890" | 5, 890. 001 |
| | |

Bruneau, Mountain Home, Riddle, and Tindall quadrangles.

ELMORE AND OWYHEE COUNTIES (including Duck Valley Indian Reservation).

The elevations in the following list were determined by primary leveling done by the General Land Office and accord with the 1912 adjustment elevation of C. & G. S. bench-mark N₄ at Mountain Home. The net consists of a small circuit lying partly in Nevada with two single spur lines, and dependent upon a long unsupported single line from Mountain Home. The elevations are therefore unreliable until further checked.

The adjustment and orthometric corrections have been made by the U. S. Geological Survey.

The leveling in Bruneau, Mountain Home, and Tindall quadrangles was done in 1911, and that in Riddle quadrangle in 1911 and 1912.

The Nevada portion is contained in another list.

MOUNTAIN HOME QUADRANGLE.

[Latitude 43°-43° 30'; longitude 115° 30'-116°.]

From Mountain Home south along highway to point 3 miles north of Snake River

| (unchecked spur line, elevations unreliable). | |
|--|----------------------|
| Mountain Home, east end of Oregon Short Line R. R. park, 7 feet from east fence, in black-lava post; bottom of square hole (U. S. C. & G. S. b. m. N_4) | Feet. 3, 138, 970 |
| Mountain Home, 1.02 miles south of, 30 feet south of bridge, in corner | |
| fence post; spike | 3, 120.42 |
| Mountain Home, 2.16 miles south of, 1,200 feet northeast of farmhouse on right side of road, 15 feet east of center of Mountain Home-Bruneau | • |
| stage road, flush with ground; stake | 3, 113. 91 |
| Mountain Home, 3.1 miles south of, in yard of S. N. Pierce, 100 feet east of house, 3 feet from corner post of front-yard fence; standard bench- | • |
| mark post stamped "3086.793" | 3,088.117 |
| Mountain Home, 4.11 miles south of, 50 feet east of irrigation flume, 15 | • |
| feet west of center of Mountain Home-Bruneau road; stake | 3,076.60 |
| Mountain Home, 5.23 miles south of, 600 feet north of house, 25 feet east of | |
| Mountain Home-Bruneau road, in corner post of fence; spike | 3,067.76 |

| Mountain Home, 5.98 miles south of, 5 feet east of center of old Mountain | |
|--|-------------|
| Home-Bruneau stage road, in corner post of fence; spike | 3, 061. 02 |
| sagebrush flat, set 4 feet inside of fence from corner post; standard bench- | |
| mark post stamped "3045.076" | 3,046.418 |
| Mountain Home, 9.77 miles south of, 500 feet north of small summit in road, 7 feet west of old Mountain Home-Bruneau road, flush with ground; | |
| stake | |
| Mountain Home, 10.43 miles south of, on bare spot in sagebrush flat, 10 feet east of center of old Mountain Home-Bruneau road, flush with | |
| ground; stake | |
| BRUNEAU QUADRANGLE. | |
| [Latitude 42° 30′-43°; longitude 115° 30′-116°.] | |
| From point near Snake River south along highway to a point 4 miles north of Black- stones ranch (unchecked spur line, elevations unreliable). | |
| Mountain Home, 12 miles south of, on summit of point of small ridge, | |
| 200 feet west to similar summit; standard bench-mark post stamped | |
| "3029.930" | 3, 030. 281 |
| Mountain Home, 12.14 miles south of, 8 feet east of center of old Mountain Home-Bruneau stage road, flush with ground; stake | 9 019 59 |
| Mountain Home, 12.98 miles south of, on rim of Snake River valley, 8 | 0, 012. 03 |
| feet east of center of old Mountain Home-Bruneau road; top of marked | |
| rock | 3,004.99 |
| Mountain Home, 13.26 miles south of, 25 feet west of large bowlder, 100 | |
| feet north of center of old Mountain Home-Bruneau stage road; top of marked rock | 0.017.00 |
| Mountain Home, 13.38 miles south of, east side of road at turn; top of | 2, 911.00 |
| marked rock | 2, 859. 84 |
| Mountain Home, 13.86 miles south of, 1,200 feet north of junction of old | • |
| and new road, 6 feet east of old Mountain Home-Bruneau stage road; | 0 -0 |
| stake | 2, 725. 75 |
| east of center of Mountain Home-Bruneau road; stake | 2, 616, 56 |
| Hot Springs, 14.3 miles north of, 150 feet north of center of Mountain | -, 010.00 |
| Home-Bruneau road, 50 feet west of first telephone pole on rise; top | |
| of marked rock. | 2, 522. 52 |
| Hot Springs, 14 miles north of, 0.5 mile north of Loveridge Ferry, 20 feet east of intersection of roads; stake | 9 479 20 |
| Snake River; water level August 4, 1911 (medium stage) | |
| Hot Springs, 13.2 miles north of, 100 feet south of and 12 feet above Snake | -, 110.0 |
| River, 100 feet west of front of home of P. W. Beckley, 6 feet east of fence, | |
| near telephone pole; standard bench-mark post stamped "2456.101" | 2, 457. 462 |
| Hot Springs, 12.8 miles north of, 10 feet east of center of Mountain Home- Bruneau road, between two telephone lines above first rise from ferry; | |
| stake | 2, 502, 84 |
| Hot Springs, 12.1 miles north of, 50 feet east of telephone line, 6 feet west of | 2,002.01 |
| center of Mountain Home-Bruneau road; stake | 2, 536. 65 |
| Hot Springs, 11.2 miles north of, 4 feet west of center of Mountain Home- | 0.000 |
| Bruneau stage road; stake | 2,600.77 |
| | 9 769 09 |

| Hot Springs, 10 miles north of, 8 feet east of center of Mountain Home- | Feet. |
|--|-------------|
| Bruneau stage road; stake | |
| stamped "2949.993" | 2, 951. 367 |
| Home-Bruneau stage road; stake | 2, 923. 64 |
| Bruneau road, on gravel knoll; stake | 2,797-15 |
| road, on edge of butte; stake Hot Springs, 7.3 miles north of, midway between road and irrigation ditch; | 2, 627. 19 |
| stake | 2, 548. 47 |
| of center of Bruneau-Hot Springs road; stake | 2, 551. 55 |
| house, 900 feet north of irrigation ditch, 40 feet south of Hot Springs-Bruneau stage road, 4 feet west inside fence of corner post on ranch of | |
| Ben Crabb; standard bench-mark post stamped "2576.829" | 2, 578. 214 |
| 20 feet north of center of Hot Springs-Bruneau road, on bare spot; stake Hot Springs, 4.6 miles north of, 750 feet east of small ranch, 6 feet south of | |
| center of Bruneau-Hot Springs road; stake | 2, 568. 04 |
| tween Bruneau-Hot Springs road and canal, on bare spot; stake | |
| Springs road; stake | 2, 564. 70 |
| road; stake | 2, 596. 98 |
| in road around bottom edge of butte, 50 feet north of small ravine, 10 feet south of center of Bruneau-Hot Springs road, in bare spot on small sum- | |
| mit; standard bench-mark post stamped "2603.015" | 2, 604. 413 |
| Springs road; stake | 2, 616. 58 |
| west of center of Bruneau-Hot Springs road; stake | |
| road and canal, in front of small house; stake | |
| south approach; square cut | 2, 592. 28 |
| 2639.22) | 2, 589. 50 |
| marked rock | |
| center of Hot Springs-Grasmere road; stake | 2, 813. 69 |
| north of conical hill west of road, 800 feet east of telephone line, on south rim overlooking valley of Bruneau River, on summit of ridge, 25 feet | |
| west of center of Hot Springs-Grasmere road; standard bench-mark post stamped "2901.708" | 2, 903. 117 |

| | F | eet. | |
|--|-------|-------------|--------|
| Hot Springs, 1.9 miles south of, 800 feet north of terraced cove west of road, | | | |
| 15 feet west of center of Hot Springs-Grasmere road; stake | 2, 8 | 93. (| 65 |
| Hot Springs, 2.5 miles south of, 800 feet south of junction, 6 feet west of | | | |
| center of Hot Springs-Grasmere road; stake | 2, 9 | 40. | 77 |
| Hot Springs, 3.2 miles south of, 0.25 mile east of big rock cliff, on Hot Creek | | | |
| canyon, 1,000 feet east of telephone line, 250 feet west of Hot Springs- | | | • |
| Grasmere road; stake | 2,88 | 35. (| UU |
| Hot Springs, 3.8 miles south of, on south side of Hot Creek canyon, 10 feet | | | |
| from watercourse, 5 feet east of center of Hot Springs-Grasmere road; | | | |
| stake | 2, 8. | 18. | 59 |
| Hot Springs, 4.2 miles south of, 250 feet west of road crossing, in watercourse; | | ^= | ^4 |
| stake | 2, 90 | 01. (| 04 |
| Hot Springs, 4.6 miles south of, 5 feet west of center of Hot Springs-Grasmere | 0.0 | 00. | |
| road and watercourse; stake. | 3, 0 | 30. | 71 |
| Hot Springs, 5 miles south of, 30 feet south of watercourse, 8 feet east of cen- | 0.04 | | ٠. |
| ter of road; stake | 3,0 | 98. 1 | 94 |
| Hot Springs, 5.2 miles south of, 0.25 mile south of two buttes $1,000$ feet apart, | | | |
| on east side of Hot Creek canyon, 6 feet west of center of Hot Springs- | | | |
| Grasmere road; standard bench-mark post stamped "3128.733" | 3, 13 | 30. 1 | 152 |
| Hot Springs, 5.8 miles south of, 20 feet west of center of Hot Springs-Gras- | | | |
| mere road, on bare spot; stake | | | |
| Hot Springs, 6.3 miles south of, in watercourse; stake | 3, 24 | 48. | 39 |
| Hot Springs, 7 miles south of, 200 feet east of center of Hot Springs-Grasmere | 0.00 | 05 6 | 00 |
| road, in watercourse; stake | 3, 3 | 30. | 90 |
| Hot Springs, 7.3 miles south of, in ravine, flush with ground; stake | 3, 42 | 20. 2 | 20 |
| Hot Springs, 8.2 miles south of, 200 feet east of center of Hot Springs-Gras- | 9 4 | E0 / | en |
| mere road, in center of abandoned road; stake | 3, 4 | 08. (| 02 |
| Hot Springs, 8.6 miles south of, 600 feet east of road, east side of ravine; top | 0 41 | חב פ | റാ |
| of marked bowlder | | | |
| Hot Springs, 9.2 miles south of, in ravine, 20 feet east of wash; stake | 3, 0 | 10. | 10 |
| Hot Springs, 8.6 miles south of, 100 feet west of Hot Springs-Grasmere road, | 9 6 | 49 | 40 |
| in east side of ravine; stake | 5, 0 | 44. | 40 |
| Hot Springs, 9.8 miles south of, on summit on north edge of big sagebrush | | | |
| flat east of Hot Creek canyon, 8 feet east of center of Hot Springs-Grasmere road; standard bench-mark post stamped "3707.163" | 2 7 | ne i | 507 |
| Hot Springs, 10.3 miles south of, 4 feet west of center of Hot Springs-Grasmere | 3, 11 | 00. | וַפָּט |
| road; stake | 3 70 | 28 | 41 |
| Hot Springs, 11.1 miles south of, 12 feet east of center of Hot Springs-Gras- | 0, 11 | 20. | 11 |
| mere road; stake | 3. 7 | 44. ′ | 79 |
| Hot Springs, 11.6 miles south of, 15 feet east of center of Hot Springs- | 0, . | | |
| Grasmere road, in bare spots; stake | 3, 7 | 53. | 54 |
| Hot Springs, 12.4 miles south of, 5 feet east of center of Hot Springs- | ٠, ٠. | | |
| Grasmere road; stake | 3, 78 | 87. 3 | 33 |
| Hot Springs, 12.9 miles south of, 12 feet east of center of Hot Springs- | , | | |
| | 3, 8 | 10. 4 | 49 |
| Hot Springs, 13.3 miles south of, 0.25 mile north of road crossing Miller | • | | |
| Gulch immediately below, 2 miles southwest of prominent rocky bluff | | | |
| with signal, east of Hot Creek canyon, on south rim of big sagebrush | | | |
| flat, 8 feet east of Hot Springs-Grasmere road; standard bench-mark | | | |
| post stamped "3813.977" | 3, 8 | 15. | 430 |
| Hot Springs, 13.6 miles south of, 84 feet east of center of Hot Springs- | | | |
| Grasmere road, on edge of rim; top of marked rock | | 50. k | 50 |
| Hot Springs, 14 miles south of, 100 feet from lone bowlder west of road, | | | |
| 50 feet west of center of Het Springs Greemers read, stales | 0 0 | Ω 77 | 70 |

| | Feet. |
|--|--------------------|
| Hot Springs, 14.5 miles south of, 15 feet east of center of Hot Springs- | |
| Grasmere road; stake | 3, 725. 06 |
| Hot Springs, 15.1 miles south of, 50 feet east of center of Hot Springs-Grasmere road; stake | 3, 771, 01 |
| Hot Springs, 16.1 miles south of, 8 feet east of center of Hot Springs- | • |
| Grasmere road; stake | 3, 867. 00 |
| Hot Springs, 16.7 miles south of, 20 feet east of center of Hot Springs-Grasmere road; stake | 3 909 22 |
| Hot Springs, 17 miles south of, in saddle between two ridges 800 feet apart, | 0,000.22 |
| 1,000 feet north of summit in road, 6 feet west of center of Hot Springs- | |
| Grasmere road; standard bench-mark post stamped "3928.768" | 3, 930. 240 |
| Hot Springs, 17.2 miles south of; top of marked rock | |
| Hot Springs, 17.8 miles south of, 10 feet east of center of Hot Springs- | |
| Grasmere road, on side hill; stake | |
| Hot Springs, 18.1 miles south of, 50 feet west of center of Hot Springs- | • |
| Grasmere road, in ravine; stake | 3, 993. 92 |
| Hot Springs, 18.3 miles south of, on north edge of small flat, 3 feet east of | |
| center of Hot Springs-Grasmere road; stake | 4, 057. 17 |
| Hot Springs, 18.8 miles south of, 125 feet east of center of road, on south | |
| edge of small flat; stake | 4, 103. 85 |
| Hot Springs, 19.2 miles south of, 1,000 feet south of creek, 6 feet west of | |
| center of Hot Springs-Grasmere road; stake | 4, 0 62. 28 |
| Hot Springs, 19.9 miles south of, 15 feet west of center of Hot Springs- | |
| Grasmere road; stake | 4, 097. 94 |
| Hot Springs, 20.4 miles south of, 100 feet southwest of rocky cliff with many | |
| small caves in it, 50 feet north of road and creek crossing, 6 feet west of | |
| center of Hot Springs-Grasmere road; standard bench-mark post stamped "4126.445" | 4 197 094 |
| Hot Springs, 20.9 miles south of, 12 feet east of center of Hot Springs- | 4, 127. 934 |
| Grasmere road; stake | 4 161 82 |
| Hot Springs, 21.6 miles south of, 25 feet north of center of Hot Springs- | 1, 101. 02 |
| Grasmere road; stake | 4, 212, 00 |
| Hot Springs, 22 miles south of, 15 feet south of center of Hot Springs- | , |
| Grasmere road; stake | 4. 269. 70 |
| Hot Springs, 23 miles south of, 50 feet north of center of Hot Springs- | -, |
| Grasmere road; stake | 4, 309. 16 |
| Hot Springs, 23.7 miles south of, 7 feet south of center of Hot Springs- | |
| Grasmere road; stake | |
| Hot Springs, 23.9 miles south of; top of marked rock | 4, 476. 06 |
| TINDALL QUADRANGLE. | |
| [Latitude 42°-42° 30'; longitude 115° 30'-116°.] | |
| From point near Blackstone's ranch south and west along highway to point 6 miles | |
| southwest of Green's ranch (unchecked spur line, elevations unreliable). | |
| Hot Springs, 24.3 miles south of, on west edge of high hill, 2.5 miles west | |
| of prominent rocky butte, east of road at turn in road to north, at sum- | |
| mit in road, 6 feet north of center of Hot Springs-Grasmere road; standard | , |
| bench-mark post stamped "4546" | 4, 546. 625 |
| Grasmere, 13.4 miles north of, on small rise, 4 feet south of center of Hot | |
| Springs-Grasmere road; stake | 4, 524. 05 |
| Grasmere, 12.7 miles north of, on east edge of small hill, 10 feet north of | 4 555 50 |
| center of Hot Springs-Grasmere road; top of marked rock | 4, 555. 70 |

| | Feet. |
|--|-------------|
| Grasmere, 12.1 miles north of, 5 feet south of center of Hot Springs-Grasmere road; stake | 4, 633. 82 |
| Grasmere, 11.3 miles north of, 800 feet east of telephone line, 5 feet north | |
| of center of Hot Springs-Grasmere road; stake | 4, 708. 19 |
| rock | 4, 816. 41 |
| Grasmere, 10.2 miles north of, on north edge of small hill, 10 feet east of center of road; top of marked rock | 4, 847. 69 |
| Grasmere, 9.7 miles north of, 6 feet east of center of Hot Springs-Grasmere | |
| road; stake | 4, 891. 50 |
| mark tablet stamped "4860" | 4, 860. 567 |
| Grasmere, 9.4 miles north of; top of marked rock | 4, 817. 44 |
| in field of Blackstone's ranch; stake | 4, 772. 25 |
| Grasmere, 8.2 miles north of, in center of road; top of marked rock | |
| Grasmere, 7.2 miles north of, 800 feet west of road, 8 feet southeast of telephone pole; stake | 4, 843. 18 |
| Grasmere, 6.5 miles north of, 200 feet north of center of road, on side hill; | |
| stakeGrasmere, 6.1 miles north of, 6 feet north of center of road; top of marked | 4, 889. 58 |
| stone | 4, 937. 37 |
| Grasmere, 5.8 miles north of, 3 miles southwest of Blackstone's ranch, 0.25 mile north of telephone line, on top of rocky hogback, 10 feet south of center of Hot Springs-Grasmere road; standard bench-mark post stamped | |
| "4963" | 4, 963. 719 |
| Grasmere, 5.2 miles north of, 15 feet south of center of Hot Springs-Grasmere road; stake | 4 982 10 |
| Grasmere, 4.7 miles north of, in center of Hot Springs-Grasmere road; top of | |
| marked rock | 5, 002. 28 |
| mere road; top of marked rock | 5, 055. 25 |
| Grasmere, 4.1 miles north of, center of Hot Springs-Grasmere road; top of | |
| marked rock | 5, 046. 25 |
| marked rock | |
| Grasmere, 2.9 miles north of, 4 feet south of center of Hot Springs-Grasmere road; top of marked rock | 5 117 27 |
| Grasmere, 2.6 miles north of, 15 feet south of Hot Springs-Grasmere road, | |
| 200 feet west of dry creek; stake | 5, 112. 94 |
| Grasmere, 2.1 miles north of, 6 feet north of center of Hot Springs-Grasmere road; stake | 5, 122. 33 |
| Grasmere, Mercantile Co. store, 1.9 miles north of, in sagebrush flat, 1.5 miles north of telephone line, 6 feet south of center of Hot Springs-Grasman and attached head resolvent to the standard of the sagebrush flat of | r 100 00r |
| mere road; standard bench-mark post stamped "5125" | |
| Springs-Grasmere road; top of marked rock | 5, 171. 90 |
| road; top of marked rock | 5, 220. 54 |
| Grasmere, 250 feet west of south reservoir, 8 feet west of center of Grasmere-Riddle road; stake | 5, 225. 87 |

| | Feet. | |
|--|-----------|-----|
| Grasmere, 0.6 mile southwest of, in center of Grasmere-Riddle road; top of | - 0-4 | |
| marked rockGrasmere, 1.1 miles southwest of, 4 feet east of center of Grasmere-Riddle | 5, 254. (|)Ţ |
| road; stake | 5, 283, 3 | 50 |
| Grasmere, 1.6 miles southwest of, 4 feet north of center of Grasmere-Riddle | | |
| road; stake | | 14 |
| Grasmere, 2.1 miles southwest of, 40 feet west of Green and Iron's mail post, | | |
| 6 feet south of center of Grasmere-Riddle road; stake | 5, 353. | 90 |
| Grasmere, 2.3 miles southwest of, 15 feet north of center of Grasmere-Riddle road; stake | 5 378 | 63 |
| Grasmere, 2.5 miles southwest of, 0.5 mile east of mouth of Knit Creek, 0.25 | 0, 070. | 00 |
| mile northwest of Green's ranch, three-eighths of a mile west of Iron's | | |
| ranch, 400 feet south of telephone line, on small ridge, 6 feet south of | | |
| center of Grasmere-Riddle road; standard bench-mark post stamped | | |
| "5396" | 5, 396. | 640 |
| stake | 5 471 | 90 |
| Grasmere, 3.7 miles southwest of, 30 feet north of center of Grasmere-Riddle | 0, 111. | 00 |
| road; stake | | |
| Grasmere, 4 miles southwest of, in center of road and creek; top of rock | 5, 660. | 66 |
| Grasmere, 4.4 miles southwest of, 600 feet north of telephone line, 18 feet | 10 | |
| east of center of Grasmere-Riddle road; stake | 5, 742. | 06 |
| north of center of road; stake | 5, 846. | 29 |
| Grasmere, 5.8 miles southwest of, 3 feet west of center of Grasmere-Riddle | -, | |
| road, on hillside; top of marked rock | 5, 823. | 66 |
| Grasmere, 6.5 miles southwest of, 1,000 feet northeast of conical hill with | | |
| small monument on top, 300 feet north of telephone line, 10 feet south of Grasmere-Riddle road, on west slope of second rise from summit, 1 foot above | | |
| ground, in rock; aluminum tablet stamped "5783" | | 414 |
| Grasmere, 6.9 miles southwest of, 4 feet west of center of Grasmere-Riddle | ., | |
| road; stake | | 17 |
| Grasmere, 7.2 miles southwest of, 400 feet north of Rattlesnake Creek, 10 | | •• |
| feet west of center of Grasmere-Riddle road; stake | | 26 |
| Grasmere, 7.6 miles southwest of, 12 feet east of ditch in "saddle," 5 feet west of center of road; top of rock | | 53. |
| Grasmere, 8.2 miles southwest of, 100 feet south of road and ditch crossing, | 0, 110. | 00 |
| 12 feet west of center of Grasmere-Riddle road; stake | 5, 784. | 26 |
| Grasmere, 8.8 miles southwest of, on south rim of "saddle," 50 feet west of | | |
| road; top of rock | | 00 |
| Grasmere, 9.5 miles southwest of, 50 feet south of creek, 18 feet north of | | 00 |
| road; stake | 5, 705. | 92 |
| south of old road; stake | | 94 |
| DADDLE OWARD AWATE | | |
| RIDDLE QUADRANGLE. [Latitude 42°-42° 30'; longitude 115° 30'-116°.] | | |
| From point 6 miles southwest of Green's ranch along highway southwest to Riddle, | * | |
| thence south to Owyhee, Nev. (unchecked spur line, elevations unreliable). | | |
| Grasmere, 10.6 miles southwest of, 3 feet from southeast corner of house on | E 075 | 007 |
| ranch of William Strickland; standard bench-mark post stamped "5674". Grasmere, 11 miles southwest of, in center of Grasmere-Riddle road; top of | 0, 0/5. | 231 |
| rock | 5, 728. | 38 |

| | | Feet. | |
|--|----|----------|------|
| Grasmere, 11.3 miles southwest of, in center of Grasmere-Riddle road; top of rock | 5, | 696. | 96 |
| Grasmere, 12 miles southwest of, 5 feet south of center of Grasmere-Riddle road; stake | 5 | 717 | 59 |
| Grasmere, 12.5 miles southwest of, 5 feet south of center of Grasmere-Riddle | σ, | 111. | 02 |
| road; stake | 5, | 658. | 89 |
| Grasmere, 12.9 miles southwest of, 6 feet north of center of road and 600 feet | _ | | |
| east of spring; top of rock | 5, | 598. | 44 |
| road; top of rock | 5. | 558. | 07 |
| Grasmere, 14.1 miles southwest of, in center of Grasmere-Riddle road; top | ٠, | | • |
| of rock | 5, | 520. | 25 |
| Riddle, 3 miles north of, on south slope of second rocky hill north of Frank | | | |
| Riddle's, by rock monument, 20 feet east of center of Grasmere-Riddle | _ | 470 | 501 |
| road; standard aluminum tablet stamped "5479" | э, | 479. | 901 |
| top of rock. | 5 | 445 | 32 |
| Riddle, 2.2 miles north of, 4 feet west of center of Grasmere-Riddle road; | υ, | 110. | 02 |
| stake | 5, | 385. | 45 |
| Riddle, 1.2 miles north of, 25 feet west of center of Grasmere-Riddle road; | | | |
| stake | 5, | 397. | 82 |
| Riddle, 0.7 mile north of, 8 feet east of center of Grasmere-Riddle road; | _ | 005 | 0= |
| stake | | | |
| Riddle, 0.6 mile south of, 400 feet east of house, 4 feet inside of northeast | σ, | 500. | 21 |
| corner of tenth fence post at ranch of R. B. Stone; standard bench-mark | | | |
| post stamped "5373" | 5, | 373. | 981 |
| Riddle, 1.4 miles south of, 6 feet west of center of Riddle-Owyhee road; | | | |
| stake | | | |
| Riddle, 2 miles south of, 0.25 mile west of Avants's ranch house, in grass flat; stake. | 5 | - ۱۸۷ | 71 |
| Riddle, 2.8 miles south of, 30 feet west on rocky point at turn in Riddle- | υ, | UII. | 11 |
| Owyhee road; stake | 5, | 319. | 20 |
| Riddle, 3.3 miles south of, 5 feet west of center of Riddle-Owyhee road; | | | |
| stake | 5, | 313. | 20 |
| Riddle, 3.8 miles south of, 2.5 miles north of Indian ranch on Papoose Creek, | | | |
| 50 feet west of small hill covered with loose rock, 6 feet east of center of Owyhee-Riddle road; standard bench-mark post stamped "5307" | 5 | 202 | 991 |
| Riddle, 4.3 miles south of, 10 feet west of center of Owyhee-Riddle road; | ο, | 500. | 221 |
| stake | 5, | 303. | 08 |
| Riddle, 5.6 miles south of, 6 feet east of center of Owyhee-Riddle road; | | | |
| stake | | | |
| Riddle, 6.2 miles south of, midway between roads; stake | | 304. | 23 |
| Riddle, 6.8 miles south of, 20 feet east of center of Owyhee-Riddle road; stake. | | 307 | 58 |
| Riddle, 7.6 miles south of, 1 mile south of Papoose Creek, 600 feet north of | ο, | 001. | 00 |
| two rocky points, 300 feet east of road, 200 feet northeast of drain, 4 feet | | | |
| north of northwest corner of cabin of Charley Damon; standard bench- | | | |
| mark post stamped "5317" | 5, | 317. | 852 |
| Riddle, 7.8 miles south of, 150 yards northwest of rocky point, 5 feet east of road, under rock mound; stake | | ვიი | 24 |
| Riddle, 8.3 miles south of, west side of Owyhee-Riddle road; stake (fence | | JU4. | 1)-t |
| most at nouthwest sounds of mouth has some elevation | | 200 | 96 |

| · · | Feet. |
|---|-------------------|
| Riddle, 8.8 miles south of, 40 feet east of fence corner, south end of marsh | F 666. |
| where road comes to bluff; stake marked by mound of stone | 5 909 97 |
| | 0, 303. 67 |
| Riddle, 9.2 miles south of, 500 feet north of spring branch, west side of | = 000 ±0. |
| Owyhee-Riddle road; stake | |
| Riddle, 9.8 miles south of, in old lake bed, and same elevation | 5, 309. 93 |
| Riddle, 10.3 miles south of, 300 feet a little south of east of small cabin in | |
| junction of roads, 50 feet north of small stream from ravine, in lava ridge; | |
| standard bench-mark post | 5, 316. 370 |
| Riddle, 10.6 miles south of, in center of Owyhee-Riddle road; spike | 5, 318. 03 |
| Riddle, 11 miles south of; bed of lake | 5, 310 |
| Riddle, 11.5 miles south of, east side of Owyhee-Riddle road, east side of | |
| grass bunch; stake | 5, 313. 07 |
| Riddle, 12.1 miles south of, east of center of Owyhee-Riddle road; stake | 5, 327. 85 |
| Riddle, 12.5 miles south of, east of center of Owyhee-Riddle road; stake | |
| Riddle, 13 miles south of, 100 feet north of summit in Owyhee-Riddle road, | , |
| 4 feet east of center; stake | 5, 330, 63 |
| Riddle, 13.6 miles south of, 36 feet east of road, on low summit, driven hori- | 2, 2211 22 |
| zontally in telephone pole; spike. | 5 347 94 |
| Riddle, 14.2 miles south of, 4.5 miles north of Owyhee, Nev., 100 yards south | 0,017.01 |
| of marsh, 10 feet east of southeast corner of Dick Caskey's cabin; standard | |
| bench-mark post stamped "5346" | 5 947 009 |
| bench-mark post stamped 5540 | 5, 547. 005 |
| Along Idaho-Nevada State line and north and east around T. 16 S., R. 2 E. (eleva- | |
| tions unreliable). | |
| Noved Idehe have Jame 110 mile same on small elevation | E 070 1 |
| Nevada-Idaho boundary, 116-mile corner on; ground elevation | |
| Stage line, east slope of rim on; peg | |
| State line, 300 feet north of, on center swell between two rims; peg | 5, 729. 15 |
| Nevada-Idaho boundary, 115-mile corner on, on west slope of rim, on same | |
| bend and 8 chains north; stake | 5, 792. 18 |
| Nevada-Idaho boundary, 115-mile corner, 15 chains east of, in center of ridge, | |
| 30 feet north of township corner on State line for Idaho subdivision, in | |
| lava rock 2 by 2 feet and 6 inches above ground; bottom of square hole. | 5, 910. 05 |
| T. 16 S., R. 1 E., NE. ½ sec. 36, 300 feet east of low summit bearing north | |
| and south, 1,200 feet west of vertical rock cliff bearing north and south, | |
| 2 feet south of mound of stone, in lava rock 24 by 18 inches and 3 inches | |
| above ground; cross cut | 5, 828. 40 |
| T. 16 S., Rs. 1 and 2 E., about 8 chains east of the quarter corner of secs. | |
| 25 and 30, in low saddle bearing N. 15° W. and S. 15° E., about 1 mile | |
| east of old lake bed and 1,000 feet west of rim rocks, 700 feet west of | • |
| low swale, bearing S. 15° E., in lava rock 18 by 18 inches and 9 inches | |
| above ground; cross cut | 5, 688, 69 |
| T. 16 S., R. 2 E., W. ½ sec. 8, 300 feet west of large gulch bearing S. 20° | , |
| E., 100 feet east and 75 feet below rim rocks bearing north and south, 20 | |
| feet east of large pile of lava rocks, on highest point of conical lava rock | |
| 3 feet in diameter at base and 3 feet high; square hole | 5, 551, 19 |
| T. 16 S., R. 2 E., SW. ½ sec. 7, 100 feet south of road, 300 feet N. 45° E. | 0,002.20 |
| of large pile of lava rocks on east slope of hill, in lava rock 24 by 12 inches | |
| and 12 inches above ground; square cut | 5 472 01 |
| | 0, 110.01 |
| T. 16 S., R. 2 E., SW. 1 SW. 1 sec. 6, on wire fence line, 60 feet east | |
| of west end of fence, 200 feet east of rim rocks, about 20 chains S. 45° | |
| W. of Indian cabin, 2 feet east of mound of stone, in lava rock 24 by 12 | £ 200 02 |
| inches and 3 inches above ground; cross | ა, აყს. გა |

| | E | eet. | |
|--|-------|--------------|------------|
| T. 16 S., R. 2 E., in north part of NW. 4 SW. 4 sec. 6, 15 chains south of Indian cabin and 15 chains west of wire fence, 18 chains east of rim rocks bearing north and south 1 chain south of large mass of slide rock, in low swale bearing east, in lava rock 24 by 36 inches and 6 inches above ground; cross cut. | : | 71 | 5 0 |
| Tps. 15 and 16 S., Rs. 1 and 2 E., on township corner, about 10 chains east of rim rocks bearing north and south; standard 3-inch iron post stamped "5400" | | | |
| Tps. 15 and 16 S., R. 2 E., on township line between, in west branch of | | | |
| Owyhee River; water level | | | |
| iron post | 5, 2 | 70. | 46 |
| Owyhee River, second branch of; water level, July 19, 1912 | | | |
| of post | 5, 2 | 72. | 16 |
| Owyhee River, east branch of; water level July 19, 1912 | 5, 2 | 65. | 9 |
| Tps. 15 and 16 S., R. 2 E., corner of secs. 5, 6, 31, and 32; top of post | | | |
| Tps. 15 and 16 S., R. 2 E., sixteenth corner No. 2 of secs. 5 and 32; top | , | | |
| of post | 5, 2 | 74. | 14 |
| Tps. 15 and 16 S., R. 2 E., quarter corner of secs. 5 and 32; top of post | | | |
| Tps. 15 and 16 S., R. 2 E., corner of secs. 4, 5, 32, and 33; top of post | | | |
| Tps. 15 and 16 S., R. 2 E., quarter corner of secs. 4 and 33; top of post | | | |
| Tps. 15 and 16 S., R. 2 E., 3 chains north and 18 chains east of quarter | -,- | | |
| corner of secs. 4 and 33, in wash bearing S. 30° W., in black-lava rock | | | • |
| 24 by 20 inches and 6 inches above ground; cross cut | | | |
| Tps. 15 and 16 S., R. 2 E., corner of secs. 3, 4, 33, and 34; top of iron post Tps. 15 and 16 S., R. 2 E., quarter corner of secs. 3 and 34; top of iron | 5, 40 | 61. | 87 |
| post | 5, 4 | 16. 9 | 90 |
| T. 16 S., R. 2 E., NE. ½ NE. ½ sec. 3, on township line, at foot of descent, 200 feet west of road, in lava rock 15 by 30 inches and 10 inches above | • | | |
| ground; cross cut | 5, 34 | 11. : | 18 |
| Tps. 15 and 16 S., R. 2 E., corner of secs. 2, 3, 34, and 35; top of iron post | 5 90 |) Q (| |
| Tps. 15 and 16 S., R. 2 E., quarter corner of secs. 2 and 35; top of iron | 0, 20 | ,0. | J |
| post | 5 90 | 16 / | 16 |
| Tps. 15 and 16 S., R. 2 E., corner of secs. 1, 2, 35, and 36; top of iron- | 0, 20 | 70 | 10 |
| post | |) | 29 |
| Tps. 15 and 16 S., R. 2 E., quarter corner of secs. 1 and 36; top of iron | 0, 20 | , O. e |)4 |
| post | 5, 31 | 7. 9 | 37 |
| Tps. 15 and 16 S., Rs. 2 and 3 E., corner of; top of standard 3-inch iron | ٠, ٠, | | |
| post stamped "5304 0" | 5 30 | 15 1 | 136 |

APPENDIX A.

ELEVATIONS ADJUSTED BY THE COAST AND GEODETIC SURVEY FROM PRECISE LEVELING.

American Falls, Birch Creek, Bisuka, Boise, DuBois, Glenns Ferry, Gooding, Kimama, Market Lake, Malad City, Mink Creek, Monida, Mountain Home, Nampa, Pocatello, Shelley, Twin Falls, Wapi, and Weiser quadrangles.

ADA, BANNOCK, BINGHAM, CANYON, ELMORE, FREMONT, LINCOLN, ONEIDA, AND WASHINGTON COUNTIES.

The following descriptions and elevations are taken from reports of the Coast and Geodetic Survey and are republished by permission of the superintendent of that Survey. The bench marks were established by the Coast and Geodetic Survey and were included in its 1912 adjustment. The elevations are likely to be changed but slightly by any future adjustment.

MINK CREEK QUADRANGLE.

[Latitude 42°-42° 30'; longitude 111° 30'-112°.]

| From Idaho-Utah State line north along Oregon Short Line R. R. to point near Oxford. | Feet. |
|---|--------------|
| Weston, 100 feet west of tracks, 400 feet north of road leading to town; bottom of square hole in top of sandstone post, marked "U. S. □ B. M." | rect. |
| (C. & G. S. b. m. A) | 4, 604. 574 |
| Dayton, in northwest corner of a plat of ground adjacent to station sign | |
| and mail stand, 10 feet east of side track and nearly opposite first tele- | |
| graph pole north of milepole 71, 100 feet east of whistle post; bottom of square hole in top of sandstone post, marked "U. S. □ B. M." (C. & | |
| G. S. b. m. B) | |
| Garner, in foundation of water tank, in northernmost of two foundation | |
| stones parallel to tracks; square cut (C. & G. S. b. m. C) | 4, 750. 853 |
| Garner, 135 paces west of tracks, opposite station sign, 10 feet from wire | |
| fence; bottom of square hole in top of sandstone post, marked "U. S. | |
| B. M." (C. & G. S. b. m. D) | |
| Oxford, in yard of an abandoned creamery, 12 feet south of gate, 30 paces east of main tracks; bottom of square hole in top of sandstone post, | |
| marked "U. S. \(\sigma\) B. M." (C. & G. S. b. m. E) | |
| | 2, 7 277 070 |
| MALAD CITY QUADRANGLE. | |
| [Latitude 42°-42° 30′; longitude 112°-112° 30′.] | |
| From point near Oxford northwest along Oregon Short Line R. R. to point near Marsh Valley. | l |
| Swan Lake, 3.7 miles north of, at milepole 88, on north side of first road | |
| crossing tracks south of the "hill" known as "Red Rock," in angle | |
| made by main right-of-way fence and roadway fence, 100 feet east | |
| of tracks, 1 foot north of white fence; bottom of square hole in top of | |
| sandstone post, marked "U. S. \square B. M." (C. & G. S. b. m. F) | 4, 776. 821 |

108

Downey, in southwest corner of Commercial Hotel yard, 5 feet from south and west fences, 100 yards east of railroad station; bottom of square hole in top of sandstone post, marked "U. S. \square B. M." (C. & G. S. b. m. G). 4, 857. 576

| in top of sandstone post, marked "U. S. B. M." (C. & G. S. b. m. G). 4,857.576 | |
|---|--|
| POCATELLO QUADRANGLE. | |
| [Latitude 42° 30′–43°; longitude 112°–112° 30′.] | |
| From point near Marsh Valley north and northwest along Oregon Short Line R. R. to Pocatello. | |
| Marsh Valley, opposite a point on tracks 150 feet north of station sign, 180 feet northwest of semaphore, 100 feet west of tracks; bottom of square in top of sandstone post, marked "U. S. □ B. M." (C. & G. S. b. m. H) | |
| McCammon, opposite a point on tracks 150 feet north of station, 20 feet southeast of third telephone pole north of schoolhouse, 225 feet west of tracks, 4 feet from fence on west side of main highway; bottom of square hole in top of sandstone post, marked "U. S. B. M." (C. & | |
| G. S. b. m. I) | |
| marked "U. S. B. M." (C. & G. S. b. m. J) | |
| Inkom, near first telegraph pole west of station, 50 feet south of tracks, between guy wire and main pole; bottom of square hole in top of sandstone post, marked "U. S. \square B. M." (C. & G. S. b. m. L) | |
| Portneuf, 4 feet south of telephone pole opposite mid-point between two east switches of siding, 60 feet north of tracks, 10.5 feet north of north right-of-way fence; bottom of square hole in top of sandstone post, marked "U.S. B. M." (C. & G. S. b. m. M) | |
| | |
| From Pocatello along Oregon Short Line R. R. to point near Pocatello. | |
| Pocatello, in south end of railroad park east of track, opposite Oregon Short Line Hotel, 35 feet south of hydrant for park, 12 feet from south end fence, in line with center row of trees; bottom of square hole cut in top of | |
| stone post, marked "U. S. B. M." (C. & G. S. b. m. A 3) | |
| walk; square hole lettered "U. S. B. M." (C. & G. S. b. m. B3) | |
| Pocatello, on West Center Street, on rock sill of entrance to Pioneer Block (city bench mark) | |
| Pocatello, in lava foundation of county courthouse, 30 inches east of northwest corner, opposite corner of Fifth and Clark streets, 4 inches above surface of ground; square hole lettered "U. S. \subseteq B. M." (C. & G. S. b. m. | |
| D 3) | |

from ground, opposite corner of Sixth Avenue and Clark Street; copper

| • | Tirak |
|--|-------------|
| Pocatello, 4 miles west of, on top of east retaining wall on north side of concrete abutment of deck plate-girder bridge, the first bridge with concrete abutment west of Pocatello, 8 inches from west edge of wall and 1 foot from north end; bottom of square hole, lettered "U. S. B. M." (C. & G. S. b. m. F 3) | Feet. |
| In vicinity of Pocatello. | 1, 103. 020 |
| Pocatello, 4.5 miles north of, on right of way, 6 telegraph poles south of milepole 139, at east end of stone culvert, on north abutment, in middle of extreme coping; bottom of square hole marked "U.S." (C. & G.S.b.m. | 4 407 000 |
| L 6) | |
| SHELLEY QUADRANGLE. | -, 200. 00. |
| [Latitude 43°-43° 30′; longitude 112°-112° 30′.] | - |
| From Ross Fork north along Oregon Short Line R. R. to Idaho Falls. | |
| | |
| Ross Fork, about 180 meters east of railroad station, in south face of Government warehouse, at southwest corner, 13 meters above ground; red metal disk (C. & G. S. b. m. "N ₆ ") | 4 458 036 |
| Ross Fork, at road crossing, about 100 meters north of railroad station, 45 meters west of track, on land of Fort Hall Indian Reservation, in top of | · |
| stone post; bottom of hole (C. & G. S. b. m. "O ₆ ") | |
| Blackfoot, 23 miles south of, at road crossing, 12 telegraph poles north of milepole 155, 0.5 meter west of railroad right of way, in southeast corner | ٠ |
| of public road junction; 3-inch red metal cap (C. & G. S. b. m. "Q ₆ ") Blackfoot, 1 mile south of, on southwest pedestal of girder bridge 619; top of southwest bolt (C. & G. S. b. m. "O. S. L. 4") | |
| Blackfoot, railroad water tank, on northeast corner of northeasterly foundation stone, in horizontal surface; bottom of hole (C. & G. S. b. m. "R ₆ "). | |
| Blackfoot, at corner of East Main and Judicial streets, in northwest corner of Bingham County courthouse grounds, 3 meters from west fence, in top of | |
| stone post; bottom of hole (C. & G. S. b. m. "S ₆ ") | 4, 498. 387 |
| tal surface; bottom of hole (C. & G. S. b. m. "T ₆ ") | |
| metal disk (C. & G. S. b. m. "U ₆ "). Wapello, 0.5 mile south of, on railroad right of way, distance of 2½ telegraph poles north of milepole 163½, 15 meters west of track at southwest corner of | |
| road crossing; 3-inch red metal cap on iron post (C. & G. S. b. m. "V ₆ "). Wapello, at road crossing, 35 meters west of signboard "Wapello," in range with telephone poles, in top of stone post; bottom of hole (C. & G. S. b. m. "W ₆ ") | |
| Wapello, 2 miles north of, on railroad right of way, 45 meters northwest of milepole 166, at northwest corner of road crossing; 3-inch red metal cap (C. & G. S. b. m. "X ₆ ") | |
| Firth, 30 meters northwest of signboard "Firth," on north side of public road, in range with telephone poles; 3-inch red metal cap (C. & G. S. b. m. "Y ₆ ") | |
| • • • | |

| • | Toot | |
|---|-----------|---------|
| Firth, 0.25 mile northeast of signboard "Firth," on base of westerly central iron column of railroad water tank; surface within an outlined square | Feet. | |
| (C. & G. S. b. m. " Z_6 ") | 4, 570. 7 | 759 |
| in northeast corner of junction of two highways, $\frac{2}{3}$ meter west of railroad right of way; 3-inch red metal cap (C. & G. S. b. m. "A ₇ ") | 4, 605. 5 | 88 |
| road, near edge of horizontal surface of north abutment of a stone culvert, at west end; bottom of hole in horizontal surface (C. & G. S. b. m. "B ₇ ") Shelley, on Main Street, opposite railroad station, in front face at northeast | 4, 610. 1 | .02 |
| corner of Shelley Banking Co.'s building, 1 meter above walk; red metal disk (C. & G. S. b. m. "C ₇ ") | 4, 629. 3 | 31 |
| southeast of main entrance to school building; 3-inch red metal cap (C. & G. S. b. m. "D ₇ ") | 4, 626. 7 | 13 |
| Idaho Falls, 3.8 miles south of, on railroad right of way, at road crossing, 5 telegraph poles north of milepole 180, 15 meters west of track, in top of | | |
| stone post; bottom of hole (C. & G. S. b. m. "E ₇ ") | | |
| through brace; highest point of nut (C. & G. S. b. m. "O. S. L. 7") Idaho Falls, at northeast corner of Water Avenue and Walnut Street, in high-school building, on east side of main entrance, in vertical surface of | 4, 705. 1 | 41 |
| stone, 1 meter above ground; red metal disk (C. & G. S. b. m. " F_7 ") Idaho Falls, at corner of Broadway and Sharp Street, at northwest corner of | 4, 709. 7 | 67 |
| building owned by Crow & Changnon, on northwest corner of projecting stone foundation; surface within an outlined square (C. & G. S. b. m. "G ₇ ") | 4, 703, 8 | 55 |
| Idaho Falls, at east door of Clark-Fanning Building, in east end of stone sill; cross cut lettered "B. M." (C. & G. S. b. m. "City") | | |
| Idaho Falls, in building used as post office, in front face, at southeast corner, 1\frac{1}{3} meters above walk; copper bolt (C. & G. S. b. m. "H ₇ ") | | |
| Idaho Falls, on east truss of south span of bridge 623 over Snake River; east end of south end pin. (These directions are based on the assumption | | |
| that the railroad line toward Butte runs northward.) (C. & G. S. b. m. O. S. L. 6) | 4, 702. 7 | 17 |
| MARKET LAKE QUADRANGLE. | | |
| [Latitude 43° 30′-44°; longitude 112°-112° 30′.] | | |
| From Idaho Falls north along Oregon Short Line R. R. to Camas. | | |
| Payne, 2.75 miles south of, on railroad right of way, 3½ telegraph poles south of milepole 188, at west end of south abutment of trestle, in center of horizontal surface of second step from top; bottom of hole (C. & G. S. | | |
| b. m. ''I ₇ ''). Payne, 1.5 miles northwest of, at Payne post office, on River Lea ranch owned by C. C. Wilson, opposite tenth telegraph pole southeast of mile- | 4, 721. 9 | 75 |
| pole 192, in north corner of yard; 3-inch red metal cap on iron post (C. & G. S. b. m. ''J ₇ '') | 4, 747. 8 | 97 |
| cap on iron post (C. & G. S. b. m. '' K_7 '') | 4, 768. 5 | 17 |
| building, in center of horizontal surface of top stone step; red metal disk (C. & G. S. b. m. ''L ₂ '') | 4, 775, 3 | 18 |

| Market Lake, on railroad water tank, 35 meters north of station, in center on west side of slanting surface of northwest foundation; bottom of hole | Feet. |
|---|-------------|
| in horizontal surface (C. & G. S. b. m. ''M ₇ '') | • |
| surface on west end; surface within an outlined square (C. & G. S. b. m. ' N_7 ') | 4, 779. 997 |
| pole south of milepole 205½, 17 meters east of track, on highest point of large lava rock projecting 3 meters above ground; bottom of hole in horizontal surface (C. & G. S. b. m. "O ₇ ") | 4, 794. 616 |
| Hawgood, near, in mile marker 209; spike (O. S. L. 8) | 4, 820. 292 |
| hole (C. & G. S. b. m. ''P ₇ '') | 4, 842. 024 |
| post; bottom of hole (C. & G. S. b. m. "Q7") | 4, 820. 177 |
| hole (C. & G. S. b. m. ''R ₇ '') | • |
| DUBOIS QUADRANGLE. | |
| [Latitude 44°-44° 30'; longitude 112°-112° 30'.] | |
| From Camas north along Oregon Short Line R. R. to Spencer. | |
| Camas, on north corner of most northern foundation stone of railroad water tank, 4 meters southwest of center of track; surface within an outlined | |
| square (C. & G. S. b. m. "T ₇ ") | 4, 817. 900 |
| of hole in horizontal surface (C. & G. S. b. m. "U ₇ ") | |
| of way, in top of stone post; bottom of hole (C. & G. S. b. m. "V,") Jones, 1.8 miles north of, 3½ telegraph poles north of milepole 229½, at northeast corner of road crossing, 0.5 meter east of railroad right of way, | |
| on iron pipe; iron cap (C. & G. S. b. m. "W,") | 4, 960. 072 |
| b. m. ''X ₇ '') | 5, 143. 454 |
| west foundation stone of railroad water tank, in center of west side; bottom of hole in horizontal surface (C. & G. S. b. m. ''Y ₇ '') | 5, 150. 291 |
| of way, 13 meters east of signboard "High Bridge 1 mile," meter below level of rail; 3-inch red metal cap (C. & G. S. b. m. "Z ₇ ") | 5, 485. 242 |
| meters north of southwest corner of road crossing, $\frac{2}{3}$ meter west of railroad right of way; bottom of hole in top of stone post (C. & G. S. b. m. "A ₈ ") High Bridge, 0.8 mile north of signboard "High Bridge," $8\frac{1}{2}$ telegraph | |
| poles north of milepole 243, on horizontal surface at north end of west coping of large railroad stone culvert, 10 meters below level of rail; red metal disk (C. & G. S. b. m. "B ₈ ") | |
| | |

| | Feet. |
|---|-------------|
| High Bridge, on water tank; bottom sill (O. S. L. 10) | 5, 582. 279 |
| in north corner of road crossing, 30 meters northeast of railroad track; 3-inch red metal cap (C. & G. S. b. m. "C ₈ ") | |
| corner of public-school building, in top of stone post; bottom of hole (C. & G. S. b. m. ''D ₈ '') | a |
| Spencer, 35 meters northeast of railroad, at west corner, in southwest face of building owned by the Spencer Harwood Co., 1 meter above walk; | £ 001 Ae1 |
| red metal disk (C. & G. S. b. m. "E ₈ ") | |
| within an outlined square (O. S. L. 11) | 5, 884. 027 |
| b. m. 'F ₈ '). Spencer, 3.75 miles north of, in Beaver Canyon, at discontinued station 'Beaver,' about 15 meters east of track, on public highway, at northeast corner of road crossing; 3-inch red metal cap (C. & G. S. b. m. 'G ₈ '). | |
| MONIDA QUADRANGLE. | |
| [Latitude 44° 30′-45°; longitude 112°-112° 30′.] | |
| Near Humphrey. | |
| Humphrey, 3.75 miles southeast of, at third telegraph pole south of milepole 253, on railroad right of way, $2\frac{1}{3}$ meters from east end of south concrete abutment of trestle $645\frac{1}{2}$, 1 meter below base of rail, in horizontal surface; bottom of hole (C. & G. S. b. m. "H ₈ ") | e 070 0ee |
| Humphrey, on railroad right of way, in range with telegraph poles, at ninth pole south of station, 8 meters east of center of track; 3-inch red | • |
| metal cap (C. & G. S. b. m. "I ₈ ") | 6, 494. 003 |
| in horizontal surface; bottom of hole (C. & G. S. b. m. "J ₈ ") | 6, 514. 656 |
| 3-inch red-metal cap on iron post (C. & G. S. b. m. "K ₈ ") | 6, 716. 132 |
| AMERICAN FALLS QUADRANGLE. | • |
| [Latitude 42° 30′-43°; longitude 112° 30′-113°.] | |
| From point near Pocatello along Oregon Short Line R. R. to point near American Falls. | |
| Michaud, 2.5 miles west of, 15 feet west of first pole east of milepole 225, at beginning of first cut west of Michaud, 45 feet south of center of track, 5 feet north of railroad fence, in line with telegraph poles; bottom of square hole in top of stone post, marked "U. S. \subseteq B. M." (C. & G. S. b. m. G 3) | 4, 429. 403 |
| Bannock, 4 telegraph poles west of station sign, 25 rails east of west switch stand, 75 feet south of center of track, 25 feet south of fence; bottom of square hole in top of stone post, marked "U. S. B. M." (C. & G. S. b. m. H 3) | 4 411 001 |
| ν. ш. ± υ) | 4,411.801 |

49069°-Bull. 567-15-

| | Feet. |
|--|-------------|
| American Falls, 2.5 miles east of, between third and fourth telegraph poles | |
| east of milepole 237, 40 feet north of railroad fence, 60 feet south of cen- | |
| ter of track, 12 feet south of line of telegraph poles; bottom of square hole in top of stone post, marked "U.S B. M." (C. & G. S. b. m. I 3) | 4 905 070 |
| American Falls, on top of southeast corner of southeast capstone of water | 4, 380. 070 |
| tank foundation (Oregon Short Line R. R. b. m.) | 4 336 670 |
| American Falls, near, on bridge 217, over Snake River, on southwest | 1,000.070 |
| corner of stone abutment at east end (Oregon Short Line R. R. b. m.) | 4, 331, 356 |
| American Falls, 0.8 mile west of, on north side of track, on capstone of | -, |
| west abutment of Oregon Short Line R. R. bridge over Snake River, 10 | |
| inches from north end, 1 foot from east edge of sandstone cap; bottom of | , |
| square hole, marked "U.S. B. M." (C. & G. S. b. m. J 3) | 4, 329. 192 |
| WAPI QUADRANGLE. | |
| [Latitude 42° 30′-43°; longitude 113°-113° 30′.] | |
| From point near American Falls along Oregon Short Line R. R. to point near Yale. | |
| • | |
| Napati, 0.5 mile east of, 20 feet west of milepost 247, 50 feet south of center of track, 50 feet from fence, in line with telegraph poles; bottom of square | |
| hole in top of black-lava post, marked "U. S. \subseteq B. M." (C. & G. S. b. m. | |
| K 3) | 4 476 959 |
| Wapi, 3 miles east of, 150 feet north of center of track, 50 feet north of rail- | 1, 110.000 |
| road fence; bottom of square hole in top of black-lava post, marked | |
| "U. S. □B. M." (C. & G. S. b. m. L3) | 4, 421. 716 |
| Wapi, foundation of tank, on southeast corner of southeast capstone (Oregon | |
| Short Line R. R. b. m.) | 4, 400. 978 |
| Wapi, 3 miles west of, opposite west end of first curve west of Wapi, 85 feet | |
| north of center of track, 15 feet inside Oregon Short Line R. R. fence; | |
| bottom of square hole in top of black-lava post, marked "U. S. B. M." (C. & G. S. b. m. M 3) | 4 318 641 |
| Yale siding, 1 mile west of, 70 feet south of center of tracks, 30 feet north of | 1,010.011 |
| railroad fence, 21 feet south of line of telegraph poles; bottom of square | |
| hole in top of black-lava post, marked "U. S. B. M." (C. & G. S. b. m. | |
| N 3) | 4, 259. 004 |
| KIMAMA QUADRANGLE. | |
| [Latitude 42° 30′-43°; longitude 113° 30′-114°.] | |
| From point near Yale siding along Oregon Short Line R. R. to Senter. | |
| Minidoka, foundation of tank, on southeast corner of southeast capstone | |
| (Oregon Short Line R. R. b. m.) | 4 282 974 |
| Minidoka, directly behind milepole 273, which is also the boundary of | 1, 202. 011 |
| sects. 40 and 41, 4 telegraph poles west of office pole, 54 feet south of | |
| the pole, 100 feet south of tracks; bottom of square hole in top of black- | |
| lava post, marked "U. S. \B. M." (C. & G. S. b. m. O 3) | 4, 277. 698 |
| Minidoka, 6 miles west of, 1.5 miles east of Colburn, opposite second tele- | |
| graph pole west of milepole 279, 60 feet north of center of tracks; bottom | |
| of square hole in top of black-lava post, marked "U. S. □B. M." (C. & | |
| G. S. b. m. P 3). | 4, 259. 737 |
| Colburn, 4 miles west of, 5 miles east of Kimama, 30 feet south of milepole | |
| 284½, 85 feet south of center of tracks; bottom of square hole in top of black-lava post, marked "U. S. □B. M." (C. & G. S. b. m. Q3) | |
| Kimama, foundation of water tank, on southeast corner of southeast cap- | -, 000. 210 |
| stone (Oregon Short Line R. R. b. m.) | 4, 273. 229 |
| • | • |

| | Dood |
|--|-----------------|
| Kimama, 10 rails east of station semaphore, 120 feet south of center of tracks, directly behind and 65 feet south of pole marking boundary line between secs. 42 and 43; bottom of square hole in top of black-lava post, marked "U.S. \B. M." (C. & G. S. b. m. R 3) | Feet. 4 263 482 |
| Senter, 7½ poles west of milepole 296, directly north of station sign, 45 feet north of center of tracks; bottom of square hole in top of black-lava post, marked "U.SB. M." (C. & G. S. b. m. S3) | |
| ° TWIN FALLS QUADRANGLE. | |
| [Latitude 42° 30′-43°; longitude 114°-114° 30′.] | |
| From Senter along Oregon Short Line R. R. to point near Tunupa. | |
| Owinza, in foundation of Oregon Short Line R. R. water tank, in top of southwest corner of southeast white sandstone cap; bottom of square hole, | |
| lettered "U. S. B. M." (C. & G. S. b. m. T 3) | |
| B. M.'' (C. & G. S. b. m. U 3) | |
| S. b. m. V 3). Shoshone, in sandstone capstone of foundation of Oregon Short Line R. R. water tank, in northeast corner of interior column on north side; bot- | |
| tom of square hole, marked "U. S. B. M." (C. & G. S. b. m. W 3) Shoshone, in northwest corner of courthouse yard, in line with row of trees along west side, 50 feet south of northwest corner, 5 feet from fence inclosing yard; bottom of square hole in top of black-lava post, marked | |
| "U. S.□B. M." (C. & G. S. b. m. X 3) | |
| "U. S.□B. M." (C. & G. S. b. m. Y 3) | |
| hole in top of black-lava post, marked "U. S. □B. M." (C. & G. S. b. m. Z 3). | 9 747 440 |
| | 0, 121. 220 |
| GOODING QUADRANGLE. | |
| [Latitude 42° 30'-43°; longitude 114° 30'-115°.] From point near Tunupa along Oregon Short Line R. R. to Bliss. | |
| | |
| Tunupa, 14 rails west of west end of siding, 11 telegraph poles east of milepole 332, on first bridge west of Tunupa, a bridge of the through plategirder type, concrete abutments, and sandstone caps and steps, in a corner of third step on south side of west abutment; bottom of square hole, marked "U. S.□B. M." (C. & G. S. b. m. A 4) | 3 706 977 |
| Gooding, 2 rails west of station sign, 10 feet east of second pole west of milepole 338, 60 feet south of center of tracks; bottom of square hole in top of black-lava post, marked "U. S. \B. M." (C. & G. S. b. m. B 4) | |
| Fuller, about 7 poles east of milepole 345, 60 feet south of center of tracks, 4 feet south of line of telegraph poles; bottom of square hole in top of black-lava post, marked "U. S. B. M." (C. & G. S. b. m. C4) | 3, 401. 079 |

| | Feet. |
|--|-------------|
| Bliss, in west end of small railroad park west of water tank, nearly opposite milepole 351, 3½ rails east of station semaphore, 20 feet north of center of main track; bottom of square hole in top of black-lava post, marked "U. S.□B. M." (C. & G. S. b. m. D 4) | |
| GLENNS FERRY QUADRANGLE. | |
| [Latitude 42° 30′-43°; longitude 115°-115° 30′.] | |
| • | |
| From point near Bliss along Oregon Short Line R. R. to Medbury. | |
| Ticeska, 4 rails east of station sign, 45 feet east of fifth pole east of milepole 358 and third pole east of one marking the boundary line between Lincoln and Elmore counties; in line with telegraph poles, 60 feet south of center of tracks; bottom of square hole in top of black-lava post, marked "U. S. | 9.000.000 |
| □B. M." (C. & G. S. b. m. E 4) King Hill, 3½ rails east of station sign, 10 feet east of fifth pole east of milepole 366, in line with poles, 40 feet south of center of tracks; bottom of square hole in top of black-lava post, marked "U. S.□B. M." (C. & C. S. b. m. F.4) | • |
| G. S. b. m. F 4). Glenns Ferry, in center of west end of Oregon Short Line R. R. park west | 2, 554. 969 |
| of station, 8 feet inside of west fence; bottom of square hole in top of | |
| black-lava post, marked "U. S. B. M." (C. & G. S. b. m. G4) | 2, 558. 942 |
| (C. & G. S. b. m. H 4). | 2, 577. 121 |
| Glenns Ferry, 4.6 miles west of, about half distance of telegraph pole east of milepole 379, 60 feet north of center of tracks; bottom of square hole in top of black-lava post, marked "U. S.□B. M." (C. & G. S. b. m. | |
| I 4) | |
| MOUNTAIN HOME QUADRANGLE. | |
| [Latitude 43°-43° 30′; longitude 115° 30′-116°.] | |
| | |
| From Medbury along Oregon Short Line R. R. to point near Orchard. | |
| Chalk Spur, directly behind milepole 391, 120 feet north of center of main track, 70 feet north of center of line of telegraph poles; bottom of square hole in top of black-lava post, marked "U. S. □B. M." (C. & G. S. | |
| b. m. K 4) | 2, 886. 038 |
| tracks and 54 feet north of line of telegraph poles; bottom of square hole in top of black-lava post, marked "U. S. B. M." (C. & G. S. b. m. L 4). | 3, 075. 650 |
| Mountain Home, on foundation of Oregon Short Line R. R. water tank, in southeast corner of southeast capstone, 5 inches from south and 5 inches from west side; bottom of square hole, marked "U. S. □ B. M." (C. & | |
| G. S. b. m. M 4). Mountain Home, in east end of Oregon Short Line R. R. park, about equidistant from north and south fences and about 6 feet from east fence; | 3, 145. 453 |
| bottom of square hole in top of black-lava post, marked "U. S. B. M." (C. &. G. S. b. m. N 4). | 3, 138. 970 |

| · | | |
|--|-------------|---|
| Mountain Home, at left-hand side of Canyon Street entrance to office of Turner Hotel, in sandstone water table, about 2½ feet above sidewalk and 8 inches from corner of stone; copper bolt marked "U. S.□B. M." (C. & G. S. b. m. O 4). | | - |
| Mountain Home, 5.5 miles west of, 20 feet west of first pole east of milepole 409½, 60 feet north of center of tracks, in line with telegraph poles; bottom of square hole in top of black-lava post, marked "U. S.□B. M." | | |
| (C. & G. S. b. m. P 4) | • | |
| Orchard, 3 miles east of, on concrete culvert, $3\frac{1}{2}$ poles east of milepole 422, 1 foot from retaining wall and 1 foot from edge of abutment; bottom of square hole, marked "U. S. \square B. M." (C. & G. S. b. m. R 4) | | |
| BISUKA QUADRANGLE. | • | |
| Latitude 43°-43° 30′; longitude 116°-116° 30′.] | | |
| From point near Orchard along Oregon Short Line R. R. to Owyhee. | • | |
| Orchard, 2.5 miles west of, 5 feet south of milepole 428, 55 feet north of center of tracks, south of Orchard Farm fence; bottom of square hole in top of black-lava post, marked "U. S. B. M." (C. & G. S. b. m. S 4) Owyhee, 1 mile east of, 5 feet north of milepole 436, about 45 feet south of | 3, 145. 196 | |
| center of tracks; bottom of square hole in top of black-lava post marked "U. S. B. M." (C. & G. S. b. m. T 4) | 2, 992. 883 | |
| distant from sides; bottom of square hole marked "U. S. B. M." (C. & G. S. b. m. U 4) | 2, 983. 246 | |
| V 4). Owyhee, in surface of southwest corner of capstone for southwest column supporting the Oregon Short Line R. R. water tank, 3 inches from south edge and 4 inches from west edge of stone; bottom of square hole marked "U. S. \subseteq B. M." (C. & G. S. b. m. W 4). | , | |
| From Owyhee to point near Mora. | | |
| Mora, 3 miles east of, on railroad right of way, 1 telegraph pole east of mile- pole 442, 30 meters south of track; bottom of hole in top of limestone post lettered "U. S. □ B. M." (C. & G. S. b. m. X 4) | 2, 829. 929 | |
| south of center of track, on railroad right of way; bottom of square hole in top of lava stone post (C. & G. S. b. m. Y 4) | | |
| C. & G. S. b. m. Z 4) | 2, 749, 849 | |

NAMPA QUADRANGLE.

• [Latitude 43° 30′—44°; longitude 116° 30′—117°.]

| • [Datitude 40 00 -11 , longitude 110 00 -11 .] | | |
|--|-------------------|-------------|
| From point near Kuna along Oregon Short Line R. R. to point near Nyssa, Oregon. | Foot | |
| Kuna, 3.5 miles northwest of, on railroad right of way, 2 poles east of milepole 452½ and about 3 meters south of center of track, in native rock of deep | Feet. | |
| lava cut, 0.7 meter above ground; copper bolt (C. & G. S. b. m. C 5) | | |
| G. S. b. m. D 5) | 2, 54 5. 1 | 1.84 |
| Nampa, in west end of Dewey Palace Hotel lawn, 4.5 meters from sidewalk along west end of lawn and equidistant from walks along sides of lawn; bottom of square hole in top of lava stone post, lettered "U. S. (C. & G. S. b. m. E 5) | . 197 6 | 294 |
| Nampa, in west face of Citizens State Bank building (of brick), 25 centi- | Ţ | |
| meters from southwest corner; copper bolt (C. & G. S. b. m. F 5) | 2, 490. ā | 566 |
| copper bolt (C. & G. S. b. m. G 5). | 2, 488. 1 | L0 2 |
| Nampa, in east face of brick building occupied by Leeson Furniture Co., 0.2 meter from northeast corner and 1 meter above ground; copper bolt | • | |
| (C. & G. S. b. m. H 5). | 2, 487. 5 | 562 |
| Nampa, in brick station of Oregon Short Line R. R., in top of lower step at women's entrance facing track, 0.15 meter from west edge and 0.2 meter | | |
| from north edge of step; bottom of square hole (C. & G. S. b. m. I 5). | 2, 484. (| 083 |
| Nampa, near, opposite eighth telegraph pole west of milepole 462, 5 meters north of track, in top of red-sandstone culvert, 0.3 meter from west edge | | |
| and 0.15 meter from north edge of capstone; bottom of square hole | | |
| (C. & G. S. b. m. J 5) | 2, 439. 6 | 882 |
| Nampa, 5 miles west of, at milepole 464, on railroad right of way, 18 meters | | |
| south of center of track; bottom of square hole in top of sandstone post, lettered "U. S. B. M." (C. & G. S. b. m. K 5) | 2 421 8 | 87 <i>6</i> |
| Caldwell, 0.8 mile east of, south of track, in west abutment of bridge, 0.3 | -, - | /· U |
| meter from east edge and 0.3 meter from south edge; bottom of square | | |
| hole cut in stone, lettered "U. S. B. M." (C. & G. S. b. m. L 5) | 2, 380. | 500 |
| Caldwell, in brick building occupied by Baker Brothers' grocery, in face of west wall, 6 meters from northwest corner of building, 1.2 meters above | | |
| ground; copper bolt (C. & G. S. b. m. M 5) | 2, 375. (| 087 |
| Caldwell, in brick building occupied by the Steunenberg Banking and Trust Co., in face of west wall, about half-way between the northwest and | | |
| southwest corners of building, 1.2 meters above sidewalk; copper bolt (C. & G. S. b. m. N 5) | 2 372 (| 080 |
| Caldwell, in brick building occupied by the Saratoga Hotel, in limestone | 2, 0, 2. | ,,,,, |
| step of first door south of northeast corner of building, 0.15 meter from east edge and 0.1 meter from south edge; bottom of square hole (C. & G. | | |
| Caldwell, in brick building occupied by the First National Bank, in east | 2, 368. 9 | 901 |
| wall of building, 0.6 meter from southeast corner and 1.2 meters from the ground; copper bolt (C. & G. S. b. m. P 5) | 2, 372. 8 | 833 |
| Caldwell, 1 mile west of, 10 meters east of milepole 469, on railroad bridge over Boise River, south of track, in top of west abutment, 0.2 meter from | | |
| east edge and 0.2 meter from south edge; bottom of square hole (C. & G. | | |
| S. b. m. Q 5) | 2, 353. | 662 |

| | | reet. |
|----|--|-------------|
| (| Caldwell, 2.5 miles west of, 5 poles west of milepole 470½, south of track, in offset of west abutment (of concrete) of bridge 312, 0.3 meter from south edge and 0.3 meter from east edge of abutment; bottom of square hole | |
| 76 | (C. & G. S. b. m. R 5) | 2, 334. 320 |
| ~ | culvert, 8 meters south of track, 0.1 meter from east edge and 0.1 meter from south edge; bottom of square hole (C. & G. S. b. m. S 5) | 2, 308. 731 |
| | in southwest corner of ranch of Asa Anderson, 2.4 meters east of telephone pole, 6 meters north of road; bottom of square hole in top of sandstone post, lettered "U. S. \square B. M." (C. & G. S. b. m. T 5) | 2, 290. 687 |
| I | Parma, 2 miles east of, 4½ poles west of milepole 481, 6 meters north of track, in top of east wall of sandstone culvert, 0.1 meter from north edge and 0.1 meter from west edge; bottom of square hole (C. & G. S. b. m. U 5) | |
| 1 | Parma, near, 1.5 meters west of milepole 483, section 70, on right of way, 15 meters south of track; top of an iron rod sunk in concrete bed, projecting 5 centimeters above ground (Oregon Short Line R. R. b. m.) | |
| Ι | Parma, 2 miles west of, 4.5 poles east of milepole 485, in west wall of a sand- stone culvert north of track, 0.2 meter from east edge and 0.2 meter from | |
| ľ | north edge; bottom of square hole (C. & G. S. b. m. V 5) | |
| 1 | (C. & G. S. b. m. W 5) Nyssa, 1.8 miles south of, in north sandstone abutment of bridge 327 of Oregon Short Line R. R. over Boise River; in top of offset east of track, 0.1 meter from south edge and 0.1 meter from east edge; bottom of square | |
| | hole (C. & G. S. b. m. X 5) | 2, 189. 829 |
| | BOISE QUADRANGLE. | |
| | [Latitude 43° 30′-44°; longitude 116°-116° 30′.] | |
| _ | From point near Mora to point near Kuna. | |
|] | Kuna, 2 miles west of, 20 meters east of milepole 451, in an offset of the west abutment of bridge 222, south of track, 35 centimeters from east edge and 30 centimeters from south edge; bottom of square hole (C. & | |
|] | G. S. b. m. A 5) | |
| | WEISER QUADRANGLE. | 2, 011. 010 |
| | [Latitude 44°-44° 30′; longitude 116° 30′-117°.] | |
| | From point near Payette along Oregon Short Line R. R. to Weiser. | |
| 1 | Payette, near, 1.8 miles north of Ontario, Oreg., in north abutment of bridge | |
| - | 335 of Oregon Short Line R. R. over Snake River, east of track in sand- stone offset, 0.3 meter from south edge and 0.35 meter from east edge; | 0.140.040 |
| 1 | bottom of square hole, lettered "U. S. \square B. M." (C. & G. S. b. m. Y 5) Payette, 0.4 mile south of, in north abutment of bridge 338 of Oregon Short Line R. R. over Payette River, east of track, in sandstone offset, 0.35 meter from east edge and 0.45 meter from south edge; bottom of square | ۷, 140. Z40 |
|] | hole (C. & G. S. b. m. Z 5) | 2, 144. 441 |
| | water tank, 0.1 meter from west edge and 0.1 meter from south edge; bottom of square hole (C. & G. S. b. m. A 6) | 2, 149. 191 |

| | Feet. |
|--|-------------|
| Payette, in north wall of brick building occupied by the Moss Mercantile | |
| Co., 1.2 meters from ground and 1.2 meters west of northeast corner; | |
| copper bolt (C. & G. S. b. m. B 6) | 2, 152. 351 |
| Payette, in north wall of brick building occupied by the First National | • |
| Bank, 1.2 meters above ground and 1.2 meters west of northeast corner; | |
| copper bolt (C. & G. S. b. m. C 6). | 2 150 901 |
| Crystal, 2.6 miles south of, 4 poles north of milepole 509, in sandstone cul- | 2, 100.001 |
| | |
| vert east of track, 0.2 meter from east edge and 0.15 meter from south | 0 100 011 |
| edge; bottom of square hole (C. & G. S. b. m. D 6) | 2, 120. 811 |
| Weiser, 3.5 miles south of, 6 poles south of milepole 515, in south abutment | |
| of bridge 342, in offset west of track, 0.2 meter from west edge and 0.12 | |
| meter from north edge; bottom of square hole (C. & G. S. b. m. E 6) | 2, 113. 536 |
| Weiser, 0.3 mile southeast of, in top of north abutment of bridge over Weiser | |
| River, in sandstone offset east of track, 0.3 meter from south edge and | |
| about 0.5 meter from east edge; bottom of square hole, lettered "U. S. | |
| B. M. " (C. & G. S. b. m. F 6) | 2, 107. 901 |
| Weiser, in west wall of brick building occupied by the Masonic Lodge, 3 | |
| meters north of southwest corner and 1.2 meters above ground; copper | |
| bolt marked "U. S. B. M." (C. & G. S. b. m. G 6) | 2, 122, 004 |
| Weiser, in west wall of brick courthouse at Oldtown, Weiser, 1 mile east of | |
| railroad station; red metal disk (C. & G. S. b. m. H 6) | |
| ramond source, red metal disk (o. d. o. b. m. ir o) | 2, 110.000 |
| BIRCH CREEK QUADRANGLE. | |
| [Latitude 44°-44° 30′; longitude 117°-117° 30′.] | • |
| From Weiser along Oregon Short Line R. R. to point near Huntington. | |
| Eaton, 1 mile east of, 6 poles west of milepole 522½, 27 meters south of track | |
| of Oregon Short Line R. R., 1 meter south of fence; bottom of square hole | |
| in top of sandstone post, lettered "U. S. \square B. M." (C. & G. S. b. m. I 6). | 9 114 497 |
| Eaton, 1 mile west of, on railroad right of way, 2 poles west of milepole 525, | 2, 114. 407 |
| | |
| 15 meters south of track, 4 meters east of telegraph pole; iron pipe with | 0 000 707 |
| red metal cap (C. & G. S. b. m. J 6). | 2, 098. 737 |
| Olds Ferry, on railroad right of way, 27 meters east of track, 1 meter from | |
| fence, 9 poles north of milepole 532, 3 poles south of station sign; bottom | |
| of square hole in top of limestone post, top lettered "U. S. \square B. M." | |
| (C. & G. S. b. m. K 6) | 2,073.054 |
| | |

APPENDIX B.

SECONDARY ELEVATIONS.

Secondary elevations from records and topographic maps of the United States Geological Survey, including altitudes of well-known summits and other useful elevations, are given in the following list. These elevations are approximate only and should not be used for accurate work.

| Locality. | Quadrangle. | County. | Elevation. |
|--|--------------|-----------------|----------------|
| Bald Mountain | Montpelier | Bear Lake | 9, 251 |
| Do | Sandpoint | Kootenai | 6, 228 |
| Bear Lake, water surface | Montpelier | Bear Lake Idaho | 5,924 |
| Sixty-two range station on trail: tablet stamped | Lolo | Idaho | 7,100 |
| "7100" (vertical angle b. m.). Black Lead mining district, 1 mile north of, summit of highest peak; tablet stamped "7525" (vertical angle b. m.). | | Clearwater | · |
| Black Lead mining district, 2 miles northeast of, 1 mile south of Rhodes Peak, summit of hill on | do | do | 7,705 |
| divide between Cayuse Creek and Kelly Creek; tablet stamped "7705" (vertical angle b. m.). Black Lead mining district, 3 miles north of, be- tween two forks of Kelly Creek, summit of sharp peak; tablet stamped "7485" (vertical angle b. m.). | | do | , |
| Boulder Peak | Sawtooth | Blaine | 10,966 |
| Boyle Mountain | 1do | ldo | 8,980 |
| Buckhorn mine, near, T. 64 N., R. 3 E.; probably tablet stamped "6323" (vertical angle b. m.). | Priest Lake | Bonner | 6,323 |
| Buttercup Mountain | Sawtooth | Blaine | 9,081 |
| Cabinet Mountain, T. 61 N., R. 3 W., sec. 12; probably tablet stamped "7607" (vertical angle b. m.). | Priest Lake | Bonner | 7,607 |
| Cache Saddle, between mileposts 223 and 224 on State line; tablet stamped "6800" (vertical angle | Lolo | Clearwater | 6,800 |
| b. m.). Cayuse Junction, 3 miles southeast of, summit of hill, north side of Lolo trail; tablet stamped "6890" | do | Idaho | 6,890 |
| (vertical angle b. m.). Cayuse Junction, 6 miles east of, summit of hill, north side of Lolo trail; tablet stamped "6890." | do | do | 6, 890 |
| Cedar Mountain | Rathdrum | Kootensi | 4,759 |
| Chain Meadows, 4 miles south of, end of ridge be- tween two forks of North Fork of Moose Creek; tablet stamped "6435" (vertical angle b. m.). | Lolo | KootenaiIdaho | 6, 435 |
| Chamberlain Meadows, 3 miles north of, 2 miles west of Clearwater Gold and Copper camps, on main divide, north side of trail; tablet stamped "6340" | do | Shoshone | 6,340 |
| (vertical angle b. m.). | ` . | • | |
| Chamberlain Meadows, 9 miles west of, on main divide, St. Marys trail; tablet stamped "6105" (rootties) and he main trails to be a stamped to the stamped to | do | do | 6, 105 |
| (vertical angle b. m.). Chamberlain Meadows, 3 miles west of, top of Five Lakes Butte main divide, St. Marys trail; tablet | do | do | 6,745 |
| stamped "6745" (vertical angle b. m.). Chamberlain Meadows, 6 miles southeast of, summit of mountain, on trail 6 miles east of Fly Camp; | do | Clearwater | 6,095 |
| of mountain, on trail 6 miles east of Fly Camp; tablet stamped "6095" (vertical angle b. m.). Chamberlain Meadows-Iron Mountain trail, on west side of, 2.5 miles west of Clearwater Gold and Cop- per Co.; tablet stamped "63401911 V. A." (vertical | āo | do | 6,340 |
| angle b. m.). Chamberlain Mountain, on sharp east peak on; tab- | do | do | 6,615 |
| let stamped "6615 1911 V.A." (vertical angle b.m.) | | | |
| Chilco triangulation station. Chimney Peak, summit of east knob, on Crag Mountain trail; tablet stamped "7255" (vertical angle | RathdrumLolo | KootenaiIdaho | 5,625 7,255 |
| b. m.). | 1 | | 1 121 |

| Locality. | Quadrangle. | County. | Elevation. |
|---|-----------------|----------------------|-------------------------|
| | | | |
| Clifty Mountain (Doust triangulation station), T. 61 N., R. 2 E.; probably tablet stamped "6707" (vertical angle b. m.). | Priest Lake | Bonner | 6,707 |
| Cour d'Alene, 7.5 miles southeast of, 4.5 miles east of Echo Bay, cn summit of highest roundtop point, in stone 20 by 20 inches; aluminum bolt stamped "4440 S." | | Kgotenai | 4, 440. 5 |
| Cold Springs 5 miles north of Pot Mountain on sum- | do Lolo | do Clearwater | 2,124 6,470 |
| mit of main divide, Pot Mountain trail, tablet stamped "6470" (vertical angle b. m.). Conrad's cabin, 1 mile north of, 5 feet south of De Borgia trail, upper and last grassy spot; aluminum tablet stamped "5032 1911" (vertical angle b. m.). | St. Regis | Shoshone | 5,032 |
| Conrad's cabin, 2.4 miles southwest of, 200 feet north of Conrad trail, 5 feet northeast of rock monument 5 feet high; highest summit of Falls Peak (?); alu- minum tablet stamped "1911 6439" (vertical angle | do | do | 6, 439 |
| b. m.). Conrad's cabin, 1.5 miles east of, on burned knob between Gold and Simmons creeks, at base of 3-foot monument; cut on rock (vertical angle b. m.). | do | do | |
| Contac's Cabin, 4.8 mines southeast of, 0.4 mine northeast of sharp bend in St. Joe River, in rocky outcrop, 2 feet south of rock monument 4 feet high; aluminum tablet, stamped "4211 1911" (regrised angle b m) | do | | |
| Conrad's cabin, 3.6 miles northwest of, 1.5 miles southwest of Bear Springs, highest summit of big timbered hill, in rocky outcrop, 4 feet south of rock monument 5 feet high; aluminum tablet stamped "6027 1911" (vertical angle b. m.). Cook Mountain, summit of; tablet stamped "6575" (vertical angle b. m.). | do | do | 6,027 |
| Cook Mountain, summit of; tablet stamped "6575" | Lolo | Idaho | 6, 575 |
| spur point, opposite the center of main mountain; tablet stamped "6576 1911 V. A." (vertical angle | do | Clearwater | 6,575 |
| b. m.). Coolwater Mountain, summit of main divide, Crag Mountain trail; tablet stamped "6930" (vertical angle b. m.). | do | Idaho | 6,,930 |
| Council Mountain triangulation station | Meadows Lolo | Washington Idaho | 8,124 8,014 |
| Custer Peak. | special. | Shoshone | ' |
| Dago Peak Deer Butte. Diablo Peak, summit of, 3 miles southeast of Elk Summit ranger station; chiseled point (vertical angle b. m.). | | doMalheurIdaho | |
| Doust triangulation station (Clifty Mountain), T. 61 N., R. 2 E.; probably tablet stamped "6707" (vertical angle b. m.). | Priest Lake | Bonner | 6,707 |
| Dry Creek Butte | Mitchell Butte | Y | 1 |
| Easby Peak East Lake, 2.75 miles southwest of, highest summit of hill, 10 feet west of rock monument 5 feet high; aluminum tablet stamped "6092 1911" (vertical angle b. m.). | Sawtooth | Shoshone | 6,092 |
| East Lake, 3 miles northeast of, south end of tim- bered hill, on ridge between East and West Lake creeks, 1 foot west of rock monument 4 feet high; cut on rock (vertical angle b. m.). | | do | - |
| East Lake, 1.4 miles northeast of, south top of burned hill, at base of rock monument 4 feet high; cut on rock (vertical angle b. m.). | | } | |
| East Lake, 3.5 miles southeast of, 50 feet east of Montana trail, 6 feet north of rock monument 6 feet high; aluminium tablet stamped "6156 1911" (vertical angle b. m.). | do | do | 6,156 |
| East Sister Peak, top of, 2 feet west of rocky monu- ment with small tree in center, 7 feet high; alu- minum tablet stamped "6866 1911" (vertical angle | Taft | do | 6, 866 |
| b. m.). Elk Mountain, on top of sharp east peak; tablet stamped "5345 V. A. 1911". | Lolo | Clearwater | 5,345 |
| stamped "5345 V. A. 1911". Elk Mountain trail, on east side of, 0.5 mile south of Clearwater Timber Co.'s cabin; chiseled mark (vertical angle b. m.). | do | do | 5,020 |
| Fernan Lake; water surface. Fish Lake; water surface. Fish Lake, 4 miles west of, summit of mountain between Sponge Meadows and Long Lake, 1 mile north of trail; tablet stamped "7414" (vertical angle b. m.). | RathdrumdoLolo | KootenaidoClearwater | 2,129 2,314 7,414 |

| Locality. | Quadrangle. | County. | Elevation. |
|---|--------------------------|---------------------------|------------------|
| Fish Lakes ranger cabin, 0.2 mile west of State line post 209, northwest corner of ranger cabin; tablet | Lolo | Clearwater | 5, 925 |
| stamped "5925" (vertical angle b. m.). Five Lakes Butte, on top of; tablet stamped "6745 V A 1911" (vertical angle b. m.) | do | do | 6,745 |
| rish Lakes ranger cabin, 0.2 line west of state fine post 209, northwest corner of ranger cabin; tablet stamped "5925" (vertical angle b. m.). Five Lakes Butte, on top of; tablet stamped "6745 V. A. 1911" (vertical angle b. m.). Fly Camp, 0.2 mile south of, on east side of Pot Mountain trail; tablet stamped "6370 V. A. 1911" (vertical angle b. m.) | do | do | 6, 370 |
| Fly Camp, summit of main divide. Pot Mountain | do | do | 6, 370 |
| trail; tablet stamped "6370" (vertical angle b. m.). Fly Camp, 3 miles south of, 9 miles north of Pot Mountain, summit of main divide, Pot Mountain trail; tablet stamped "6490" (vertical angle b. m.). | do | do | 6, 490 |
| Pass, on Selway River, 6 miles east of Three Forks ranger station; tablet stamped "7294" (vertical | do | Idaho | 7, 294 |
| angle b. m.). French Mountain proper, on south end of, about 400 feet north of Pierce wagon road; chiseled mark (vertical angle b. m.). | do | Clearwater | 5, 335 |
| Galena Peak Gifford's (Charley) cabin, 2.25 miles north of, high- est summit, rocky outcrop, on ridge west of Bird Creek, in rock; aluminum tablet stamped "5801 | Sawtooth | Blaine-Custer Shoshone | 11,118 5,801 |
| oor 1911" (vertical angle b. m.). Gifford's (Charley) cabin, 3.25 miles west of, 100 feet south of St. Joe River trail, on rocky outcrop, top of Skukum Creek hill; aluminum tablet stamped | do | do | 3,225 |
| of skutum creek init, authinum tablet stamped "3225 1911" (vertical angle b. m.). Gifford's (Charley) cabin, 1.5 miles southwest of, 30 feet west of Sister Peak trail, in rocky outcrop; aluminum tablet marked "5199 1911" in rock (vertical angle b. m.). | do | | 5,199 |
| Glover Saddle, 1 mile east of, 5 miles east of Crag Mountain, summit of mountain on main divide, Crag Mountain trail; tablet stamped "6830" (ver- tical angle b. m.). | Lolo | Idaho | 6,830 |
| Goose Lake, northeast side of outlet of, 0.5 mile west of State line post 200: tablet stamped "5790" (ver- | do | Clearwater | 5,790 |
| tical angle b. m.). Government mine, 3 miles southeast of, T. 64 N., R. 4 W.; probably tablet stamped "6270" (ver- tical angle b. m.). Granite Peak. | Priest Lake Cœur d'Alene | Bonner | - 1 |
| Green mine, near, T. 64 N., R. 2 E.; probably tablet stamped "6002" (vertical angle b. m.). | special. Priest Lake | Bonner | |
| Hailey | Hailey | Blaine | 5,342 |
| Haward camp on Lolo trail, 2 miles north of, summit of mountain; tablet stamped "6980" (vertical angle b. m.). | Lolog | Clearwater | 6,980 |
| Hayden Lake; water surface. Hayden Lake, 5.5 miles east of high roundtop burnt | Rathdrum | Kootenaido | 2,242 5,026.5 |
| Hayden Lake; water surface. Hayden Lake, 5.5 miles east of high roundtop burnt point, in rock; aluminum bolt stamped "5026 S." Huckleberry Butte, 4 miles north of the Lochisa River, summit; tablet stamped "6706" (vertical angle b. m.). | Lolo | Idaho | 6,706 |
| Hyndman Peak; highest point in Idaho yet deter- mined. | Sandpoint Hailey | Kootenai Blaine-Custer | 4,365 12,078 |
| Indian, on south peak of ridge across Howard Creek from; tablet stamped "6980 V. A. 1911" (vertical | Lolo | Clearwater | 6,980 |
| angle b. m.). Indian Grave, 4 miles from, on south side of Indian Grave-Cook Mountain trail, on rock nub; chiseled mark (vertical angle b. m.). | | | 6,435 |
| Indian Henry ridge, on sharp rock nub on large flat peak on, about 5 miles from junction of Skull and North Fork of Clearwater; tablet stamped "6015 V. A. 1911" (vertical angle b. m.). Isaac Lake, 1 mile south of, top of ridge; tablet stamped "7070" (vertical angle b. m.). | do | do | 6,015 |
| Isaac Lake, 1 mile south of, top of ridge; tablet stamped "7070" (vertical angle b. m.). | do | Idaho | 7,070 |
| Junction Mountain, summit of, 7 miles southeast of Pot Mountain; tablet stamped "6455" (vertical angle b. m.). | do | Clearwater | 6,455 |
| Kellogg Peak triangulation station | Cœur d'Alene special. | Shoshone | 6,296 |
| Kelly Creek and North Fork of Clearwater River, south of junction of, on rocky break of high spur on large mountain, marked by monument 7 feet high; tablet stamped "6455 V. A. 1911" (vertical angle b. m.). | Lolo | Clearwater | 6,455 5,823 |
| Ketchum | | | |

| Locality. | Quadrangle. | County. | Elevation. |
|---|------------------------|---------------------------------------|------------------|
| Lolo Hot Springs, 6 miles west of Lost Lake trail crossing main divide, head of Granite Creek; tab- let stamped "6945" (vertical angle b.m.). | Lolo | Clearwater, Idaho- Missoula, Mont. | 6,945 |
| Lookout Peak triangulation station Lookout Mountain, T. 63 N., R. 3 W., sec. 31; probably tablet stamped "6755" (vertical angle b. m.). Lookout Peak, summit of; tablet stamped "6903" | Meadows Priest Lake | Boise-Washington Bonner | 7.812 6,755 |
| Lookout Peak, summit of; tablet stamped "6903" (vertical angle b. m.). | Lolo | Clearwater | 6,903 |
| Lost Lakes, 6 miles east of, on top of ridge between two forks of Crooked Creek, Lolo Hot Springs trail; tablet stamped "6485" (vertical angle b. m.). | do | do | 6,485 |
| Lost Lake, 12 miles northeast of, 4 miles west of Flot Knob, west of Lolo Hot Springs-Lost Lakes trail, in saddle between forks of Crooked Creek; tablet stamped "6235" (vertical angle b. m.). | | do | |
| McConnell Mountain, summit of; tablet stamped "7415." | do | Idaho | 7,415 |
| McConnell Mountain, 4 miles west of, main divide between Lochisa River and West Fork of Moose Creek; tablet stamped "6775" (vertical angle b. m.). | do | do | 6,775 |
| Maple Lake, 0.5 mile north of, summit of peak on divide between Warm Spring and Moose creeks; tablet stamped "7565" (vertical angle b. m.). | | do | |
| Meade Peak triangulation station | l . | Bannock - Bear Lake. | į. |
| Mica Peak triangulation station | Lolo | Clearwater, Idaho- Missoula, Mont. | 5, 250 6, 625 |
| milepost 198, on Idaho-Montana State line, 540 feet west of, at angle post; iron post stamped "7065." Milepost 202, on Idaho-Montana State line; iron post | do | Clearwater | 7,065 |
| Milepost 202, on Idaho-Montana State line; iron post | do | do | 6,825 |
| stamped "6825" (vertical angle b. m.). Milepost 204, on Idaho-Montana State line; iron post stamped "7250" (vertical angle b. m.). Mileposts 206 and 207. angle nost halfway between. | do | do, | 7, 250 |
| on summit of hill south of Siamese Lake; iron post | | | |
| stamped "7245" (vertical angle b. m.). Milepost 211, on Idaho-Montana State line; iron post stamped "7015" (vertical angle b. m.). Milepost 213, on Idaho-Montana State line; iron post stamped "7255" (vertical angle b. m.). Mitchell Butte triangulation station Mice Peek symmit of 18 miles southeast of Three | do | do | 7,015 |
| Milepost 213, on Idano-Montana State Ine; fron post stamped "7295" (vertical angle b. m.). | 354-h-11 D-44- | do | 7,295 |
| Mitchell Butte triangulation station. Moe Peak, summit of, 18 miles southeast of Three Forks ranger station on Selway River, Elk Ridge divide between Bear and Paradise creeks; tablet stamped "8078" (vertical angle b. m.). Montana and Conrad trails, forks of, 50 feet north of, | Lolo | MalheurIdaho | 3,495 8,078 |
| num tablet stamped "6308 1911" (vertical angle | Taft | Shoshone | 6,308 |
| b. m.). Montana Spring, 2.7 miles northwest of, 5 feet south of trail, 2 feet north of rock monument 4 feet high, highest summit of ridge; aluminum tablet stamp- | | do | 5,760 |
| highest summit of ridge; aluminum tablet stamped "5760 1911" (vertical angle b. m.). Moose City trail, 0.8 mile north of, 6 miles east of Fly Camp, on peak; tablet stamped "6095 V. A. 1911" (vertical angle b. m.). | Lolo | Clearwater | 6,095 |
| Moose Creek Buttes, 0.8 mile east of most eastern main butte, on east end of; tablet stamped "6570 V. A. 1911" (vertical angle b. m.). | do | do | 6,570 |
| Murray Peak triangulation station | special. | i | 1 |
| Owyhee Ridge Oxford mine shaft, 600 feet northwest of, on big bowlder; tablet stamped "3935 V. A. 1911" (ver- tical angle b. m.). | Mitchell Butte | MalheurClearwater | 4,960 3,935 |
| Pack River, on point northeast of mouth of, north- west of Round Top triangulation station, on south side of large basin drained largely by Rapid Light ning Creek; probably tablet stamped "4810" (ver- | 1 | Bonner | 4,810 |
| Packsaddle Mountain, T. 54 N., R. 1 E.; probably tablet stamped "6414" (vertical angle b. m.). | do | do | 1 |
| Payette Lake, water surface | Sandpoint | Boise Kootenai Clearwater | 1 |
| mit of main divide at head of Granite Creek; cop- per plug stamped "7285" (vertical angle b. m.). Pot Mountain, on south end of, 100 feet east of trail; tablet stamped "6990" V. A. 1911" (vertical angle | do | do | 6,990 |
| b. m.) Pot Mountain, 7 miles south of, 1 mile west of summit of main divide, Squaw Camp Gulch, Pot Mountain trail; tablet stamped "5670" (vertical angle b. m.). | Washington Creek | do | 5,670 |

| | · · · · · · · · · · · · · · · · · · · | | |
|--|---------------------------------------|-----------------------------|----------------------------|
| Locality. | Quadrangle. | County. | Elevation. |
| Pot Mountain, 4 miles south of, summit of main divide, Pot Mountain trail; tablet stamped "6665" | Lolo | Clearwater | 6,665 |
| (vertical angle b. m.). Pot Mountain, 1 mile south of, summit of main divide, Pot Mountain trail; tablet stamped "6990" | Lolo | do., | 6,990 |
| (vertical angle b. m.). Pot Mountain, summit of (vertical angle b. m.) Pot Mountain Ridge, on southwest end of, on sharp rocky, peak, above Jackknife Meadows; chisel mark (vertical angle b. m.). | dodo | dodo | 7,175 6,665 |
| Pot Mountain trail, on east side of, 1 mile southwest of Cold Springs Camp; tablet stamped "6470 V. A. 1911" (vertical angle b. m.). | do | do | 6,470 |
| Pot Mountain trail, on prominent rock nub; chisel | do | do | 5,672 |
| mark (vertical angle b. m.). Powell Junction, 2 miles east of, summit of hill, on main divide Lolo trail; tablet stamped "6305" | do | do | 6,305 |
| (vertical angle b. m.). Powell ranger station, 6 miles west of, north side of Lochisa River, south side of trail, on end of ridge; chisel point (vertical angle b. m.). | do | Idaho | 4,405 |
| Priest Lake, water surface | Sandpoint | Kootenai | 2,439 |
| Ranger Peak | Missoula | | |
| Rathdrum Bald Rhodes Peak, summit of; tablet stamped "7940" | Rathdrum | Kootenai Clearwater | 4,970 7,940 |
| (vertical angle b. m.). Roman Nose, T. 61 N., R. 2 W.; probably tablet stamped "7264" (vertical angle b. m.). Round Top, triangulation et al. (2. N. B. 2 F.). | | Bonner | ., |
| stamped "7264" (vertical angle b. m.). | | | |
| Round Top triangulation station, T. 57 N., R. 2 E.; probably tablet stamped "6163" (vertical angle b. m.). | do | do | 6,163 |
| Saddle Mountain triangulation station, T. 65 N., R. 3 W.; probably tablet stamped "6815" (vertical angle b. m.). | do | do | 6,815 |
| Saddle Peak, on north peak of, 5 miles north of Cold Springs camp; tablet stamped "6490 V. A. 1911" (vertical angle b. m.). | Lolo | Clearwater | 6,490 |
| St. Joe quartz cabin, 3.25 miles southwest of, on high ridge west of Falls Creek, in rock, raised rock mon- ument 10 feet southwest of tablet: aluminum tab- | Taft | Shoshone | 5,945 |
| let stamped "5945 1911" (vertical angle b. m.). St. Joe quartz cabin, 1.2 miles northeast of, 0.6 mile west of De Borgia trail, on highest summit of tim- bered hill; aluminum tablet stamped "5514 1911" (vertical angle b. m.) | St. Regis | do | 5,514 |
| (vertical angle b. m.). St. Marys trail, on north side of, about 2 miles southeast of Squaw Mountain; tablet stamped "6105 V. A 1911" (vertical angle b. m.) | Lolo | Clearwater | 6,105 |
| V. A. 1911" (vertical angle b. m.). Scotchman triangulation station, T. 56 N., R. 3 E.; probably tablet stamped "7011" (vertical angle b. m.). | Priest Lake | Bonner | 7,011 |
| Selway River, 0.5 mile northeast of junction of Bear Creek, end of ridge; tablet stamped "3023" (ver- tical angle b. m.). | Lolo | Idaho | 3,023 |
| Selway River, tepee cabin on, 3 miles north of, summit of mountain; tablet stamped "6535" (vertical angle h m); | | do | 6,535 |
| Sentinel Peak, highest east summit of, 6 feet south of rock monument 7 feet high; aluminum tablet stamped "6762 1911" (vertical angle b. m.). | | Shoshone | 6,762 |
| Shaw Mountain Siwash Peak, highest part of top, 2 feet west of rock monument 2 feet high, in rocky outcrop; alumi- num tablet stamped "5829 1911" (vertical angle | Rathdrum Sawtooth Taft | KootenaiBlaineShoshone | 4, 868 9, 638 5, 829 |
| b. m.). Smith Peak, T. 63 N., R. 3 W., sec. 1; probably tab- let stamped "7650" (vertical angle b. m.). | Priest Lake | Bonner | 7,650 |
| Snowstorm Peak | Cœur d'Alene special. | Shoshone | 6,340 |
| Snowyside triangulation station Spirit Lake, water surface Squaw Peak, summit of, 12 miles east of Three Forks ranger station on Selway River, on trail to Lost Horse Pass; tablet stamped "7677" (verti- | Sawtooth | Blaine Kootenai Idaho | 10,646 2,442 7,677 |
| cal angle b. m.). Stevens Peak, triangulation station | Cœur d'Alene special | Shoshone | 6,826 |
| Striped Peak Sydney Butte | Sawtooth | Blaine | 6,329 8,147 |
| The Bungalow, 6 miles west of, on ridge south from Elk Mountain; tablet stamped "5020" (vertical angle b. m.). | Washington Creek | Clearwater | 5,020 |

| Locality. | Quadrangle. | County. | Elevation. |
|--|-------------------------------|------------|------------|
| The Bungalow, 2 miles west of main divide between Oro Grande Creek and North Fork of Clearwater River, summit of hill, on trail; tablet stamped "5340" (vertical angle b. m.). | Washington | Clearwater | 5,340 |
| The Nub, on top of: tablet stamped "6950 V. A. | Lolo | do | 6,950 |
| 1911" (vertical angle b. m.). Three Fork ranger station, 9 miles northeast of, south end of ridge between Maple and Moose creeks; tablet stamped "6730" (vertical angle b. m.). | do | Idaho | 6,730 |
| tablet stamped "6/30" (vertical angle b. m.). Tiger Peak | Cœur d'Alene | Shoshone | 6,635 |
| T. 37 N., R. 6 E., sec. 33, north side of road up French Creek; tablet stamped "5335" (vertical angle b. m.). | special. Washington Creek. | Clearwater | 5,335 |
| T. 38 N., R. 7 E., sec. 30, end of road up west Fork of Elk Creek; tablet stamped "3935" (vertical angle b. m.). | do | do | 3,935 |
| T. 59 N. R. 2 E., sec. 35; probably tablet stamped "6785" (vertical angle b. m.). | Priest Lake | Bonner | 6,785 |
| T. 60 N., R. 1 E., sec. 31; probably tablet stamped "4403" (vertical angle b. m.) | do | do | 4,493 |
| T. 60 N., R. 3 W., sec. 2; probably tablet stamped "7357" (vertical angle b. m.). T. 61 N., R. 2 E., 2 miles northwest of mouth of | | do | • |
| T. 61 N., R. 2 E., 2 miles northwest of mouth of Boulder Creek; probably tablet stamped "3487" (vertical angle b. m.). T. 61 N., R. 3 W., sec. 5; probably tablet stamped "6621" (vertical angle b. m.). T. 64 N., R. 3 E., sec. 6; probably tablet stamped "6289" (vertical angle b. m.). | do | do | 3,487 |
| T. 61 N., R. 3 W., sec. 5; probably tablet stamped "6621" (vertical angle b. m.) | do | do | 6,621 |
| T. 64 N., R. 3 E., sec. 6; probably tablet stamped "6289" (vertical angle h m) | do | do | 6, 289 |
| (vertical angle b. m.). | do | do | 5,428 |
| Trestle Creek, 1.5 miles north of, T. 57 N., R. 1 E.; probably tablet stamped "4830" (vertical angle b. m.). | do | do | 4,830 |
| Trimmed Tree Hill, highest summit of, 0.2 mile south of Montana trail, 6 feet west of tree; bronze tablet in rock stamped "6393 1911" (vertical angle b. m.). | Taft | Shoshone | 6,393 |
| Trimmed Tree Hill, 2 miles southwest of, 1 mile south of Montana Spring, 2 feet southwest of rock monument 5 feet high; cut on rock (vertical angle b. m.). | do | do | 6, 240 |
| Trimmed Tree Hill, 4 miles east of, 75 feet north of Montana trail, 6 feet north of rock monument 6 feet high, in rocky ledge; aluminum tablet stamped "6225 1911" (vertical angle b. m.). | .] | do | 6, 225 |
| stamped "6225 1911" (vertical angle b. m.). Trimmed Tree Hill, 4.6 miles southwest of, 0.15 mile south of Montana trail, in sharp rocky outcrop; aluminum tablet stamped "5216 1911" (vertical angle b. m.) (6 feet south of rock monument 5 feet high). | do | do | 5, 216 |
| Twin triangulation station (Cabinet Mountain), T. 61 N., R. 3 W., sec. 12; probably tablet stamped "7607" (vertical angle b. m.). | Priest Lake | Bonner | 7,607 |
| Vale Butte triangulation station | Mitchell Butte | | 3,167 |
| Wallow Mountain, summit of, 7 miles north of Pot Mountain, on Indian Harry Ridge; tablet stamped "6015" (vertical angle b. m.). | Lolo | Clearwater | 6,015 |
| Windy Ridge, summit of mountain, 3 miles north- west of Indian Grave Camp on Lolo trail, Cook Mountain trail; tablet stamped "6435" (vertical angle b. m.). | do | Idaho | 6,435 |
| Wolf Lodge Creek, at head of, 10 miles northeast of Cœur d'Alene, summit of high roundtop burnt point, in large bowlder; aluminum bolt stamped "4851 S". | Rathdrum | Kootenai | 4,851.5 |

INDEX.

| A. Page. | Page. |
|--|---|
| | Bruneau quadrangle |
| Ada County 108 | |
| Agatha51 | Burke |
| Ahsahka 52,53 | |
| Alexander | 1 |
| American Falls | |
| American Falls quadrangle 113-114 | |
| Ammon quadrangle 74–75 | |
| Anderson, A. P., work of 78 | |
| Arco | Camas |
| Arco quadrangle | Cambridge 10 |
| Arrow Junction 53 | Cambridge quadrangle 10-11 |
| Asotin quadrangle | Camp Martin 56,57 |
| Athol | Canyon County 7, 108 |
| Avery 47 | Cataldo |
| Auburn 23, 25 | Cataldo quadrangle 82–92 |
| В. | Central Ferry |
| .Б. | Cerro Grande |
| Bald Mountain triangulation station 59 | Challis |
| Bancroft | Chatcolet 44,45 |
| Bangs 52 | Chatcolet quadrangle 43-45 |
| Bannock | Chesterfield |
| Bannock County 17, 72, 108 | Chicago, Milwaukee & Puget Sound Ry. 44, 45, 47, 49 |
| Barringer, W. H., work of 42 | Chubb Springs 73,75 |
| Bassett | Clark, Howard, work of |
| Battle Creek bridge 70 | Clark Fork94 |
| Bay Horse quadrangle 35-37 | Clarkia 50 |
| Bear Creek | Clearwater River 52, 54, 58 |
| Bear Lake | Cleft |
| Bear Lake County | Cleveland 67 |
| Bear River 67,68 | Coast and Geodetic Survey, elevations by 108-120 |
| Beaver 90, 91 | Cocolalla92 |
| Bellgrove 82 | Cœur d'Alene 79, 80, 81 |
| Bench marks, definition of 6 | Cœur d'Alene Lake 44, 45, 79 |
| plate showing 5 | Cœur d'Alene River, East Fork of |
| Big Burn 58, 59 | North Fork of |
| Big Meadows 86 | Cœur d'Alene special quadrangle |
| Big Pool 87 | Colburn |
| Biggs, L. F., work of | Continental mine 96–98 |
| Bingham County 28, 72, 108 | Coolin |
| Birch Creek quadrangle 7-8,120 | Copeland |
| Birkett, D. S., work of | Copper Bell mine 88 |
| Bisuka quadrangle | Copper Prince |
| Bitterroot Mountain: | Coulam |
| Blackfoot | Council |
| Blackfoot Reservoir 72,73,74,77 | Crawford |
| Blackfoot River 24 | Crowe, H. S., work of 92 |
| Blaine County | Crystal 8, 120 |
| Bliss | Custer County |
| Boise County 8 | D. |
| Boise quadrangle | |
| Bonner County | Danforth, F. A., work of |
| Bonners Ferry 95 | Darlington |
| Bonners Ferry quadrangle 94-95 | Datum, inland, determination of |
| Border 20 | Dayton |
| Bright, M. S., work of 92 | Delta |

INDEX.

| | rage. |
|---|--|
| Diamond Springs 9 | Harer |
| Dickey | Harlow, Charles, jr., work of |
| Dickey quadrangle 34-35 | Harrison |
| Dietrich | Hatch, S. M., work of |
| Dingle | Hatch quadrangle 76–77 |
| Doniphan | Hauser Junction 78,80 |
| Downey | Hawgood |
| Drummond, Goyne, work of | Hayden Lake 80 |
| Dubois | Hefty, J. G., work of |
| Dubois quadrangle 112-113 | Henry 72,73 |
| Duck Valley Indian Reservation 98 | Henry quadrangle |
| `E. | Herrick48 |
| | High Bridge 112,113 |
| Eagle | Hope94 |
| East Thatcher | Hot Springs, Bruneau quadrangle 99–102 |
| Eaton 8,120 | Montpelier quadrangle |
| Elbo Bend 65 | Howards Camp 61 |
| Elk Summit ranger station 64 | Humphrey |
| Ellis | Huntington, Oreg 7 |
| Elmira 93, 94 | 1. |
| Elmore County 98,108 | 4 |
| Ethelton | Idaho County |
| Evergreen | Idaho Falls |
| . F. | Indian61 |
| | Indian Grave 59,61 |
| Falcon | Indian Valley 14, 15 |
| Falls ranger station | Inkom |
| Fendoy | J. |
| Fernan Lake 79 | • |
| Fernwood | Jones |
| Fernwood quadrangle | К. |
| Firth | Kamiah 54 |
| Fish Lake | Kamiah quadrangle53-55 |
| Flat Creek dam | Kellogg 90,91 |
| Franklin | Kendall, G. H., work of 92 |
| Freedom quadrangle | Kendrick quadrangle 51-52 |
| Fremont County | Ketchum 26, 27, 28 |
| Fry, E. M., work of | Kimama 114,115 |
| Fuller | Kimama quadrangle 114-115 |
| . G. | King Hill 116 |
| Galena 28 | Kingston 82 |
| Garner 69,108 | Kooskia 54, 58 |
| Gem | Kootenai94 |
| Genesee | Kootenai County 43, 78, 92, 95 |
| Geneva | Kootenai Valley Ry 95 |
| Gibson | Kuna |
| Gilman 27 | Kyle 46,47 |
| Gimlet | L. |
| Giveout | Lacon |
| Glenns Ferry | 1 |
| Glenns Ferry quadrangle | Lane |
| Glenwood 83 | Lapwai quadrangle |
| Glover, A. L., work of | |
| Goat Roost | Lardo |
| Goddard Bar 57 | , |
| Gooding | Lava |
| Gooding quadrangle | Lembi County 28, 42 |
| Grace | Len Landing 81 |
| Grand Forks | Leonore 51 |
| Granite | Leslie |
| Grasmere | 1 |
| Greer | Lewiston |
| Н. | |
| | Little Weitas |
| Hailey Hot Springs 26 Hailey guadrangle 26–27 | Locksaw River 63,64 |
| Hailey quadrangle | Lolo Forks |
| Hamer 112 | Long Valley Summit |
| Hardmans Hollow | Lookout |

| Page. | O. Page. |
|--|---|
| Lost Lakes | Ohom Don 57 00 |
| Lost River | Ohara Bar |
| Lotus | Old's ferry |
| Lovell | Omega |
| Lowell | Oneida County |
| М. | Oneita |
| McCammon | Onyx, |
| Mackay | Orchard |
| Mackay quadrangle | Oregon Short Line R. R 7, |
| Malad City 108–109 | 8, 17, 26, 29, 33, 66, 98, 108, 109, |
| Manson. 19 | 110, 111, 113, 114, 116, 117, 119, 120 |
| Maps, topographic, list of | Oregon-Washington R. R. & Navigation Co., 81,90 |
| Market Lake quadrangle | Orofino |
| Markham 93 | Osburn |
| Marsh Valley | Owinza |
| Mashburn | Owyhee |
| Maxwell, D. A., work of 8 | Owyhee County |
| May quadrangle | Owyhee River |
| Meadows | Oxford |
| Meadows quadrangle | P. |
| Meckley Lake | r. |
| Medbury 116 | Pacific & Idaho Northern Ry 8, 10, 11, 13 |
| Michaud 113 Midvale 9, 10 | Page, M. P., work of 78 |
| Midvale 9,10 Midway 42 | Pahsimaroi River |
| Mill Creek Summit | Pardee |
| Minidoka | Paris |
| Mink Creek quadrangle | Parma |
| Mirror Lake 95 | Payne. 111 |
| Monida, Mont | Pebble |
| Monida quadrangle | Peck 51,52 |
| Monroe | Pegram |
| Montpelier | Pelican Slough |
| Montpelier quadrangle | Pend Oreille Lake 80,90 |
| Moore | Pend Oreille quadrangle94 |
| Mora | Perry 67 |
| Moravia 95 | Personnel, record of |
| Moreland | Pescadero 19 Picabo quadrangle 27 |
| Moreland Junction 29 | Picabo quadrangle |
| Morrison's mine | Pocatello quadrangle 17–18, 103–110 |
| Moscow | Pocono 47,48 |
| Mountain Home | Port Hill 95 |
| Mountain Home quadrangle 98-99, 116-117 | Portneuf |
| Mud Lake | Post Falls |
| Murray | Pot Mountain quadrangle |
| Musselshell | Powell |
| Myrtle 51,53 | Powell Junction 62 |
| N. | Powell ranger station |
| Nampa 118 | Precise leveling, definition of |
| Nampa quadrangle | Priest Lake |
| Napati 114 | Priest Lake quadrangle 96–98 |
| Naples94 | Priest River |
| Nevada-Idaho State line 106 | Primary leveling, definition of 5 |
| Newport95 | Prowell, W. R., work of |
| Nez Perce County | Publication, previous 5 |
| Niter | Pullman quadrangle |
| North Lapwai | R. |
| Northern Pacific Ry 46, 51, 53, 79, 91, 92, 94 | Rabbit Foot quadrangle 37–40 |
| Notus | Ramsdell 44 |
| Novene | Ramsey 78,81 |
| Nyssa | Rathdrum |
| 49069°-Bull, 567-15-9 | |

| | Page. | T. | Page. | |
|-----------------------------------|-------|--|----------|-----|
| Rathdrum quadrangle | | | | |
| Raven | | Taber | | |
| Raymond | 20 | Taft quadrangle | 46-47 | |
| Renfro | | Taylor, O. G., work of | | |
| Riddle | | Teton | 16 | |
| Riddle quadrangle | | The Crags Mountains quadrangle | | |
| Rocky Ridge triangulation station | | Thornton | | |
| Roland | | Thoroughfare | 96 | |
| Rose | | Three Forks. | | |
| Roseberry | | Ticeska. | | |
| Ross Fork. | | Tilden quadrangle | | |
| Royer | | Tindal quadrangle 1 | | |
| Mover | 40 | Tramway | | |
| S. | | Tunupa | 115 | |
| St. Anthony | 16 | Twin Falls quadrangle. | | |
| St. Anthony quadrangle | | I will rails quadrangle | 115 | |
| St. Charles | | T. | | |
| St. Joe. | | U. | | |
| St. Maries | | Upper Priest Lake | 96 | |
| St. Paul Pass | | Utah Power & Light Co., bench marks of. 65 | ,70-72 | |
| Salmon | | Dam No. 3 of | | |
| Salmon quadrangle | | | , | |
| Sandpoint | | v. | | |
| Sandpoint quadrangle | 02_04 | , | | |
| Santa | | Van Wyck11 | | |
| Sawtooth quadrangle | , . | Victor | | |
| Sea level, mean, definition of | | Victor quadrangle | 16 | |
| | | | , | |
| Searle, A. B., work of | | W. | | |
| Semper, C. H., work of | | Wallace | 90 | |
| Senter | | Wapello | 110 | • |
| Shelley | | Wapi | 114 | |
| | | Wapi quadrangle | 114 | |
| Shelley quadrangle | | Wardner | 92 | |
| | | Washburn, F. E., work of | 78 | |
| Shoshone | | Washington County 7 | | |
| Shoshone County | | Way | 18 | |
| Slug Creek quadrangle | | Wavan | 75 | |
| Snake River | | Weber mine. | | |
| Soda Springs | | Weippe | | |
| Soda Springs quadrangle | | Weippe quadrangle | | |
| Soldier quadrangle | | Weiser8 | | |
| Spencer | | Weiser quadrangle | | |
| Spirit Lake | | Weston | | |
| Squaw Creek quadrangle | | | | |
| Starkey | | Whaley, F. I, work of | 64 | |
| Sterrett quadrangle | | | 81 | |
| Stetson | | Wolf Lodge | 00 01 | |
| Sullivan | | Worswick's | Ľ. | |
| Summit Lake quadrangle | 63-65 | Z. | Gere | ° C |
| Sunfield | | | B | |
| Syringa | 57 | Zane | 48 | • |