

NBS PROJECT

1802

NBS REPORT

1002-12-10421

February 20, 1963

7802

1 7812

Fourteenth Progress Report on the

Mechanisms of Fire Ignition and Extinguishment

bv

E. C. Creitz

Covering the period 1 November 1962 to 31 January 1963

for

Bureau of Ships Department of the Navy

Code 638

IMPORTANT NOTICE

NATIONAL BUREAU OF for use within the Governme and review. For this reason, whole or in part, is not au Bureau of Standards, Washi the Report has been specific

Approved for public release by the iture listing of this Report, either in Director of the National Institute of 1 the Office of the Director, National Standards and Technology (NIST) r, by the Government agency for which on October 9, 2015.

ogress accounting documents intended nal copies for its own use.



U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS

Fourteenth Progress Report

Mechanisms of Fire Ignition and Extinguishment

by

E. C. Creitz

Covering the period 1 November 1962 to 31 January 1963

1. Summary

A new ion source, particularly adapted to the production of ions from low energy electrons has been designed and partially constructed. New calculations have been made on a scheme in which velocity modulation can be used to improve resolution and duty cycle. Velocity modulation was the limiting factor in the previous design.

2. The Mass Spectrometer

Mr. Mills has designed a new electron bombardment ion source. It has essentially cylindrical symmetry with the electron source at the center. This design should result in improved ion production efficiency since electrons can travel away from their source in many directions instead of along a single straight line as in most conventional designs as is required in instruments using a collimated beam and narrow slits. The new source should be especially useful in the study of the appearance potentials of ions formed by the attachment of low energy electrons. The inner parts of the new source were built during the quarter and drawings prepared for the outer vacuum shell.

In earlier calculations on the theory of operation of the mass spectrometer, velocity modulation was neglected. Calculations made during the quarter indicated it to be a limiting factor on resolution and on duty cycle, which is related to sensitivity. New calculations on line shapes and duty cycles have been made in which the effects of velocity modulation can be utilized to improve resolution.

USCOMM MBS-DC

7 .. 4