


Prepared in cooperation with the State of Wisconsin and local agencies

Water-Quality and Lake-Stage Data for Wisconsin Lakes, Water Year 2014



Open-File Report 2016-1131

Water-Quality and Lake-Stage Data for Wisconsin Lakes, Water Year 2014

By S. Bridgett Manteufel and Dale M. Robertson

Prepared in cooperation with the State of Wisconsin
and with other agencies

Open-File Report 2016–1131

**U.S. Department of the Interior
U.S. Geological Survey**

U.S. Department of the Interior
SALLY JEWELL, Secretary

U.S. Geological Survey
Suzette Kimball, Acting Director

U.S. Geological Survey, Reston, Virginia: 2016

For more information on the USGS—the Federal source for science about the Earth, its natural and living resources, natural hazards, and the environment—visit <http://www.usgs.gov> or call 1–888–ASK–USGS.

For an overview of USGS information products, including maps, imagery, and publications, visit <http://store.usgs.gov>.

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this information product, for the most part, is in the public domain, it also may contain copyrighted materials as noted in the text. Permission to reproduce copyrighted items must be secured from the copyright owner.

Suggested citation:
Manteufel, S.B., and Robertson, D.M., 2017, Water-quality and lake-stage data for Wisconsin lakes, water year 2014: U.S. Geological Survey Open-File Report 2016–1131, 170 p.,
<https://doi.org/10.3133/ofr20161131>.

Contents

Introduction.....	1
Methods of Data Collection.....	11
Explanation of Physical and Chemical Characteristics of Lakes.....	13
Water Temperature and Thermal Stratification	14
Specific Conductance	15
Water Clarity	15
pH	16
Dissolved Oxygen	16
Phosphorus.....	17
Nitrogen	18
Chlorophyll <i>a</i>	19
Classification of Lakes.....	19
Acknowledgments.....	22
References Cited.....	22
Lake data.....	24
Anvil	
Water level (Lake Level Network), 05390500.....	25
Deep Hole, 455638089034501.....	27
Beulah	
Deep Hole, 424840088241600	33
Station No. 2, 424929088231300.....	37
Inlet near East Troy, 05544099.....	41
Big Cedar	
North Site, near West Bend, 432409088151600.....	42
South Site, near West Bend, 432224088154900	45
Delavan	
Center near Delavan Lake, 423556088365001.....	49
North End near Lake Lawn, 423659088354401.....	56
SW End near Delavan Lake, 423526088380101	59
Devils near Baraboo, 05404500	62
Geneva	
Water level at Lake Geneva, 423525088260400	64
West End, near Williams Bay, 423329088323300	66

Green	
Water level at Green Lake, 434840089000001	72
Deep Hole, 434756089020500	74
East End, 434928088570000	80
Huron near Plainfield, water level (Lake Level Network), 05401063	85
Kegonsa, 425715089164700	87
Koshkonong near Newville, 05427235	89
Long Lake near Saxeville, water level (Lake Level Network), 441257089071500	91
Mendota at Madison, 05428000	93
Middle Genesee at Genesee Lake Road, near Oconomowoc, 430251088284700	95
Monona at Madison, 05429000	97
North Lake near Elkhorn, water level (Lake Level Network), 05545000	100
Oconomowoc	
No. 1 (Center) at Oconomowoc, 430551088273500	102
No. 2 (off Hewitt Point) at Oconomowoc, 430609088262200	106
Okauchee	
Deep Hole, 430723088252100	109
No. 1, Crane's Nest Bay, 430759088244200	113
No. 2, Lower Okauchee, 430645088264500	115
No. 3, Ice House Bay, 430642088252400	117
No. 4, Crazyman's Island, 430757088261700	119
Powers at Powers Lake, 423246088175800	121
Silver Lake near Cumberland, water level (Lake Level Network), 453420091551600	125
Silver Lake at Portage, water level (Lake Level Network), 04072500	127
Waubesa, 05429485	129
Whitefish (Bardon) Lake near Gordon, water level (Lake Level Network), 461231091524900	132
Wind, Headwater, at Outlet at Wind Lake, 424848088083100	134
at Wind Lake, 424915088083900	136
Winnebago	
Water level at Oshkosh, 04082500	140
Water level near Stockbridge, 04084255	143
Wisconsin Water Science Center publications pertaining to lakes	145
Appendix – Wisconsin Lakes Team Quality-Assurance Plan	156

Figures

- Map showing the locations of U.S. Geological Survey water-quality, lake-stage, and lake-level network stations in Wisconsin 3

Tables

- Lake stations that were discontinued prior to 2013 5
- Parameter identification numbers and laboratory reporting levels for chemical parameters commonly measured in lakes, and analyzed at the National Water Quality Laboratory or the Wisconsin State Laboratory of Hygiene.12

3.	Classifications of water quality in Wisconsin lakes.....	20
4.	Characteristics of the three main trophic conditions.	21

Conversion Factors

Inch/Pound to International System of Units

Multiply	By	To obtain
Length		
foot (ft)	0.3048	meter (m)
mile (mi)	1.609	kilometer (km)
yard (yd)	0.9144	meter (m)
Area		
acre	0.4047	hectare (ha)
square mile (mi^2)	259.0	hectare (ha)
square mile (mi^2)	2.590	square kilometer (km^2)
Volume		
gallon (gal)	3.785	liter (L)

International System of Units to Inch/Pound

Multiply	By	To obtain
Length		
centimeter (cm)	0.3937	inch (in.)
meter (m)	3.281	foot (ft)
meter (m)	1.094	yard (yd)
centimeter (cm)	0.0001	micrometer (μm)
Volume		
liter (L)	0.2642	gallon (gal)

Temperature in degrees Celsius ($^{\circ}\text{C}$) may be converted to degrees Fahrenheit ($^{\circ}\text{F}$) as $^{\circ}\text{F} = (1.8 \times ^{\circ}\text{C}) + 32$.

Datum

Sea level: In this report "sea level" refers to either the National Geodetic Vertical Datum of 1929 (NGVD of 1929)—a geodetic datum derived from a general adjustment of the first-order level nets of both the United States and Canada, formerly called Sea Level Datum of 1929—or the North American Vertical Datum of 1988 (NAVD 88).

Supplemental Information

Specific conductance of water is expressed in microsiemens per centimeter at 25 degrees Celsius ($\mu\text{S}/\text{cm}$ at 25°C). This unit is equivalent to micromhos per centimeter $\mu\text{mho}/\text{cm}$ at 25°C , formerly used by the U.S. Geological Survey.

Abbreviated water-quality units: Chemical concentrations and water temperature are given in metric units. Chemical concentration is given in milligrams per liter (mg/L) or micrograms per liter ($\mu\text{g}/\text{L}$). Milligram per liter is a unit expressing the concentration of chemical constituents in solution as weight (milligrams) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to one milligram per liter. For water with dissolved-solids concentrations less than 7,000 mg/L, the numerical values for concentrations expressed as mg/L and $\mu\text{g}/\text{L}$ are the same as for concentrations in parts per million and parts per billion, respectively.

Water-quality and Lake-stage Data for Wisconsin Lakes, Water Year 2014

By Wisconsin Water Science Center Lake-Studies Team

Introduction

The U.S. Geological Survey (USGS), in cooperation with local and other agencies, collects data at selected lakes throughout Wisconsin. These data, accumulated over many years, provide a database for developing an improved understanding of the water quality of lakes. To make these data available to interested parties outside the USGS, the data are published annually in this report series. The locations of water-quality and lake-stage stations in Wisconsin for water year 2014 are shown in figure 1. A water year is the 12-month period from October 1 through September 30. It is designated by the calendar year in which it ends. Thus, the period October 1, 2013, through September 30, 2014, is called “water year 2014.”

The purpose of this report is to provide information about the chemical and physical characteristics of Wisconsin lakes. Data that have been collected at specific lakes, and information to aid in the interpretation of those data, are included in this report. Data collected include measurements of in-lake water quality and lake stage. Time series of Secchi depths, surface total phosphorus, and chlorophyll *a* concentrations collected during nonfrozen periods are included for many lakes. Graphs of vertical profiles of temperature, dissolved oxygen, pH, and specific conductance are included for sites where these parameters were measured. Descriptive information for each lake includes the location of the lake, area of the lake’s watershed, period for which data are available, revisions to previously published records, and pertinent remarks. Additional data, such as streamflow

and water quality in tributary and outlet streams of some of the lakes, are published online at

<http://nwis.waterdata.usgs.gov/wi/nwis>.

Water-resources data, including stage and discharge data at most streamflow-gaging stations, are available through the World Wide Web on the Internet. The Wisconsin Water Science Center's home page is at <http://wi.water.usgs.gov/>. Information about the Wisconsin Water Science Center's Lakes Program is found at <http://wi.water.usgs.gov/lakes/index.html> and <http://wi.water.usgs.gov/projects/index.html>. The Wisconsin Water Science Center Lake-Studies Team includes S.B. Manteufel, D.M. Robertson, B.J. Siebers, and E.D. Dantoin.

Figure 1. Map showing the locations of U.S. Geological Survey water-quality, lake-stage, and lake-level network stations in Wisconsin.



Note: at some lakes more than one site may be monitored.

Figure 1. Location of USGS lake water-quality, lake-stage, and lake-level network stations in Wisconsin.

The USGS has monitored lakes in cooperation with local and other agencies since 1983.

Cooperators in 2014 included:

Big Cedar Lake Protection and Rehabilitation District

Dane County

Delavan Lake Sanitary District

Geneva Lake Environmental Agency

Green Lake Sanitary District

Lake Beulah Management District

Middle Genesee Lake District

Okauchee Lake Management District

Powers Lake District

Rock County Public Works Department

Town of Delavan

Town of Washington

U.S. Army Corps of Engineers

U.S. Environmental Protection Agency

Village of Oconomowoc Lake

Wind Lake Management District

Wisconsin Department of Natural Resources

Lake data-collection sites are identified by a unique identification number. Lake water-quality sites are identified by a 15-digit number that is a concatenation of the site's latitude, longitude, and a two-digit sequence number. The sequence number is used to distinguish between sites located at the same latitude-longitude designation. The site identification number is permanently assigned to the site; the actual latitude and longitude of the site are subject to revision and are stored separately. For some lakes, which have historical records of lake stage, an 8–10 digit number is assigned according to downstream order. Gaps are left in the numerical series to allow for new stations; hence, the numbers are not consecutive. The first two digits of the complete 8–10 digit number, such as 04087000 or 054310157, designate the major river basin. For example, “04” designates the St. Lawrence River Basin, and “05” designates the Upper Mississippi River Basin. The water-quality lake stations that were discontinued prior to water year 2013 are listed in table 1. Discontinued lake-stage stations are not included in this table.

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
Alma Lake, near St. Germain	455426089254700	Oct. 1984–Sept. 1990, May 1992–Sept. 1996
Balsam Lake, off Cedar Island, at Balsam Lake off Little Narrows, near Balsam Lake	452755092264600 452858092265300	Feb. 1991–Aug. 1994 May 1991–Aug. 1994
off Rock Island, near Balsam Lake	452754092234300	May 1991–Aug. 1994
Balsam Lake, near Birchwood	453907091345800	Mar. 1993–Aug. 1994, Mar. 1996–Aug. 1997, Mar.–Sept. 2001
Bass Lake, near Shawano	445215088300300	Feb. 1990–Aug. 1992
Bear Lake at Deep Hole near Haugen	453754091490900	Mar. 1992–Aug. 1993
Beaver Dam Lake, South end, at Beaver Dam	432814088515000	June–Oct. 1991

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
North end, near Beaver Dam	433122088545700	June–Oct. 1991
Benedict Lake, near Powers Lake	423201088180800	May 1998–Aug. 2000
Big Blacksmith Lake, near Keshena	445401088334500	Feb. 1990–Aug. 1992
Big Hills (Hills) Lake, near Wild Rose	440912089092000	June 1983–Aug. 1984, Feb.–Aug. 1987, Feb.–Aug. 1990, Feb.–Aug. 1993, Feb.–Aug. 1996, Feb.–Aug. 1999
Big Muskego Lake, at North Site, near Muskego	425301088061300	Feb.–Aug. 1988
Research Base, near Muskego	425235088075300	May–June 1994
Big Round Lake, near Milltown	453142092180100	Feb.–Sept. 2001
Big St. Germain Lake, near St. Germain	455557089311000	Feb. 1992–Aug. 1996
near Lake Tomahawk	05390750	1991–2001
Big Sand Lake, Deep Hole, near Hertel	454910092134000	Feb.–Sept. 2001
East Site, near Hertel	454921092124300	Feb.–Sept. 2001
Big Sissabagama Lake, near Stone Lake	454724091303600	Apr. 1986–Sept. 1996, Oct. 1997–Sept. 2002
North Site, near Stone Lake	454800091312900	Mar. 1998–Sept. 2001
Booth Lake, near East Troy	424800088254800	Feb. 1992–Aug. 1994, Feb. 2001–Aug. 2003
Buffalo Lake, Center Site, at Packwaukee	434558089260600	May 1998–Sept. 2001
East End, at Montello	434720089201600	May 1998–Sept. 2001
West End, near Endeavor	434414089282400	May 1998–Sept. 2001
Butternut Lake, near Park Falls	455854090310300	Oct. 2002–Oct. 2004
Deep Hole, near Park Falls	455803090310800	Mar. 2003–Sept. 2004
North Site, near Butternut	455904090303400	Mar. 2003–Sept. 2004
Far South Site, near Park Falls	455651090312700	Mar. 2003–Sept. 2004
Denoon Lake, at Wind Lake	425044088100300	Feb. 1991–Aug. 1996
Druid Lake near Hartford	431643088243300	Feb. 1991–Sept. 1996
Eagle Lake near Kansasville	05544500	1936–64, 1975–77, 1979, Feb. 1993–Sept. 1996
Eagle Lake, at Deep Hole, near Kansasville	424207088072400	Feb. 1993–Aug. 1996
Eagle Spring Lake, at Eagleville	425103088261500	Apr. 1991–Sept. 2001
Elizabeth Lake, near Twin Lakes	423051088155300	Feb. 1995–Sept. 1997
Fish Lake, near Sauk City	05406050	Nov. 1966–Sept. 1981,

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
Fowler Lake, Center, at Oconomowoc	430653088294601	Apr. 1985–May 1987, May 1988, Apr. 1989–Oct. 1990, Oct. 1990–Nov. 1996, Nov. 1996–Sept. 2004
Fox Lake, Deep Hole, at Fox Lake	433458088560600	Jan.–Dec. 1984, Oct. 1986–Sept. 1996
Gilbert Lake Deep Hole, near West Bend	432504088152201	June 1991–Mar. 1993
Gilbert Lake Tributary, near West Bend	04086418	Apr. –July 2012
Gilbert Lake Spring #1, near West Bend	432514088151601	Apr. –July 2012
Gilbert Lake Spring #2, near West Bend	432511088151801	Apr. –July 2012
Geneva Lake, Geneva Bay, at Lake Geneva	423455088263800	Apr. 1997–Feb. 1999
Williams Bay, at Williams Bay	423420088320500	Apr. 1997–Feb. 1999
East End, near Lake Geneva	423421088272300	Apr. 1997–May 2000
Hemlock Lake, near Mikana	453421091333700	Mar. 1993–Aug. 1994, Mar. 1996–Aug. 1997, Mar.–Sept. 2001
Hooker Lake, at Salem	423335088060300	Feb. 1992–Aug. 1993
Kawaguesaga, Deep Hole, near Minocqua	455208089435800	May–Sept. 2003
South Site, near Minocqua	455145089442600	May–Sept. 2003
Kirby Lake, near Cumberland	453554092042101	Nov. 1995–Oct. 1996
(Site 1) near Cumberland	453608092035801	Nov. 1995–Nov. 1996
(Site 2) near Cumberland	453601092035301	Nov. 1995–Nov. 1996
(Site 3) near Cumberland	453612092034901	Nov. 1995–Nov. 1996
(Site 4) near Cumberland	453603092035701	Nov. 1995–Nov. 1996
(Site 5) near Cumberland	453608092041201	Nov. 1995–Nov. 1996
(Site 6) near Cumberland	453555092040901	Nov. 1995–Nov. 1996
Lac La Belle, at Oconomowoc	430733088305900	Feb. 1984–Aug. 1985, Apr.–Aug. 1991, Feb. 2001–Aug. 2003
NW, at Oconomowoc	430809088313900	Feb. 1984–Aug. 1985
SE, at Oconomowoc	430707088301400	Feb. 1984–Aug. 1985
Lake Bastine, Deep Hole, near Mercer	460511090153800	Apr. 2009–Mar. 2010
Lake Blass, at Lake Delton	433545089482400	Mar. 1989–Aug. 1990
Lake Desair, near Rice Lake	453446091465100	Aug. 2004
Lake Keesus,		

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
East Bay, near Merton	430957088183400	Apr. 1991–Aug. 1995
North Bay, near Merton	431006088191000	Apr. 1991–Aug. 1995
Lake Morris at Mount Morris	440654089120500	Jun. 1983–Sept. 1989
Lake Nebagamon, Northeast Bay, at Lake Nebagamon	463050091412300	May 1992–Aug. 1995
Southeast Bay, at Lake Nebagamon	462928091413500	Mar. 1992–Sept. 1995
West Bay, at Lake Nebagamon	463034091425300	May 1992–Aug. 1995
Lake Noquebay, near Crivitz	451511087550900	Feb. 1987–Aug. 1988, Apr. 1991–Aug. 1994
East End, near Crivitz	451540087525700	Apr. 1991–Aug. 1994
Lamotte Lake, near Shawano	445305088361200	Feb. 1990–Aug. 1992
Lauderdale Lakes, at Lauderdale Mill, at Lauderdale	424554088332700 424555088335700	Oct. 1993–Oct. 1994 Nov. 1993–Nov. 1994, Aug. 2002
Green, Auxiliary, Number 1, near Lauderdale	424640088341900	June 1999–Sept. 2000
Green, near Lauderdale	424652088341500	Nov. 1993–Nov. 1994, Aug. 2002
Legend Lake (Site 1), near Shawano	445342088312700	Feb. 1990–Feb. 1992
Little Arbor Vitae, near Woodruff	455446089370300	Feb. 1991–Sept. 2002
Little Cedar Lake, North Site, near West Bend	432255088134700	Feb. 1997–Aug. 1999, Feb. 2003–Sept. 2012
Little Cedar Lake, South Site, near West Bend	432249088134500	Feb. 1997–Aug. 1999, Feb. 2003–Sept. 2012
Little Green Lake, at Center, near Markesan	434412088590700	Feb. 1991–Aug. 2003
Little Muskego Lake, at Muskego	425425088083500	Oct. 1986–Aug. 2002
Little Rock Lake, near Woodruff	455946089415702	Oct. 1983–Sept. 1996
Little St. Germain Lake, near Eagle River	05390700	(a)
Upper East Bay, at St. Germain	455532089253900	Dec. 1996–Mar. 97, Mar. 1999, Mar. 2000–Aug. 2003
Northeast Bay, near St. Germain	455545089262500	Apr. 1991–Aug. 1994, Aug. 1996–Aug. 1997, Mar. 1999–Aug. 2003
South Bay, near St. Germain	455437089270800	Apr. 1991–Aug. 1994, Aug. 1996–Aug. 1997, Mar. 1999–Aug. 2003
West Bay, at St. Germain	455428089282400	Apr. 1991–Aug. 1994, Aug. 1996–Aug. 1997, Mar. 1999–Aug. 2003
Little Sand Lake (Site No. 2), near Mole Lake	452826088544101	May 1996–Sept. 2003

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
Long (Kee Nong Go-Mong) Lake, at Wind Lake	424937088103400	Feb. 1988–Aug. 1989, Feb. 1991–Aug. 1996
Loon Lake, near Shawano	445009088303700	Feb. 1991–Aug. 1993
Lost Lake, near Beaver Dam	432640088580500	June–Oct. 1991
McKenzie Lakes		
McKenzie (Big McKenzie)		
Deep Hole, near Spooner	455507092013500	Feb. 1987–Aug. 1998
Northern Site, near Spooner	455540092022000	June 1997–Aug. 1998
South Site, near Spooner	455437092022300	June 1997–Aug. 1998
Lower McKenzie, near Webb Lake	455902092011900	June 1997–Aug. 1998
Middle McKenzie, near Spooner	455635092021800	June 1997–Aug. 1998
Mary (Marie) Lake, at Twin Lakes	423128088151200	Feb. 1995–Aug. 1997
Max Lake, near Woodruff	460128089423501	Mar. 1988–Dec. 1996
Mead Lake, East Bay near Willard	444720090445000	Apr. 1991–Aug. 1995
West Bay, near Willard	444733090460100	Feb. 1991–Sept. 1995
Mercer Lake, Deep Hole, at Mercer	460937090033100	Mar. 2008–Sept. 2009
West basin, at Mercer	460945090040600	Mar. 2008–Sept. 2009
Minocqua Lake		
Deep Hole, at Minocqua	455214089412800	May–Sept. 2003
North Bay, at Minocqua	455232089424100	May–Sept. 2003
South Bay, at Minocqua	455206089425200	May–Sept. 2003
Montello Lake, at Montello	434748089195800	Feb. 1995–Aug. 1998
Moon Lake, near St. Germain	455504089260500	Feb. 1992–Aug. 1996
Morgan Lake, near Fence	454622088324801	Oct. 1987–Sept. 1998.
Moshawquit Lake, near Shawano	445352088295800	Feb. 1990–Aug. 1992
Muskego (Big Muskego)		
Auxiliary Number 1, near Muskego	425329088054000	June 1996–Aug. 2000
Bass Bay, near Muskego	425344008807010	Feb. 1988–Aug. 2002
near Wind Lake	425109088075000	Oct. 1987–Sept. 1989, Jan. 1991–Sept. 2002
South Site, near Muskego	425212088072800	Feb. 1988–Aug. 2002
Muskellunge Lake, near Eagle River	455700089224900	June 2000–Aug. 2001
Muskellunge Lake, near Lake Outlet near Eagle River	455706089232400	Nov. 2000–Oct. 2001

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
Nagawicka Lake, at Deep Hole, at Delafield	430417088230300	Feb. 2003–Sept. 2004
Namekagon Lakes		
Garden, near Cable	461224091033200	Mar. 1998–Aug. 1999
Jackson, near Cable	461457091065900	Mar. 1998–Aug. 1999
Namekagon		
Deep Hole, near Cable	461308091065100	Mar. 1998–Aug. 1999
East Basin, near Cable	461228091044300	Mar. 1998–Aug. 1999
Northeast Basin, near Cable	461410091050700	Mar. 1998–Aug. 1999
Park Lake (Site 1), at Pardeeville	433239089175800	Feb. 1986–Aug. 1987, May–Nov. 1993
(Site 2) at Pardeeville	433226089175500	May–Nov. 1993
(Site 3) at Pardeeville	433245089173000	May–Nov. 1993
(Site 4) at Pardeeville	433257089165100	May–Nov. 1993
Pike Lake, near Hartford	431916088200501	Dec. 1998–Dec. 2000
Pike Lake–QW site, near Hartford	431835088200600	Feb.–Aug. 2000
Potter Lake, near Mukwonago	424905088204000	Feb. 1993–Sept. 2007
Pretty Lake, at Deep Hole, near Dousman	425722088295000	Feb. 1993–Aug. 1997
Puckaway Lake, West Basin, near Marquette	434515089124000	Apr. 2005–Sept. 2007
East Basin, near Marquette	43454208907300	Apr. 2005–Sept. 2007
River site, near Marquette	434824089083200	Apr. 2005–Sept. 2007
Red Cedar Lake, at Mikana	453522091360600	Mar. 1993–Aug. 1994, Mar. 1996–Aug. 1997, Oct. 2000–Sept. 2001
Deep Hole, near Mikana	453725091345100	Mar. 1993–Aug. 1994, Mar. 1996–Aug. 1997, Mar. –Sept. 2001
South End, at Mikana	453519091352500	Mar. 1993–Aug. 1994, Mar. 1996–Aug. 1997, Mar. –Sept. 2001
Rice Lake, at Deep Hole near Whitewater	424629088415700	Apr.–Nov. 1991
Round Lake, near Shawano	445328088335000	Feb. 1990–Aug. 1992
Sand Lake (Deep Hole), near Keshena	445321088323101	June–Aug. 1992
Shell Lake, at Shell Lake	05334000	Aug. 1936–Sept. 1999
Silver Lake, near Oconomowoc	430436088293300	Apr. 1992–Aug. 1996
Silver Lake, near West Bend	432322088125000	Feb. 1996–Aug. 1997 Feb. 2009–Aug. 2009

Table 1. Lake monitoring stations that were discontinued prior to 2013.—Continued

[NW, northwest; SE, southeast; SW, southwest; QW, water-quality station; (a), Wisconsin Valley Improvement Co. currently collects stage data for this site]

Station name	Site identification number	Period of record
Sinissippi Lake, off Anthony Island., at Hustisford	432113088361100	Feb. 1991–Aug. 1993
off Butternut Island., near Hustisford	432240088363900	Apr. 1991–Aug. 1993
off Sam Point, near Hustisford	432300088374200	Apr. 1991–Aug. 1993
Spirit Lake, near Keshena	445400088320100	Apr.–Aug. 1992
Spooner Lake, Deep Hole, near Spooner	455034091493300	June 2002–Aug. 2004
Southeast Site, near Spooner	454945091483900	June 2002–Aug. 2004
Stewart Lake, at Mt. Horeb	430117089442701	May 1992–Sept. 1993
Tichigan Lake, near Waterford	424854088123300	Mar. 1994–Aug. 1996, Apr. 2003–Aug. 2004
Tombeau Lake, near Powers Lake	423153088184800	May 1998–Aug. 2000
Townline Lake, near Mercer	460409090084100	Apr. 2009–Mar. 2010
Trude Lake, Deep Hole, near Mercer	460646090091900	Apr. 2009–Mar. 2010
Turtle-Flambeau Flowage, Deep Hole, near Mercer	460458090102700	Apr. 2009–Mar. 2010
SW Basin, near Mercer	460344090124800	Apr. 2009–Mar. 2010
Lake Bastine, Deep Hole, near Mercer	460511090153800	Apr. 2009–Mar. 2010
Townline Lake, near Mercer	460409090084100	Apr. 2009–Mar. 2010
Trude Lake, Deep Hole, near Mercer	460646090091900	Apr. 2009–Mar. 2010
Twin Lake, East Twin, near Westfield	435430089350700	June 2002–Aug. 2004
West Twin, near Westfield	435438089352300	June 2002–Aug. 2004
Winnebago, Buoy Site, near Oshkosh	440128088271201	May 2011–Sept. 2011

Methods of Data Collection

Depth profiles of water temperature, dissolved oxygen, pH, and specific conductance were collected using multiparameter meters. Prior to measurements, the meters were calibrated using standards for pH and conductance, and dissolved oxygen was calibrated using the air calibration method. Generally, field measurements in profiles were made at 0.5-meter (m) intervals if the maximum depth of the lake was 5 m or less and at 1.0-m intervals if the maximum depth was greater than 5 m.

In most lakes, water samples were collected at two depths: near the surface and near the bottom. The chemistry of the water samples was analyzed using standard analytical methods by either the USGS National Water Quality Laboratory (Wershaw and others, 1987; Fishman and Friedman, 1989; Fishman, 1993) or the Wisconsin State Laboratory of Hygiene (Wisconsin State Laboratory of Hygiene, 1993). Analyses for dissolved constituents were done on samples that were filtered in the field through a filter with a pore size of 0.45-micrometer. Total or total recoverable constituents were determined by analyzing unfiltered water samples. Preservation and shipment of samples followed standard protocols established by the laboratories. Water-quality data were archived in the Water Quality Data Base of the National Water Information System. Additional descriptive information about water-quality data is available at <http://waterdata.usgs.gov/wi/nwis/qw>. National Water Information System parameter codes and minimum laboratory reporting levels for chemical constituents are given in table 2. The parameter code for turbidity has changed from 00076 to 63675 or 63676, because the method of testing has changed.

Records of lake stage are considered complete when one or more manual or automatic measurements were obtained per day. Partial records of lake-stage result when measurements were less frequent than daily. A complete description of manual or automatic measurements of lake stage is described by Rantz and others (1982).

Table 2. Parameter identification numbers and laboratory reporting levels for chemical parameters commonly measured in lakes, and analyzed at the National Water Quality Laboratory or the Wisconsin State Laboratory of Hygiene.

[NWQL, National Water Quality Laboratory; WSLH, Wisconsin State Laboratory of Hygiene; CAS, Chemical Abstracting Service; LRL, laboratory reporting level; diss., dissolved; mg/L, milligram per liter; µg/L, microgram per liter; —, not applicable; EPA, Environmental Protection Agency]

Parameter name	Unit	CAS number ¹	Parameter code ²	NWQL				WSLH	
				Standard analysis		Low-level analysis			
				LRL	Lab code	LRL	Lab code	LRL	Test code
Calcium, diss. (Ca)	mg/L	7440-70-2	00915	0.022	659	—	—	0.100	E200.7
Magnesium, diss. (Mg)	mg/L	7439-95-4	00925	0.011	663	—	—	0.100	E200.7
Sodium, diss. (Na)	mg/L	7440-23-5	00930	0.06	675	—	—	0.100	E200.7
Potassium, diss. (K)	mg/L	7440-09-7	00935	0.03	2773	0.004	2774	0.100	E200.7
Sulfate, diss. (SO ₄)	mg/L	14808-79-8	00945	0.02	1572	0.02	1263	4.70	EPA 375.2
Chloride, diss. (Cl)	mg/L	16887-00-6	00940	0.02	1571	0.02	1259	1.00	SM4500-CL-E
Fluoride, diss. (F)	mg/L	16984-48-8	00950	0.01	651	0.01	1260	—	—
Iron, diss. (Fe)		7439-89-6	01046	4.0	645	—	—	0.100	E200.7
Manganese, diss. (Mn)		7439-96-5	01056	0.2	648	0.40	1793	1.00	E200.7
Silica, diss. (SiO ₂)	mg/L	7631-86-9	00955	0.06	3121	0.018	667	0.022	USGS I-2700-85
Nitrogen, NO ₂ +NO ₃ , diss.	mg/L	—	00631	0.04	3156	—	—	0.019	EPA 353.2
Nitrogen, ammonia, diss.	mg/L	7664-41-7	00608	0.02	1991	--	--	0.015	EPA 350.1
Nitrogen, org., total ³	mg/L	—	—	—	—	—	—	—	—
Nitrogen, amm.+org., total ⁴	mg/L	17778-88-0	00625	0.07	1986	—	—	0.14	EPA 351.2
Nitrogen, amm.+org., diss.	mg/L	17778-88-0	00623	0.07	1985	—	—	—	—
Phosphorus, total	mg/L	7723-14-0	00665	0.004	1984	0.004	2333	0.005	EPA 365.1
Phosphorus, ortho, diss.	mg/L	14265-44-2	00671	0.004	3118	—	—	0.002	SM4500-PE
Chlorophyll <i>a</i> , phytoplankton	μg/L	479-61-8	70953	0.1	3152	—	—	—	—
Chlorophyll <i>a</i> , phytoplankton	μg/L	479-61-8	32210	—	—	—	—	0.26	EPA 445

¹CAS number—A unique identification for each constituent.

²Parameter code—A unique number for storage of data in database.

³Calculated as difference between total ammonia + organic nitrogen and ammonia nitrogen

⁴Also known as total Kjeldahl nitrogen (TKN).

Explanation of Physical and Chemical Characteristics of Lakes

Following are brief, generalized explanations of some of the common measurements of water quality and some of the physical processes occurring in lakes that influence these measures

of water quality. More detailed explanations of water-quality data and lake processes are given by Wetzel (1983), Hem (1985), and Shaw and others (1993).

Water Temperature and Thermal Stratification

Water temperature in lakes is important because of its role in stratification and because of the temperature dependence of many chemical reactions and life processes of aquatic organisms. The extent of thermal stratification in lakes depends on the interaction between the lake's shape, water clarity, solar heating, and wind-driven mixing. Complete mixing of the lake is usually inhibited by thermal stratification in summer and by ice cover in winter. Thermal stratification affects water quality and the distribution of organisms in the lake. Summer thermal stratification can occur in any lake, but in Wisconsin it commonly occurs in lakes deeper than about 6 m (Shaw and others, 1993).

The density of water increases with decreasing temperature down to a temperature of 4 degrees Celsius ($^{\circ}\text{C}$), then decreases with decreasing temperature between $4\text{ }^{\circ}\text{C}$ and the freezing point of water ($0\text{ }^{\circ}\text{C}$). For a brief period in the spring after the ice is out, water temperature is usually uniform through the entire water column, and wind action causes the lake to mix completely. This process is known as "spring turnover." As the lake absorbs the Sun's energy, the surface water becomes warmer and its density decreases, making it more resistant to complete mixing. The difference in density caused by different water temperatures can prevent warm- and coldwater from mixing. In most lakes, therefore, a density "barrier" forms between the warmer surface water (epilimnion) and the underlying colder water (hypolimnion). This barrier is often marked by a sharp temperature gradient known as the "thermocline" (metalimnion). During the stratified summer period, these three distinct layers of lake water are often present. As the temperature difference between surface and deep water increases, this "stratified" condition stabilizes and can persist until surface temperatures decrease in the fall,

which decreases the stability of the stratification. The mixing of the lake water in the fall is known as “fall turnover.”

Thermal stratification may also occur under ice cover in the winter. In the winter, the coldest water (near 0 °C) under the ice at the surface of the lake is less dense than water deeper in the lake with warmer temperatures.

Specific Conductance

Specific conductance is a measure of the ability of water to conduct an electrical current and is an indicator of the concentration of dissolved solids in the water. Because conductance is temperature related, reported values are normalized at 25 °C and are termed “specific conductance.” As the concentration of dissolved minerals increases, specific conductance increases. During winter and summer thermal stratification, concentrations of dissolved constituents near the lake bottom increase due to one of two processes: the decomposition of materials settling from the epilimnion or the release of dissolved materials (such as iron, manganese, and phosphorus) from the bottom sediments during anoxic periods. Therefore, differences in specific conductance with depth indicate differences in concentrations of dissolved solids.

Water Clarity

Water clarity, or transparency, is commonly measured using a Secchi disc. The range of depths within which photosynthetic activity occurs depends largely on depth of light penetration, which is influenced by water clarity. A Secchi disc, most commonly a 20-centimeter diameter disc with alternating black-and-white quadrants, is lowered to a depth at which it is no longer visible. This depth is referred to as the “Secchi depth.” Clarity can be reduced by algae, zooplankton, water color, and suspended sediment. Algae are often the most dominant influence

on clarity in lakes and, therefore, Secchi depth is usually correlated with the algal abundance.

Secchi depths are generally the least during summer when algal populations are largest.

pH

The pH is a measure of the acidity of the water. It is defined as the negative logarithm of hydrogen-ion concentration and varies over a 14-unit log scale, with a pH of 7 being neutral. Values less than 7 indicate acidic conditions; the lower the value, the stronger the acidity. Values greater than 7 indicate alkaline conditions. The pH of water is influenced in part by photosynthesis and respiration of planktonic algae and aquatic plants. It is important because it affects the solubility of many chemical constituents and because aquatic organisms have limited pH tolerances. Planktonic algae and aquatic plants produce oxygen and consume carbon dioxide as they photosynthesize during daytime; they consume oxygen and produce carbon dioxide when they respire at night. Carbon dioxide combines with the water molecule to form carbonic acid; therefore respiration causes a decrease in pH at night, and photosynthesis during the day causes an increase in pH. The result is a daily cycle in pH. Because phytoplankton are usually concentrated in the near-surface water, changes in pH in the epilimnion are more extreme than in the hypolimnion, where less photosynthesis usually occurs.

Lakes having good fish populations and productivity generally have a pH between 6.7 and 8.2. Values of pH greater than 8.5 have been shown to cause the release of phosphorus from lake sediments (James and Barko, 1991).

Dissolved Oxygen

Dissolved oxygen is one of the most critical factors affecting a lake ecosystem because it is essential to most aquatic organisms, and it is involved in many chemical reactions. Very low dissolved oxygen concentrations can control some types of chemical reactions. The solubility of

oxygen in water is inversely related to temperature—that is, oxygen solubility decreases as water temperature increases. This relation is important, because at warmer temperatures the metabolic rate of organisms increases but less oxygen is available for respiration. The primary sources of dissolved oxygen are from the air and from photosynthesis. The minimum dissolved oxygen concentration specified in national water-quality criteria for early life stages of warmwater aquatic life is 5.0 milligrams per liter (U.S. Environmental Protection Agency, 1986).

In early summer, if thermal stratification develops, the metalimnion restricts the surface supply of dissolved oxygen to the hypolimnion. The hypolimnion can become isolated from the atmosphere. Thus, as summer progresses, the dissolved oxygen concentration can decrease in response to decomposition of dead algae that settle from the epilimnion and in response to the biological and chemical oxygen demand of the sediments. The oxygen demand from these processes may completely deplete the oxygen (anoxia) in the water near the lake bottom. The oxygen depletion then progresses upward but usually is confined to the hypolimnion.

Anoxia in the hypolimnion is common in stratified eutrophic (nutrient-rich) lakes in Wisconsin. Complete anoxia, however, is often not detected because of limitations of the measurement equipment. During anoxic conditions, many aquatic organisms cannot survive, but many other species (primarily bacteria) actually function only in such conditions. Therefore, a shift from oxic to anoxic conditions produces a rapid and dramatic change in the biological community and chemical environment. Anoxia also can cause the release of phosphorus from the bottom sediments. This phosphorus then mixes throughout the water column during spring and fall turnover.

Phosphorus

Phosphorus is one of the essential nutrients for plant growth. High phosphorus concentrations can cause dense algal populations (blooms) and can therefore be a major cause of

eutrophication in lakes. When phosphorus concentrations exceed 0.025 milligrams per liter at the time of spring turnover in lakes and reservoirs, these water bodies may occasionally experience excess or nuisance growth of algae or other aquatic plants (U.S. Environmental Protection Agency, 1986). In many regions of the country, including the upper Midwest, other nutrients, particularly nitrogen, tend to be in abundant supply. Phosphorus is often the nutrient in shortest supply, therefore limiting or controlling plant growth. About 90 percent of the lakes in Wisconsin are limited by phosphorus (Shaw and others, 1993). In water, dissolved orthophosphate is the part of total phosphorus that is most readily available for use by algae.

Internal phosphorus recycling occurs in many lakes. Phosphorus used by algae, aquatic plants, fish, and zooplankton is stored within these organisms. As these organisms die and decompose, this phosphorus is returned to the lake water and sediments. Anoxia in the hypolimnion makes phosphorus more soluble, adding further to the release of phosphorus from the falling particles and the lake sediments. During spring and fall turnover the phosphorus, which was released from the bottom sediments into the hypolimnion during anoxia, is mixed throughout the lake. The phosphorus is then available for algal growth. These phenomena are part of the internal recycling processes of lakes.

Nitrogen

Nitrogen, like phosphorus, is an essential nutrient for plant and algal growth. Usually in Wisconsin lakes, nitrogen is in abundant supply from the atmosphere and other sources. If phosphorus is abundant relative to algal needs, nitrogen can become the limiting nutrient. In that case, algal blooms are more likely to be triggered by increases in nitrogen than by increases in phosphorus. Some blue-green algal species can fix nitrogen from the atmosphere (Wetzel, 1983). Therefore, in situations where other types of algae are excluded because of a shortage of

nitrogen, the nitrogen-fixing blue-green algae have a competitive advantage and may be present in abundance.

Lakes with a nitrogen to phosphorus ratio larger than 15 to 1 near the surface may generally be considered phosphorus limited, a ratio from 10 to 1 to 15 to 1 indicates a transition situation, and a ratio smaller than 10 to 1 generally indicates nitrogen limitation. Total nitrogen is the sum of ammonia, organic nitrogen, and nitrate-plus-nitrite nitrogen. The near-surface concentration is commonly used to compute the total nitrogen to phosphorus ratio because most algal species grow near the lake surface.

Chlorophyll *a*

Chlorophyll *a* is a photosynthetic pigment found in algae (Wetzel, 1983) and other green plants. Its concentration, therefore, is commonly used as a measure of the density of the algal population in a lake. Chlorophyll *a* concentrations are generally highest during summer when algal populations are highest. Moderate populations of desirable algae are important in the food chain; however, excessive populations or algal blooms are undesirable. Algal blooms can cause taste and odor problems and limit light penetration needed to support growth of submerged aquatic plants. Certain species of blue-green algae can produce toxins (Rapavich and others, 1987).

Classification of Lakes

Two methods are commonly used to classify and evaluate Wisconsin lakes according to their water quality or trophic state: Lillie and Mason's (1983) water-quality index and Carlson's (1977) trophic state index (TSI). In previous USGS data reports, a modification of Carlson's TSI for Wisconsin lakes by Lillie and others (1993) had been used; however, this approach did not properly classify oligotrophic and highly eutrophic lakes and, therefore, was discontinued.

Lillie and Mason's (1983) water-quality indices for Wisconsin lakes were developed based on summer measurements of total phosphorus and chlorophyll *a* concentrations and Secchi depth from a random set of lakes in Wisconsin. These data were used to classify the lakes' water quality (table 3).

Table 3. Classifications of water quality in Wisconsin lakes.

[From Lillie and Mason (1983); mg/L, milligram per liter; µg/L, microgram per liter; <, less than; >, greater than]

Water-quality index	Total phosphorus range (mg/L)	Chlorophyll <i>a</i> range (µg/L)	Water clarity range (Secchi depth, in meters)
"Excellent"	<0.001	1.0	>6.0
"Very good"	0.001–0.009	1.0–4.9	3.0–6.0
"Good"	0.010–0.029	5.0–9.9	2.0–2.9
"Fair"	0.030–0.049	10.0–14.9	1.5–1.9
"Poor"	0.050–0.149	15.0–30.0	1.0–1.4
"Very poor"	>0.150	>30.0	<1.0

Carlson's (1977) TSI approach to lake classification assigns numerical ranges to the three trophic conditions generally used to describe the wide range of lake water-quality conditions. Oligotrophic lakes are typically clear, algal populations and phosphorus concentrations are low, and the deepest water is likely to contain oxygen throughout the year. Mesotrophic lakes typically have a moderate supply of nutrients, experience moderate algal blooms, and have occasional oxygen depletions at depth. Eutrophic lakes are nutrient rich with relatively severe water-quality problems, such as frequent seasonal algal blooms, oxygen depletion in lower parts of the lakes, and poor clarity. When eutrophic conditions are very severe, the lake is considered hypereutrophic.

Carlson's (1977) TSI values are also based on near-surface total phosphorus and chlorophyll *a* concentrations, and Secchi depths. The indices were developed to place these three characteristics on similar scales to allow comparison of different lakes. TSI values based on phosphorus concentrations, Secchi depths, and chlorophyll *a* concentrations typically are computed only for measurements collected during the open-water period.

TSI values for a lake can be calculated using the following equations (Carlson, 1977):

$$TSI_P = 4.15 + 14.42 \times (\ln [\text{total phosphorus concentration} \times 1,000])$$

$$TSI_{SD} = 60.0 - 14.41 \times (\ln \text{Secchi depth})$$

$$TSI_C = 30.6 + 9.81 \times (\ln \text{chlorophyll } a \text{ concentration})$$

where:

TSI_P is total phosphorus, in milligrams per liter,

TSI_{SD} is Secchi depth, in meters, and

TSI_C is chlorophyll *a*, in micrograms per liter.

The three main trophic conditions (Carlson, 1977) are defined with boundaries for total phosphorus, Secchi depth, and chlorophyll *a* (table 4).

Table 4. Characteristics of the three main trophic conditions.

[From Carlson (1977); m, meter; mg/L; milligram per liter; µg/L, microgram per liter]

Trophic level	Trophic State Index	Total phosphorus (mg/L)	Secchi depth (m)	Chlorophyll <i>a</i> (µg/L)
Eutrophic	>50	>0.024	<2.0	>7.2
Mesotrophic	40-50	0.012-0.024	2.0-4.0	2.6-7.2
Oligotrophic	<40	<0.012	>4.0	<2.6

Acknowledgments

This report is the culmination of a concerted effort by a number of people who collected, compiled, analyzed, verified, and organized the data, and who typed, edited, and assembled the report. The authors had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to USGS policy and established guidelines. Technicians in charge of the field offices are: B.W. Olson (Rhineland), and S.A. March (Middleton). The data were collected and processed by D.D. Baumann, E.D. Dantoin, D.E. Housner, D.L. Olson, Z.T. Scott, B.J. Siebers and C.R. Utzig. S.B. Manteufel assembled, edited, and formatted the report. Additional assistance in preparation of the report was provided by M.M. Greenwood and D.L. Olson.

References Cited

- Carlson, R.E., 1977, A trophic state index for lakes: Limnology and Oceanography, March, v. 22, no. 2, p. 361–369.
- Fishman, M.J., ed., 1993, Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory—Determination of inorganic and organic constituents in water and fluvial sediments: U.S. Geological Survey Open-File Report 93–125, 217 p.
- Fishman, M.J., and Friedman, L.C., eds., 1989, Methods for determination of inorganic substances in water and fluvial sediments (3rd ed.): U.S. Geological Survey Techniques of Water-Resources Investigations, book 5, chap. A1, 545 p.
- Hem, J.D., 1985, Study and interpretation of the chemical characteristics of natural water (3rd ed.): U.S. Geological Survey Water-Supply Paper 2254, 263 p.
- James, W.F., and Barko, J.W., 1991, Littoral-pelagic phosphorus dynamics during nighttime convective circulation: Limnology and Oceanography, v. 36, no. 5, p. 946–960.

- Lillie, R.A., Graham, S., and Rasmussen, P., 1993, Trophic-state index equations and regional predictive equations for Wisconsin lakes: Wisconsin Department of Natural Resources Research Management Findings no. 35, 4 p.
- Lillie, R.A., and Mason, J.W., 1983, Limnological characteristics of Wisconsin lakes: Wisconsin Department of Natural Resources Technical Bulletin no. 138, 116 p.
- Rantz, S.E., and others, 1982, Measurement and computation of streamflow: U.S. Geological Survey Water-Supply Paper 2175, 631 p.
- Rapavich, W.M., Sonzogni, W.C., Standridge, J.H., Vennie, J.G., and Wedepohl, R.E., 1987, Incidence of algal toxins in Wisconsin water experiencing blue-green algae blooms: Wisconsin State Laboratory of Hygiene and Wisconsin Department of Natural Resources, Informational Paper, 8 p.
- Shaw, B., Mechenich, C., and Klessig, L., 2004, Understanding lake data: Madison, Wis., University of Wisconsin Extension, G3582, RP-03/2004, 19 p.
- U.S. Environmental Protection Agency, 1986, Quality criteria for water 1986: U.S. Environmental Protection Agency publication, EPA 440/5-86-001 [variously paged].
- Wershaw, R.L., Fishman, M.J., Grabbe, R.R., and Lowe, L.E., eds., 1987, Methods for the determination of organic substances in water and fluvial sediments: U.S. Geological Survey Techniques of Water-Resources Investigations, book 5, chap. A3, 80 p.
- Wetzel, R.G., 1983, Limnology (2nd ed.): New York, W.B. Saunders, 767 p.
- Wisconsin State Laboratory of Hygiene, Environmental Sciences Section, 1993, Manual of analytical methods, inorganic chemistry unit: Wisconsin State Laboratory of Hygiene, revised November 1993 [variously paged].

Lake Data

Remarks codes and symbols used in the following tables:

[<, less than; >, greater than; --, not available; E, estimated]

05390500 ANVIL LAKE NEAR EAGLE RIVER, WI

LOCATION.--Lat 45°57'00.5", long 89°03'15.3", referenced to North American Datum of 1983, in NW ¼ NE ¼ sec.13, T.40 N., R.11 E., Vilas County, Hydrologic Unit 07070001.

DRAINAGE AREA.—4.11 mi².

PERIOD OF RECORD.--June 2010 to current year.

GAGE.--Water-stage recorder and rain gage.


REMARKS.--Anvil Lake is a seepage lake. Gage height telemeter at station. Records are considered good.

EXTREMES FOR PERIOD OF RECORD.--Maximum, 97.20 ft, many days during May and June 1943; Minimum, 89.27 ft, Oct. 7 to 17, 2012.

EXTREMES FOR CURRENT YEAR.--Maximum, 90.44 ft, June 3; Minimum, 89.54 ft, Oct. 2, 2013.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	89.56	89.64	89.67	89.74	89.80	89.84	89.83	90.32	90.33	90.25	89.95	89.80
2	89.54	89.64	89.67	89.74	89.80	89.84	89.83	90.32	90.43	90.23	89.94	89.81
3	89.57	89.63	89.69	89.74	89.79	89.83	89.83	90.33	90.44	90.21	89.94	89.80
4	89.58	89.63	89.72	89.75	89.79	89.84	89.89	90.34	90.42	90.20	89.94	89.96
5	89.63	89.63	89.75	89.75	89.79	89.84	89.91	90.34	90.41	90.18	89.93	90.02
6	89.69	89.66	89.75	89.75	89.79	89.83	89.90	90.34	90.40	90.18	89.92	90.01
7	89.68	89.66	89.74	89.75	89.79	89.84	89.91	90.34	90.38	90.18	89.91	89.99
8	89.67	89.65	89.74	89.74	89.78	89.84	89.91	90.35	90.36	90.22	89.89	89.98
9	89.66	89.68	89.74	89.74	89.78	89.83	89.91	90.37	90.35	90.21	89.88	89.97
10	89.65	89.67	89.74	89.74	89.78	89.83	89.92	90.36	90.33	90.19	89.87	90.06
11	89.64	89.67	89.74	89.75	89.77	89.83	89.93	90.36	90.32	90.18	89.87	90.10
12	89.63	89.66	89.74	89.75	89.78	89.82	89.96	90.39	90.31	90.16	89.87	90.09
13	89.61	89.65	89.74	89.75	89.78	89.82	89.98	90.40	90.29	90.15	89.85	90.10
14	89.60	89.65	89.73	89.75	89.79	89.82	90.02	90.39	90.27	90.15	89.83	90.08
15	89.62	89.64	89.74	89.75	89.79	89.81	90.03	90.38	90.29	90.14	89.81	90.07
16	89.64	89.65	89.74	89.76	89.80	89.81	90.04	90.37	90.29	90.13	89.80	90.06
17	89.64	89.70	89.74	89.76	89.80	89.81	90.12	90.36	90.28	90.11	89.78	90.05
18	89.64	89.70	89.73	89.76	89.81	89.82	90.13	90.35	90.26	90.10	89.80	90.03
19	89.64	89.69	89.73	89.76	89.79	89.83	90.13	90.35	90.25	90.09	89.80	90.02
20	89.64	89.69	89.74	89.76	---	89.83	90.14	90.41	90.27	90.07	89.80	90.01
21	89.65	89.70	89.73	89.76	---	89.83	90.15	90.42	90.27	90.06	89.79	90.07
22	89.65	89.70	89.74	89.76	---	89.83	90.15	90.41	90.26	90.06	89.79	90.06
23	89.65	89.69	89.74	89.76	---	89.83	90.15	90.40	90.26	90.04	89.80	90.06
24	89.65	89.69	89.74	89.76	---	89.82	90.16	90.39	90.29	90.03	89.79	90.05
25	89.65	89.68	89.75	89.78	89.83	89.82	90.21	90.38	90.28	90.02	89.81	90.06
26	89.64	89.68	89.75	89.78	89.84	89.82	90.21	90.38	90.27	90.01	89.79	90.06
27	89.64	89.68	89.75	89.79	89.85	89.82	90.21	90.37	90.26	90.00	89.78	90.05
28	89.62	89.68	89.75	89.78	89.83	89.84	90.22	90.35	90.26	89.99	89.77	90.05
29	89.62	89.68	89.75	89.78	---	89.84	90.24	90.34	90.28	89.97	89.77	90.04
30	89.62	89.68	89.75	89.79	---	89.84	90.30	90.33	90.27	89.97	89.80	90.04
31	89.63	---	89.75	89.80	---	89.83	---	90.32	---	89.97	89.79	---
MEAN	89.63	89.67	89.73	89.76	---	89.83	90.04	90.36	90.31	90.11	89.84	90.02
MAX	89.69	89.70	89.75	89.80	---	89.84	90.30	90.42	90.44	90.25	89.95	90.10
MIN	89.54	89.63	89.67	89.74	---	89.81	89.83	90.32	90.25	89.97	89.77	89.80



Stage hydrograph for Anvil Lake, 1936-2014.

455638089034501 ANVIL LAKE, DEEP HOLE, NEAR EAGLE RIVER, WI

LOCATION.--Lat 45°56'38", long 89°03'45", in SW ¼ sec. 13, T. 40 N., R. 11 E., Vilas County, Hydrologic Unit 07070001, near Eagle River.

SURFACE AREA.—0.62 mi².

PERIOD OF RECORD.—May 2012 to September 2013.

REMARKS.--Lake sampled at the deep hole at a depth of 8-9 m. Water-quality analyses by Wisconsin State Laboratory of Hygiene. A "*" indicates data that were collected by a Citizen Lake Monitoring Volunteer.

WATER-QUALITY DATA, OCTOBER 21, 2013 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

					Specif-	pH,		Chloro-		Ortho-	Total		Ammonia
	Trans-				ic	water,		phyll a	Phos-	phos-	nitro-	Ammonia	+
	parency	Sam-	Temper-	conduct-	unfltrd	water,		trichro	phorus,	phorus,	water,	water,	org-N,
Date	Secchi	spling	ature,	wat	unf	field,	Dis-	-matic	water,	water,	water,	water,	water,
	disc,	depth,	water,	water,	uS/cm @	degC	solved	method,	unfltrd	filtrd,	filtrd,	filtrd,	filtrd,
	meters	meters	deg C	25	25 degC	units	oxygen,	uncorr,	mg/L	mg/L	mg/L	mg/L	mg/L
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	mg/L	ug/L	(00665)	(00666)	(00671)	(00600)	(00608)
OCT 2013													
21...	3.60	--	--	--	--	--	--	--	--	--	--	--	--
21...	--	0.50	11.2	43	7.5	8.3	8.31	0.017	--	--	--	--	--
FEB 2014													
12...	2.60	--	--	--	--	--	--	--	--	--	--	--	--
12...	--	0.50	0.4	45	7.4	12.4	1.95	0.019	--	--	--	--	--
APR													
07...	6.10	--	--	--	--	--	--	--	--	--	--	--	--
07...	--	2.0	2.4	43	7.2	8.8	--	0.011	--	--	--	--	--
07...	--	6.0	4.0	47	6.5	1.1	--	0.014	--	--	--	--	--
07...	--	7.5	4.4	53	6.4	0.2	--	0.014	--	--	--	--	--
MAY													
15...	2.75	--	--	--	--	--	--	--	--	--	--	--	--
15...	--	0.50	8.4	40	6.7	10.5	6.37	0.012	<0.005	0.003	0.41	<0.015	--
*28...	4.70	0.50	--	--	--	--	--	0.010	--	--	--	--	--
JUN													
*10...	5.00	0.50	--	--	--	--	1.27	0.013	--	--	--	--	--
*22...	4.90	0.50	--	--	--	--	3.89	0.016	--	--	--	--	--
23...	4.20	--	--	--	--	--	--	--	--	--	--	--	--
23...	--	0.50	21.1	40	8.2	9.1	3.05	0.009	--	--	--	--	--
23...	--	8.0	11.6	46	6.8	2.8	--	0.016	--	--	--	--	--
*26...	--	0.50	--	--	--	--	2.93	0.012	--	--	--	--	--

455638089034501 ANVIL LAKE, DEEP HOLE, NEAR EAGLE RIVER, WI

WATER-QUALITY DATA, OCTOBER 21, 2013 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-		Chloro-	Ortho-	Total	Ammonia		
				Secchi disc, meters (00078)	pling depth, meters (00098)				Ammonia water, mg/L (00608)	org-N, water, mg/L (00623)	
				unfltrd	Dis-	phyll a	Phos-	phate,	gen,	water, mg/L (00600)	water, mg/L (00600)
				wat unf uS/cm @ 25 degC (00010)	field, std (00095)	trichro-	phorus,	water,	water, mg/L (00600)	water, mg/L (00600)	water, mg/L (00600)
				water, deg C (00010)	solved oxygen, mg/L (00400)	matic method, uncorr, ug/L (00300)	unfltrd water, mg/L (32210)	water, mg/L (00665)	water, mg/L (00666)	water, mg/L (00671)	water, mg/L (00600)
JUL											
*04...	4.80	0.50	--	--	--	--	1.60	0.011	--	--	--
17...	--	--	--	--	--	--	3.37	0.025	--	--	--
*17...	4.00	0.50	--	--	--	--	3.37	0.014	--	--	--
23...	3.05	--	--	--	--	--	--	--	--	--	--
23...	--	0.50	21.9	43	7.6	8.8	4.82	0.013	--	0.004	<0.35
23...	--	8.0	15.1	57	6.2	0.8	--	0.024	--	--	<0.015
AUG											
08...	--	--	--	--	--	--	6.44	0.016	--	--	--
*08...	3.00	0.50	--	--	--	--	1.38	0.013	--	--	--
26...	3.20	--	--	--	--	--	--	--	--	--	--
26...	--	0.50	21.5	43	8.6	9.0	9.77	0.018	--	<0.002	<0.63
26...	--	--	--	--	--	--	9.25	0.018	--	--	--
26...	--	6.0	21.1	42	7.8	7.8	--	0.019	--	--	--
26...	--	7.0	19.3	47	6.8	1.9	--	0.019	--	--	--
26...	--	8.0	17.6	54	6.3	0.3	--	0.039	--	--	--
26...	2.25	--	--	--	--	--	--	--	--	--	--
*26...	2.70	0.50	--	--	--	--	8.97	0.018	--	--	--
SEP											
25...	2.20	--	--	--	--	--	--	--	--	--	--
25...	--	0.50	16.3	40	8.3	10.1	13.7	0.018	--	--	--
25...	--	8.0	15.2	39	7.4	7.9	--	0.017	--	--	--

455638089034501 ANVIL LAKE, DEEP HOLE, NEAR EAGLE RIVER, WI

WATER-QUALITY DATA, OCTOBER 21, 2013 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

Date	Ammonia + org-N, unfltrd	Nitrate + nitrite water, fltrd,
	mg/L as N (00625)	mg/L as N (00631)

MAY

15...	--	--
15...	0.32	0.094
28...	--	--

JUL

23...	--	--
23...	0.33	<0.019
23...	--	--

AUG


08...	--	--
08...	--	--
26...	--	--
26...	0.61	<0.019
26...	--	--
26...	--	--
26...	--	--
26...	--	--
26...	--	--
26...	--	--

SEP

25...	--	--
25...	--	--
25...	--	--


455638089034501 ANVIL LAKE, DEEP HOLE, NEAR EAGLE RIVER, WI


LAKE-DEPTH PROFILES, OCTOBER 21, 2013 TO MAY 14, 2014



455638089034501 ANVIL LAKE, DEEP HOLE, NEAR EAGLE RIVER, WI

LAKE-DEPTH PROFILES, JUNE 23 TO SEPTEMBER 25, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths, and TSI data for Anvil Lake, Deep Hole, near Eagle River, Wisconsin.

424840088241600 LAKE BEULAH AT DEEP HOLE NEAR EAST TROY, WI

LOCATION--Lat 42°48'40", long 88°24'16", in SW ¼ NW ¼ NW ¼ sec.17, T.4 N., R.18 E., Walworth County, Hydrologic Unit 07120006, near East Troy.

SURFACE AREA.--1.30 mi².

PERIOD OF RECORD.--August 2007 to August 2014.

REMARKS.--Lake sampled at the deep hole at a depth of 19 m. Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MAY 13 TO AUGUST 27, 2014

(Milligrams per liter unless otherwise indicated)

424840088241600 LAKE BEULAH AT DEEP HOLE NEAR EAST TROY, WI

WATER-QUALITY DATA, MAY 13 TO AUGUST 27, 2014

(Milligrams per liter unless otherwise indicated)

Date	Turbidity	Appar-	ANC,							
	white light, det ang 90+/-30	color, water, unfltrd	Hard- ness, water,	Calcium water,	Magnes- ium, water,	Sodium, water,	Potas- sium, water,	fixed end pt, lab,	Chlor- ide, water,	Sulfate
	degrees NTU (63675)	Pt-Co units (00081)	mg/L as CaCO ₃ (00900)	mg/L CaCO ₃ (00915)	mg/L CaCO ₃ (00925)	mg/L CaCO ₃ (00930)	mg/L CaCO ₃ (00935)	mg/L as CaCO ₃ (00417)	mg/L CaCO ₃ (00940)	mg/L CaCO ₃ (00945)
MAY 2014										
13...	--	--	--	--	--	--	--	--	--	--
13...	2.0	13	295	62.5	33.7	9.70	1.74	244	23.4	27.4
AUG										
27...	--	--	--	--	--	--	--	--	--	--
27...	1.9	11	254	44.3	34.8	10.5	1.55	213	21.5	25.9
27...	1.5	12	253	45.3	33.9	9.80	1.53	216	21.6	25.0
27...	1.4	9	317	67.6	36.0	10.4	1.82	270	23.6	28.8
27...	4.4	11	331	71.5	37.1	10.9	1.89	288	24.4	28.8
27...	9.4	9	330	71.2	37.0	10.5	1.93	296	27.3	28.3



424840088241600 LAKE BEULAH AT DEEP HOLE NEAR EAST TROY, WI

LAKE-DEPTH PROFILES, MAY 13 TO AUGUST 27, 2014



05-13-14

08-27-14


DISSOLVED OXYGEN (D.O.), IN MILLIGRAMS PER LITER



pH, IN STANDARD UNITS



SPECIFIC CONDUCTANCE (S.C.), IN MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS



August surface total phosphorus, chlorophyll a concentrations, Secchi depths, and TSI data for Lake Beulah, Deep Hole, near East Troy, Wisconsin.

424929088231300 LAKE BEULAH STATION 2 NEAR EAST TROY, WI

LOCATION.--Lat 42°49'29", long 88°23'13", in SE ¼ NE ¼ NE ¼ sec.8, T.4 N., R.18 E., Walworth County, Hydrologic Unit 07120006, near East Troy.

SURFACE AREA.--1.30 mi².

PERIOD OF RECORD.--August 2007 to August 2014.

REMARKS.--Lake sampled at a depth of 15 m. Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MAY 13 TO AUGUST 27, 2014

(Milligrams per liter unless otherwise indicated)

					Specif-		Chloro-		Ortho-			Ammonia	Nitrate
					ic	pH,	phyll a	Phos-	phate,	Total		+	+
					conduc-	water,	trichro	phorus,	water,	nitro-	Ammonia	org-N,	nitrite
Date	Trans-	Sam-	Temper-	Tance,	unfltrd	Dis-	-matic	Phos-	water,	Total			
	Secchi	pling	ature,	wat unf	water,	solved	method,	phorus,	water,	nitro-	Ammonia	water,	water,
	disc,	depth,	water,	uS/cm @	std	field,	uncorr,	water,	water,	water,	unfltrd	water,	water,
	meters	meters	deg C	25	25 degC	units	mg/L						
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)	(00671)	(00600)	(00608)	(00625)	(00631)
MAY 2014													
13...	5.25	--	--	--	--	--	--	--	--	--	--	--	--
13...	--	0.50	17.0	494	8.4	11.0	2.20	0.011	0.006	0.67	0.010	0.54	0.130
AUG													
27...	3.75	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	2.0	25.0	448	8.4	8.4	4.00	0.008	0.003	<0.60	0.010	0.58	<0.020
27...	--	4.0	24.8	446	8.4	8.2	--	0.012	--	--	--	--	--
27...	--	12.0	6.6	590	7.5	0.7	--	0.013	--	--	--	--	--
27...	--	14.0	5.4	604	7.4	0.4	--	0.042	--	--	--	--	--
27...	--	15.0	5.1	608	7.4	0.3	--	0.041	0.003	<1.6	0.820	1.6	<0.020

424929088231300 LAKE BEULAH STATION 2 NEAR EAST TROY, WI

WATER-QUALITY DATA, MAY 13 TO AUGUST 27, 2014

(Milligrams per liter unless otherwise indicated)

Date	Turbidity	Appar-					ANC,		
	white light,	color, Pt-Co NTU	Hard-ness, water, water, mg/L as units	Magnesium, Calcium water, water, mg/L CaCO3	Sodium, water, water, mg/L	Potassium, water, water, mg/L	fixed pt, lab, mg/L as CaCO3	Chloride, water, mg/L	Sulfate, water, mg/L
	det ang 90+/-30	unfltrd		fltrd, fltrd, fltrd,	fltrd, fltrd, fltrd,	fltrd, fltrd, fltrd,			
	(63675)	(00081)	(00900)	(00915)	(00925)	(00930)	(00935)	(00417)	(00940)
MAY 2014									
13...	--	--	--	--	--	--	--	--	--
13...	0.7	11	243	45.0	31.8	11.0	1.73	208	25.5
AUG									
27...	--	--	--	--	--	--	--	--	--
27...	1.6	8	211	31.4	32.1	10.8	1.63	180	24.6
27...	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--
27...	13	12	302	60.0	37.0	11.4	1.98	268	27.7


424929088231300 LAKE BEULAH STATION 2 NEAR EAST TROY, WI

LAKE-DEPTH PROFILES, MAY 13 TO AUGUST 27, 2014


05-13-14


08-27-14

DISSOLVED OXYGEN (D.O.), IN MILLIGRAMS PER LITER



pH, IN STANDARD UNITS





August surface total phosphorus, chlorophyll a concentrations, Secchi depths, and TSI data for Lake Beulah, Station 2, near East Troy, Wisconsin.

05544099 LAKE BEULAH INLET NEAR EAST TROY, WI

LOCATION--Lat 42°48'39", long 88°24'56", in SE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 18, T.4 N., R.18 E., Walworth County, Hydrologic Unit 07120006, near East Troy.

PERIOD OF RECORD.--August 2008 to August 2014.

REMARKS.--Lake sampled at a depth of 15 m. Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MAY 13 TO AUGUST 27, 2014

(Milligrams per liter unless otherwise indicated)

Date	Specif-ic pH, Chloro-phyll a Ortho-phos- Ammonia + Nitrate +													
	Trans-parency Secchi disc, meters	Sam-pling depth, meters	Temper-ature, water, deg C	Conduc-tance, water, $\mu\text{S}/\text{cm}$ @ 25 degC	unfltrd field, std units	Dis-solved oxygen, mg/L	-matic method, uncorr, mg/L	Chloro-phyll a, unfltrd	Phos-phorus, water, mg/L	Ortho-phosphate, water, mg/L	Total nitro- gen, water, mg/L	Ammonia water, fltrd, mg/L	org-N, water, unfltrd mg/L	Nitrite water, fltrd, mg/L
MAY 2014														
13...	1.00	--	--	--	--	--	--	--	--	--	--	--	--	--
13...	--	0.50	16.7	515	7.7	5.3	3.10	0.025	0.008	1.4	0.070	0.64	0.710	
AUG														
27...	>1.00	--	--	--	--	--	--	--	--	--	--	--	--	
27...	--	0.50	22.2	611	7.9	4.3	<1.00	0.017	0.006	0.57	0.050	0.42	0.150	
Date	Turbidity	Appar-ent white light,	color,	Hard-ness, water,	Calcium water,	Magnes-ium, water,	Sodium, water,	Potas-sium, water,	ANC, fixed pt, lab, mg/L as CaCO ₃	Chlor-ide, water, mg/L as CaCO ₃	Sulfate water, mg/L			
	det ang 90+/ -30 degrees	unfltrd	Pt-Co NTU (63675)	mg/L as units (00081)	mg/L as CaCO ₃ (00900)	mg/L (00915)	mg/L (00925)	mg/L (00930)	mg/L (00935)	mg/L (00417)	mg/L (00940)	mg/L (00945)		
MAY 2014														
13...	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13...	1.8	35	268	60.9	28.1	7.30	2.10	232	17.6	19.3				
AUG														
27...	--	--	--	--	--	--	--	--	--	--	--	--	--	--
27...	<0.1	26	309	63.0	36.8	9.20	1.78	276	22.1	24.6				

432409088151600 BIG CEDAR LAKE, NORTH SITE, NEAR WEST BEND, WI

LOCATION.--Lat 43°24'09", long 88°15'16", in NE ¼ SW ¼ sec. 20, T.11 N., R.19 E., Washington County, Hydrologic Unit 04040003, near West Bend.

SURFACE AREA.--1.46 mi².

PERIOD OF RECORD.--February 2000 to current year.

REMARKS.--Lake sampled on north side at a depth of 12 m. Water-quality analyses by Wisconsin State Laboratory of Hygiene.


WATER-QUALITY DATA, MARCH 5 TO AUGUST 20, 2014


(Milligrams per liter unless otherwise indicated)

				Specif-			Chloro-	
	Trans-	Sam-	Temper-	ic	pH,		phyll a	Phos-
Date	parency	pling	tance,	conduc-	water,	unfltrd	trichro	phorus,
	Secchi disc, meters	Sam- pling depth, meters	Temper- ature, water, deg C	conduct-	water,	unfltrd	trichro	phorus,
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)
MAR 2014								
05...	--	1.0	2.7	654	8.1	9.3	1.06	0.012
05...	--	11.0	3.6	828	7.6	1.8	--	0.018
MAY								
21...	7.65	--	--	--	--	--	--	--
21...	--	0.50	16.9	578	8.3	11.7	0.872	0.009
JUN								
30...	5.55	--	--	--	--	--	--	--
30...	--	0.50	24.7	540	8.7	8.7	4.96	0.016
30...	--	10.5	13.7	590	7.7	0.4	--	0.026
JUL								
29...	2.30	--	--	--	--	--	--	--
29...	--	0.50	23.4	525	8.6	8.8	5.33	0.018
29...	--	10.5	14.3	582	7.4	0.3	--	0.033
AUG								
20...	3.25	--	--	--	--	--	--	--
20...	--	0.50	24.5	542	8.5	8.6	3.74	0.015
20...	--	12.5	13.4	627	7.5	0.3	--	0.043

432409088151600 BIG CEDAR LAKE, NORTH SITE, NEAR WEST BEND, WI

LAKE-DEPTH PROFILES, MARCH 5 TO AUGUST 20, 2014





432224088154900 BIG CEDAR LAKE, SOUTH SITE, NEAR WEST BEND, WI

LOCATION.--Lat 43°22'24", long 88°15'49", in NE ¼ SE ¼ sec.31, T.11 N., R.19 E., Washington County, Hydrologic Unit 04040003, near West Bend.

SURFACE AREA.--1.46 mi².

PERIOD OF RECORD.--February 2000 to current year.

REMARKS.--Lake sampled on south side at deep hole. Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MARCH 5 TO AUGUST 20, 2014
(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-	pH,	Chloro-	Ortho-	Total	Ammonia	Ammonia
	parency	pling	tance,	ic	water,	phyll a	phos-	nitro-	Ammonia	org-N,
	Secchi	depth,	wat	conduc-	unfltrd	trichro	phorus,	water,	water,	water,
	disc,	meters	water,	temp	uS/cm @	Dis-	-matic	water,	water,	water,
	meters	meters	deg C	25	25 degC	solved	method,	unfltrd	filtrd,	filtrd,
	(00078)	(00098)	(00010)	(00095)	(00400)	field,	uncorr,	mg/L	mg/L	mg/L
						units	mg/L	ug/L	as P	mg/L
						mg/L	as P	as P	as N	mg/L
						(00300)	(32210)	(00665)	(00671)	(00600)
									(00608)	(00623)
										(00625)
MAR 2014										
05...	--	1.0	1.6	584	8.1	10.9	1.20	0.011	--	--
05...	--	29.0	3.2	611	7.8	5.3	--	0.032	--	--
MAY										
21...	7.85	--	--	--	--	--	--	--	--	--
21...	--	0.50	15.3	568	8.4	13.3	0.276	0.007	0.002	0.64
JUN										
30...	4.75	--	--	--	--	--	--	--	--	--
30...	--	0.50	23.3	555	8.5	8.9	0.935	0.010	--	--
30...	--	30.5	5.4	592	7.6	0.9	--	0.078	--	--
JUL										
29...	3.00	--	--	--	--	--	--	--	--	--
29...	--	0.50	23.1	533	8.8	9.7	5.02	0.013	0.003	0.44
29...	--	30.5	5.5	581	7.6	0.3	--	0.024	--	--
AUG										
20...	4.35	--	--	--	--	--	--	--	--	--
20...	--	0.50	24.0	531	8.8	9.3	2.82	0.012	--	--
20...	--	30.5	5.5	610	7.6	0.8	--	0.019	--	--


432224088154900 BIG CEDAR LAKE, SOUTH SITE, NEAR WEST BEND, WI


WATER-QUALITY DATA, MARCH 5 TO AUGUST 20, 2014
(Milligrams per liter unless otherwise indicated)

Date	Manga- nese, water, filtrd, ug/L (01056)	solved solids dried @ 180degC wat flt mg/L (70300)
MAR 2014		
05...	--	--
05...	--	--
MAY		
21...	--	--
21...	<1.00	308

432224088154900 BIG CEDAR LAKE, SOUTH SITE, NEAR WEST BEND, WI

LAKE-DEPTH PROFILES, MARCH 5 TO AUGUST 20, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Big Cedar Lake, South Site, near West Bend, Wisconsin.

423556088365001 DELAVAN LAKE AT CENTER NEAR DELAVAN LAKE, WI

LOCATION.--Lat 42°35'56", long 88°36'50", in SE ¼ SW ¼ sec.28, T.2 N., R.16 E., Walworth County, Hydrologic Unit 07090001, 2.6 mi southeast of Delavan.

SURFACE AREA.--3.24 mi².

DRAINAGE AREA.--41.4 mi², of which 2.3 mi² is non-contributing.

PERIOD OF RECORD.--October 1983 to September 2009, October 2011 to September 2014.

REMARKS.-- Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, NOVEMBER 19, 2013 TO JULY 15, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans- parency Secchi disc, meters (00078)	Sam- pling depth, meters (00098)	Temper- ature, water, deg C (00010)	Conduc- tance, wat unf uS/cm @ 25 degC (00095)	Specif- ic water, unfltrd units (00400)	Chloro- phyll a trichro- matic method, solved oxygen, uncorr, mg/L (00300)	Phos- phorus, water, unfltrd ug/L (32210)	Ortho- phate, water, unfltrd mg/L (00665)	Total nitro- gen, water, unfltrd mg/L (00671)	Ammonia water, unfltrd mg/L (00600)	Ammonia org-N, water, unfltrd mg/L (00608)	Ammonia + as N (00623)
NOV 2013												
19...	4.85	--	--	--	--	--	--	--	--	--	--	--
19...	--	0.50	7.1	544	7.6	10.7	8.66	0.039	0.024	0.73	0.128	0.68
MAR 2014												
04...	10.2	--	--	--	--	--	--	--	--	--	--	--
04...	--	1.0	1.1	605	8.0	11.9	1.40	0.034	0.025	0.80	0.150	0.76
04...	--	16.0	4.3	1280	7.5	1.3	--	0.086	0.069	--	--	--
MAY												
15...	8.40	--	--	--	--	--	--	--	--	--	--	--
15...	--	0.50	13.5	562	8.3	12.4	1.30	0.026	0.013	0.72	0.111	--
15...	--	16.0	10.8	571	7.9	6.7	--	0.077	0.053	--	--	--
JUN												
27...	3.35	--	--	--	--	--	--	--	--	--	--	--
27...	--	0.50	24.3	9	570	11.4	11.7	0.023	<0.002	<0.62	<0.015	0.61
27...	--	7.0	20.5	8	584	5.7	--	0.018	0.002	--	--	--
27...	--	10.0	13.6	8	593	1.0	--	0.098	0.076	--	--	--
	--	16.0	11.5	8	610	0.1	--	0.381	0.341	--	--	--
JUL												
15...	2.55	--	--	--	--	--	--	--	--	--	--	--
15...	--	0.50	23.6	565	8.6	8.8	8.08	0.020	<0.002	<0.57	0.027	0.41
15...	--	8.0	22.3	575	8.0	2.7	--	0.033	0.002	--	--	--
15...	--	12.0	13.0	595	7.6	0.2	--	0.178	0.146	--	--	--
	--	16.0	11.7	612	7.4	0.1	--	0.429	0.370	--	--	--

423556088365001 DELAVAN LAKE AT CENTER NEAR DELAVAN LAKE, WI

WATER-QUALITY DATA, AUGUST 19 TO SEPTEMBER 9, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	unfltrd	Dis-	Chloro-	Ortho-	Ammonia		Ammonia								
								Secchi disc, meters (00078)	pling depth, meters (00098)	ature, water, deg C (00010)	wat unf uS/cm @ 25 degC (00095)	solved field, std (00400)	matic method, oxygen, uncorr, mg/L (00300)	phyll a trichro water, unfltrd method, mg/L (32210)	phorus, water, unfltrd mg/L (00665)	Total phosphate, water, gen, water, mg/L (00671)	Ammonia water, water, mg/L (00600)	org-N, water, water, mg/L (00608)
AUG																		
19...	3.30	--	--	--	--	--	--	--	--	--	--	--						
19...	--	0.50	23.6	575	8.6	8.6	9.67	0.022	0.002	<0.75	<0.015	0.74						
19...	--	9.0	22.1	585	8.1	3.5	--	0.023	0.026	--	--	--						
19...	--	11.0	16.5	604	7.6	0.6	--	0.059	--	--	--	--						
19...	--	13.0	12.6	617	7.5	0.4	--	0.327	0.263	--	--	--						
19...	--	14.0	12.1	624	7.5	0.3	--	0.374	--	--	--	--						
19...	--	15.0	11.8	633	7.5	0.3	--	0.471	--	--	--	--						
19...	--	16.0	11.5	649	7.4	0.2	--	0.579	0.420	--	--	--						
SEP																		
09...	3.20	--	--	--	--	--	--	--	--	--	--	--						
09...	--	0.50	23.6	564	9.2	8.2	6.61	0.009	0.002	<0.68	<0.015	0.70						
09...	--	9.0	23.0	566	9.1	7.0	--	0.019	0.006	--	--	--						
09...	--	13.0	12.8	614	8.0	0.3	--	0.321	0.293	--	--	--						
09...	--	16.0	11.8	633	7.7	0.2	--	0.513	0.468	--	--	--						
Date	Nitrate + nitrite water, fltrd, 90+/-30 mg/L as N (00631)	Turbdty white light, det ang degrees (63675)	Appar- ent color, Hard- ness, unfltrd water, water, Pt-Co mg/L as NTU (00081)	Calcium water, water, mg/L as CaCO3 (00900)	Magnes- ium, water, fltrd, mg/L (00915)	Sodium, water, fltrd, mg/L (00925)	Potas- sium, water, fltrd, mg/L (00930)	ANC, wat unf end pt, lab, mg/L as CaCO3 (00935)	Chlor- ide, water, fltrd, mg/L (00417)	Sulfate water, fltrd, mg/L (99220)	Silica, water, fltrd, mg/L as SiO2 (00945)	Iron, water, fltrd, ug/L (00955)						
	water, mg/L as N (01046)	water, degrees (00090)	water, mg/L as CaCO3 (00915)	water, mg/L as mg/L (00925)	water, mg/L as mg/L (00930)	water, mg/L as mg/L (00935)	water, mg/L as mg/L (00417)	water, mg/L as mg/L (99220)	water, mg/L as mg/L (00945)	water, mg/L as mg/L (00955)	water, mg/L as mg/L (01046)							
NOV 2013																		
19...	--	--	--	--	--	--	--	--	--	--	--	--						
19...	0.117	--	--	--	--	--	--	--	--	--	--	--						
MAR 2014																		
04...	--	--	--	--	--	--	--	--	--	--	--	--						
04...	0.249	--	--	--	--	--	--	--	--	--	--	--						
04...	--	--	--	--	--	--	--	--	--	--	--	--						

423556088365001 DELAVAN LAKE AT CENTER NEAR DELAVAN LAKE, WI

WATER-QUALITY DATA, MAY 15 TO SEPTEMBER 9, 2014

(Milligrams per liter unless otherwise indicated)

Date	Nitrate	Turbdty	Appar-	ANC,									
	+ nitrite water, fltrd, mg/L as N (00631)	white light, det ang 90+/-30	color, ang unfltrd	Hard- ness, water, water, mg/L as Pt-Co NTU (00081)	Calcium water, water, mg/L CaCO3 (00900)	Magnes- ium, water, water, mg/L (00915)	Sodium, water, water, mg/L (00925)	Potas- sium, water, water, mg/L (00930)	wat unf fixed end pt, lab, mg/L as CaCO3 (00935)	Chlor- ide, water, water, mg/L (00417)	Sulfate water, water, water, mg/L (99220)	Silica, water, fltrd, mg/L as SiO2 (00945)	Iron, water, fltrd, ug/L (00955)
	mg/L as N (00631)	degrees NTU (63675)	mg/L as units (00081)	mg/L as Pt-Co NTU (00081)	mg/L as CaCO3 (00900)	mg/L as fltrd, mg/L (00915)	mg/L as fltrd, mg/L (00925)	mg/L as fltrd, mg/L (00930)	mg/L as unfltrd CaCO3 (00935)	mg/L as fltrd, mg/L (00417)	mg/L as fltrd, mg/L (99220)	mg/L as fltrd, mg/L (00945)	mg/L as fltrd, ug/L (00955)
MAY													
15...	--	--	--	--	--	--	--	--	--	--	--	--	--
15...	0.098	0.5	10	230	40.7	31.1	32.5	2.68	190	65	25.0	0.698	<0.100
15...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN													
27...	--	--	--	--	--	--	--	--	--	--	--	--	--
27...	<0.019	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUL													
15...	--	--	--	--	--	--	--	--	--	--	--	--	--
15...	<0.019	--	--	--	--	--	--	--	--	--	--	--	--
15...	--	--	--	--	--	--	--	--	--	--	--	--	--
15...	--	--	--	--	--	--	--	--	--	--	--	--	--
15...	--	--	--	--	--	--	--	--	--	--	--	--	--
AUG													
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	<0.019	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
SEP													
09...	--	--	--	--	--	--	--	--	--	--	--	--	--
09...	<0.019	--	--	--	--	--	--	--	--	--	--	--	--
09...	--	--	--	--	--	--	--	--	--	--	--	--	--
09...	--	--	--	--	--	--	--	--	--	--	--	--	--
09...	--	--	--	--	--	--	--	--	--	--	--	--	--

423556088365001 DELAVAN LAKE AT CENTER NEAR DELAVAN LAKE, WI


WATER-QUALITY DATA, NOVEMBER 13, 2013 TO MAY 15, 2014

(Milligrams per liter unless otherwise indicated)

Date	Manga- nese, water,	Dis- solved solids dried @ 180degC	fltrd, ug/L (01056)	wat flt mg/L (70300)
NOV 2013				
19...	--	--		
19...	--	--		
MAR 2014				
04...	--	--		
04...	--	--		
04...	--	--		
MAY				
15...	--	--		
15...	<1.00	312		
15...	--	--		







423556088365001 DELAVAN LAKE AT CENTER NEAR DELAVAN LAKE, WI

LAKE-DEPTH PROFILES, NOVEMBER 19, 2013 TO JUNE 27, 2014




423556088365001 DELAVAN LAKE AT CENTER NEAR DELAVAN LAKE, WI

LAKE-DEPTH PROFILES, JULY 15 TO SEPTEMBER 9, 2014



SPECIFIC CONDUCTANCE (S.C.), IN MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS



Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Delavan Lake, at Center, near Delavan, Wisconsin.

423659088354401 DELAVAN LAKE, AT NORTH END, NEAR LAKE LAWN, WI

LOCATION.--Lat 42°36'59", long 88°35'44", in NW ¼ SW ¼ sec.22, T.2 N., R.16 E., Walworth County, Hydrologic Unit 07090001, 2.6 mi southeast of Delavan.

SURFACE AREA--3.24 mi².

DRAINAGE AREA.--41.4 mi², of which 2.3 mi² is non-contributing.


PERIOD OF RECORD.--October 1983 to August 2009, March 2012 to September 2014.

WATER-QUALITY DATA, NOVEMBER 19, 2013 TO SEPTEMBER 9, 2014
(Milligrams per liter unless otherwise indicated)

	Trans-	Sam-	Temper-	conduc-	Specif-	pH,	Chloro-	
Date	parency	pling	tance,	water,	ic	water,	phyll a	Phos-
	Secchi	depth,	wat	unf	unfltrd	field,	trichro	water,
	disc,	meters	water,	uS/cm @		solved	method,	unfltrd
	disc,	meters	deg C	25 degC	units	std oxygen,	-matic	mg/L
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	uncorr,	as P
						mg/L	ug/L	
						(32210)	(00665)	
NOV 2013								
19...	4.60	--	--	--	--	--	--	--
19...	--	0.50	7.0	546	7.9	11.1	--	0.037
MAR 2014								
04...	2.60	--	--	--	--	--	--	--
04...	--	1.0	1.7	592	8.0	12.6	--	0.063
MAY								
15...	5.40	--	--	--	--	--	--	--
15...	--	0.50	12.4	564	8.2	12.0	1.43	0.034
JUN								
27...	2.35	--	--	--	--	--	--	--
27...	--	0.50	24.2	573	8.7	11.1	14.1	0.022
JUL								
15...	2.05	--	--	--	--	--	--	--
15...	--	0.50	23.5	565	8.6	8.6	9.67	0.025
AUG								
19...	3.30	--	--	--	--	--	--	--
19...	--	0.50	24.1	576	8.5	9.0	9.33	0.023
SEP								
09...	2.55	--	--	--	--	--	--	--
09...	--	0.50	23.8	562	8.9	8.6	6.85	0.023

423659088354401 DELAVAN LAKE, AT NORTH END, NEAR LAKE LAWN, WI

LAKE-DEPTH PROFILES, NOVEMBER 19, 2013 TO JUNE 27, 2014




423659088354401 DELAVAN LAKE, AT NORTH END, NEAR LAKE LAWN, WI

LAKE-DEPTH PROFILES, JULY 15 TO SEPTEMBER 9, 2014


07-15-14

DEPTH, IN METERS




08-19-14

DISSOLVED OXYGEN (D.O.), IN MILLIGRAMS PER LITER




09-09-14





WATER TEMPERATURE (W.T.), IN DEGREES CELSIUS

pH, IN STANDARD UNITS

DEPTH, IN METERS



pH, IN STANDARD UNITS



SPECIFIC CONDUCTANCE (S.C.), IN MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS

423526088380101 DELAVAN LAKE, AT SW END, NEAR DELAVAN LAKE, WI

LOCATION.--Lat 42°35'26", long 88°38'01", in SE ¼ NW ¼ sec.32, T.2 N., R.16 E., Walworth County, Hydrologic Unit 07090001, 2.6 mi southeast of Delavan.

SURFACE AREA--3.24 mi².

DRAINAGE AREA.--41.4 mi², of which 2.3 mi² is non-contributing.

PERIOD OF RECORD.-- October 1983 to August 2009, March 2012 to September 2014.


WATER-QUALITY DATA, NOVEMBER 19, 2013 TO SEPTEMBER 9, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-	Chloro-		Phos-	
	parency	pling	ature,	ic conduc-	pH, water,	phyll a trichro		
	Secchi disc, meters	water, depth, meters	wat er, deg C	unfltrd uS/cm @ 25 degC	unfltrd field, std units	solved oxyge n, mg/L	method, uncorr, ug/L	phorus, water, mg/L
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)
NOV 2013								
19...	5.05	--	--	--	--	--	--	--
19...	--	0.50	7.1	545	7.8	10.5	--	0.037
MAR 2014								
04...	2.30	--	--	--	--	--	--	--
04...	--	1.0	1.8	592	8.0	12.2	--	0.051
MAY								
15...	8.40	--	--	--	--	--	--	--
15...	--	0.50	13.7	563	8.3	12.5	1.34	0.026
JUN								
27...	2.95	--	--	--	--	--	--	--
27...	--	0.50	25.0	570	8.8	11.0	10.5	0.022
JUL								
15...	2.65	--	--	--	--	--	--	--
15...	--	0.50	23.5	564	8.6	9.0	7.37	0.020
AUG								
19...	3.30	--	--	--	--	--	--	--
19...	--	0.50	23.0	574	8.5	7.6	8.26	0.020
SEP								
09...	2.70	--	--	--	--	--	--	--
09...	--	0.50	23.5	563	9.0	8.2	6.95	0.022

423526088380101 DELAVAN LAKE, AT SW END, NEAR DELAVAN LAKE, WI


LAKE-DEPTH PROFILES, NOVEMBER 19, 2013 TO JUNE 27, 2014




423526088380101 DELAVAN LAKE, AT SW END, NEAR DELAVAN LAKE, WI

LAKE-DEPTH PROFILES, JULY 15 TO SEPTEMBER 9, 2014


07-15-14



08-19-14




09-09-14





WATER TEMPERATURE (W.T.), IN DEGREES CELSIUS

pH, IN STANDARD UNITS



0



SPECIFIC CONDUCTANCE (S.C.), IN MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS

05404500 DEVILS LAKE NEAR BARABOO, WI

LOCATION.--Lat 43°25'35", long 89°43'40" referenced to North American Datum of 1927, in SW ¼ SE ¼ sec.13, T.11 N., R.6 E., Sauk County, WI, Hydrologic Unit 07070004, in Devils Lake State Park, 3.5 mi south of Baraboo.

SURFACE AREA.--0.56 mi².

DRAINAGE AREA.--4.79 mi².

PERIOD OF RECORD.--June 1922 to August 1930, June to August 1932, June 1934 to September 1981 (fragmentary). October 1981 to September 1984, data unpublished in district files. October 1984 to current year.

REVISED RECORDS.--WDR WI-78-1: Drainage area.


GAGE.--Water-stage recorder installed July 17, 1991. Datum of gage is 954.88 ft, above NAVD of 1988.

REMARKS.--Lake has no surface outlet. Water removed from lake by bottom withdrawal pipe, June 2-16, June 19 to July 8, and Sept. 4-30.

EXTREMES FOR PERIOD OF RECORD.--Maximum observed, 14.83 ft, June 12, 2008; minimum observed, 1.49 ft, Feb. 8, 1965.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	7.43	7.10	7.03	7.02	6.97	6.99	7.17	9.04	9.26	9.29	8.37	7.97
2	7.41	7.09	7.03	7.02	6.97	6.99	7.17	9.07	9.46	9.24	8.36	7.95
3	7.40	7.09	7.05	7.01	6.97	6.98	7.18	9.09	9.49	9.19	8.34	7.93
4	7.41	7.08	7.05	7.01	6.97	6.99	7.19	9.09	9.48	9.15	8.33	7.97
5	7.42	7.08	7.04	7.00	6.97	7.00	7.20	9.10	9.46	9.09	8.33	7.94
6	7.41	7.20	7.03	6.99	6.97	7.00	7.20	9.10	9.42	9.04	8.31	7.89
7	7.39	7.20	7.02	6.99	6.96	6.99	7.20	9.10	9.38	8.99	8.29	7.85
8	7.38	7.19	7.01	6.99	6.96	6.99	7.22	9.11	9.33	8.96	8.26	7.82
9	7.36	7.18	7.02	6.98	6.96	6.99	7.22	9.12	9.29	8.93	8.24	7.78
10	7.34	7.16	7.01	6.98	6.96	6.98	7.21	9.11	9.24	8.90	8.21	7.77
11	7.33	7.16	7.01	6.99	6.95	6.98	7.21	9.10	9.19	8.87	8.19	7.72
12	7.31	7.14	7.01	6.99	6.96	6.99	7.22	9.17	9.14	8.85	8.16	7.69
13	7.29	7.13	7.00	6.99	6.96	6.99	7.48	9.24	9.07	8.85	8.13	7.66
14	7.27	7.11	7.00	7.00	6.96	6.98	8.15	9.24	9.01	8.82	8.10	7.63
15	7.29	7.10	6.99	7.01	6.96	6.98	8.28	9.24	8.96	8.78	8.08	7.61
16	7.29	7.11	6.99	7.00	6.96	6.98	8.33	9.22	8.91	8.77	8.06	7.60
17	7.28	7.15	7.00	7.00	6.97	6.98	8.34	9.21	9.02	8.74	8.04	7.57
18	7.26	7.17	7.00	7.00	6.98	6.98	8.36	9.20	9.20	8.72	8.02	7.55
19	7.24	7.16	6.99	7.00	6.98	6.99	8.37	9.20	9.44	8.69	8.03	7.53
20	7.23	7.15	7.00	7.00	6.99	6.99	8.38	9.19	9.52	8.67	8.02	7.53
21	7.21	7.15	6.99	6.99	7.02	6.99	8.39	9.18	9.52	8.65	8.02	7.53
22	7.19	7.14	7.01	6.99	7.01	6.99	8.39	9.16	9.50	8.63	8.02	7.51
23	7.17	7.12	7.02	6.99	7.01	6.99	8.39	9.15	9.47	8.60	8.01	7.50
24	7.15	7.11	7.01	6.98	7.00	6.99	8.44	9.13	9.43	8.57	7.99	7.48
25	7.14	7.10	7.03	6.97	6.99	6.99	8.52	9.11	9.39	8.54	8.05	7.45
26	7.11	7.08	7.03	6.99	6.99	6.98	8.54	9.09	9.35	8.50	8.05	7.43
27	7.10	7.07	7.03	6.98	6.99	7.00	8.56	9.11	9.30	8.48	8.03	7.41
28	7.08	7.06	7.03	6.98	6.99	7.08	8.65	9.18	9.25	8.45	8.01	7.39
29	7.06	7.05	7.02	6.98	---	7.10	8.86	9.16	9.24	8.42	7.99	7.37
30	7.06	7.04	7.02	6.98	---	7.11	8.99	9.13	9.30	8.40	7.99	7.35
31	7.09	---	7.02	6.97	---	7.14	---	9.11	---	8.38	7.99	---
MEAN	7.26	7.12	7.02	6.99	6.98	7.00	7.93	9.14	9.30	8.78	8.13	7.65
MAX	7.43	7.20	7.05	7.02	7.02	7.14	8.99	9.24	9.52	9.29	8.37	7.97
MIN	7.06	7.04	6.99	6.97	6.95	6.98	7.17	9.04	8.91	8.38	7.99	7.35



Annual minimum and maximum water levels for Devils Lake, 1936-2014.

423525088260400 GENEVA LAKE AT LAKE GENEVA, WI

LOCATION.--Lat 42°35'25", long 88°26'04" referenced to North American Datum of 1927, in SE ¼ NW ¼ sec.36, T.2 N., R.17 E., Walworth County, WI, Hydrologic Unit 07120006, at Geneva Lake dam at Center Street at Lake Geneva.

SURFACE AREA.--8.22 mi².

DRAINAGE AREA.--28.7 mi².

PERIOD OF RECORD.--October 1997 to August 2002, December 2002 to current year.

GAGE.--Water-stage recorder. Datum of gage is 861.86 ft above NAVD of 1988 or 862.08 ft above NGVD of 1929. Intermittent staff-gage readings during winter months.


REMARKS.—Records good except for estimated days, which are poor. Gage-height telemeter at station.

EXTREMES FOR PERIOD OF RECORD.--Maximum gage height, 3.47 ft, Apr. 17, 2013; minimum gage height, 1.38 ft, Oct. 13, 2012 (affected by wind).

EXTREMES FOR CURRENT YEAR.--Maximum gage height observed, 3.09 ft (affected by wind), June 19; minimum gage height, 1.75 ft (affected by wind), Oct. 20.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES**
[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.27	1.93	2.16	2.33	2.50	2.31	2.44	2.64	2.61	2.83	2.41	2.58
2	2.25	1.92	2.16	2.34	2.50	2.31	2.43	2.62	2.66	2.79	2.42	2.56
3	2.25	1.91	2.18	2.34	2.50	2.29	2.43	2.62	2.64	2.78	2.42	2.54
4	2.28	1.92	2.20	2.35	2.49	2.28	2.45	2.60	2.62	2.75	2.44	2.59
5	2.33	1.92	2.22	2.37	2.50	2.29	2.45	2.58	2.62	2.73	2.52	2.60
6	2.39	1.97	2.19	2.37	2.50	2.27	2.45	2.57	2.61	2.71	2.51	2.58
7	2.35	1.97	2.18	2.37	2.50	2.26	2.45	2.56	2.60	2.71	2.50	2.56
8	2.29	1.97	2.18	2.37	2.50	2.25	2.47	2.57	2.59	2.71	2.48	2.54
9	2.26	1.98	2.22	2.38	2.50	2.24	2.47	2.61	2.57	2.67	2.47	2.52
10	2.21	1.96	2.21	2.40	2.50	2.22	2.47	2.60	2.55	2.65	2.46	2.55
11	2.18	1.96	2.19	2.46	2.49	2.21	2.47	2.59	2.62	2.63	2.47	2.51
12	2.15	1.96	2.19	2.46	2.49	2.21	2.48	2.62	2.65	2.62	2.49	2.49
13	2.11	1.98	2.16	2.47	2.49	2.20	2.51	2.80	2.62	2.64	2.48	2.48
14	2.06	1.95	2.17	2.48	2.48	2.20	2.60	2.78	2.60	2.62	2.46	2.46
15	2.04	1.93	2.18	2.49	2.45	2.20	2.61	2.76	2.60	2.59	2.45	2.44
16	2.03	1.94	2.17	2.49	2.43	2.19	2.59	2.75	2.58	2.56	2.45	2.43
17	1.99	2.07	2.19	2.49	2.42	2.19	2.59	2.73	2.70	2.55	2.42	2.42
18	1.97	2.16	2.18	2.49	2.42	2.20	2.58	2.71	2.80	2.54	2.43	2.40
19	1.93	2.15	2.18	2.50	2.41	2.23	2.57	2.69	2.90	2.53	2.49	2.41
20	1.88	2.15	2.20	2.49	2.43	2.25	2.57	2.68	2.95	2.53	2.49	2.41
21	1.90	2.17	2.20	2.50	2.46	2.26	2.57	2.67	2.93	2.52	2.50	2.40
22	1.90	2.19	2.26	2.49	2.43	2.28	2.57	2.66	2.91	2.52	2.52	2.38
23	1.89	2.18	2.28	2.50	2.41	2.29	2.55	2.64	2.88	2.49	2.53	2.38
24	1.88	2.19	2.27	2.49	2.39	2.30	2.55	2.63	2.86	2.48	2.54	2.37
25	1.88	2.20	2.28	2.49	e2.37	2.31	2.56	2.62	2.83	2.47	2.58	2.37
26	1.85	2.17	2.28	2.49	2.36	2.31	2.55	2.62	2.79	2.45	2.62	2.37
27	1.84	2.16	2.29	2.49	2.33	2.33	2.52	2.62	2.77	2.47	2.62	2.37
28	1.81	2.16	2.29	2.49	2.31	2.39	2.56	2.64	2.76	2.44	2.60	2.37
29	1.81	2.15	2.30	2.49	---	2.40	2.62	2.62	2.77	2.43	2.61	2.37
30	1.82	2.16	2.30	2.48	---	2.41	2.64	2.61	2.79	2.42	2.62	2.35
31	1.89	---	2.31	2.48	---	2.42	---	2.61	---	2.42	2.59	---
MEAN	2.05	2.05	2.22	2.45	2.45	2.27	2.53	2.65	2.71	2.59	2.50	2.46
MAX	2.39	2.20	2.31	2.50	2.50	2.42	2.64	2.80	2.95	2.83	2.62	2.60
MIN	1.81	1.91	2.16	2.33	2.31	2.19	2.43	2.56	2.55	2.42	2.41	2.35



Stage hydrograph for Geneva Lake, 1997-2014.

423329088323300 GENEVA LAKE AT WEST END NEAR WILLIAMS BAY, WI

LOCATION.--Lat 42°33'29", long 88°32'33", in NE ¼ SE ¼ sec.12, T.1 N., R.16 E., Walworth County, Hydrologic Unit 07120006, 1.3 mi south of Williams Bay.

SURFACE AREA.--8.22 mi².

DRAINAGE AREA.--28.7 mi².

PERIOD OF RECORD.--April 1997 to current year.

REMARKS.--Lake sampled at deep hole at a depth of about 43 m. Water-quality analyses done by Wisconsin State Laboratory of Hygiene. Samples for determination of chlorophyll *a* concentration are collected from the top 0.5 m of the lake.

WATER-QUALITY DATA, NOVEMBER 19, 2013 TO SEPTEMBER 9, 2014
(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Specif-	pH,	Chloro-	Ortho-	Ammonia	Ammonia	
	parency	pling	conduc-	water,	phyll a	phos-	Total	+ org-N,	
	Secchi	depth,	water,	wat unf	trichro	phorus,	nitro-	Ammonia	water,
	disc,	meters	Temp-	unfltrd	field,	-matic	water,	water,	water,
	meters	meters	ature,	25 degC	solved	method,	water,	water,	water,
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(00665)	(00671)	(00600)
			mg C	uS/cm @	std	oxygen,	uncorr,	mg/L	mg/L
					units	mg/L	as P	mg/L	mg/L
						ug/L	as P	mg/L	mg/L
						(32210)	(00665)	(00671)	(00600)
								(00608)	(00623)
									(00625)
NOV 2013									
19...	8.45	--	--	--	--	--	--	--	--
19...	--	0.50	8.0	528	7.3	9.8	1.90	0.015	0.008
MAR 2014									
04...	--	1.0	0.7	547	8.3	13.9	--	0.017	--
04...	--	30.0	2.2	549	8.2	11.3	--	0.016	--
MAY									
13...	4.90	--	--	--	--	--	--	--	--
13...	--	0.50	10.7	531	8.5	12.6	3.32	0.010	0.002
JUN									
26...	3.95	--	--	--	--	--	--	--	--
26...	--	0.50	23.1	530	8.6	9.3	2.38	0.011	<0.002
26...	--	7.0	22.6	530	8.7	9.3	--	0.013	--
26...	--	10.0	11.6	534	8.5	12.1	--	0.013	--
26...	--	33.0	7.0	541	8.2	9.6	--	0.009	--
26...	--	38.0	6.9	544	8.0	7.8	--	0.014	--
26...	--	42.0	6.8	545	8.0	6.9	--	0.020	--
JUL									
29...	7.60	--	--	--	--	--	--	--	--
29...	--	0.50	22.6	522	8.5	8.5	2.65	0.011	0.009
29...	--	8.0	22.6	522	8.6	8.4	--	0.011	--
29...	--	13.0	11.1	525	8.3	9.7	--	0.012	--
29...	--	35.0	7.0	531	7.5	6.5	--	0.010	--
29...	--	38.0	6.9	531	7.4	4.9	--	0.011	--
29...	--	42.0	6.8	535	7.3	2.8	--	0.021	<0.002
									0.59
									0.056
									0.45
									0.41

423329088323300 GENEVA LAKE AT WEST END NEAR WILLIAMS BAY, WI

WATER-QUALITY DATA, NOVEMBER 19, 2013 TO SEPTEMBER 9, 2014

(Milligrams per liter unless otherwise indicated)


423329088323300 GENEVA LAKE AT WEST END NEAR WILLIAMS BAY, WI

WATER-QUALITY DATA, NOVEMBER 19, 2013 TO SEPTEMBER 9, 2014
(Milligrams per liter unless otherwise indicated)

Date	Nitrate + nitrite	Turbdty white	Appar- ent					ANC, wat unf						
	light, water, det ang fltrd,	color, water, 90+/30 unfltrd	Hard- ness, water, 90+/30 unfltrd	Magnes- ium, water, water, water, mg/L as	Sodium, water, water, water, mg/L as	Potas- end pt, lab, mg/L as	fixed water, mg/L as	Chlor- ide, water, fltrd, mg/L as	Sulfate water, mg/L as	Silica, water, mg/L as	Iron, water, mg/L as			
	mg/L as N (00631)	degrees NTU (63675)	Pt-Co units (00081)	mg/L as CaCO ₃ (00900)	mg/L mg/L mg/L (00915)	mg/L mg/L mg/L (00925)	mg/L CaCO ₃ (00930)	mg/L mg/L mg/L (00935)	mg/L SiO ₂ (00417)	mg/L mg/L mg/L (00940)	ug/L SiO ₂ (00945)	mg/L mg/L mg/L (00955)	Fltrd, mg/L as (01046)	


423329088323300 GENEVA LAKE AT WEST END NEAR WILLIAMS BAY, WI


LAKE-DEPTH PROFILES, NOVEMBER 19, 2013 TO JUNE 26, 2014



423329088323300 GENEVA LAKE AT WEST END NEAR WILLIAMS BAY, WI

LAKE-DEPTH PROFILES, JULY 29 TO SEPTEMBER 9, 2014





434840089000001 GREEN LAKE AT GREEN LAKE, WI

LOCATION.--Lat 43°48'40", long 89°00'00" referenced to North American Datum of 1983, in SE ¼ SW ¼ sec.31, T.16 N., R.13 E., Green Lake County, WI, Hydrologic Unit 04030201, on left bank at upstream side of County Highway K, 11.6 mi southwest of Green Lake.

SURFACE AREA.--11.48 mi².

DRAINAGE AREA.--103 mi²; including surface area of Green Lake.

PERIOD OF RECORD.--October 1993 to May 2012, October 2012 to September 2013. Data from October 1993 to May 2012 previously available as 434928088553601 Green Lake at County Trunk HWY A near Green Lake, WI.

GAGE.--Water-stage recorder. Datum of gage is 790.132 ft above NAVD of 1988 (from Wisconsin Department of Transportation Benchmark).

COOPERATION.--Operated in cooperation with Green Lake Sanitary District.


REMARKS.--Lake level regulated by dam at outlet at Green Lake. Gage-height telemeter at station.

EXTREMES FOR PERIOD OF RECORD.--Maximum recorded gage height, 8.67 ft, June 15, 2008; minimum recorded, 5.27 ft, Nov. 5, 2005.

EXTREMES FOR CURRENT YEAR.--Maximum recorded gage height, 6.96 ft, Jun. 18; minimum recorded gage height, 5.81 ft, Apr. 4.

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.17	6.10	6.24	6.17	6.17	6.15	6.18	6.55	6.56	6.62	6.47	6.48
2	6.17	6.12	6.23	6.17	6.16	6.15	6.17	6.54	6.82	6.65	6.48	6.48
3	6.18	6.12	6.26	6.16	6.17	6.14	6.16	6.56	6.85	6.65	6.49	6.47
4	6.19	6.12	6.27	6.17	6.16	6.14	6.17	6.56	6.85	6.65	6.53	6.46
5	6.19	6.14	6.24	6.16	6.17	6.15	6.16	6.56	6.82	6.63	6.52	6.48
6	6.18	6.21	6.24	6.16	6.16	6.14	6.15	6.55	6.78	6.64	6.52	6.47
7	6.17	6.22	6.23	6.15	6.14	6.14	6.14	6.57	6.77	6.66	6.48	6.46
8	6.16	6.21	6.23	6.15	6.15	6.13	6.14	6.56	6.78	6.72	6.47	6.44
9	6.15	6.21	6.21	6.15	6.15	6.12	6.13	6.56	6.73	6.70	6.46	6.43
10	6.14	6.21	6.20	6.16	6.15	6.12	6.14	6.56	6.69	6.66	6.45	6.44
11	6.14	6.23	6.19	6.18	6.15	6.12	6.14	6.57	6.66	6.60	6.45	6.42
12	6.12	6.21	6.18	6.18	6.15	6.14	6.20	6.69	6.61	6.60	6.45	6.40
13	6.12	6.18	6.20	6.17	6.16	6.12	6.39	6.76	6.58	6.62	6.44	6.38
14	6.12	6.19	6.19	6.18	6.15	6.13	6.66	6.75	6.57	6.63	6.43	6.35
15	6.12	6.19	6.17	6.20	6.15	6.16	6.67	6.75	6.53	6.60	6.41	6.35
16	6.13	6.19	6.16	6.20	6.15	6.17	6.67	6.71	6.54	6.60	6.40	6.35
17	6.13	6.25	6.16	6.19	6.17	6.18	6.67	6.68	6.67	6.60	6.42	6.34
18	6.12	6.28	6.16	6.20	6.18	6.18	6.66	6.65	6.79	6.58	6.41	6.34
19	6.11	6.28	6.17	6.19	6.17	6.18	6.63	6.62	6.82	6.57	6.55	6.31
20	6.12	6.28	6.18	6.19	6.19	6.17	6.60	6.62	6.82	6.56	6.57	6.33
21	6.09	6.28	6.17	6.19	6.19	6.17	6.58	6.60	6.80	6.55	6.58	6.37
22	6.08	6.29	6.19	6.18	6.19	6.16	6.56	6.57	6.78	6.55	6.60	6.35
23	6.07	6.30	6.18	6.17	6.18	6.15	6.53	6.57	6.76	6.53	6.60	6.35
24	6.05	6.27	6.18	6.17	6.18	6.13	6.52	6.56	6.72	6.51	6.58	6.34
25	6.03	6.25	6.19	6.17	6.16	6.12	6.51	6.55	6.70	6.50	6.60	6.35
26	6.02	6.27	6.18	6.18	6.16	6.10	6.49	6.54	6.65	6.49	6.61	6.35
27	6.01	6.25	6.18	6.17	6.16	6.10	6.48	6.54	6.60	6.50	6.57	6.35
28	6.04	6.24	6.18	6.17	6.15	6.18	6.51	6.55	6.56	6.50	6.53	6.34
29	6.01	6.23	6.18	6.17	---	6.19	6.56	6.56	6.56	6.48	6.52	6.36
30	6.00	6.23	6.17	6.17	---	6.19	6.56	6.55	6.60	6.50	6.50	6.35
31	6.07	---	6.18	6.17	---	6.19	---	6.53	---	6.49	6.49	---
MEAN	6.11	6.22	6.20	6.17	6.16	6.15	6.40	6.60	6.70	6.59	6.50	6.39
MAX	6.19	6.30	6.27	6.20	6.19	6.19	6.67	6.76	6.85	6.72	6.61	6.48
MIN	6.00	6.10	6.16	6.15	6.14	6.10	6.13	6.53	6.53	6.48	6.40	6.31



Stage hydrograph for Green Lake, 1993-2014.

434756089020500 GREEN LAKE AT DEEP HOLE NEAR GREEN LAKE, WI

LOCATION.--Lat 43°47'56", long 89°02'05", in NW ¼ SE ¼ sec.2, T.15 N., R.12 E., Green Lake County, Hydrologic Unit 04030201, about 5 miles southwest of the City of Green Lake.

SURFACE AREA.--11.48 mi².

PERIOD OF RECORD.--May 2004 to current year. Lake sampled by Wisconsin Department of Natural Resources prior to 2004.

REMARKS.--Water-quality analyses done by Wisconsin State Laboratory of Hygiene. A "*" indicates data that were collected by Mary Jane Bumby, Citizen Lake Monitoring Volunteer.

WATER-QUALITY DATA, MARCH 5 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	conduc-	Specif-	Chloro-	Ortho-	Ammonia	Ammonia	
	parency	pling	ature,	water,	water,	phyll a	phos-	Total	+ org-N,	+ org-N,
	Secchi	depth,	wat	unftrd	unftrd	trichro	phorus,	nitro-	Ammonia	water,
	disc,	meters	water,	uS/cm @	std	solved	water,	water,	water,	water,
	(00078)	(00098)	(00010)	(00095)	(00400)	Dissolved oxygen, mg/L	method, uncorr, ug/L	water, mg/L	water, mg/L	water, mg/L
							as P	as P	as N	as N
							(00665)	(00671)	(00600)	(00608)
									(00623)	(00625)
MAR 2014										
05...	--	1.0	1.3	536	8.2	12.7	--	0.041	--	--
05...	--	30.0	1.9	518	8.2	11.8	--	0.039	--	--
MAY										
14...	3.05	--	--	--	--	--	--	--	--	--
14...	--	0.50	8.3	508	6.8	14.3	13.6	0.034	--	0.017
14...	--	6.0	6.9	513	6.6	13.4	--	0.041	--	--
*24...	1.40	0.10	13.3	--	--	--	--	--	--	--
*30...	2.40	0.10	21.1	--	--	--	--	--	--	--
JUN										
*05...	2.10	0.10	20.0	--	--	--	--	--	--	--
*16...	6.70	0.10	19.4	--	--	--	--	--	--	--
*23...	11.6	0.10	23.3	--	--	--	--	--	--	--
25...	9.85	--	--	--	--	--	--	--	--	--
25...	--	0.50	22.9	500	8.7	8.8	1.81	0.016	0.008	0.002
25...	--	67.0	4.6	522	7.8	5.9	--	0.079	--	--
JUL										
*02...	4.50	0.10	22.8	--	--	--	--	--	--	--
*03...	7.80	0.10	21.1	--	--	--	--	--	--	--
*10...	6.40	0.10	22.8	--	--	--	--	--	--	--
16...	--	0.50	21.6	506	8.7	9.5	4.47	0.014	--	<0.002
16...	--	67.5	4.6	522	7.1	3.4	--	0.143	--	--
*16...	5.60	0.10	22.2	--	--	--	--	--	--	--
23...	5.25	--	--	--	--	--	--	--	--	--
23...	--	0.50	22.2	491	8.7	9.1	5.10	0.017	--	--
23...	--	67.0	4.7	516	7.0	1.1	--	0.220	--	--
*24...	5.20	0.10	25.0	--	--	--	--	--	--	--

434756089020500 GREEN LAKE AT DEEP HOLE NEAR GREEN LAKE, WI


WATER-QUALITY DATA, MARCH 5 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Secchi	Sam-	Temper-	Specif-		Chloro-	Ortho-	Total	Ammonia	Ammonia	
					conduct-	pH,		Phos-	phate,			
	Secchi	disc,	depth,	water,	unfltrd	water,	trichro	phorus,	gen,	unfltrd	filtrd,	water,
		meters	meters	deg C	uS/cm @ 25 degC	field, solved	-matic	water,	water,	water,	filtrd,	water,
		(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)	(00671)	(00600)	(00608)
AUG												
*06...		5.30	0.10	26.1	--	--	--	--	--	--	--	--
12...		4.45	--	--	--	--	--	--	--	--	--	--
12...		--	0.50	23.7	501	8.7	9.2	6.67	0.016	--<0.002	<0.67	<0.015
12...		--	67.0	4.6	533	6.4	0.6	--	0.164	--	--	0.51
*14...		4.30	0.10	24.4	--	--	--	--	--	--	--	--
20...		5.35	--	--	--	--	--	--	--	--	--	--
20...		--	0.50	23.4	500	8.4	8.8	4.30	0.012	--	--	--
20...		--	67.5	4.6	540	6.8	0.8	--	0.248	--	--	--
*26...		4.00	0.10	23.9	--	--	--	--	--	--	--	--
SEP												
*07...		5.00	0.10	24.4	--	--	--	--	--	--	--	--
23...		5.85	--	--	--	--	--	--	--	--	--	--
23...		--	0.50	17.9	497	8.7	9.5	7.84	0.016	--0.003	<0.55	<0.015
23...		--	14.0	9.5	516	8.0	6.6	--	0.012	--	--	--
23...		--	50.0	4.8	518	7.9	9.3	--	0.055	--	--	--
23...		--	63.0	4.7	522	7.6	3.5	--	0.128	--	--	--
23...		--	66.0	4.6	531	7.5	0.2	--	0.161	--	--	--
23...		--	67.0	4.6	533	7.5	0.1	--	0.268	--	--	--
*25...		5.50	0.10	18.9	--	--	--	--	--	--	--	--


434756089020500 GREEN LAKE AT DEEP HOLE NEAR GREEN LAKE, WI


LAKE-DEPTH PROFILES, MARCH 5 TO JULY 16, 2014



434756089020500 GREEN LAKE AT DEEP HOLE NEAR GREEN LAKE, WI

LAKE-DEPTH PROFILES, JULY 23 TO SEPTEMBER 23, 2014





434928088570000 GREEN LAKE AT EAST END NEAR GREEN LAKE, WI

LOCATION.--Lat 43°49'28", long 88°57'00", in SE ¼ SE ¼ sec.28, T.16 N., R.13 E., Green Lake County, Hydrologic Unit 04030201, about one mile southeast of the City of Green Lake.

SURFACE AREA.--11.48 mi².

PERIOD OF RECORD.--May 2004 to current year. Lake sampled by Wisconsin Department of Natural Resources prior to 2004.

REMARKS.--Water-quality analyses done by Wisconsin State Laboratory of Hygiene. A ** indicates data that were collected by Mary Jane Bumby, Citizen Lake Monitoring Volunteer.

WATER-QUALITY DATA, MAY 14 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

		Trans-	Sam-	Temper-	Specif-		Chloro-	
		parency	pling	tance,	ic	pH,	phyll a	Phos-
Date		Secchi	depth,	wat	conduc-	water,	trichro	phorus,
		disc,	meters	water,	unfltrd	unfltrd	method,	unfltrd
		meters	meters	deg C	uS/cm @ 25	field, std	solved	water,
		(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)
				degC	25 degC	units	mg/L	mg/L
							ug/L	as P
MAY	2014							
14...		3.05	--	--	--	--	--	--
14...		--	0.50	8.0	513	6.7	13.9	13.8
14...		--	31.0	6.4	515	6.5	12.6	--
*24...		1.50	0.10	16.1	--	--	--	--
*30...		2.40	0.10	20.0	--	--	--	--
JUN								
*05...		2.00	0.10	19.4	--	--	--	--
*16...		8.20	0.10	20.0	--	--	--	--
*23...		11.6	0.10	22.8	--	--	--	--
25...		8.30	--	--	--	--	--	--
25...		--	0.50	22.0	508	8.7	9.2	1.97
25...		--	30.0	5.8	520	8.0	9.4	--
JUL								
*02...		4.50	0.10	22.2	--	--	--	--
*03...		6.70	0.10	22.2	--	--	--	--
*10...		5.50	0.10	23.3	--	--	--	--
*16...		5.20	0.10	22.2	--	--	--	--
16...		--	0.50	22.6	519	8.8	9.5	10.4
16...		--	30.0	5.6	527	8.1	9.9	--
23...		4.65	--	--	--	--	--	--
23...		--	0.50	23.1	493	8.7	8.9	15.4
23...		--	30.0	5.7	508	7.6	9.1	--
*24...		3.40	0.10	25.0	--	--	--	--

434928088570000 GREEN LAKE AT EAST END NEAR GREEN LAKE, WI


WATER-QUALITY DATA, MAY 14 TO SEPTEMBER 25, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-	Chloro-			
	parency	pling	tance,	ic conduc-	pH, water,	phyll a trichro-	Phos- phorus,	
	Secchi disc, meters	depth, meters	water, deg C	unfltrd tance, uS/cm @ 25 degC	unf field, std	Dis- solved oxygen, mg/L	-matic method, uncorr, ug/L	water, unfltrd method, as P
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)
AUG								
*06...	4.30	0.10	26.7	--	--	--	--	--
11...	5.35	--	--	--	--	--	--	--
11...	--	0.50	25.5	503	8.8	9.8	2.44	0.015
11...	--	30.0	5.6	523	8.0	8.6	--	0.077
*14...	5.20	0.10	24.4	--	--	--	--	--
20...	5.35	--	--	--	--	--	--	--
20...	--	0.50	23.1	502	8.9	8.9	4.42	0.015
20...	--	30.0	5.7	522	7.9	8.5	--	0.071
*26...	4.90	0.10	24.4	--	--	--	--	--
SEP								
*07...	3.70	0.10	25.0	--	--	--	--	--
23...	5.10	--	--	--	--	--	--	--
23...	--	0.50	18.6	490	8.7	9.8	6.58	0.021
23...	--	31.0	5.7	518	7.9	4.3	--	0.101
*25...	4.90	0.10	20.0	--	--	--	--	--


434928088570000 GREEN LAKE AT EAST END NEAR GREEN LAKE, WI


LAKE-DEPTH PROFILES, MAY 14 TO JULY 23, 2014



434928088570000 GREEN LAKE AT EAST END NEAR GREEN LAKE, WI

LAKE-DEPTH PROFILES, AUGUST 11 TO SEPTEMBER 9, 2014





05401063 LAKE HURON NEAR PLAINFIELD, WI

LOCATION.--Lat 44°11'44.3", long 89°25'02.9" referenced to North American Datum of 1983, in NW ¼ SE ¼ NW ¼ sec.22, T.20 N., R.9 E., Waushara County, WI, Hydrologic Unit 07070003.

DRAINAGE AREA.--8.34 mi².

PERIOD OF RECORD.--May 2010 to current year. Working records from May 1978 to April 2010 in USGS database.

GAGE.--Water-stage recorder installed November 15, 2012. Local datum used. Prior to November 15, 2012 staff gage was read periodically by observer.

COOPERATION.--Wisconsin Department of Natural Resources.


EXTREMES FOR PERIOD OF RECORD.--Maximum daily gage height, 89.01 ft., June 28, 2011; minimum daily gage height, 84.69 ft., Oct. 29-30, 2013.

EXTREMES FOR CURRENT YEAR.--Maximum daily gage height, 85.98 ft., Jun. 19-20; minimum daily gage height, 84.69 ft., Oct. 29-30, 2013.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES**

[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	84.79	84.72	84.87	85.02	85.13	85.20	85.30	85.83	85.87	85.83	85.23	85.27
2	84.78	84.72	84.88	85.02	85.13	85.20	85.30	85.83	85.94	85.82	85.26	85.25
3	84.77	84.72	84.90	85.02	85.12	85.19	85.31	85.83	85.93	85.80	85.24	85.23
4	84.78	84.71	84.92	85.02	85.12	85.20	85.34	85.82	85.92	85.77	85.24	85.21
5	84.83	84.73	84.92	85.02	85.12	85.19	85.35	85.81	85.91	85.75	85.23	85.20
6	84.92	84.84	84.91	85.02	85.12	85.19	85.35	85.80	85.90	85.72	85.20	85.17
7	84.90	84.83	84.91	85.02	85.12	85.19	85.37	85.80	85.90	85.72	85.18	85.15
8	84.89	84.83	84.91	85.02	85.12	85.19	85.38	85.80	85.91	85.76	85.16	85.13
9	84.87	84.83	84.92	85.02	85.12	85.19	85.38	85.81	85.89	85.73	85.13	85.11
10	84.86	84.82	84.92	85.03	85.12	85.19	85.39	85.80	85.87	85.70	85.11	85.12
11	84.85	84.82	84.92	85.05	85.12	85.19	85.39	85.80	85.86	85.68	85.10	85.09
12	84.84	84.81	84.92	85.05	85.12	85.19	85.42	85.88	85.85	85.66	85.09	85.06
13	84.82	84.80	84.93	85.05	85.13	85.19	85.50	85.90	85.81	85.64	85.06	85.05
14	84.80	84.80	84.93	85.07	85.13	85.20	85.63	85.89	85.79	85.62	85.03	85.03
15	84.83	84.79	84.93	85.09	85.13	85.19	85.63	85.88	85.77	85.60	85.01	85.02
16	84.83	84.82	84.93	85.09	85.13	85.18	85.63	85.86	85.76	85.57	84.99	85.01
17	84.82	84.92	84.95	85.10	85.15	85.18	85.63	85.85	85.80	85.54	84.97	85.00
18	84.81	84.93	84.95	85.10	85.17	85.18	85.62	85.85	85.96	85.52	85.00	84.99
19	84.80	84.92	84.95	85.10	85.16	85.19	85.62	85.85	85.98	85.50	85.20	84.98
20	84.79	84.91	84.96	85.10	85.17	85.19	85.62	85.87	85.98	85.48	85.18	85.04
21	84.78	84.91	84.97	85.10	85.21	85.19	85.64	85.87	85.97	85.47	85.18	85.06
22	84.77	84.92	84.98	85.10	85.20	85.19	85.63	85.86	85.96	85.45	85.18	85.04
23	84.75	84.91	85.00	85.10	85.20	85.19	85.63	85.85	85.95	85.42	85.15	85.03
24	84.74	84.89	85.00	85.10	85.20	85.18	85.65	85.84	85.93	85.40	85.13	85.02
25	84.73	84.89	85.01	85.11	85.19	85.19	85.69	85.83	85.91	85.37	85.14	85.02
26	84.72	84.88	85.02	85.11	85.19	85.19	85.68	85.83	85.90	85.35	85.13	85.01
27	84.71	84.87	85.02	85.11	85.19	85.21	85.68	85.85	85.88	85.35	85.10	85.01
28	84.70	84.88	85.02	85.11	85.19	85.28	85.73	85.84	85.86	85.32	85.08	85.00
29	84.69	84.87	85.02	85.11	---	85.28	85.79	85.83	85.86	85.28	85.09	85.00
30	84.69	84.87	85.02	85.12	---	85.28	85.83	85.83	85.84	85.26	85.26	84.98
31	84.72	---	85.02	85.13	---	85.29	---	85.81	---	85.23	85.28	---
MEAN	84.79	84.84	84.95	85.07	85.15	85.20	85.54	85.84	85.89	85.56	85.14	85.08
MAX	84.92	84.93	85.02	85.13	85.21	85.29	85.83	85.90	85.98	85.83	85.28	85.27
MIN	84.69	84.71	84.87	85.02	85.12	85.18	85.30	85.80	85.76	85.23	84.97	84.98



Stage hydrograph for Lake Huron near Plainfield, 2010-2014.

425715089164700 LAKE KEGONSA AT BARBER DRIVE NEAR STOUGHTON, WI

LOCATION.--Lat 42°57'15", long 89°16'47" referenced to North American Datum of 1927, in SW ¼ NE ¼ NE ¼ sec.26, T.6 N., R.10 E., Dane County, WI, Hydrologic Unit 07090001, on downstream side of bridge on Barber Drive, 3.5 mi northwest of Stoughton.

SURFACE AREA.--1.05 mi².

DRAINAGE AREA.--386 mi².

PERIOD OF RECORD.--October 2003 to current year.


GAGE.--Water-stage recorder. Datum of gage is 840.00 ft above sea level (levels from Wisconsin Department of Transportation benchmark).

EXTREMES FOR PERIOD OF RECORD.--Maximum gage height observed, 5.73 ft, June 16, 2008; minimum observed, 2.07 ft, Jan.27, 2006.

EXTREMES FOR CURRENT YEAR.--Maximum gage height observed, 3.85 ft, July 2 and 3; minimum observed, 2.37 ft, Jan. 29.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[e, estimated]**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.41	2.97	2.89	2.65	---	---	2.55	3.43	3.33	3.82	3.46	e3.24
2	3.42	2.94	2.90	2.63	---	---	2.55	3.41	3.41	3.85	3.48	---
3	3.42	2.90	2.91	2.62	---	---	2.54	3.39	3.46	3.85	3.50	---
4	3.45	2.86	2.92	2.59	---	---	2.54	3.36	3.51	3.84	3.54	---
5	3.48	2.83	2.96	2.55	---	---	2.54	3.33	3.55	3.81	3.59	3.25
6	3.50	2.85	3.02	2.54	---	---	2.54	3.28	3.56	3.78	3.59	3.22
7	3.50	2.84	3.06	2.51	---	---	2.54	3.24	3.57	3.75	3.57	3.20
8	3.51	2.83	3.07	2.50	---	2.43	2.56	3.20	3.59	3.76	3.54	3.17
9	3.52	2.80	3.09	2.49	---	2.42	2.64	3.21	3.57	3.71	3.51	3.14
10	3.52	2.80	3.09	2.48	---	2.41	2.71	3.23	3.55	3.65	3.48	3.17
11	3.53	2.80	3.09	2.47	---	2.42	2.76	3.25	3.54	3.59	3.47	3.17
12	3.51	2.78	3.08	2.46	---	2.43	2.82	3.32	3.50	3.52	3.44	3.15
13	3.50	2.75	3.06	2.45	---	2.45	2.95	3.44	3.47	3.48	3.41	3.13
14	3.50	2.74	3.03	2.44	---	2.49	3.25	3.48	3.43	3.41	3.39	3.11
15	3.50	2.73	3.01	2.44	---	2.53	3.31	3.51	3.39	3.35	3.37	3.10
16	3.50	2.72	2.99	2.44	---	2.59	3.34	3.50	3.36	3.30	3.37	3.12
17	3.49	2.80	2.98	2.43	---	2.64	3.35	3.49	3.48	3.25	3.38	3.13
18	3.46	2.86	2.95	2.43	---	2.66	3.36	3.47	3.53	3.23	3.37	3.15
19	3.39	2.89	2.93	2.43	2.37	2.67	3.34	3.45	3.54	3.20	3.41	3.14
20	3.32	2.90	2.91	2.41	2.37	2.69	3.31	3.43	3.70	3.17	3.42	3.15
21	3.26	2.91	2.89	2.42	2.39	2.70	3.31	3.41	3.75	3.14	3.47	3.17
22	3.21	2.91	2.89	2.42	2.40	2.70	3.30	3.39	3.77	3.13	3.52	3.17
23	3.16	2.90	2.87	2.41	2.42	2.69	3.28	3.36	3.78	3.17	3.54	3.18
24	3.11	2.86	2.84	2.41	2.43	2.67	3.29	3.31	3.77	3.11	3.55	3.18
25	3.07	2.90	2.82	2.39	2.43	2.64	3.32	3.26	3.78	3.09	3.65	3.18
26	3.04	2.94	2.78	2.39	---	2.60	3.33	3.23	3.76	3.17	3.65	3.18
27	3.02	2.89	2.75	2.39	---	2.58	3.34	3.23	3.74	3.24	3.57	3.18
28	3.02	2.86	2.73	2.38	---	2.59	3.39	3.27	3.70	3.29	3.46	3.17
29	2.99	2.87	2.70	2.37	---	2.58	3.41	3.29	3.68	3.34	3.37	3.17
30	2.98	2.88	2.68	2.38	---	2.56	3.44	3.32	3.76	3.39	3.33	3.16
31	2.99	---	2.67	2.37	---	2.56	---	3.33	---	3.43	3.28	---
MEAN	3.33	2.85	2.92	2.46	---	---	3.03	3.35	3.58	3.45	3.47	---
MAX	3.53	2.97	3.09	2.65	---	---	3.44	3.51	3.78	3.85	3.65	---
MIN	2.98	2.72	2.67	2.37	---	---	2.54	3.20	3.33	3.09	3.28	---



Stage hydrograph for Lake Kegonsa, 1993-2014.

05427235 LAKE KOSHKONONG NEAR NEWVILLE, WI

LOCATION.--Lat 42°51'27", long 88°56'27" referenced to North American Datum of 1927, in NW 1/4 NE 1/4 sec.34, T.5 N., R.13 E., Jefferson County, WI, Hydrologic Unit 07090001, 80 ft east of Pottawatomi Trail Bridge at Bingham Point Estates, and 4.5 mi northeast of Newville.

SURFACE AREA.--16.34 mi².

DRAINAGE AREA.--2,560 mi².

PERIOD OF RECORD.--July 1987 to current year.

GAGE.--Water-stage recorder. Datum of gage is 769.77 ft above NAVD of 1988 (Wisconsin Department of Transportation bench mark).


REMARKS.--Lake level regulated by dam at Indianford. Gage-height telemeter at station.

EXTREMES FOR PERIOD OF RECORD.--Maximum recorded gage height, 15.13 ft, June 21, 22, 2008; minimum recorded, 4.98 ft, Dec. 6 and 9, 2012.

EXTREMES FOR CURRENT YEAR.--Maximum recorded gage height, 9.71 ft, May 17; minimum recorded gage height, 5.62 ft, Feb. 16.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES**
[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.20	5.97	6.63	6.13	5.88	5.85	8.30	9.41	8.16	9.24	7.29	6.31
2	6.23	5.99	6.62	6.12	5.86	5.85	8.36	9.41	8.11	9.35	7.18	6.30
3	6.18	6.01	6.63	6.10	5.84	5.84	8.38	9.41	8.07	9.44	7.08	6.26
4	6.17	6.04	6.64	6.08	5.81	5.83	8.37	9.37	7.99	9.49	6.99	6.34
5	6.18	6.10	6.67	6.02	5.80	5.83	8.35	9.31	7.95	9.51	6.95	6.43
6	6.23	6.22	6.65	5.98	5.79	5.82	8.31	9.24	7.89	9.53	6.85	6.38
7	6.26	6.27	6.62	5.96	5.77	5.80	8.26	9.16	7.84	9.55	6.73	6.30
8	6.29	6.28	6.60	5.94	5.76	5.78	8.21	9.09	7.78	9.63	6.60	6.22
9	6.33	6.36	6.59	5.92	5.75	5.78	8.15	9.02	7.71	9.60	6.48	6.16
10	6.38	6.37	6.57	5.91	5.73	5.79	8.10	8.95	7.65	9.54	6.36	6.22
11	6.41	6.41	6.56	5.92	5.72	5.80	8.05	8.88	7.63	9.47	6.28	6.21
12	6.45	6.41	6.53	5.91	5.70	5.86	8.00	8.94	7.58	9.43	6.25	6.20
13	6.48	6.39	6.50	5.91	5.68	5.93	8.03	9.21	7.53	9.55	6.17	6.21
14	6.47	6.40	6.47	5.91	5.66	6.05	8.26	9.37	7.43	9.48	6.15	6.21
15	6.40	6.40	6.45	5.92	5.64	6.23	8.41	9.55	7.34	9.39	6.15	6.23
16	6.36	6.38	6.43	5.93	5.62	6.43	8.59	9.66	7.29	9.28	6.16	6.24
17	6.30	6.47	6.41	5.94	5.63	6.64	8.85	9.71	7.37	9.17	6.20	6.24
18	6.25	6.55	6.38	5.95	5.63	6.85	9.05	9.69	7.45	9.04	6.24	6.24
19	6.20	6.53	6.36	5.96	5.64	7.05	9.18	9.63	7.64	8.91	6.32	6.22
20	6.15	6.56	6.33	5.97	5.67	7.22	9.28	9.57	7.97	8.78	6.28	6.24
21	6.15	6.63	6.31	5.97	5.70	7.38	9.35	9.48	8.23	8.65	6.26	6.28
22	6.09	6.72	6.31	5.98	5.72	7.53	9.41	9.35	8.44	8.53	6.26	6.24
23	6.07	6.79	6.29	5.98	5.74	7.65	9.42	9.21	8.62	8.40	6.25	6.22
24	6.04	6.75	6.26	5.98	5.77	7.74	9.44	9.07	8.78	8.25	6.26	6.20
25	5.99	6.72	6.24	5.97	5.80	7.81	9.47	8.93	8.87	8.11	6.36	6.19
26	5.99	6.70	6.21	5.96	5.82	7.86	9.46	8.78	8.94	8.00	6.45	6.18
27	5.95	6.68	6.19	5.95	5.84	7.90	9.41	8.66	8.98	7.91	6.42	6.17
28	5.92	6.66	6.17	5.93	5.84	7.96	9.38	8.57	9.01	7.78	6.38	6.16
29	5.89	6.65	6.15	5.92	---	8.01	9.40	8.47	9.06	7.65	6.36	6.16
30	5.86	6.64	6.14	5.90	---	8.08	9.40	8.38	9.11	7.52	6.35	6.12
31	5.91	---	6.14	5.89	---	8.19	---	8.28	---	7.40	6.33	---
MEAN	6.19	6.43	6.42	5.96	5.74	6.72	8.75	9.15	8.08	8.89	6.46	6.24
MAX	6.48	6.79	6.67	6.13	5.88	8.19	9.47	9.71	9.11	9.63	7.29	6.43
MIN	5.86	5.97	6.14	5.89	5.62	5.78	8.00	8.28	7.29	7.40	6.15	6.12



Stage hydrograph for Lake Koshkonong, 1987-2014.

441257089071500 LONG LAKE NEAR SAXEVILLE, WI

LOCATION.--Lat 44°12'56.6", long 89°07'14.6" referenced to North American Datum of 1983, in SE ¼ SW ¼ sec.7, T.20 N., R.12 E., Waushara County, WI, Hydrologic Unit 04030202.

PERIOD OF RECORD.--April 2010 to current year.

GAGE.--A staff gage is periodically read by an observer, and reported in local datum.

COOPERATION.--Wisconsin Department of Natural Resources.


REMARKS.--Lake has no outlet.

EXTREMES FOR PERIOD OF RECORD.--Maximum observed gage height, 84.66 ft May 6, 2012; minimum observed gage height, 82.72 ft Apr. 23, 2010.

EXTREMES FOR CURRENT YEAR.--Maximum observed gage height, 84.47 ft May 24; minimum observed gage height, 84.06 ft Jul. 26 and Sept. 27.

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	84.29	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	84.15	---	---	---	---	---	---	---	84.25	---	---	84.18
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	83.96	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	84.23	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	84.10	---	---	---	---	---	---	84.45	84.21	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	83.90	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	84.45	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	84.12	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	84.13	---	---	---	---	---	---	---	84.39	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	84.20
22	84.15	---	---	---	---	---	---	---	---	---	84.14	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	84.47	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	84.06	---	---
27	---	---	---	---	---	---	---	---	---	---	---	84.06
28	---	---	---	---	---	---	---	84.33	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	84.16	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	84.33	---	---	---	---



Stage hydrograph for Long Lake, 2010-2014.

05428000 LAKE MENDOTA AT MADISON, WI

LOCATION.--Lat 43°05'42", long 89°22'12" referenced to North American Datum of 1927, in NW 1/4 SE 1/4 sec.12, T.7 N., R.9 E., Dane County, WI, Hydrologic Unit 07090001, in county boat house at dam at outlet, in Madison.

SURFACE AREA.—15.2 mi².

DRAINAGE AREA.—233 mi² of which 36.6 mi² probably is noncontributing.

PERIOD OF RECORD.--January 1916 to January 1985 (incomplete), February 1985 to current year.

REVISED RECORDS.--WDR WI-73-1: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 840.00 ft above NGVD of 1929, or 5.60 ft below City of Madison datum. Prior to Oct. 1, 1979, gage datum was 847.82 ft; prior to Nov. 15, 1971, nonrecording gage at same site at the higher datum.


REMARKS.--Lake level regulated by concrete dam with two 12-foot gates and 20-foot lock at outlet. Gage-height telemeter at station.

EXTREMES FOR PERIOD OF RECORD.--Maximum gage height observed, 12.75 ft, June 5, 2000; minimum observed, 8.02 ft, Feb. 24 to Mar. 10, 1920, current datum.

EXTREMES FOR CURRENT YEAR.--Maximum recorded gage height, 10.89 ft, July 2; minimum recorded, 8.34 ft, Mar. 9 and 10.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[e, estimated]**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.08	9.64	8.71	8.57	8.48	8.37	9.19	9.96	9.81	10.87	9.99	10.03
2	10.08	9.61	8.67	8.57	8.48	8.37	9.21	9.96	10.04	10.89	9.99	10.03
3	10.08	9.57	8.65	8.56	8.48	8.36	9.22	9.95	10.13	10.87	9.97	10.01
4	10.11	9.52	8.64	8.56	8.47	8.36	9.25	9.92	10.14	10.84	9.99	10.11
5	10.14	9.51	8.66	8.55	8.47	8.37	9.26	9.90	10.15	10.80	10.08	10.21
6	10.14	9.56	8.62	8.54	8.46	8.37	9.28	9.86	10.13	10.77	10.10	10.20
7	10.13	9.54	8.54	8.54	8.46	8.36	9.30	9.84	10.12	10.76	10.08	10.19
8	10.11	9.49	8.58	8.54	8.46	8.35	9.32	9.81	10.10	10.77	10.06	10.17
9	10.09	9.48	8.63	8.54	8.46	8.34	9.33	9.80	10.07	10.72	10.03	10.15
10	10.08	9.44	8.63	8.54	8.46	8.34	9.35	9.78	10.05	10.68	10.01	10.20
11	10.07	9.41	8.63	8.53	8.46	8.35	9.36	9.76	10.02	10.63	10.00	10.17
12	10.06	9.37	8.63	8.50	8.46	8.39	9.38	9.81	10.02	10.61	9.98	10.15
13	10.04	9.31	8.63	8.50	8.42	8.44	9.52	9.90	9.98	10.61	9.94	10.13
14	10.01	9.27	8.62	8.50	8.40	8.49	9.83	9.91	9.94	10.58	9.91	10.10
15	9.99	9.23	8.62	8.50	8.40	8.60	9.93	9.89	9.90	10.54	9.88	10.10
16	9.99	9.19	8.62	8.50	8.39	8.72	9.94	9.87	9.89	10.49	9.86	10.10
17	9.97	9.25	8.61	8.50	8.37	8.81	9.95	9.84	9.99	10.45	9.83	10.09
18	9.95	9.28	8.59	8.50	8.37	8.86	9.94	9.81	10.04	10.41	9.81	10.08
19	9.92	9.21	8.55	8.49	8.37	8.91	9.92	9.78	10.16	10.36	9.87	10.06
20	9.90	9.17	8.55	8.49	8.39	8.96	9.91	9.79	10.37	10.31	9.86	10.07
21	9.89	9.15	8.54	8.49	8.41	9.01	9.90	9.80	10.47	10.27	9.88	10.08
22	9.85	9.13	8.57	8.49	8.41	9.05	9.88	9.78	10.53	10.26	9.91	10.05
23	9.82	9.09	8.57	8.49	8.41	9.06	9.85	9.76	10.56	10.24	9.90	10.04
24	9.80	9.01	8.57	8.49	8.40	9.06	9.85	9.74	10.58	10.20	9.89	10.03
25	9.76	8.97	8.57	8.48	8.39	9.07	9.87	9.72	10.56	10.16	9.97	10.02
26	9.74	8.94	8.57	8.48	8.39	9.07	9.85	9.72	10.54	10.14	10.04	10.01
27	9.70	8.89	8.56	8.48	8.38	9.07	9.82	9.77	10.52	10.14	10.03	10.01
28	9.67	8.84	8.56	8.48	8.38	9.13	9.85	9.86	10.51	10.10	10.01	10.00
29	9.64	8.79	8.56	8.48	---	9.15	9.94	9.85	10.54	10.06	9.99	10.00
30	9.62	8.75	8.56	8.48	---	9.16	9.96	9.83	10.70	10.03	10.01	9.97
31	9.63	---	8.56	8.48	---	9.17	---	9.81	---	10.01	10.02	---
MEAN	9.94	9.25	8.60	8.51	8.42	8.71	9.64	9.83	10.22	10.47	9.96	10.09
MAX	10.14	9.64	8.71	8.57	8.48	9.17	9.96	9.96	10.70	10.89	10.10	10.21
MIN	9.62	8.75	8.54	8.48	8.37	8.34	9.19	9.72	9.81	10.01	9.81	9.97



Stage hydrograph for Lake Mendota, 1916-2014.

430251088284700 MIDDLE GENESEE LAKE, AT GENESEE LAKE ROAD, NEAR OCONOMOWOC, WI

LOCATION.--Lat 43°02'51", long 88°28'47", in SW ¼ SW ¼ SW ¼ sec.22, T. 7 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at the southwest side of the lake about 2 miles south of Oconomowoc.

SURFACE AREA.--0.17 mi².

PERIOD OF RECORD.--April 1996 to current year.


GAGE.--Staff gage. Local observer, Tom Schubring provided most readings of gage. Datum of gage is about 0.0 ft above NGVD of 1929.

EXTREMES FOR THE PERIOD OF RECORD.--Maximum observed gage height, 869.65 ft, July 12, 2008; minimum observed, 863.88 ft, Oct. 31, 2005.

EXTREMES FOR CURRENT YEAR.--Maximum observed gage height, 866.86 ft, May 26; minimum observed, 865.82 ft, Sept. 28.

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	866.61	---	---	---	---	---	---	---	866.80	---	---	---
2	---	866.51	---	---	---	---	---	---	866.84	---	---	---
3	---	---	---	---	---	---	---	---	---	---	866.42	866.24
4	---	866.49	---	---	---	---	---	---	---	866.82	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	866.67	---	---	---	---	---	---	---	---	866.76	---	---
7	---	866.53	---	---	---	---	---	---	866.74	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	866.10
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	866.32	---
12	866.57	---	---	---	---	---	---	---	866.72	866.72	---	---
13	---	866.47	---	---	---	---	---	---	---	---	---	866.04
14	---	---	---	---	---	---	---	---	866.68	---	---	---
15	---	---	---	---	---	---	---	866.84	---	---	---	---
16	---	---	---	---	---	---	---	---	866.65	---	---	---
17	---	---	---	---	---	---	---	---	866.74	866.64	---	---
18	---	---	---	---	---	---	---	---	---	---	866.28	---
19	866.53	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	866.82	---	---	866.36	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	866.49	---	---	---	---	---	---	---	866.84	---	---	---
24	---	866.49	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	865.88
26	---	---	---	---	---	---	---	866.86	---	---	866.34	---
27	---	866.49	---	---	---	---	---	---	866.78	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	865.82
29	---	---	---	---	---	---	---	---	---	866.46	---	---
30	866.41	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	866.80	---	---	---	---



Stage hydrograph for Middle Genesee Lake, 1996-2014.

05429000 LAKE MONONA AT MADISON, WI

LOCATION.--Lat 43°03'48", long 89°23'49" referenced to North American Datum of 1927, in SE ¼ SW ¼ sec.23, T.7 N., R.9 E., Dane County, WI, Hydrologic Unit 07090001, in Brittingham Park, in Madison.

SURFACE AREA.--5.3 mi².

DRAINAGE AREA.--279 mi² of which 36.6 mi² may be noncontributing.

PERIOD OF RECORD.--September 1915 to current year (fragmentary) in reports of the Geological Survey. For 1856 to March 1917 in reports of Wisconsin Railroad Commission, volume 19.

REVISED RECORDS.--WSP 1338: Lake area. WDR WI-73-1: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 840.00 ft above NGVD of 1929, or 5.60 ft below City of Madison datum. Prior to Oct. 1, 1979, datum 843.61 ft; prior to Nov. 15, 1971, nonrecording gage at same site.

REMARKS.--Lake level regulated by concrete dam with four 12-foot stop-log sections and 12-foot lock at outlet of Lake Waubesa. Gage-height telemeter at station.


EXTREMES FOR PERIOD OF RECORD.--Maximum gage height observed, 7.92 ft, June 15, 2008; minimum observed, 3.22 ft, Jan. 20, 1965, current datum.

EXTREMES FOR CURRENT YEAR.--Maximum recorded gage height, 6.28 ft, Aug. 26; minimum recorded, 4.13 ft, Apr. 12.

05429000 LAKE MONONA AT MADISON, WI

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	5.05	4.98	5.15	4.44	4.36	---	4.37	5.21	5.21	6.24	5.73	6.14
2	5.04	4.99	5.15	4.42	4.36	---	4.35	5.19	5.46	6.27	5.76	6.13
3	5.03	5.00	5.16	4.41	4.36	---	4.34	5.16	5.54	6.24	5.78	6.08
4	5.04	5.01	5.15	4.40	4.36	---	4.31	5.13	5.55	6.21	5.85	6.17
5	5.05	5.02	5.06	4.39	4.36	---	4.26	5.13	5.53	6.18	5.98	6.21
6	5.04	5.08	4.99	4.38	4.35	---	4.24	5.11	5.49	6.16	5.98	6.17
7	5.03	5.08	4.95	4.38	4.35	---	4.21	5.09	5.46	6.12	5.98	6.13
8	5.02	5.07	4.93	4.39	4.35	---	4.19	5.06	5.44	6.11	5.98	6.10
9	5.01	5.04	4.90	4.39	4.36	4.30	4.18	5.04	5.40	6.08	5.98	6.06
10	5.01	5.02	4.86	4.40	4.36	---	4.16	5.03	5.38	6.05	5.97	6.08
11	5.00	5.01	4.83	4.42	4.36	---	4.14	5.01	5.36	6.03	5.98	6.04
12	4.99	4.98	4.79	4.41	4.37	4.36	4.13	5.09	5.32	6.01	5.98	6.00
13	4.98	4.96	4.76	4.40	4.38	4.36	4.25	5.18	5.27	6.01	5.97	5.95
14	4.99	4.96	4.73	4.40	4.38	4.37	4.60	5.17	5.27	5.98	5.97	5.90
15	5.00	4.98	4.69	4.39	4.37	4.39	4.74	5.16	5.26	5.93	5.96	5.87
16	5.00	5.01	4.67	4.38	4.37	4.40	4.85	5.14	5.25	5.92	5.96	5.84
17	5.01	5.10	4.65	4.37	4.38	4.41	4.89	5.10	5.40	5.91	5.96	5.80
18	5.00	5.14	4.62	4.36	4.39	4.40	4.90	5.07	5.47	5.92	5.94	5.77
19	4.98	5.16	4.60	4.36	4.39	4.43	4.91	5.06	5.65	5.94	6.01	5.73
20	4.98	5.19	4.58	4.35	4.42	4.43	4.92	5.03	5.88	5.96	6.00	5.70
21	4.95	5.20	4.56	4.34	4.47	4.44	4.95	4.99	5.99	5.94	6.03	5.67
22	4.94	5.18	4.57	4.34	4.45	4.43	4.95	4.95	6.00	5.90	6.07	5.62
23	4.91	5.16	4.56	4.33	4.43	4.41	4.95	4.93	5.99	5.87	6.07	5.59
24	4.88	5.14	4.54	4.33	4.41	4.40	4.99	4.91	5.97	5.83	6.07	5.56
25	4.85	5.16	4.53	4.33	4.39	4.39	5.02	4.89	5.94	5.81	6.19	5.53
26	4.83	5.15	4.51	4.34	4.38	4.38	5.03	4.88	5.90	5.80	6.28	5.51
27	4.83	5.15	4.50	4.33	4.37	4.38	5.05	5.01	5.87	5.78	6.26	5.49
28	4.85	5.16	4.48	4.33	---	4.41	5.13	5.34	5.82	5.75	6.25	5.46
29	4.84	5.16	4.46	4.33	---	4.39	5.21	5.30	5.80	5.73	6.22	5.43
30	4.84	5.16	4.45	4.35	---	4.38	5.22	5.26	6.00	5.73	6.21	5.41
31	4.90	---	4.44	4.36	---	4.38	---	5.23	---	5.72	6.18	---
MEAN	4.96	5.08	4.74	4.37	---	---	4.65	5.09	5.60	5.97	6.02	5.84
MAX	5.05	5.20	5.16	4.44	---	---	5.22	5.34	6.00	6.27	6.28	6.21
MIN	4.83	4.96	4.44	4.33	---	---	4.13	4.88	5.21	5.72	5.73	5.41



Stage hydrograph for Lake Monona, 1915-2014.

05545000 NORTH LAKE NEAR ELKHORN, WI

LOCATION.--Lat 42°44'38", long 88°37'45" referenced to North American Datum of 1927, Walworth County, WI, Hydrologic Unit 07120006.

DRAINAGE AREA.--10.80 mi² of which 10.79 mi² probably is noncontributing.

PERIOD OF RECORD.--May 1937 to current year.

GAGE.--A staff gage is periodically read by an observer, and reported in local datum.

COOPERATION.--Wisconsin Department of Natural Resources.


EXTREMES FOR PERIOD OF RECORD.--Maximum observed gage height, 15.62 ft, June 22, 1974; minimum observed gage height, 5.81 ft, Dec. 1, 1958.

EXTREMES FOR CURRENT YEAR.--Maximum observed gage height, 12.10 ft, May 14; minimum observed gage height, 11.26 ft,

Sept. 30.

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.93	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	11.86	---	---	11.40
4	---	---	---	---	---	---	---	---	---	11.82	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	11.54	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	11.98	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	11.76	---	11.42
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	11.82	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	12.10	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	11.36
17	---	---	---	---	---	---	---	12.06	---	---	---	---
18	11.97	---	---	---	---	---	---	---	---	11.78	11.36	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	12.00	---	---	---	---
22	11.96	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	11.60	---	11.34
24	---	---	---	---	---	---	---	11.96	---	---	---	---
25	---	---	---	---	---	---	---	---	11.90	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	11.96	---	---	---	---
30	---	---	---	---	---	---	---	---	---	11.56	---	11.26
31	---	---	---	---	---	---	---	---	---	---	---	---



Stage hydrograph for North Lake, 1937-2014.

430551088273500 OCONOMOWOC LAKE NO. 1 (CENTER) AT OCONOMOWOC, WI

LOCATION.--Lat 43°05'51", long 88°27'35", in NW ¼ SE ¼ sec.2, T.7 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at Oconomowoc.

SURFACE AREA.--1.20 mi².

PERIOD OF RECORD.--March 1986 to current year.

REMARKS.--Lake sampled near center at the deep hole. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MARCH 6 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

				Specif-		Chloro-		Ortho-			Ammonia	Nitrate
				ic	pH,	phyll a	Phos-	phos-	Total		+	+
				conduc-	water,	trichro	phorus,	phate,		Ammonia	org-N,	nitrite
				trans-	water,	unfltrd	motic	water,		water,	water,	water,
Date	Secchi	Sam-	Temper-	conduct-	water,	unfltrd	solved	method,	unfltrd	water,	water,	water,
	disc,	pling	ature,	water,	water,	uS/cm @	std	oxygen,	uncorr,	mg/L	mg/L	mg/L
	meters	meters	deg C	25	degC	25	units	mg/L	ug/L	as P	as P	as N
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(00300)	(32210)	(00665)	(00671)	(00600)	(00608)
MAR 2014												
06...	--	1.0	1.9	628	8.1	11.0	0.388	0.014	--	--	--	--
06...	--	18.0	3.6	668	8.0	0.8	--	0.017	--	--	--	--
MAY												
20...	6.45	--	--	--	--	--	--	--	--	--	--	--
20...	--	0.50	15.1	596	8.4	12.8	1.09	0.009	<0.002	0.82	0.034	0.57
JUL												
01...	5.45	--	--	--	--	--	--	--	--	--	--	--
01...	--	0.50	24.3	569	8.7	9.4	2.75	0.012	--	--	--	--
01...	--	18.5	8.8	616	7.8	3.7	--	0.010	--	--	--	--
24...	2.55	--	--	--	--	--	--	--	--	--	--	--
24...	--	0.50	25.0	553	8.7	10.0	1.75	0.011	--	--	--	--
24...	--	18.5	8.3	631	7.6	0.8	--	0.029	--	--	--	--
AUG												
22...	4.30	--	--	--	--	--	--	--	--	--	--	--
22...	--	0.50	25.0	555	8.7	8.9	1.37	0.011	--	--	--	--
22...	--	18.5	8.2	645	7.6	0.3	--	0.028	--	--	--	--


430551088273500 OCONOMOWOC LAKE NO. 1 (CENTER) AT OCONOMOWOC, WI


WATER-QUALITY DATA, MARCH 6 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

430551088273500 OCONOMOWOC LAKE NO. 1 (CENTER) AT OCONOMOWOC, WI

LAKE-DEPTH PROFILES, MARCH 6 TO AUGUST 22, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Oconomowoc Lake, Center Site, at Oconomowoc, Wisconsin.

(Open circles on the first two plots indicate laboratory detection limit for selected analyses.
Actual concentrations for these particular analyses are less than the plotted circles.)

430609088262200 OCONOMOWOC LAKE NO. 2 (OFF HEWITT POINT) AT OCONOMOWOC, WI

LOCATION.--Lat 43°06'09", long 88°26'22", in NW ¼ NW ¼ sec.1, T.7 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at Oconomowoc.

SURFACE AREA.—1.20 mi².

PERIOD OF RECORD.--March 1986 to current year.

REMARKS.--Lake sampled at the deepest point in northeast bay near Hewitt Point. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.


WATER-QUALITY DATA, MARCH 6 TO AUGUST 22, 2014


(Milligrams per liter unless otherwise indicated)

				Specif-			Chloro-	
				ic	pH,		phyll a	Phos-
				conduc-	water,		trichro	phorus,
				unfltrd	unf			
Date	Trans-	Sam-	Temper-	conductance,	water,			
	parency	pling	ature,	wat	unf			
	Secchi	depth,	water,	uS/cm @	unf			
	disc,	meters	meters	25	25 degC			
	dates,			deg C	degC			
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)
MAR 2014								
06...	--	1.0	2.5	685	8.0	10.0	0.754	0.010
06...	--	14.0	4.1	759	7.6	2.6	--	0.019
MAY								
20...	10.2	--	--	--	--	--	--	--
20...	--	0.50	16.4	647	8.4	13.1	0.848	0.008
JUL								
01...	6.45	--	--	--	--	--	--	--
01...	--	0.50	24.6	613	8.5	9.0	1.01	0.009
01...	--	14.5	8.8	678	7.8	6.9	--	0.017
24...	3.45	--	--	--	--	--	--	--
24...	--	0.50	25.5	605	8.6	9.9	1.28	0.010
24...	--	14.5	9.0	685	7.6	2.6	--	0.017
AUG								
22...	5.30	--	--	--	--	--	--	--
22...	--	0.50	25.5	582	8.4	8.8	1.31	0.011
22...	--	14.5	9.0	707	7.6	0.6	--	0.044

430609088262200 OCONOMOWOC LAKE NO. 2 (OFF HEWITT POINT) AT OCONOMOWOC, WI

LAKE-DEPTH PROFILES, MARCH 6 TO AUGUST 22, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Oconomowoc Lake, Hewitt Point, at Oconomowoc, Wisconsin.

(Open circles on the first two plots indicate laboratory detection limit for selected analyses.
Actual concentrations for these particular analyses are less than the plotted circles.)

430723088252100 OKAUCHEE LAKE AT OKAUCHEE, WI

LOCATION.--Lat 43°07'23", long 88°25'21", in SE ¼ SE ¼ sec.25, T.8 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at Okauchee.

DRAINAGE AREA.--80.7 mi².

PERIOD OF RECORD.--February 1984 to September 2006, April to August 2008, April to August 2010, April to August 2012, March to August 2014.

REMARKS.--Lake sampled near center at the deep hole. The lake was not sampled during winter ice cover because of unsafe winter conditions. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MARCH 6 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-		Chloro-	Ortho-	Total	Ammonia	Ammonia	Nitrate	
				Secchi	conduct-	pH,	phyll a	phos-	water,	water,	water,	water,
	disc,	pling	ature,	wat	unf	unfltrd	trichro-	phorus,	nitro-	unfltrd	unfltrd	unfltrd
	depth,	water,	water,	uS/cm	@	Dis-	motic	water,	water,	water,	water,	water,
	meters	meters	deg C	25	degC	solved	method,	unfltrd	water,	water,	water,	water,
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(00300)	(00665)	(00671)	(00600)	(00608)	(00625)
MAR 2014												
06...	--	1.0	1.6	626	8.1	11.3	18.3	0.026	--	--	--	--
06...	--	27.0	3.1	637	8.2	1.0	--	0.020	--	--	--	--
MAY												
20...	2.65	--	--	--	--	--	--	--	--	--	--	--
20...	--	0.50	15.0	602	8.4	14.1	4.57	0.013	<0.002	0.96	<0.015	0.60
JUN												
16...	5.00	--	--	--	--	--	--	--	--	--	--	--
16...	--	0.50	22.0	593	8.4	8.9	3.37	0.017	--	--	--	0.61
16...	--	27.0	6.9	618	7.6	1.2	--	0.062	--	--	--	1.0
JUL												
24...	2.85	--	--	--	--	--	--	--	--	--	--	--
24...	--	0.50	24.5	561	8.7	9.9	6.17	0.016	--	--	--	--
24...	--	27.0	7.0	618	7.5	0.7	--	0.020	--	--	--	--
AUG												
22...	3.80	--	--	--	--	--	--	--	--	--	--	--
22...	--	0.50	24.5	544	8.7	9.3	3.51	0.011	--	--	--	--
22...	--	27.0	7.1	616	7.6	0.4	--	0.025	--	--	--	--

430723088252100 OKAUCHEE LAKE AT OKAUCHEE, WI


WATER-QUALITY DATA, MARCH 6 TO AUGUST 22, 2014


(Milligrams per liter unless otherwise indicated)

Date	Turbidity	Appar-					ANC,					Manga-
	white light, det ang 90+/-30	color, water, unfltrd	Hard- ness, water, Pt-Co degrees NTU (63675)	Calcium mg/L as CaCO3 (00081)	Magnes- ium, water, filtrd, mg/L (00900)	Sodium, water, filtrd, mg/L (00915)	Potas- sium, water, filtrd, mg/L (00925)	fixed end pt, lab, mg/L as CaCO3 (00930)	Chlor- ide, water, filtrd, mg/L as (00417)	Sulfate water, filtrd, mg/L as (00940)	Silica, water, filtrd, mg/L as SiO2 (00945)	
MAR 2014												
06...	--	--	--	--	--	--	--	--	--	--	--	--
06...	--	--	--	--	--	--	--	--	--	--	--	--
MAY												
20...	--	--	--	--	--	--	--	--	--	--	--	--
20...	1.4	20	282	55.6	34.7	20.4	2.22	239	46	27.3	6.34	<0.100
JUN												
16...	--	--	--	--	--	--	--	--	--	--	--	--
16...	--	--	--	--	--	--	--	--	--	--	--	--
16...	--	--	--	--	--	--	--	--	--	--	--	--
JUL												
24...	--	--	--	--	--	--	--	--	--	--	--	--
24...	--	--	--	--	--	--	--	--	--	--	--	--
24...	--	--	--	--	--	--	--	--	--	--	--	--
AUG												
22...	--	--	--	--	--	--	--	--	--	--	--	--
22...	--	--	--	--	--	--	--	--	--	--	--	--
22...	--	--	--	--	--	--	--	--	--	--	--	--
Date	Dis-											
	solved solids dried @ 180degC											
	wat flt mg/L (70300)											
MAY												
20...	--											
20...		340										

430723088252100 OKAUCHEE LAKE AT OKAUCHEE, WI

LAKE-DEPTH PROFILES, MARCH 6 TO AUGUST 22, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Okauchee Lake, near Okauchee, Wisconsin.

(Open circles on the first two plots indicate laboratory detection limit for selected analyses.
Actual concentrations for these particular analyses are less than the plotted circles.)

430759088244200 OKAUCHEE LAKE, NO. 1, NEAR OKAUCHEE, WI

LOCATION.--Lat 43°07'59", long 88°24'42", in NE ¼ NW ¼ sec.30, T.8 N., R.18 E., Waukesha County, Hydrologic Unit 07090001, near Okauchee.


PERIOD OF RECORD.--April 1986 to September 2006, April to August 2008, April to August 2010, April to August 2012, March to August 2014.

REMARKS.--Lake sampled in Crane's Nest Bay, in the northeast part of the lake, at an approximate depth of 2 m. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, JUNE 16 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

				Specif-		Chloro-		Ammonia
				ic	pH,	phyll a	Phos-	+
	Trans-			conduc-	water,	trichro	phorus,	org-N,
	Secchi	Sam-	Temper-	unfltrd	field,	solved	motic	water,
Date	disc,	pling	ature,	wat	unf	method,	unfltrd	water,
	meters	meters	water,	uS/cm @	std	oxygen,	mg/L	water,
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)
				25 degC	degC	uncorr,	mg/L	mg/L
					units	mg/L	ug/L	as P
						method,	as P	as N
						unfltrd	(00625)	
JUN 2014								
	16...	>1.60	--	--	--	--	--	--
	16...	--	0.50	23.5	604	8.5	9.4	0.019
JUL	24...	>1.60	--	--	--	--	--	--
	24...	--	0.50	24.9	630	8.3	8.1	0.022
AUG	22...	>1.60	--	--	--	--	--	--
	22...	--	0.50	24.7	606	8.5	10.4	0.017



Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Okauchee Lake, No. 1, near Okauchee, Wisconsin.

(Triangles in Secchi plot indicate maximum depth at sampling site.
Actual Secchi depth on these days was greater than the plotted triangles.)

430645088264500 OKAUCHEE LAKE, NO. 2, AT OKAUCHEE, WI

LOCATION.--Lat 43°06'45", long 88°26'45", in SE ¼ NE ¼ sec. 35, T.8 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at Okauchee.


PERIOD OF RECORD.--April 1986 to September 2006, April to August 2008, April to August 2010, April to August 2012, March to August 2014.

REMARKS.--Lake sampled in Lower Okauchee Lake, at an approximate depth of 3 m. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, JUNE 16 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-	Chloro-	Ammonia		
	parency Secchi disc, meters (00078)	pling depth, meters (00098)	ature, water, deg C (00010)	conduc- tance, wat unf uS/cm @ 25 degC (00095)	pH, water, unfltrd field, std units (00400)	phyll a trichro -matic solved method, oxygen, uncorr, mg/L (00300)	phorus, water, unfltrd unfltrd mg/L as P (32210)	org-N, water, unfltrd mg/L as N (00665) (00625)
JUN 2014								
16...	>2.80	--	--	--	--	--	--	--
16...	--	0.50	23.8	571	8.4	9.1	2.39	0.016
JUL								
24...	>2.80	--	--	--	--	--	--	--
24...	--	0.50	25.5	525	8.6	10.3	2.65	0.016
24...	--	3.0	25.3	523	8.6	10.8	--	0.016
AUG								
22...	3.00	--	--	--	--	--	--	--
22...	--	0.50	25.2	507	8.8	9.2	3.48	0.014
22...	--	2.5	24.9	507	8.8	9.3	--	0.017



Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Okauchee Lake, No. 2, near Okauchee, Wisconsin.

(Open circles on the first two plots indicate laboratory detection limit for selected analyses.
Actual concentrations for these particular analyses are less than the plotted circles.)

(Triangles in Secchi plot indicate maximum depth at sampling site.
Actual Secchi depth on these days was greater than the plotted triangles.)

430642088252400 OKAUCHEE LAKE, NO. 3, AT OKAUCHEE, WI

LOCATION.--Lat 43°06'42", long 88°25'24", in NE ¼ SE ¼ sec.36, T.8 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at Okauchee.


PERIOD OF RECORD.--April 1986 to September 2006, April to August 2008, April to August 2010, April to August 2012, March to August 2014.

REMARKS.--Lake sampled in Ice House Bay, in the southern part of the lake, at an approximate depth of 5 m. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, JUNE 16 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-	pH,	Chloro-	Ammonia	
	parency	pling	tance, wat	ic conduc-	water, unfltrd	phyll a trichro-	Phos-	+
	Secchi disc,	depth, meters	water, meters	unf unf	field, uS/cm @ 25 degC	solved std	matic method,	phorus, water,
		(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)
JUN 2014								
16...	>5.00	--	--	--	--	--	--	--
16...	--	0.50	22.7	573	8.4	9.4	2.15	0.017
JUL								
24...	3.85	--	--	--	--	--	--	--
24...	--	0.50	24.5	540	8.4	9.5	4.63	0.017
24...	--	4.5	23.9	539	8.6	9.8	--	0.016
AUG								
22...	4.35	--	--	--	--	--	--	--
22...	--	0.50	24.8	516	8.8	9.5	3.45	0.015
22...	--	4.5	23.6	536	8.6	7.9	--	0.014



Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Okauchee Lake, No. 3, near Okauchee, Wisconsin.

(Triangles in Secchi plot indicate maximum depth at sampling site.
Actual Secchi depth on these days was greater than the plotted triangles.)

430757088261700 OKAUCHEE LAKE, NO. 4, AT OKAUCHEE, WI

LOCATION--Lat 43°07'57", long 88°26'17", in NW 1/4 NW 1/4 sec.25, T.8 N., R.17 E., Waukesha County, Hydrologic Unit 07090001, at Okauchee.


PERIOD OF RECORD.--June 1986 to September 2006, April to August 2008, April to August 2010, April to August 2012, March to August 2014.

REMARKS.--Lake sampled near McDowell (Crazyman's) Island, in the northwest bay of the lake, at an approximate depth of 2 m. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, JUNE 16 TO AUGUST 22, 2014

(Milligrams per liter unless otherwise indicated)

					Specif-			Chloro-		Ammonia
					ic	pH,	water,	phyll a	Phos-	+
	Trans-				conduc-			trichro	phorus,	org-N,
	parency	Sam-	Temper-	tance,	unfltrd				water,	water,
	Secchi	pling	ature,	wat	unf	field,	solved	method,	unfltrd	unfltrd
Date	disc,	depth,	water,	deg C	uS/cm @	std	oxygen,	uncorr,	mg/L	mg/L
	meters	meters	deg C	25	25 degC	units	mg/L	ug/L	as P	as N
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)	(00625)	
JUN 2014										
	16...	>1.50	--	--	--	--	--	--	--	--
	16...	--	0.50	22.4	560	8.7	14.1	1.52	0.015	0.77
JUL										
	24...	>1.50	--	--	--	--	--	--	--	--
	24...	--	0.50	24.6	522	8.8	10.3	2.20	0.016	--
AUG										
	22...	>1.50	--	--	--	--	--	--	--	--
	22...	--	0.50	25.2	522	8.7	8.5	3.39	0.014	--



Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Okauchee Lake, No. 4, near Okauchee, Wisconsin.

(Open circles on the first two plots indicate laboratory detection limit for selected analyses.
Actual concentrations for these particular analyses are less than the plotted circles.)

(Triangles in Secchi plot indicate maximum depth at sampling site.
Actual Secchi depth on these days was greater than the plotted triangles.)

423246088175800 POWERS LAKE AT POWERS LAKE, WI

LOCATION.--Lat 42°32'46", long 88°17'58", in NW ¼ SE ¼ sec.13, T.1 N., R.18 E., Walworth County, Hydrologic Unit 07120006, at Powers Lake.

SURFACE AREA.—0.72 mi².

DRAINAGE AREA.--3.42 mi².

PERIOD OF RECORD.--March 1986 to August 1996, and April 1998 to current year.

REMARKS.--Lake sampled near center at the deep hole. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MARCH 4 TO AUGUST 19, 2014
(Milligrams per liter unless otherwise indicated)

Date	Trans-	Secchi	Sam-	Temper-	conduc-	water,	water,	Dis-	Chloro-	Ortho-	Total	Ammonia	Ammonia	
	disc,	depth,	water,	wat	unf	field,	solved	matic	water,	gen,	water,	water,	water,	
	disc,	depth,	water,	wat	unf	field,	solved	matic	water,	gen,	water,	water,	water,	
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(00300)	(32210)	(00665)	(00671)	(00600)	(00608)	(00623)	(00625)
MAR 2014														
04...	--	1.0	2.7	579	8.1	12.4	4.18	0.013	--	--	--	--	--	--
04...	--	10.0	4.6	607	7.8	5.6	--	0.013	--	--	--	--	--	--
MAY														
20...	5.50	--	--	--	--	--	--	--	--	--	--	--	--	--
20...	--	0.50	15.2	519	8.3	11.7	1.32	0.011	<0.002	<0.66	0.026	--	0.64	
JUN														
30...	3.55	--	--	--	--	--	--	--	--	--	--	--	--	--
30...	--	0.50	25.4	498	8.5	8.4	4.59	0.018	--	--	--	--	--	--
30...	--	9.0	14.7	535	7.5	0.2	--	0.039	--	--	--	--	--	--
JUL														
29...	3.30	--	--	--	--	--	--	--	--	--	--	--	--	--
29...	--	0.50	24.0	492	8.6	8.4	3.88	0.017	<0.002	<0.57	<0.015	0.71	0.56	
29...	--	9.5	15.1	526	7.6	0.6	--	0.046	--	--	--	--	--	--
AUG														
19...	2.95	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	0.50	24.5	510	8.5	8.8	4.52	0.016	--	--	--	--	--	--
19...	--	9.5	15.7	544	7.5	0.5	--	0.049	--	--	--	--	--	--

423246088175800 POWERS LAKE AT POWERS LAKE, WI

WATER-QUALITY DATA, MARCH 4 TO AUGUST 19, 2014
(Milligrams per liter unless otherwise indicated)


Date	Nitrate	Turbidity	Appar-					ANC,					
	+ white water, water, det ang fltrd, 90+/-30 mg/L as N (00631)	light, color, Hard-ness, water, unfltrd degrees Pt-Co units NTU (63675)	ent	Calcium mg/L as CaCO3 (00081) (00900)	Magnes-ium, water, fltrd, mg/L as CaCO3 (00915) (00925)	Sodium, water, fltrd, mg/L as CaCO3 (00925) (00930)	Potas-sium, water, fltrd, mg/L as CaCO3 (00935) (00935)	fixed pt, lab, unfltrd mg/L as CaCO3 (00417) (99220)	Chlor-ide, water, fltrd, mg/L as SiO2 (00945) (00945)	Sulfate water, fltrd, mg/L as SiO2 (00955) (00955)	Silica, water, fltrd, ug/L (01046)		
MAR 2014													
04...	--	--	--	--	--	--	--	--	--	--	--	--	--
04...	--	--	--	--	--	--	--	--	--	--	--	--	--
MAY													
20...	--	--	--	--	--	--	--	--	--	--	--	--	--
20...	<0.019	0.7	15	218	35.8	31.3	21.4	2.36	184	46	14.8	5.53	<0.100
JUN													
30...	--	--	--	--	--	--	--	--	--	--	--	--	--
30...	--	--	--	--	--	--	--	--	--	--	--	--	--
30...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUL													
29...	--	--	--	--	--	--	--	--	--	--	--	--	--
29...	<0.019	--	--	--	--	--	--	--	--	--	--	--	--
29...	--	--	--	--	--	--	--	--	--	--	--	--	--
AUG													
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--


Date	Manga-	Dis-	solved
	nese,	solids	dried @
	water,	180degC	
	fltrd, wat flt	ug/L mg/L	
	(01056)	(70300)	

MAY		
20...	--	--
20...	<1.00	286

423246088175800 POWERS LAKE AT POWERS LAKE, WI

LAKE-DEPTH PROFILES, MARCH 4 TO AUGUST 19, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths,
and TSI data for Powers Lake, at Powers Lake, Wisconsin.

(Open circles on the first two plots indicate laboratory detection limit for selected analyses.
Actual concentrations for these particular analyses are less than the plotted circles.)

453420091551600 SILVER LAKE NEAR CUMBERLAND, WI

LOCATION.--Lat 45°34'20", long 91°55'16" referenced to North American Datum of 1927, in SE ¼ NE ¼ SW ¼ sec.25, T.36 N., R.13 W., Barron County, WI, Hydrologic Unit 07050007.

DRAINAGE AREA.--1,800 acres; 2.81 mi²

PERIOD OF RECORD.--October 2011 to current year. Archived data October 2004 to September 2011.

GAGE.--Non-recording gage. Staff gage mounted on wood board and 1.5" steel pipe. The staff is installed/removed seasonally to coincide with measuring stage during the open water period.

COOPERATION.--Wisconsin Department of Natural Resources.


REMARKS.--Water surface elevation collected by land owner (observer).

EXTREMES FOR PERIOD OF RECORD.--Maximum daily gage height, 80.66 ft, June 30, 2014; Minimum daily gage height, 78.10 ft, Nov. 7, 2013.

EXTREMES FOR CURRENT YEAR.--Maximum daily gage height, 80.66 ft, June 30; Minimum daily gage height, 78.10 ft, Nov. 7.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	80.40	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	78.10	---	---	---	---	---	---	---	80.55	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	80.52	80.08	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	80.32
15	---	---	---	---	---	---	---	---	---	---	---	---
16	78.30	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	80.43	---	---
18	---	---	---	---	---	---	---	---	---	---	79.98	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	80.34	---	---
22	78.26	---	---	---	---	---	---	---	---	---	80.06	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	80.20
27	---	---	---	---	---	---	---	---	---	80.29	80.00	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	80.26	---	---	---	---
30	---	---	---	---	---	---	---	---	80.66	80.22	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---



04072500 SILVER LAKE AT PORTAGE, WI

LOCATION.--Lat 43°33'10", long 89°28'22.9" referenced to North American Datum of 1983, Columbia County, WI, Hydrologic Unit 04030201, previously published at Lat 43°33'10", long 89°07'58"referenced to North American Datum of 1927

DRAINAGE AREA.--1.00 mi².

PERIOD OF RECORD.--May 2010 to current year. Work records from August 1936 to February 2010 in USGS database.

GAGE.--A staff gage is periodically read by an observer, and reported in local datum.


COOPERATION.--Wisconsin Department of Natural Resources.

EXTREMES FOR PERIOD OF RECORD.--Maximum observed gage height, 8.88 ft July 21, 2010; mimimum observed gage height, 6.20 ft, Oct. 12, 2012.

EXTREMES FOR CURRENT YEAR.--Maximum observed gage height, 8.49 ft May 13; mimimum observed gage height, 7.60 ft, Oct. 3, 2013.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	7.60	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	7.70	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	8.49	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---



Stage hydrograph for Silver Lake at Portage, 2010-2014.

05429485 LAKE WAUBESA AT MCFARLAND, WI

LOCATION.--Lat 43°00'32", long 89°18'19" referenced to North American Datum of 1927, in SW ¼ SW ¼ sec.3, T.6 N., R.10 E., Dane County, WI, Hydrologic Unit 07090001, on left bank just upstream from bridge on U.S. Highway 51, downstream of dam at outlet of Lake Waubesa and 1.0 mi southwest of McFarland.

SURFACE AREA.--3.25 mi².

DRAINAGE AREA.--327 mi² of which 36.6 mi² probably is noncontributing.

PERIOD OF RECORD.--October 2003 to current year.

REVISED RECORDS.--WSP 805, WDR WI-73-1: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 840.00 ft above NGVD of 1929 (levels by Wisconsin Department of Natural Resources).

REMARKS.--Lake level regulated by dams at outlets of Lake Mendota and Lake Waubesa. Gage-height telemeter at station.


EXTREMES FOR PERIOD OF RECORD.--Maximum gage height observed, 7.22 ft, June 15-17, 2008; minimum observed, 3.50 ft, Feb.14, 2006, current datum.

EXTREMES FOR CURRENT YEAR.--Maximum recorded gage height, 5.95 ft, Aug. 27; minimum recorded, 3.99 ft, Apr. 12.

05429485 LAKE WAUBESA AT MCFARLAND, WI

GAGE HEIGHT, FEET
 WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
 DAILY MEAN VALUES
 [e, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	4.85	4.62	4.81	4.24	4.10	4.14	e4.20	4.88	4.84	5.79	5.50	5.78
2	4.84	4.63	4.81	4.23	4.11	4.13	e4.18	4.86	5.01	5.83	5.53	5.76
3	4.82	4.62	4.81	4.21	4.11	4.12	e4.15	4.85	5.15	5.80	5.54	5.71
4	4.82	4.60	4.83	4.20	4.11	4.12	4.14	4.82	5.17	5.77	5.58	5.78
5	4.83	4.62	4.73	4.19	4.12	4.13	4.13	4.78	5.17	5.73	5.67	5.83
6	4.84	4.69	4.81	e4.19	4.13	4.12	4.10	4.74	5.14	5.71	5.70	5.79
7	4.82	4.72	4.79	e4.18	4.13	4.11	4.09	4.72	5.12	5.71	5.71	5.74
8	4.78	4.71	4.71	4.17	4.14	4.10	4.10	4.73	5.11	5.72	5.71	5.71
9	4.76	4.70	4.67	4.18	4.14	4.10	4.05	4.73	5.09	5.69	5.71	5.66
10	4.74	4.70	4.63	4.17	4.14	4.10	4.02	4.70	5.07	5.65	5.72	5.68
11	4.73	4.70	4.59	4.19	4.14	4.12	4.01	4.67	5.06	5.62	5.73	5.64
12	4.71	4.68	4.55	4.19	4.14	4.16	3.99	4.73	5.05	5.60	5.76	5.60
13	4.71	4.65	4.51	4.19	4.15	4.17	4.06	4.84	5.03	5.61	5.75	5.54
14	4.69	4.62	4.49	4.20	4.15	4.18	4.42	4.84	4.99	5.60	5.73	5.49
15	4.69	4.62	4.46	4.20	4.16	4.25	4.54	4.83	4.95	5.58	5.70	5.46
16	4.70	4.63	4.44	4.21	4.16	4.26	4.55	4.81	4.95	5.56	5.67	5.43
17	4.71	4.72	4.42	4.20	4.18	4.25	4.56	4.79	5.04	5.54	5.66	5.38
18	4.71	4.83	4.39	4.20	4.19	4.23	4.59	4.75	5.12	5.52	5.64	5.34
19	4.69	4.83	4.37	4.19	4.19	4.27	4.59	4.71	5.23	5.53	5.67	5.30
20	4.67	4.81	4.36	4.18	4.21	4.30	4.59	4.70	5.49	5.54	5.68	5.27
21	4.66	4.83	4.34	4.17	4.24	4.30	4.63	4.69	5.63	5.55	5.71	5.27
22	4.64	4.85	4.36	4.16	4.23	4.31	4.66	4.67	5.66	5.55	5.75	5.23
23	4.62	4.85	4.35	4.15	4.22	4.29	4.65	4.63	5.67	5.55	5.75	5.19
24	4.61	4.85	4.34	4.14	4.21	4.28	4.65	4.60	5.66	5.53	5.74	5.16
25	4.57	4.83	4.32	4.13	4.19	4.27	4.71	4.59	5.62	5.52	5.84	5.13
26	4.53	4.80	4.31	4.13	4.17	4.24	4.72	4.59	5.56	5.52	5.94	5.10
27	4.51	4.86	4.29	4.14	4.16	4.22	4.70	4.64	5.51	5.52	5.95	5.08
28	4.49	4.84	4.28	4.12	4.15	e4.24	4.73	4.88	5.45	5.51	5.91	5.06
29	4.48	4.83	4.27	4.11	---	e4.24	4.83	4.92	5.44	5.50	5.87	5.03
30	4.48	4.82	4.25	4.10	---	e4.23	4.88	4.90	5.59	5.50	5.84	5.01
31	4.54	---	4.24	4.10	---	4.23	---	4.87	---	5.50	5.81	---
MEAN	4.69	4.74	4.50	4.17	4.16	4.20	4.41	4.76	5.25	5.61	5.72	5.44
MAX	4.85	4.86	4.83	4.24	4.24	4.31	4.88	4.92	5.67	5.83	5.95	5.83
MIN	4.48	4.60	4.24	4.10	4.10	4.10	3.99	4.59	4.84	5.50	5.50	5.01



Stage hydrograph for Lake Waubesa, 2003-2014.

461231091524900 WHITEFISH (BARDON) LAKE NEAR GORDON, WI

LOCATION.--Lat 46°12'31", long 91°52'49" referenced to North American Datum of 1927, in SW ¼ SW ¼ NW ¼ sec.16, T.43 N., R.12 W., Douglas County, WI,
Hydrologic Unit 07030002.

DRAINAGE AREA.--0.81 mi²

PERIOD OF RECORD.--October 2011 to present. Archived data from 2004 to September 2011.

GAGE.--Non-recording gage. Steel rod pounded into lake bed. The rod is installed/removed seasonally to coincide with measuring stage during the open water period.

COOPERATION.--Wisconsin Department of Natural Resources.


REMARKS.--Water surface elevation collected by land owner (observer).

EXTREMES FOR PERIOD OF RECORD.--Maximum daily gage height, 5.90 ft, Sept. 13, 2014; Minimum daily gage height, 3.75 ft, October 22, 2012.

EXTREMES FOR CURRENT YEAR.--Maximum daily gage height, 5.90 ft, Sept. 13; Minimum daily gage height, 4.80 ft, Nov. 7, 2013.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	5.75	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	4.80	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	5.63	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	5.47	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	5.90
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	5.80	---	---	---
17	---	---	---	---	---	---	---	---	---	5.57	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	5.71	5.47	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	5.50	---
26	---	---	---	---	---	---	---	---	---	---	5.63	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	5.74	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---



Stage hydrograph for Whitefish (Bardon) Lake near Gordon, 2011-2014.

424848088083100 WIND LAKE, HEADWATER, AT OUTLET AT WIND LAKE, WI

LOCATION.--Lat 42°48'48", long 88°08'31" referenced to North American Datum of 1927, in NE ¼ NW ¼ sec.16, T.4 N., R.20 E., Racine County, WI, Hydrologic Unit 07120006, at Wind Lake.

SURFACE AREA.--1.46 mi².

DRAINAGE AREA.--39.6 mi².

PERIOD OF RECORD.--March 1985 to current year. Prior to October 2000, published as "Wind Lake Outlet".

REVISED RECORDS.--WDR WI-91-1: 1988(m).


REMARKS.--Lake level regulated by dam with two 10-foot gates at outlet. Lake ice-covered Jan. 14 to Mar. 8. Prior to October 1987, published as Wind Lake at Wind Lake, Wis. Gage-height telemeter at station.

EXTREMES FOR PERIOD OF RECORD.--Maximum gage height, 9.88 ft, June 14, 15, 2008; minimum recorded, 5.95 ft, Jan. 2, 1996.

EXTREMES FOR CURRENT YEAR.—Headwater: Maximum recorded gage height, 8.53 ft, Jul. 13; minimum recorded, 7.63 ft, Oct. 25-26.

**GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[e, estimated]**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	7.77	7.78	7.73	7.72	7.70	7.68	8.18	8.17	8.25	8.26	8.30	8.28
2	7.76	7.72	7.72	7.73	7.71	7.70	8.20	8.19	8.35	8.25	8.39	8.30
3	7.75	7.68	7.72	7.73	7.72	7.71	8.20	8.20	8.35	8.27	8.36	8.27
4	7.76	7.70	7.73	7.74	7.73	7.73	8.18	8.21	8.31	8.27	8.34	8.32
5	7.79	7.71	7.73	7.75	7.76	7.75	8.16	8.22	8.29	8.26	8.33	8.32
6	7.86	7.74	7.72	7.74	7.76	7.76	8.14	8.23	8.29	8.27	8.31	8.27
7	7.85	7.75	7.70	7.74	7.75	7.78	8.14	8.22	8.31	8.30	8.30	8.26
8	7.82	7.73	7.69	7.73	7.75	7.79	8.19	8.21	8.32	8.38	8.29	8.26
9	7.80	7.70	7.69	7.73	7.75	7.79	8.28	8.22	8.29	8.38	8.28	8.24
10	7.78	7.68	7.69	7.74	7.75	7.81	8.23	8.23	8.28	8.35	8.27	8.23
11	7.75	7.70	7.69	7.77	7.74	7.85	8.23	8.22	8.34	8.32	8.35	8.22
12	7.74	7.73	7.69	7.77	7.73	7.90	8.20	8.23	8.33	8.33	8.36	8.23
13	7.73	7.73	7.69	7.77	7.72	7.94	8.21	8.31	8.30	8.53	8.34	8.23
14	7.70	7.75	7.70	7.75	7.71	7.99	8.34	8.34	8.28	8.50	8.33	8.23
15	7.68	7.76	7.70	7.73	7.70	8.05	8.29	8.32	8.26	8.45	8.31	8.23
16	7.67	7.76	7.70	7.72	7.68	8.13	8.23	8.25	8.25	8.41	8.29	8.23
17	7.67	7.84	7.71	7.72	7.68	8.21	8.25	8.23	8.27	8.37	8.29	8.24
18	7.66	7.88	7.71	7.72	7.69	8.25	8.17	8.27	8.25	8.32	8.29	8.25
19	7.64	7.93	7.72	7.72	7.69	8.18	8.14	8.28	8.23	8.31	8.43	8.24
20	7.64	7.89	7.72	7.72	7.72	8.13	8.15	8.26	8.23	8.34	8.42	8.23
21	7.64	7.77	7.73	7.72	7.73	8.14	8.16	8.25	8.22	8.34	8.36	8.27
22	7.63	7.65	7.77	7.71	7.71	8.15	8.18	8.24	8.22	8.31	8.34	8.25
23	7.64	7.70	7.77	7.71	7.68	8.13	8.17	8.23	8.26	8.31	8.33	8.25
24	7.64	7.70	7.75	7.70	7.67	8.12	8.17	8.22	8.36	8.30	8.37	8.24
25	7.63	7.73	7.74	7.70	7.66	8.12	8.18	8.21	8.33	8.30	8.41	8.24
26	7.63	7.76	7.72	7.70	7.65	8.10	8.18	8.21	8.25	8.30	8.40	8.24
27	7.64	7.76	7.71	7.70	7.66	8.10	8.17	8.23	8.23	8.31	8.37	8.24
28	7.66	7.75	7.70	7.69	7.66	8.18	8.17	8.26	8.24	8.31	8.32	8.23
29	7.67	7.75	7.70	7.68	---	8.19	8.14	8.27	8.25	8.29	8.27	8.23
30	7.70	7.74	7.70	7.68	---	8.15	8.14	8.25	8.24	8.30	8.27	8.22
31	7.75	---	7.70	7.68	---	8.16	---	8.24	---	8.28	8.29	---
MEAN	7.71	7.75	7.71	7.72	7.71	7.99	8.19	8.24	8.28	8.33	8.33	8.25
MAX	7.86	7.93	7.77	7.77	7.76	8.25	8.34	8.34	8.36	8.53	8.43	8.32
MIN	7.63	7.65	7.69	7.68	7.65	7.68	8.14	8.17	8.22	8.25	8.27	8.22



Stage hydrograph for Wind Lake, headwater, 1985-2014.

424915088083900 WIND LAKE AT WIND LAKE, WI

LOCATION.--Lat 42°49'15", long 88°08'39", in NW ¼ SW ¼ sec.9, T.4 N., R.20 E., Racine County, Hydrologic Unit 07120006, at Wind Lake.

SURFACE AREA.--1.46 mi².

PERIOD OF RECORD.--February 1985 to current year.

REMARKS.--Lake sampled near center at the deep hole. Water-quality analyses done by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MARCH 4 TO AUGUST 27, 2014

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-		Chloro-	Ortho-	Total	Ammonia	Ammonia	Ammonia			
				Secchi disc, meters (00078)	pling depth, meters (00098)	conduc-	pH, water,	phyll a trichro	Phos-	phate, water,	water, water,	org-N, water, unfltrd		
				ture, water, deg C (00010)	wat unf uS/cm @ 25 degC (00095)	unfltrd field, std units (00400)	solved method, oxygen, uncorr, mg/L (00300)	matic method, method, uncorr, ug/L (32210)	phorus, water, unfltrd as P (00665)	water, water, unfltrd as P (00671)	gen, water, unfltrd as P (00600)	water, water, mg/L (00608)	water, water, mg/L (00623)	water, water, mg/L (00625)
MAR 2014														
04...	--	1.0	2.5	863	7.9	11.1	4.74	0.021	--	--	--	--		
04...	--	14.0	2.5	1340	7.5	3.9	--	0.023	--	--	--	--		
MAY														
09...	4.05	--	--	--	--	--	--	--	--	--	--	--		
09...	--	0.50	13.7	805	8.1	10.0	2.21	0.021	0.002	1.2	0.067	-- 1.0		
JUN														
16...	3.80	--	--	--	--	--	--	--	--	--	--	--		
16...	--	0.50	22.2	801	8.6	9.3	4.77	0.150	--	--	--	1.7		
16...	--	13.5	12.7	839	7.4	0.2	--	0.021	--	--	--	0.88		
JUL														
29...	2.30	--	--	--	--	--	--	--	--	--	--	--		
29...	--	0.50	23.1	746	8.3	7.1	7.55	0.024	<0.002	<0.94	<0.015	0.95 0.92		
29...	--	13.5	13.0	826	7.2	0.2	--	0.154	--	--	--	--		
AUG														
27...	2.50	--	--	--	--	--	--	--	--	--	--	--		
27...	--	0.50	25.6	744	8.5	8.3	8.47	0.025	--	--	--	--		
27...	--	6.0	22.0	760	7.8	0.8	--	0.024	--	--	--	--		
27...	--	10.0	14.5	839	7.6	0.3	--	0.149	--	--	--	--		
27...	--	12.0	13.7	843	7.5	0.3	--	0.159	--	--	--	--		
27...	--	13.5	13.4	845	7.4	0.2	--	0.201	--	--	--	--		

424915088083900 WIND LAKE AT WIND LAKE, WI


WATER-QUALITY DATA, MARCH 4 TO AUGUST 27, 2014


(Milligrams per liter unless otherwise indicated)

Date	Nitrate	Turbdty	Appar-	ANC,								
	+ white	light, color,	Hard-	Magnes-	Potas-	fixed	Chlor-	Silica,	Iron,			
	water, det ang	water, unfltrd	ness, water,	ium, water,	Sodium, water,	end pt, lab,	ide, water,	Sulfate, water,	water, fltrd,			
	90+/-30	unfltrd	Pt-Co mg/L as	CaCO ₃ mg/L	mg/L	mg/L	mg/L	mg/L	mg/L			
	mg/L as N	NTU	units	(00631)	(63675)	(00081)	(00900)	(00915)	(00925)	(00930)	(00935)	(00417)
MAR 2014												
04...	--	--	--	--	--	--	--	--	--	--	--	--
04...	--	--	--	--	--	--	--	--	--	--	--	--
MAY												
09...	--	--	--	--	--	--	--	--	--	--	--	--
09...	0.198	--	--	228	49.7	25.3	66.6	2.79	--	--	0.253	<0.100
JUN												
16...	--	--	--	--	--	--	--	--	--	--	--	--
16...	--	1.7	30	--	--	--	--	174	140	40.1	--	--
16...	--	--	--	--	--	--	--	--	--	--	--	--
JUL												
29...	--	--	--	--	--	--	--	--	--	--	--	--
29...	<0.019	--	--	--	--	--	--	--	--	--	--	--
29...	--	--	--	--	--	--	--	--	--	--	--	--
AUG												
27...	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--
27...	--	--	--	--	--	--	--	--	--	--	--	--
Date	Dis-		solved									
	Manga-	solids										
	nese,	dried @										
	water,	180degC										
	fltrd,	wat flt										
	ug/L	mg/L										
	(01056)	(70300)										
MAY												
09...	<1.0	--										
JUN												
16...	--	430										

424915088083900 WIND LAKE AT WIND LAKE, WI

LAKE-DEPTH PROFILES, MARCH 4 TO AUGUST 27, 2014





Surface total phosphorus, chlorophyll a concentrations, Secchi depths, and TSI data for Wind Lake, Deep Hole, at Wind Lake, Wisconsin.

04082500 LAKE WINNEBAGO AT OSHKOSH, WI

LOCATION.--Lat 44°00'35", long 88°31'38" referenced to North American Datum of 1927, in NE ¼ NE ¼ sec.25, T.18 N., R.16 E., Winnebago County, WI, Hydrologic Unit 04030203, 800 ft east of mouth of the upper Fox River.

SURFACE AREA.--215 mi².

DRAINAGE AREA.--5,880 mi².

PERIOD OF RECORD.--October 1938 to current year in reports of Geological Survey. Records from July 1882 to September 1938 in files of Geological Survey and U.S. Army Corps of Engineers. A report on Fox River by U.S. Army Corps of Engineers, published as House Document No. 146, 67th Congress, 2nd session, contains semi-monthly records of inflow of Lake Winnebago for the period 1896-1917.

REVISED RECORDS.--WDR WI-83-1: Drainage area.

GAGE.--Water-stage recorder. Nonrecording gage read once daily October 1938 to October 1978. Datum of gage is 743.91 ft above NAVD of 1988 (Wisconsin Department of Transportation benchmark). From July 1992 to March 20, 2007 datum was 743.97 ft above NAVD of 1988. Prior to 2012 datum of gage was published as 745.05 ft above mean tide at New York City.

REMARKS.--Lake elevations controlled by dams at Menasha and Neenah. Data-collection platform and gage-height telemeter at station.


EXTREMES FOR PERIOD OF RECORD.-- Water year 1938-1992: maximum gage height observed, 4.32 ft Mar. 9, 1982, datum unknown; minimum observed, 0.33 ft May 17, 1960, datum unknown. Water year 1993-current year: maximum daily mean gage height, 3.85 ft June 14, 2008; minimum recorded, 1.15 ft (estimated), March 13-14, 2014.

EXTREMES FOR CURRENT YEAR.--Maximum daily mean gage height, 3.21 ft, June 25; Minimum recorded, 1.15 ft (estimated), March 13-14.

04082500 LAKE WINNEBAGO AT OSHKOSH, WI

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[*e*, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.68	2.48	2.36	2.01	1.74	1.35	1.49	2.69	2.94	3.04	3.00	2.90
2	2.70	2.50	2.34	2.01	1.73	1.33	1.51	2.69	3.13	3.10	2.99	2.89
3	2.70	2.50	2.33	2.00	1.72	1.31	1.52	2.68	3.16	3.12	2.99	2.88
4	2.74	2.46	2.33	2.00	1.70	1.29	1.54	2.68	3.20	3.11	3.03	2.88
5	2.74	2.42	2.27	1.98	1.69	1.28	1.57	2.70	3.16	3.06	3.03	2.86
6	2.74	2.48	2.27	1.98	1.68	1.26	1.58	2.68	3.13	3.07	3.03	2.90
7	2.73	2.49	2.27	1.97	1.67	1.25	1.58	2.71	3.11	3.08	3.02	2.92
8	2.71	2.48	2.24	1.95	1.65	1.23	1.60	2.69	3.15	3.12	3.00	2.91
9	2.66	2.41	2.23	1.94	1.63	1.21	1.61	2.66	3.11	3.14	2.99	2.92
10	2.64	2.41	2.20	1.94	1.59	e1.19	1.62	2.69	3.10	3.14	2.97	2.90
11	2.63	2.43	2.17	1.94	1.57	e1.17	1.62	2.74	3.11	3.08	2.97	2.94
12	2.60	2.41	2.14	1.94	1.56	e1.16	1.66	2.88	3.09	3.08	2.99	2.94
13	2.60	2.38	2.11	1.93	1.56	e1.15	1.88	2.87	3.08	3.09	3.00	2.95
14	2.63	2.35	2.09	1.93	1.55	e1.15	2.18	2.90	3.09	3.07	2.98	2.92
15	2.64	2.37	2.08	1.92	1.54	e1.16	2.30	2.94	3.02	3.08	2.96	2.95
16	2.63	2.37	2.06	1.92	1.52	e1.17	2.40	2.89	2.98	3.08	2.96	2.96
17	2.65	2.39	2.05	1.92	1.52	e1.18	2.43	2.84	3.09	3.07	2.98	2.97
18	2.63	2.41	2.04	1.91	1.52	e1.19	2.41	2.82	3.17	3.07	2.97	3.00
19	2.60	2.52	2.04	1.90	1.52	e1.20	2.48	2.82	3.18	3.04	3.06	2.96
20	2.58	2.49	2.03	1.89	1.51	e1.22	2.50	2.80	3.16	3.06	3.10	2.96
21	2.51	2.48	2.03	1.88	1.51	1.24	2.54	2.79	3.17	3.05	3.12	3.01
22	2.51	2.48	2.03	1.88	1.50	1.25	2.57	2.82	3.15	3.04	3.12	3.02
23	2.48	2.48	2.04	1.87	1.48	1.28	2.62	2.86	3.13	3.07	3.12	3.01
24	2.45	2.47	2.04	1.86	1.46	1.30	2.66	2.88	3.16	3.03	3.12	2.99
25	2.42	2.38	2.05	1.85	1.43	1.32	2.65	2.90	3.21	2.99	3.11	2.96
26	2.36	2.39	2.05	1.84	1.41	1.33	2.64	2.92	3.18	2.99	3.12	2.95
27	2.38	2.38	2.04	1.82	1.39	1.34	2.70	2.98	3.16	3.00	3.13	2.92
28	2.40	2.39	2.04	1.80	1.36	1.44	2.70	3.00	3.12	2.98	3.08	2.90
29	2.38	2.38	2.04	1.78	---	1.45	2.70	2.99	3.07	2.97	3.00	2.89
30	2.35	2.37	2.03	1.76	---	1.45	2.69	2.98	3.07	2.99	2.97	2.86
31	2.43	---	2.02	1.75	---	1.47	---	2.95	---	2.98	2.97	---
MEAN	2.58	2.43	2.13	1.91	1.56	1.27	2.13	2.82	3.12	3.06	3.03	2.93
MAX	2.74	2.52	2.36	2.01	1.74	1.47	2.70	3.00	3.21	3.14	3.13	3.02
MIN	2.35	2.35	2.02	1.75	1.36	1.15	1.49	2.66	2.94	2.97	2.96	2.86



Stage hydrograph for Lake Winnebago at Oshkosh, WI, 1882-2014.

04084255 LAKE WINNEBAGO NEAR STOCKBRIDGE, WI

LOCATION.--Lat 44°04'14", long 88°19'44" referenced to North American Datum of 1983, Calumet County, WI, Hydrologic Unit 04030203, Stockbridge Indian Reservation, on east shore of Lake Winnebago, 300 ft south of County Highway E and 1.6 mi west of Stockbridge.

SURFACE AREA.--215 mi².

DRAINAGE AREA.--5,880 mi².

PERIOD OF RECORD.--November 1982 to current year.

GAGE.--Water-stage recorder. Datum of gage from July 1992 to current year is 744.00 ft above NAVD of 1988 (RTK-GPS survey). Prior to 2012 published as 745.05 ft above mean tide of New York City.

REMARKS.--Lake elevations controlled by dams at Menasha and Neenah. Data-collection platform and gage-height telemeter at station.

EXTREMES FOR PERIOD OF RECORD.-- Water year 1982-1992; maximum daily mean gage height, 3.53 ft, May 31, 1989, datum unknown; minimum recorded, 0.30 ft, Mar. 1, 1986, datum unknown. Water year 1993 to current year; maximum daily mean gage height, 3.85 ft, July 9, 11, 1993, June 14, 2008; minimum recorded 1.04 ft (estimated) March 13-14, 2014.

EXTREMES FOR CURRENT YEAR.--Maximum daily mean gage height, 3.18 ft, June 3; minimum recorded, 1.04 ft (estimated), Mar. 13-14.

04084255 LAKE WINNEBAGO NEAR STOCKBRIDGE, WI

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2013 TO SEPTEMBER 2014
DAILY MEAN VALUES
[*e*, estimated]

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.63	2.45	2.23	1.91	1.63	e1.24	e1.38	2.58	2.83	3.06	2.89	2.82
2	2.59	2.36	2.21	1.90	1.62	e1.22	e1.40	2.60	3.09	3.02	2.89	2.80
3	2.56	2.34	2.20	1.89	1.60	e1.20	e1.41	2.61	3.18	3.00	2.89	2.77
4	2.57	2.29	2.21	1.88	1.58	e1.18	e1.43	2.60	3.08	3.01	2.89	2.75
5	2.59	2.32	2.24	1.88	1.57	e1.17	e1.46	2.52	3.04	3.03	2.91	2.80
6	2.68	2.39	2.20	1.89	1.55	e1.15	e1.47	2.49	3.03	3.01	2.91	2.83
7	2.67	2.42	2.15	1.87	1.54	e1.14	e1.47	2.49	3.01	3.02	2.88	2.82
8	2.59	2.38	2.11	1.86	1.52	e1.12	e1.49	2.55	2.97	3.10	2.87	2.82
9	2.55	2.40	2.11	1.84	1.51	e1.10	1.48	2.64	2.96	3.04	2.85	2.80
10	2.51	2.40	2.08	1.83	1.49	e1.08	1.48	2.64	2.96	3.02	2.84	2.80
11	2.49	2.30	2.05	1.85	1.47	e1.06	1.50	2.63	2.96	3.02	2.84	2.81
12	2.52	2.36	2.02	1.82	1.46	e1.05	1.55	2.74	3.03	2.99	2.88	2.80
13	2.55	2.41	1.99	1.81	1.45	e1.04	1.77	2.84	3.05	3.03	2.88	2.84
14	2.50	2.31	1.98	1.82	1.45	e1.04	2.07	2.82	2.92	3.01	2.85	2.88
15	2.51	2.26	1.97	1.83	1.43	e1.05	2.25	2.73	2.85	2.99	2.86	2.86
16	2.58	2.26	1.94	1.81	1.42	e1.06	2.26	2.76	2.89	2.97	2.86	2.88
17	2.57	2.35	1.95	1.82	e1.41	e1.07	2.25	2.77	3.00	2.98	2.81	2.88
18	2.58	2.55	1.93	1.80	e1.41	e1.08	2.33	2.73	3.03	2.96	2.86	2.85
19	2.54	2.41	1.93	1.79	e1.41	e1.09	2.36	2.67	3.02	2.96	3.00	2.89
20	2.49	2.36	1.93	1.79	e1.40	e1.11	2.41	2.65	3.04	2.97	2.99	2.92
21	2.55	2.36	1.93	1.78	e1.40	e1.13	2.46	2.70	3.05	2.97	2.98	2.93
22	2.46	2.40	1.94	1.78	e1.39	e1.14	2.50	2.74	3.02	2.97	2.99	2.93
23	2.41	2.42	1.95	1.77	e1.37	e1.17	2.52	2.76	3.01	2.92	2.98	2.90
24	2.40	2.46	1.94	1.74	e1.35	e1.19	2.50	2.78	3.04	2.92	2.96	2.88
25	2.40	2.47	1.94	1.74	e1.32	e1.21	2.54	2.80	3.06	2.94	3.01	2.85
26	2.35	2.32	1.94	1.72	e1.30	e1.22	2.53	2.83	3.05	2.91	3.04	2.83
27	2.29	2.31	1.93	1.71	e1.28	e1.23	2.45	2.85	3.02	2.89	2.99	2.80
28	2.16	2.28	1.92	1.69	e1.25	e1.33	2.38	2.85	2.99	2.86	2.93	2.78
29	2.20	2.26	1.92	1.66	---	e1.34	2.47	2.85	3.02	2.88	2.88	2.73
30	2.21	2.24	1.92	1.64	---	e1.34	2.57	2.85	3.04	2.88	2.88	2.69
31	2.32	---	1.91	1.64	---	e1.36	---	2.82	---	2.89	2.83	---
MEAN	2.48	2.36	2.02	1.80	1.45	1.16	2.00	2.71	3.01	2.97	2.91	2.83
MAX	2.68	2.55	2.24	1.91	1.63	1.36	2.57	2.85	3.18	3.10	3.04	2.93
MIN	2.16	2.24	1.91	1.64	1.25	1.04	1.38	2.49	2.83	2.86	2.81	2.69

WISCONSIN WATER SCIENCE CENTER PUBLICATIONS PERTAINING TO LAKES

The reports published in a U.S. Geological Survey series are for sale by the U.S. Geological Survey, Box 25425, Federal Center, Denver, CO 80225. Prepayment is required. Remittance should be sent by check or money order payable to the U.S. Geological Survey. Prices can be obtained by writing to the above address or by calling (303) 236-7476. Reprints of journal articles may be obtained by writing directly to the author at U.S. Geological Survey, 8505 Research Way, Middleton, WI 53562.

2014

- Brigham, M.E., Sandheinrich, M.B., Gay, D.A., Maki, R.P., Krabbenhoft, D.P., and Wiener, J.G., 2014, Lacustrine responses to decreasing wet mercury deposition rates—Results from a case study in northern Minnesota.: *Environmental Science and Technology* v. 48, no. 11, p. 6115-6123.
- Read, J.S., Winslow, L.A., Hansen, G.J.A., Van Den Hoek, J., Hanson, P.C., Bruce, L.C., and Markfort, 2014, Simulating 2368 temperate lakes reveals weak coherence in stratification phenology: *Ecological Modeling*, v. 291, p. 142–150.
- Rose, K.C., Winslow, L.A., Read, J.S., Read, E.K., Solomon, C.T., Adrian, R., and Hanson, P.C., 2014, Improving the precision of lake ecosystem metabolism estimates by identifying predictors of model uncertainty: *Limnology and Oceanography Methods*, v. 12, p. 303–312.
- Winslow, L.A., Read, J.S., Hanson, P.C., and Stanley, E.H., 2014, Lake shoreline in the contiguous United States: quantity, distribution, and sensitivity to observation resolution: *Freshwater Biology*, v. 59, p. 213–223.

2013

- Hunt, R.J., Walker, J.F., Selbig, W.R., Westenbroek, S.M., and Regan, R.S., 2013, Simulation of climate-change effects on streamflow, lake water budgets, and stream temperature using GSFLOW and SNTEMP, Trout Lake Watershed, Wisconsin: U.S. Geological Survey Scientific Investigations Report 2013-5159, 118 p., <http://pubs.usgs.gov/sir/2013/5159/>.
- Juckem, P.J., and Robertson, D.M., 2013, Hydrology and water quality of Shell Lake, Washburn County, Wisconsin, with special emphasis on the effects of diversion and changes in water level on the water quality of a shallow terminal lake: U.S. Geological Survey Scientific Investigations Report 2013-5181, 77 p.
- Meyer, M.W.; Walker, J.F.; Kenow, K.P.; Rasmussen, P.W.; Garrison, P.J.; Hanson, P.C.; Hunt, R.J., 2013. Potential effects of climate change on inland glacial lakes and implications for lake-dependent biota in Wisconsin: final report April 2013. Focus on Energy , x, 166 p.
- Powers, S.M., Robertson, D.M., and Stanley, E.H., 2013, Effects of lakes and reservoirs on annual river nitrogen, phosphorus, and sediment export in agricultural and forested landscapes: *Hydrological Processes*, DOI: 10.1002/hyp.10083.

Watras, C.J., Morrow, M., Morrison, K., Scannell, S., Yazicioglu, S., Read, J.S., Hu, Y.H., Hanson, P.C., Kratz, T.K., 2013. Evaluation of wireless sensor networks (WSNs) for remote wetland monitoring: Design and initial results. *Environmental Monitoring and Assessment*. doi:10.1007/s10661-013-3424-8

2012

Juckem, P.F., Reneau, P.C., and Robertson, D.M., 2012, Estimation of natural historical flows for the Manitowish River near Manitowish Waters, Wisconsin: U.S. Geological Survey Scientific Invest. Report 2012-5135. 42 p.

Robertson, D.M., Garn, H.S., Rose, W.J., Juckem, P.J., and Reneau, P.C., 2012, Hydrology, water quality, and response to simulated changes in phosphorus loading of Mercer Lake, Iron County, Wisconsin, with emphasis on effects of wastewater discharges on water quality: U.S. Geological Survey Scientific Investigations Report 2012-5134, 58 p.

2011

Feinstein, D.T., Dunning, C.P., Juckem, P.F., and Hunt, R.J., 2010, Application of the Local Grid Refinement package to an inset model simulating the interactions of lakes, wells, and shallow groundwater, northwestern Waukesha County, Wisconsin: U.S. Geological Survey Scientific Investigations Report 2010-5214, 30 p.

Robertson, D.M. and Rose, W.J., 2011, Response in the trophic state of stratified lakes to changes in hydrology and water level: potential effects of climate change: *Journal of Water and Climate Change*, vol. 2. No. 1, p. 1-18.

2010

Garn, H.S., Robertson, D.M., Rose, W.J., and Saad, D.A., 2010, Hydrology, water quality, and response to simulated changes in phosphorus loading of Minocqua and Kawaguesaga Lakes, Oneida County, Wisconsin, with special emphasis on effects of urbanization: U.S. Geol. Survey Scientific Invest. Report 2010-5196.

2009

Robertson, D.M., Rose, W.J., and Fitzpatrick, F.A., 2009, Water quality and hydrology of Silver Lake, Barron County, Wisconsin, with special emphasis on the responses of a terminal lake to changes in phosphorus loading and water level: U.S. Geol. Survey Scientific Invest. Report 2009-5077, 38 p.

Robertson, D.M., Rose, W.J., and Juckem, P.F., 2009, Water quality and hydrology of Whitefish Lake, Douglas County, Wisconsin, with special emphasis on the responses of an oligotrophic seepage lake to changes in phosphorus loading and water level: U.S. Geol. Survey Scientific Invest. Report 2009-5089, 41 p.

2008

Chung, E., Schladow, S.G., Perez-Losada, J., and Robertson, D.M., 2008, A linked hydrodynamic and water quality model for the Salton Sea: *Hydrobiologia*, v. 604, p. 57–75.

Robertson, D.M., and Rose, W.J., 2008, Water quality, hydrology, and simulated response to changes in phosphorus loading of Butternut Lake, Price and Ashland Counties, Wisconsin, with special emphasis on the effects of internal phosphorus loading in a polymictic lake: U.S. Geol. Survey Scientific Invest. Report 2008-5053, 46 p.

Robertson, D.M., and Schladow, S.G., 2008, Response in the water quality in the Salton Sea to changes in phosphorus loading: An empirical modeling approach: *Hydrobiologia*, v. 604, p. 5–19.

Robertson, D.M., Schladow, S.G., and Holdren, G.C., 2008, Long-term changes in the phosphorus loading to and trophic state of the Salton Sea: *Hydrobiologia*, v. 604, p. 21–36.

2007

- Robertson, D.M., Garn, H.S., and Rose, W.J., 2007, Response of calcareous Nagawicka Lake, Wisconsin, to changes in phosphorus loading. *Lake and Reservoir Management*, Vol. 23, p. 298-312.
- Walker, J.F., Saad, D.A., and Hunt, R.J., 2007, Dynamics of CFCs in northern temperate lakes and adjacent groundwater. *Water Resources Research* 43(4) W04423,
<http://www.agu.org/pubs/crossref/2007/2005WR004647.shtml>

2006

- Garn, H.S., Robertson, D.M., Rose, W.J., Goddard, G.L., and Horwatich, J.A., 2006, Water quality, hydrology, and response to changes in phosphorus loading of Nagawicka Lake, a calcareous lake in Waukesha County, Wisconsin: U.S. Geological Survey Scientific Investigations Report: 2006-5273.
- Hunt, R.J., Greb, S.R., Graczyk, D.J., 2006, Evaluating the effects of nearshore development on Wisconsin lakes. USGS Fact Sheet FS-2006-3033, 4 p.
- Magnuson, J.J., Benson, B.J., Lengers, J.D. and Robertson, D.M., 2006, Climate driven variability and change, Chapter 7, *In* Magnuson, J.J., Kratz, T.K. and Benson, B.J eds. Long-term dynamics of lakes in the landscape, Oxford University Press, p 123-150.
- Saad, D.A., 2005, Pesticides in surface water, bed sediment, and ground water adjacent to commercial cranberry bogs, Lac du Flambeau Reservation, Vilas County, Wisconsin: U.S. Geological Survey Scientific Investigations Report 2005-5262, 29 p.

2005

- Hunt, R.J., Feinstein, D.T., Pint, C.D., and Anderson, M.P., 2005, The importance of diverse data types to calibrate a watershed model of the Trout Lake Basin, northern Wisconsin: *Journal of Hydrology* doi:10.1016/j.jhydrol.2005.08.005.
- Marzolf, G.R., and Robertson, D.M., 2005, Reservoir, *In Encyclopedia of Hydrological Sciences*: Anderson, M.G., and McDonnell, J.J., eds., v. 4, part 9, John Wiley & Sons, p. 1675-1680.
- Robertson, D.M., Rose, W.J., and Saad, D.A., 2005, Water quality, hydrology, and phosphorus loading to Little St. Germain Lake, Wisconsin, with special emphasis on the effects of winter aeration and groundwater inputs: U.S. Geological Survey Scientific Investigations Report 2005-5071, 36 p.

2004

- Dupre, D.H., and Robertson, D.M., 2004, Water quality of Nippersink Creek and Wonder Lake, McHenry County, Illinois, 1994–2001: U.S. Geological Survey Scientific Investigations Report 2004-5085.
- Rose, W.J., Robertson, D.M., and Mergener, E.A., 2004, Water quality, hydrology, and the effects of changes in phosphorus loading to Pike Lake, Washington County, Wisconsin, with special emphasis on inlet-to-outlet short-circuiting: U.S. Geological Survey Scientific Investigations Report 2004-5141, 32 p.

2003

- Dunning, C.P., Thomas, J.C., and Lin, Y.F., 2003, Simulation of the shallow aquifer in the vicinity of Silver Lake, Washington County, Wisconsin, using analytic elements: U.S. Geological Survey Water-Resources Investigations Report 02-4204, 29 p.

- Fitzpatrick, F.A., Garrison, P.J., Fitzgerald, S.A., and Elder, J.F., 2003, Nutrient, trace-element, and ecological history of Musky Bay, Lac Courte Oreilles, Wisconsin, as inferred from sediment cores: U.S. Geological Survey Water-Resources Investigations Report 02-4225, 141 p.
- Fitzpatrick, F.A., and Peppler, M.C., 2003, Sedimentation and sediment chemistry, Neopit Mill Pond, Menominee Indian Reservation, Wisconsin, 2001: U.S. Geological Survey Open-File Report 03-23, 58 p.
- Garn, H.S., Elder, J.F., and Robertson, D.M., 2003, Why study lakes? An overview of U.S. Geological Survey lake studies in Wisconsin: U.S. Geological Survey Fact Sheet FS-063-03, 8 p.
- Graczyk, D.G., Hunt, R.J., Greb, S.R., Buchwald, C.A., and Krohelski, J.T., 2003, Hydrology, water quality, and yields, from near-shore flows to four lakes in northern Wisconsin, 1999–2001: U.S. Geological Survey Water-Resources Investigations Report 03-4144. 64 p.
- Hunt, R.J., 2003, Ground water-lake interaction modeling using the LAK3 Package for MODFLOW2000: *Ground Water*, vol. 41, no. 2, p. 114–118.
- Hunt, R.J., Haitjema, H.M., Krohelski, J.T., and Feinstein, D.T., 2003, Simulating ground water-lake interactions: approaches and insights: *Ground Water*, vol. 41, no. 22, p. 227–237.
- Hunt, R.J., Pint, C.D., and Anderson, M.P., 2003, Using diverse data types to calibrate a watershed model of the Trout Lake Basin, northern Wisconsin, *In MODFLOW and More 2003—Understanding through modeling: Proceedings of the 5th International Conference of the International Ground Water Modeling Center*. Golden, CO: Colorado School of Mines, p. 600–604.
- Hunt, R.J., Saad, D.A., and Chapel, D.M., 2003, Numerical simulation of ground water flow in La Crosse County, Wisconsin and into nearby pools of the Mississippi River: U.S. Geological Survey Water-Resources Investigations Report 03-4154. 36 p.
- John, R., Pint, C.D., Anderson, M.P., and Hunt, R.J., 2003, The effects of potential climate change on lake levels and lake capture zones, *In MODFLOW and More 2003—Understanding through modeling: Proceedings of the 5th International Conference of the International Ground Water Modeling Center*. Golden, CO: Colorado School of Mines, p. 212–216.
- Magnuson, J.J., Krohelski, J.T., Kunkel, K.E., and Robertson, D.M., 2003, Wisconsin's waters and climate—historical changes and possible futures, *In Wisconsin's waters: a confluence of perspectives: Transactions of the Wisconsin Academy*, p. 23–36.
- Pint, C.D., Hunt, R.J., and Anderson, M.P., 2003, Flow path delineation and ground water age, Allequash Basin, Wisconsin: *Ground Water*, vol. 41, no. 7, p. 895–902.
- Robertson, D.M., Rose, W.J., and Garn, H.S., 2003, Water quality and the effects of changes in phosphorus loading, Red Cedar Lakes, Barron and Washburn Counties, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 03-4238, 42 p.
- Robertson, D.M., Rose, W.J., and Saad, D.A., 2003, Water quality and the effects of changes in phosphorus loading to Muskellunge Lake, Vilas County, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 03-4011, 18 p.

2002

- Anderson, M.P., Hunt, R.J., Krohelski, J.T., and Chung, K., 2002, Using high hydraulic conductivity nodes to simulate seepage lakes: *Ground Water* 40(2), p. 119–124.

- Garn, H. S., 2002, Effects of lawn fertilizer on nutrient concentration in runoff from lakeshore lawns, Lauderdale Lakes, Wisconsin: USGS Water-Resources Investigations Report 02-4130, 6 p.
- Kelson, V.A., Hunt, R.J., and Haitjema, H.M., 2002, Improving a regional model using reduced complexity and parameter estimation: *Ground Water*, vol. 40, no. 2, p. 138–149.
- Krohelski, J.T., Lin, Y., Rose, W.J., and Hunt, R.J., 2002, Simulation of Fish, Mud and Crystal Lakes and the shallow ground-water system, Dane County, Wisconsin: USGS Water-Resources Investigations Report 02-20.
- Krohelski, J.T., Rose, W.J., and Hunt, R.J., 2002, Hydrologic investigation of Powell Marsh and its relationship to Dead Pike Lake Vilas County, Wisconsin: USGS Water-Resources Investigations Report 02-4034.
- Madenjian, C.P., Fahlenstiel, G.L., Johengen, T.H., Nalepa, T.F., Venderploeg, H.A., Fleischer, G.W., Schneeberger, P.J., Benjamin, D.M., Smith, E.B., Bence, J.R., Rutherford, E.S., Lavis, D.S., Robertson, D.M., Jude, D.J., and Ebener, M.P., 2002, Dynamics of the Lake Michigan food web, 1970–2000: *Canadian Journal of Fisheries and Aquatic Sciences*, Vol. 59, p. 736–753.
- Robertson, D.M., Goddard, G.L., Mergerer, E.A., Rose, W.J., and Garrison, P.J., 2002, Hydrology and water quality of Geneva Lake, Walworth County, Wisconsin: U.S. Geological Survey Water Resources Investigations Report 02-4039, 73 p.
- Robertson, D.M., and Lenz, B.N., 2002, Response of the St. Croix River Pools, Wisconsin and Minnesota, to various phosphorus-loading scenarios: U.S. Geological Survey Water-Resources Investigations Report 02-4181, 36 p.

2001

- Hunt, R.J., Bradbury, K.R., and Krohelski, J.T., 2001, The effects of large-scale pumping and diversion on the water resources in Dane County, Wisconsin: USGS Fact Sheet FS-127-01, 4 p.
- Hunt, R.J., Haitjema, H.M., Krohelski, J.T., and Feinstein, D.T., 2001, Simulating groundwater-lake interactions with models: MODFLOW and analytic element approaches, *In MODFLOW 2001 and Other Modeling Odysseys: Proceedings of the 4th International Conference of the International Ground Water Modeling Center*. Golden, CO: Colorado School of Mines, p. 328–334.
- Lin, Y., Krohelski, J.T., and Hunt, R.J., 2001, Simulation of lake stage in two seepage lakes in southcentral Wisconsin using the LAK3 package for MODFLOW, *In MODFLOW 2001 and Other Modeling Odysseys: Proceedings of the 4th International Conference of the International Ground Water Modeling Center*. Golden, CO: Colorado School of Mines, p. 411–417.

2000

- Elder, J.F., Robertson, D.M., and Garrison, P.J., 2000, Chemical composition of surficial deposits in Geneva Lake, Wisconsin: U.S. Geological Survey Fact Sheet FS-121-00.
- Elder J.F., Rybicki, N.B., Carter, V.P., and Weintraub, V., 2000, Sources and yields of dissolved carbon in northern Wisconsin stream catchments with differing amounts of peatland: *Wetlands*, vol. 20, no. 1, p.113–125.
- Hunt, R.J., Graczyk, D.J., and Rose, W.J., 2000, Water flows in the Necedah National Wildlife Refuge: U.S. Geological Survey Fact Sheet FS-068-00, 4 p.

- Hunt, R.J., Lin, J., Krohelski, J.T., and Juckem, P.F., 2000, Simulation of the shallow hydrologic system in the vicinity of Middle Genesee Lake, Wisconsin, using analytic elements and parameter estimation: U.S. Geological Survey Water Resources Investigations Report 00-4136, 16 p.
- Lathrop, R.C., Carpenter, S.R., and Robertson, D.M., 2000, Interacting factors causing exceptional water clarity in Lakes Mendota and Monona, Wisconsin: Proc. of the International Limnological Society, SIL, Dublin, Ireland, August, 1998.
- Magnuson, J.J., Robertson, D.M. Wynne, R.H., Benson, B.J., Livigstone, D.M., Arai, T., Assel, R.A., Barry, R.G., Card, V., Kuusisto, E., Granin, N.G., Prowse, T.D., Stewart, K.M., and Vuglinski, V.S., 2000, Historical trends in lake and river ice cover in the northern hemisphere: Science, Vol. 289, No. 5485, p. 1743-1746.
- Magnuson, J.J., Wynne, R.H., Benson, B.J., and Robertson, D.M., 2000, Lake and river ice as a powerful indicator of past and present climates: Proc. of the International Limnological Society, SIL, Dublin, Ireland, August, 1998.
- Robertson, D.M., 2000, One-dimensional simulation of stratification and dissolved oxygen in McCook Reservoir, Illinois: U.S. Geological Survey Water Resources Investigations Report 00-4258, 17 p.
- Robertson, D.M., Goddard, G.L., Helsel, D.R., and MacKinnon, K.L., 2000, Rehabilitation of Delavan Lake, Wisconsin: Lake and Reservoir Management, vol. 20, vo. 3, p. 155-176.
- Robertson, D.M., and Rose, W.J., 2000, Hydrology, water quality, and phosphorus loading of Little St. Germain Lake, Vilas County, Wisconsin: U.S. Geological Survey Water Resources Investigations Report 00-4209, 8 p.
- Robertson, D.M., Wynne, R.H., and Chang, W.Y.B., 2000, Variability in ice cover across the northern hemisphere during the 1900's associated with El Nino events: Proceedings of the International Limnological Society, SIL, Dublin, Ireland, August, 1998.
- Saad, D.A., and Robertson, D.M., 2000, Water-resources-related information for the St. Croix Reservation and vicinity, Wisconsin: U.S. Geological Survey Water Resources Investigations Report 00-4133, 65 p.
- Johnson, G.P., Hornewer, N.J., Robertson, D.M., and Olson, D.T., 2000, Methodology, data collection, and data analysis for determination of water-mixing patterns induced by aerators and mixers: U.S. Geological Survey Water Resources Investigations Report 00-4101, 72 p.
- Grannemann, N.G., Hunt, R.J., Nicholas, J.R. Reilly, T.E., and Winter, T.C., 2000, The importance of ground water to the Great Lakes Region: U.S. Geological Survey Water Resources Investigations Report 00-4008, 12 p.

1999

- Lathrop, R.C., Carpenter, S.R., and Robertson, D.M., 1999, Summer water clarity responses to phosphorus, Daphnia grazing, and internal mixing in Lake Mendota: Limnology and Oceanography, vol. 44, no. 1, p. 137-146.
- Krohelski, J.T., Feinstein, D.T., and Lenz, B.N., 1999, Simulation of stage and hydrologic budget for Shell Lake, Washburn County, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 99-4209, 23 p.
- Panuska, J.C., and Robertson, D.M., 1999, Estimating phosphorus concentrations following alum treatment using apparent settling velocities: Lakes and Reservoir Management, vol. 15, no. 1, p. 28-38.

1998

- Hunt, R.J., Anderson, M.P., and Kelson, V.A., 1998, Improving a complex finite-difference ground water flow model through the use of an analytic element screening model: *Ground Water*, vol. 36, no. 6, p. 1011–1017.
- Hunt, R.J., Anderson, M.P., and Kelson, V.A., 1998, Linking an analytic element flow code to MODFLOW—Implementation and benefits, *In MODFLOW'98: Proceedings of the 3rd International Conference of the International Ground Water Center*. Golden, CO: Colorado School of Mines, p 477–504.
- Krabbenhoft, D.P., Gilmour, C.C., Benoit, J.M., Babiarz, C.L., Andren, A.W., and Hurley, J.P., 1998, Methyl mercury dynamics in littoral sediments of a temperate lake: *Canadian Journal of Fisheries and Aquatic Sciences*, vol. 55, p. 835–844.
- Robertson, D.M., Elder, J.F., Goddard, G.L., and James, W.F., 1998, Dynamics in phosphorus retention in wetlands upstream of Delavan Lake, Wisconsin: *Lakes and Reservoir Management*, vol. 14, no. 4, p. 466–477.
- Rose, W.J., and Robertson, D.M., 1998, Hydrology, water quality, and phosphorus loading of Kirby Lake, Barron County, Wisconsin: U.S. Geological Survey Fact Sheet FS-066-98, 4 p.
- Walker, J.F. and Krabbenhoft, D.P., 1998, Groundwater and surface-water interactions in riparian and lake-dominated systems, *In Kendall, C. and McDonnell, J.J. eds., Isotope tracers in catchment hydrology*, Elsevier Publishing, New York, 839 p.

1997

- Elder, J.F., Manion, B.J., and Goddard, G.L., 1997, Mesocosm experiments to assess factors affecting phosphorus retention and release in an extended Wisconsin wetland: U.S. Geological Survey Water-Resources Investigations Report 97-4272, 14 p.
- Goddard, G.L., and Elder, J.F., 1997, Retention of sediments and nutrients in Jackson Creek Wetland near Delavan Lake, Wisconsin, 1993–95: U.S. Geological Survey Water-Resources Investigations Report 97-4014, 22 p.
- Hornewer, N.J., Johnson, G.P., Robertson, D.M. and Hondzo, M., 1997, Field-scale tests for determining mixing patterns associated with coarse-bubble air diffuser configurations, Egan Quarry, Illinois, *In Environmental and Coastal Hydraulics: Protecting the Aquatic Habitat*, Proceedings of the International Association of Hydraulic Research, San Francisco, CA, USA, p. 57–63.
- Robertson, D.M., 1997, Regionalized loads of sediment and phosphorus to Lakes Michigan and Superior—High flow and long-term average: *Journal of Great Lakes Research*, vol. 23, p. 416–439.

1996

- Anderson, W.L., Robertson, D.M., and Magnuson, J.J., 1996, Evidence of recent warming and El Niño-related variation in ice breakup of Wisconsin lakes: *Limnology and Oceanography*, vol. 41, p. 815–821.
- Elder, J.F. and Goddard, G.L., 1996, Sediment and nutrient trapping efficiency of a constructed wetland near Delavan Lake, Wisconsin, 1993–1995: U.S. Geological Survey Fact Sheet FS-232-96.

Garn, H.S., Olson, D.L., Seidel, T.L., and Rose, W.J., 1996, Hydrology and water quality of Lauderdale Lakes, Walworth County, Wisconsin, 1993–94: U.S. Geological Survey Water-Resources Investigations Report 96-4235, 29 p.

Hunt, R.J. and Krohelski, J.T., 1996, The application of an analytical element model to investigate groundwater-lake interactions at Pretty Lake, Wisconsin: Lake and Reservoir Management, vol. 12, p. 487–495.

Imberger, J., Robertson, D.M., and Boland, K., 1996, Lake Number—A quantitative indicator of mixing to be used in water quality management: Scientific Impeller, Solna, Sweden, no. 4, p. 9–15.

Kammerer, P.A., Jr., 1996, Hydrology and water quality of Park Lake, South-central Wisconsin: U.S. Geological Survey Fact Sheet FS-197-96.

Robertson, D.M., Field, S.J., Elder, J.F., Goddard, G.L., and James, W.F., 1996, Phosphorus dynamics of Delavan Lake Inlet in southeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 96-4160, 18 p.

1995

Assel, R.A. and Robertson, D.M. 1995, Changes in winter air temperatures near Lake Michigan during 1851–1993, as determined from regional lake-ice records: Limnology and Oceanography, v. 40, p 165–176.

Assel, R.A., Robertson, D.M., Hoff, M.H., and Selgeby, J.H., 1995, Climatic-change implications from long-term (1823–1994) ice records near the Laurentian Great Lakes: Annals of Glaciology, vol. 21, p. 383–386.

Krabbenhoft, D.P., and Webster, K.E., 1995, Transient hydrogeological controls on the chemistry of a seepage lake: Water Resources Research, vol. 31, no. 9, p. 2295–2305.

Krohelski, J.T. and Batten, W.G., 1995, Simulation of stage and the hydrologic budget of Devils Lake, Sauk County, Wisconsin: U.S. Geological Survey Open-File Report 94-348, 22 p.

Wentz, D.A., Rose, W.J., and Webster, K.E., 1995, Long-term hydrologic and biogeochemical responses of a soft water seepage lake in north central Wisconsin: Water Resources Research, vol. 31, no. 1, p. 199–212.

1994

Elder, J.F., 1994, Distribution and grain-size partitioning of metals in bottom sediments of an experimentally acidified lake: Water Resources Bulletin, vol. 30, no. 2, p. 251–259.

Goddard, G.L., and Field, S.J., 1994, Hydrology and water quality of Whitewater and Rice Lakes in southeastern Wisconsin, 1990–91: U.S. Geological Survey Water-Resources Investigations Report 94-4101, 36 p.

Greb, S.R., and Wentz, D.A., 1994, Chemical budgets, *In* Klepinger, K.E., ed., RILWAS 1983–86: Wisconsin Regional Integrated Lake Watershed Acidification Study, Volume 1: Madison, Wisconsin Department of Natural Resources, PUBL-RS-909-94, Chapter 7, 20 p.

- Hurley, J.P., Krabbenhoft, D.P., Babiarz, C.L., and Andren, A.W., 1994, Cycling processes of mercury across sediment/water interfaces in seepage lakes, *In* Baker, L.A. ed., Environmental Chemistry of Lakes and Reservoirs: Advances in Chemistry Series, American Chemical Society, Washington, D.C., p. 426–449.
- Krabbenhoft, D.P., Bowser, C.J., Kendall, C., and Gat, J.R., 1994, Use of oxygen-18 and deuterium to assess the hydrology of ground-water/lake systems, *In* Baker, L.A. ed., Environmental Chemistry of Lakes and Reservoirs: Advances in Chemistry Series, American Chemical Society, Washington, D.C., p. 67–90.
- Robertson, D.M., Anderson, W., and Magnuson, J.J., 1994, Relations between El Nino/Southern Oscillation events and the climate and ice cover of lakes in Wisconsin, *In* Greenland, D. ed., El Nino and Long-Term Ecological Research (LTER) Sites: Publication No. 18. LTER Network Office: University of Washington, Seattle, WA, USA., p. 48–57.
- Robertson, D.M. and Imberger, J. 1994, Lake Number, a quantitative indicator of mixing used to estimate changes in dissolved oxygen, *Internationale Revue der gesamten Hydrobiologie*, v. 79, p. 159–176.
- Watras, C.J., Bloom, N.S., Hurley, J.P., Fitzgerald, W.F., Andren, A.W., Krabbenhoft, D.P., and Porcella, D.B., 1994, Sources and fates of mercury and methylmercury in Wisconsin lakes, *In* Watras and Huckabee eds., Mercury as a Global Pollutant: Intergration and Synthesis, Lewis Pub., Chelsea, MI., p 153–177.
- Wentz, D.A., 1994, Chemistry of snowpack and ground water, *In* Klepinger, K.E., ed., RILWAS 1983–86: Wisconsin regional integrated lake watershed acidification study, volume 1: Madison, Wisconsin Department of Natural Resources, PUBL-RS-909–94, chapter 6, 45 p.
- Wentz, D.A., Krohelski, J.T., and Rose, W.J., 1994, Hydrology, *In* Klepinger, K.E., ed., RILWAS 1983–86: Wisconsin regional integrated lake watershed acidification study, volume 1: Madison, Wisconsin Department of Natural Resources, PUBL-RS-909–94, chapter 7, 74 p.

1993

- Field, S.J., 1993, Hydrology and water quality of Powers Lake, southeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 90-4126, 36 p.
- Field, S.J., 1993, Hydrology and water quality of Wind Lake in southeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 91-4107, 61 p.
- House, L.B., 1993, Simulation of the effects of hypothetical residential development on water levels in Graber Pond, Middleton, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 92-4029, 10 p.
- House, L.B., Waschbusch, R.J., and Hughes, P.E., 1993, Water quality of an urban wet detention pond in Madison, Wisconsin, 1987–88: U.S. Geological Survey Open-File Report 93-172, 57 p.
- Hughes, P.E., 1993, Hydrology, water quality, trophic status, and aquatic plants of Fowler Lake, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 91-4076, 44 p.
- Rose, W.J., 1993, Hydrology of Little Rock Lake in Vilas County, north-central Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 93-4139, 22 p.
- Rose, W.J., 1993, Water and phosphorus budgets and trophic state, Balsam Lake, northwestern Wisconsin, 1987–1989: U.S. Geological Survey Water-Resources Investigations Report 91-4125, 28 p.

1992

- Elder, J.F., Krabbenhoft, D.P., and Walker, J.F., 1992, Water, energy, and biogeochemical budgets (WEBB) program: Data availability and research at the northern temperate lakes site, Wisconsin: U.S. Geological Survey Open-File Report 92-48, 15 p.
- Krabbenhoft, D.P., and Babiarz, C.L., 1992, Role of groundwater transport in aquatic mercury cycling: Water Resources Research, vol. 28, no. 12, p. 3119-3128.
- Krabbenhoft, D.P., and Krohelski, J.T., 1992, Data on water quality, lake sediment, and lake-level fluctuation, St. Croix Indian Reservation, Wisconsin, 1981-87: U.S. Geological Survey Open-File Report 92-26, 53 p.
- Robertson, D.M., Ragotzkie, R.A., and Magnuson, J.J., 1992, Lake ice records used to detect historical and future climatic changes: Climatic Change, v. 21, p. 407-427.

1991

- Wentz, D.A., and Rose, W.J., 1991, Hydrology of Lakes Clara and Vandercook in north-central Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 89-4204, 24 p.
- Watras, C.J., Andre, A.W., Bloom, N.S., Fitzgerald, W.F., Hurley, J.P., Krabbenhoft, D.P., Rada, R.G., Wiener, J.G., 1991, Mercury in temperate lakes: a mechanistic field study: Verhandlungen Internat. Verein. Limnologie, 24, p. 2199-2202.

Pre-1990

- Walker, J.F., Pickard, S.A., and Sonzogni, W.C., 1989, Spreadsheet watershed modeling for nonpoint-source pollution management in a Wisconsin basin: Water Resources Bulletin, vol. 25, no. 1, p. 139-147.
- Wentz, D.A., Garrison, P.J., and Bockheim, J.G., 1989, Section 7—Chemical input-output budgets, In Knauer, D., and Brouwer, S.A., eds., The Wisconsin regional integrated lake watershed acidification study (RILWAS)—1981–1983: Palo Alto, California, Electric Power Research Institute Report EA-6214, p. 7-1 to 7-30.
- Wentz, D.A., and Rose, W.J., 1989, Interrelationships among hydrologic-budget components of a northern Wisconsin seepage lake and implications for acid-deposition modeling: Archives of Environmental Contamination and Toxicology, vol. 18, p. 147-155.
- Wentz, D.A., Rose, W.J., and Krohelski, J.T., 1989, Section 5—Hydrologic component, in Knauer, D., and Brouwer, S.A., eds., The Wisconsin regional integrated lake watershed acidification study (RILWAS)—1981–1983: Palo Alto, California, Electric Power Research Institute Report EA-6214, p. 5-1 to 5-77.
- Field, S.J., and Duerk, M.D., 1988, Hydrology and water quality of Delavan Lake in southeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 87-4168, 61 p.
- Krug, W.R., Ostenso, N.A., and Krohelski, J.T., 1988, Prediction of the effects of mine dewatering on four lakes near Crandon, Wisconsin, by use of a water-budget model: U.S. Geological Survey Open-File Report 87-471, 63 p.

- Wentz, D.A., Krohelski, J.T., Rose, W.J., Bockheim, J.G., Garrison, P.J., Knauer, D.R., and Goldstein, R.A., 1987, Hydrologic and chemical budgets of Wisconsin lakes, *In* Perry, R., Harrison, R.M., Bel, J.N.B., and Lester, J.N., eds., Acid Rain: Scientific and Technical Advances, Selper Ltd., London, p. 309–316.
- House, L.B., 1986, Stage fluctuations of Wisconsin Lakes: Wisconsin Geological and Natural History Survey Information Circular No. 49, 84 p.
- House, L.B., 1984, Effects of urbanization on three ponds in Middleton, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 84-4051, 17 p.
- Krug, W.R., and House, L.B., 1984, Evaluation of alternative reservoir-management practices in the Rock River basin, Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 83-4186, 21 p.
- House, L.B., 1981, An assessment of streamflow, water quality, and the effects of construction on impoundment on Bridge Creek at Augusta, Wisconsin: U.S. Geological Survey Water-Resources Investigations Open-File Report 81-1192, 25 p.
- Krug, W.R., 1981, Hydrologic effects of proposed changes in management practices, Winnebago Pool, Wisconsin: U.S. Geological Survey Water-Resources Investigations 80-107, 19 p.
- Batten, W.G., and Hindall, S.M., 1980, Sediment deposition in the White River Reservoir, northwestern Wisconsin: U.S. Geological Survey Water-Supply Paper 2069, 30 p.
- Novitzki, R.P., and Holmstrom, B.K., 1979, Monthly and annual water budgets of Lake Wingra, Madison, Wisconsin, 1971-77: U.S. Geological Survey Water-Resources Investigations 79-100, 31 p.
- Rose, W.J., 1977, Hydrologic considerations associated with dredging spring ponds in Wisconsin: U.S. Geological Survey Water-Resources Investigations 77-18, 35 p.
- Oakes, E.L., Hendrickson, G.E., and Zuehls, E.E., 1975, Hydrology of the Lake Wingra basin, Dane County, Wisconsin: U.S. Geological Survey Water-Resources Investigations 17-75, 31 p.
- Novitzki, R.P., 1971, Hydrologic investigations of Heart Lake, Green Lake County, Wisconsin: U.S. Geological Survey Administrative Report, 9 p.

APPENDIX

Wisconsin Lakes Team Quality-Assurance Plan

Most lake studies and monitoring programs that are conducted by the USGS Wisconsin Water Science Center entail water sampling and analysis to determine water quality and biological productivity. Because all sampling and analysis is subject to error and random variability, a certain proportion of the sampling effort should include quality-assurance samples. Sampling by the USGS was done by the Lake Studies Team of the USGS Wisconsin Water Science Center. This team implements a quality-assurance plan each year that involves collecting three types of samples from a subset of the lakes studied each year, which include blanks, replicates, and spikes (U.S. Geological Survey, Wisconsin Water Science Center Lake Studies Team). These samples are collected and/or prepared solely for the purpose of assessing the magnitude of error and random variability so that the accuracy and precision of all data can be evaluated. The plan for this quality-assurance sampling is described below.

Three types of QA/QC samples are collected:

blanks

Provide information about accuracy and errors due to treatment or reagents

replicates

provide information about precision (variability)

standard additions (spikes)

provide information about accuracy and matrix interferences

Blank Sampling

B1. A **preservation blank** consists of deionized water or inorganic blank water, to which is added any reagents or preservatives that are normally added to natural water samples. The blank is not taken to the field, but is shipped to the laboratory for analysis along with the natural water samples.

This blank sample is analyzed for the Nutrient Group¹ and chlorophyll-a.

B2. A **field blank** consists of deionized water or inorganic blank water treated exactly the same as regular samples. During winter, the field blank is analyzed for total phosphorus (TP) only; during summer, it is analyzed for TP and chlorophyll-a, and in the spring it is analyzed for the Nutrient Group and chlorophyll-a.

¹Nutrient Group = all phosphorus and nitrogen species that are commonly determined in lakes (total phosphorus, nitrate + nitrite, ammonia, total Kjeldahl nitrogen, total nitrogen)

Replicate Sampling

Triplicate samples are taken near water surface in summer for analysis of total phosphorus and chlorophyll-a. For a portion of the sites where surface triplicates are collected, a set of triplicate samples is also taken from near-bottom water, for analysis of total phosphorus.

Triplicate samples collected in the spring are taken near the water surface for analysis of the Nutrient Group.

Standard Addition Testing

Replicate samples are collected for a **standard addition (spike) test**, which consists of an addition of a prepared phosphorus solution (standard) of known volume and concentration, such that the expected result of analysis is the natural water TP concentration plus the known addition. One sample from each set will receive no spike (the mean of these gives the natural water TP concentration).

Data and results of replicate sampling and field blank testing for the past five years are shown in Table A1.

Table A1. Analyses of replicate samples from Wisconsin lakes in water years 2009-2014. See text for procedures used. Phosphorus data in milligrams per liter; chlorophyll data in micrograms per liter. Symbol "<" indicates less than given detection limit (DL); mean and standard deviation not calculated for datasets containing values less than DL.

Parameter	Lake	Date	Replicate Data			Mean	Standard Deviation	Percent Standard Deviation
Total Phosphorus	Beulah	2/23/09	0.013	0.013		0.013	0.000	0.0
	Beulah	8/24/09	0.017	0.017		0.017	0.000	0.0
	Delavan	9/15/09	0.035	0.031	0.031	0.032	0.002	7.1
	Beulah	8/19/10	0.015	0.016		0.016	0.001	4.6
	Big Cedar, South	8/24/10	0.015	0.014		0.015	0.001	4.9
	Powers	8/30/10	0.021	0.022		0.022	0.001	3.3
	Beulah	8/10/11	0.140	0.170		0.155	0.021	13.7
	Oconomowoc	7/25/11	0.013	0.010	0.012	0.012	0.002	13.1
	Powers	7/25/11	0.017	0.018	0.020	0.018	0.002	8.3
	Wind	7/25/11	0.018	0.019	0.021	0.019	0.002	7.9
Total Phosphorus, near bottom	Anvil	7/17/12	0.024	0.035	0.028	0.029	0.006	19.2
	Beulah	8/29/12	0.014	0.015	0.016	0.015	0.001	6.7
	Big Cedar, South	8/24/12	0.011	0.011	0.011	0.011	0.000	0.0
	Little Cedar, S.	8/24/12	0.012	0.013		0.013	0.001	5.7
	Powers	8/30/12	0.015	0.015	0.016	0.015	0.001	3.8
	Anvil	10/16/12	0.180	0.180		0.180	0.000	0.0
	Beulah	8/14/13	0.170	0.170	0.170	0.170	0.000	0.0
	Big Cedar, South	8/24/10	0.081	0.067		0.074	0.010	13.4
	Powers	8/30/10	0.036	0.038		0.037	0.001	3.8
	Anvil	7/17/12	0.028	0.025	0.031	0.028	0.003	10.7
Dissolved Phosphorus	Big Cedar, South	8/24/12	0.025	0.025	0.028	0.026	0.002	6.7
	Little Cedar, S.	8/24/12	0.168	0.170		0.169	0.001	0.8
	Beulah	2/23/09	<0.002	<0.002		NA	NA	NA
	Beulah	8/24/09	<0.002	<0.002		NA	NA	NA
	Beulah	8/19/10	<0.002	<0.002		NA	NA	NA
	Beulah	8/10/11	<0.002	<0.002		NA	NA	NA
Dissolved Ammonia	Anvil	7/17/12	0.007	<0.002	0.003	NA	NA	NA
	Beulah	8/29/12	<0.002	<0.002	<0.002	NA	NA	NA
	Beulah	8/14/13	<0.002	<0.002	<0.002	NA	NA	NA
	Beulah	2/23/09	0.211	0.204		0.208	0.005	2.4
	Beulah	8/24/09	0.032	0.035		0.034	0.002	6.3
	Beulah	8/19/10	<0.015	0.030		NA	NA	NA
	Beulah	8/10/11	0.032	0.029		0.031	0.002	7.0
	Anvil	7/17/12	<0.015	0.019	0.018	NA	NA	NA
	Beulah	8/29/12	<0.015	<0.015	<0.015	NA	NA	NA
	Beulah	8/14/13	<0.015	<0.015	<0.015	NA	NA	NA
Total Kjeldahl Nitrogen	Beulah	2/23/09	0.660	0.690		0.675	0.021	3.1
	Beulah	8/24/09	0.160	0.530		0.345	0.262	75.8
	Beulah	8/19/10	0.580	0.680		0.63	0.071	11.2
	Beulah	8/10/11	0.560	0.460		0.510	0.071	13.9
	Anvil	7/17/12	0.280	0.390	0.410	0.360	0.070	19.4
	Beulah	8/29/12	0.800	0.500	0.460	0.587	0.186	31.7
	Beulah	8/14/13	0.420	0.640		0.530	0.156	29.4

Table A1. -- continued

Parameter	Lake	Date	Replicate Data			Mean	Standard Deviation	Percent Standard Deviation
Dissolved Nitrate plus Nitrite	Beulah	2/23/09	0.673	0.721		0.697	0.034	4.9
	Beulah	8/24/09	0.074	0.073		0.074	0.001	1.0
	Beulah	8/19/10	0.022	0.022		0.022	0.000	0.0
	Beulah	8/10/11	0.067	0.066		0.067	0.001	1.1
	Anvil	7/17/12	<0.019	<0.019	<0.019	NA	NA	NA
	Beulah	8/29/12	<0.019	<0.019	<0.019	NA	NA	NA
	Beulah	8/14/13	<0.019	<0.019	<0.019	NA	NA	NA
Chlorophyll-a (micrograms per liter)	Beulah	2/23/09	0.55	0.55		0.55	0.00	0.0
	Beulah	8/24/09	2.66	2.90		2.78	0.17	6.1
	Delavan	9/15/09	10.80	10.10	9.8	10.23	0.51	5.0
	Beulah	8/19/10	5.35	5.56		5.46	0.15	2.72
	Big Cedar, South	8/24/10	3.93	3.9		3.92	0.02	0.54
	Beulah	8/10/11	4.45	5.24		4.85	0.56	11.53
	Anvil	7/17/12	5.10	3.95	3.74	4.26	0.73	17.17
	Beulah	8/29/12	5.36	4.68	6.11	5.38	0.72	13.29
	Big Cedar, South	8/24/12	3.72	3.55	3.53	3.60	0.10	2.90
	Beulah	8/14/13	5.68	5.56	4.81	5.35	0.47	8.81
Turbidity, NTU	Beulah	2/23/09	<1.0	<1.0		NA	NA	NA
	Beulah	8/24/09	<1.0	<1.0		NA	NA	NA
	Beulah	8/19/10	<1.0	<1.0		NA	NA	NA
	Beulah	8/10/11	<1.0	<1.0		NA	NA	NA
	Beulah	8/29/12	<1.0	<1.0	<1.0	NA	NA	NA
	Beulah	8/14/13	3.2	4.3	2.5	3.3	0.907	27.2
	Beulah	3/4/08	62.8	62.5		62.65	0.212	0.3
Dissolved Calcium	Beulah	8/26/08	47.9	47.6		47.75	0.212	0.4
	Beulah	2/23/09	63	63.8		63.4	0.566	0.9
	Beulah	8/24/09	41.7	41.9		41.8	0.141	0.3
	Beulah	8/19/10	47	47.3		47.15	0.212	0.4
	Beulah	8/10/11	37.4	38		37.7	0.424	1.1
	Beulah	8/29/12	35.9	36.5	36.6	36.3	0.379	1.0
	Beulah	3/4/08	35.6	35.5		35.55	0.071	0.2
Diss. Magnesium	Beulah	8/26/08	32.8	32.5		32.65	0.212	0.6
	Beulah	2/23/09	34.7	35.1		34.9	0.283	0.8
	Beulah	8/24/09	31.2	31.3		31.25	0.071	0.2
	Beulah	8/19/10	34.1	33.8		33.95	0.212	0.6
	Beulah	8/10/11	36.7	37.1		36.90	0.283	0.8
	Beulah	8/29/12	37.4	38.1	38.1	37.87	0.404	1.1
	Beulah	3/4/08	1.8	1.9		1.85	0.071	3.8
Diss. Potassium	Beulah	8/26/08	1.4	1.4		1.4	0.000	0.0
	Beulah	2/23/09	1.7	1.7		1.7	0.000	0.0
	Beulah	8/24/09	1.4	1.4		1.4	0.000	0.0
	Beulah	8/19/10	1.4	1.5		1.45	0.071	4.9
	Beulah	8/10/11	1.5	1.6		1.55	0.071	4.6
	Beulah	8/29/11	1.7	1.8	1.8	1.77	0.058	3.3
	Beulah	3/4/08	9.9	10		9.95	0.071	0.7
Dissolved Sodium	Beulah	8/26/08	9	8.9		8.95	0.071	0.8
	Beulah	2/23/09	9.7	9.8		9.75	0.071	0.7
	Beulah	8/24/09	8.6	8.7		8.65	0.071	0.8
	Beulah	8/19/10	10.4	11.4		10.9	0.707	6.5
	Beulah	8/10/11	10.4	10.7		10.55	0.212	2.0
	Beulah	8/29/12	11.4	11.5	12.1	11.67	0.379	3.2

Table A1. -- continued

Parameter	Lake	Date	Replicate Data			Mean	Standard Deviation	Percent Standard Deviation
ANC as CaCO ₃	Beulah	2/23/09	258	256		257	1.414	0.6
	Beulah	8/24/09	209	209		209	0.000	0.0
	Beulah	8/19/10	208	207		207.5	0.707	0.3
	Beulah	8/10/11	194	194		194	0.000	0.0
	Beulah	8/29/12	206	205	205	205.3	0.577	0.3
	Beulah	8/14/13	221	222	221	221.3	0.577	0.3
Diss. Chloride	Beulah	3/4/08	23.5	23.7		23.6	0.141	0.6
	Beulah	8/26/08	21	20.9		20.95	0.071	0.3
	Beulah	2/23/09	23	22.9		22.95	0.071	0.3
	Beulah	8/24/09	21.6	21.4		21.5	0.141	0.7
	Beulah	8/19/10	21.6	21.5		21.55	0.071	0.3
	Beulah	8/10/11	24.7	24.5		24.6	0.141	0.6
Dissolved Silica	Beulah	8/29/12	26.9	27.1	27.1	27.03	0.115	0.4
	Beulah	2/23/09	14.8	15		14.9	0.141	0.9
	Beulah	8/24/09	11.3	11.3		11.3	0.000	0.0
	Beulah	8/19/10	18.1	18.1		18.1	0.000	0.0
	Beulah	8/10/11	12.7	12.7		12.7	0.00	0.0
	Beulah	8/29/12	14.6	14.5	14.5	14.5	0.06	0.4
Dissolved Sulfate	Beulah	8/14/13	8.92	9.1	8.87	9.0	0.12	1.3
	Beulah	2/23/09	30.5	30.8		30.65	0.212	0.7
	Beulah	8/24/09	27.7	27.8		27.75	0.071	0.3
	Beulah	8/19/10	25.9	25.8		25.85	0.071	0.3
	Beulah	8/10/11	29.3	29.2		29.25	0.071	0.2
	Beulah	8/29/12	32.5	32.8	32.5	32.6	0.173	0.5
Dissolved Iron	Beulah	8/14/13	25	25.3	25.3	25.2	0.173	0.7
	Beulah	3/4/08	<100	<100		NA	NA	NA
	Beulah	8/26/08	<100	<100		NA	NA	NA
	Beulah	2/23/09	<100	<100		NA	NA	NA
	Beulah	8/24/09	<100	<100		NA	NA	NA
	Beulah	8/19/10	<100	<100		NA	NA	NA
Diss. Manganese	Beulah	8/10/11	<100	<100		NA	NA	NA
	Beulah	8/29/12	<100	<100	<100	NA	NA	NA
	Beulah	8/26/08	<0.5	<0.5		NA	NA	NA
	Beulah	2/23/09	<1.0	<1.0		NA	NA	NA
	Beulah	8/24/09	<1.0	<1.0		NA	NA	NA
	Beulah	8/10/11	<1.0	<1.0		NA	NA	NA
Dissolved Solids	Beulah	8/29/12	<1.0	<1.0	<1.0	NA	NA	NA
	Beulah	2/23/09	350	346		348	2.83	0.8
	Beulah	8/24/09	312	312		312	0.00	0.0
	Beulah	8/19/10	284	286		285	1.41	0.5
	Beulah	8/10/11	270	272		271	1.41	0.5
	Beulah	8/29/12	282	276	278	279	3.06	1.1
	Beulah	8/14/13	312	298	318	309	10.3	3.3

Table A2. Data from tests of blanks, 2009-2014. All data in milligrams per liter, unless otherwise indicated.
 < = less than given detection limit; E = estimated value.

Delavan Lake. Analyses at USGS National Water Quality Laboratory, Lakewood, CO.

Parameter	9/14/09
Total Phosphorus	<0.008
Dissolved orthophosphate	<0.008
Chlorophyll a	---

Lake Beulah at Deep Hole near East Troy, WI. Analysis at Wisconsin State Laboratory of Hygiene, Madison, WI

Parameter	2/22/09	8/20/09	8/19/10	8/10/11
Total Phosphorus	<0.005	<0.005	<0.005	<0.005
Dissolved orthophosphate	<0.002	<0.002	<0.002	<0.002
Total Kjeldahl	<0.14	<0.14	<0.14	<0.14
Dissolved Ammonia	<0.015	<0.015	0.015	<0.015
Dissolved Nitrate plus Nitrite	<0.019	<0.019	<0.019	<0.019
Chlorophyll a (µg/L)	<0.260	<0.260	<0.260	<0.260
Dissolved Calcium	<0.10	<0.10	<0.10	<0.10
Dissolved Magnesium	<0.10	<0.10	<0.10	<0.10
Dissolved Potassium	<0.10	<0.10	<0.10	<0.10
Dissolved Sodium	<0.10	<0.10	<0.10	<0.10
ANC as CaCO ₃	<2	<2	<2	3
Dissolved Chloride	<1.0	<1.0	<1.0	<1.0
Dissolved Silica	<0.022	<0.022	<0.022	<0.022
Dissolved Sulfate	<4.5	<4.5	<4.5	<4.5
Dissolved Iron	<100	<100	<100	<100
Dissolved Manganese	<1.0	<1.0	<1.0	<1.0
Dissolved Solids	<50	<50	<50	<50
Turbidity, NTU	---	<1.0	<1.0	<1.0

Mercer Lake at Main Deep Hole at Mercer, WI, WI. Analysis at Wisconsin State Laboratory of Hygiene, Madison, WI

Parameter	8/27/10
Total Phosphorus	< 0.005

Wind Lake at Wind Lake, WI. Analyses at Wisconsin State Laboratory of Hygiene, Madison, WI

Parameter	8/30/10
Total Phosphorus	< 0.005
Chlorophyll a (ug/L)	---

Silver Lake near West Bend, WI. Analyses at Wisconsin State Laboratory of Hygiene, Madison, WI

Parameter	8/31/09
Total Phosphorus	< 0.005
Chlorophyll a (ug/L)	<0.260

