Exhaust Emissions from Twenty Light Duty Diesel Trucks

> by John C. Shelton August 1980

Test and Evaluation Branch
Emission Control Technology Division
Office of Mobile Source Air Pollution Control
U. S. Environmental Protection Agency

Abstract

This paper describes the results of an exhaust emission testing program conducted for EPA by Automotive Testing Laboratories. Twenty diesel-powered light-duty trucks were tested. Gross vehicle weight ratings for these trucks ranged from 5300 to 6200 lbs. The primary purpose of this program was to provide data to establish emission factors for light duty diesel-powered trucks. Secondary objectives included an assessment of the emission durability of the engines and an evaluation of fuel economy.

The test vehicles were randomly selected from the general public in the St. Louis area using direct appeals to individual owners and referrals from other test participants. The test sequence included the Federal Test Procedure, the Highway Fuel Economy Test and several short tests. Mass emissions were also measured during individual steady state and transient modes of operation. The work was conducted during March and April of 1980.

The average emission test results were very low and similar to those from diesel engines in passenger cars. It appears that diesel engines in light duty truck service demonstrate virtually no emission deterioration while in-use over their "useful life" although two engines required major engine rebuilding before 50,000 miles.

Introduction

The diesel engine has long been recognized as a fuel-efficient and durable powerplant. However, its use in light-duty trucks and passenger cars has been limited because of a number of factors: primarily weight, noise and cost. Prior to the 1976 model year, there were no major American manufacturers involved in the production of light-duty diesel trucks. The changing economic and political situations, especially with regard to the cost and availability of crude oil as well as fuel economy legislation, has made this concept more feasible. Since their introduction in 1978, General Motors 5.7 liter (350 CID) diesel engines have received wide acceptance both as a light duty truck and passenger car engine.

Purpose

The purpose of this program was to gather data on in-use light-duty diesel-powered trucks. These data will provide needed information to establish emission factors, assess the emission durability of these types of vehicles, and measure their fuel economy.

Program Design

This program was similar in design to larger emission factor projects in that vehicles were selected from the general public and tested in as-received condition. Due to the difficulty in determining which light-duty trucks were diesel-powered, the vehicles were solicited by means of media advertising and referrals from other participants.

The following incentives were offered to the owner of candidate vehicles:

- 1. A \$50 U. S. Savings Bond
- 2. The use of a late-model loaner vehicle during the period of the test
- 3. A full tank of fuel for the test vehicle upon return to its owner.

The test vehicles were delivered to the laboratory by their owners. During vehicle check-in, the truck was examined to confirm its compliance with sample specifications and to assure its suitability for testing. Following this inspection, vehicle exchange agreements were completed. An EPA-furnished questionnaire, which sought information about vehicle usage and maintenance frequency, was administered to the owner. Prior to testing, each test vehicle was drained, refueled to 40% of tank capacity, preconditioned and driven to the soak area. Each vehicle remained in the soak area with its engine off for between twelve and twenty-four hours. The temperature of the soak area was maintained between 68°F and 86°F.

Each vehicle was tested according to to the following test sequence.

- Federal Test Procedure (FTP)
- 2. Highway Fuel Economy Test (HFET)

- 3. Three Short Cycle Tests (Federal Short Cycle, Idle test, Federal Three Mode test)
- 4. Modal Test (Steady States and Accel/Decel sequence)

After testing was completed, an inspection of emission-related components was conducted. The vehicle was then refueled to capacity and returned to its owner.

Vehicle Testing Procedures

Federal Test Procedure (FTP) - The FTP for diesel-powered vehicles was conducted in general accordance with the light-duty diesel test procedure described in 40 Federal Register 126. It differs from the FTP for gasolinepowered vehicles in that a heated FID was used for measurement of hydrocarbon emissions. A remote CVS dilution air filter assembly was situated as close to the vehicle as possible (replacing the CVS filter installed in the constant volume sampler). The heated FID continuously measured exhaust hydrocarbons immediately downstream of the diesel exhaust/dilution air mixing point. These continuous measurements, which were averaged over each test segment, were used in place of hydrocarbon measurements from the CVS sample bag. The dynamometer inertia weight setting used was the same as used by the manufacturer for certification. The actual dynamometer horsepower was derived from the frontal area for each vehicle supplied to EPA by the manufacturer. The results of the FTP on individual vehicles are listed in Appendix A. The heated FID, remote dilution air box and continuous diesel exhaust hydrocarbon sampling procedures were also used for the Highway Fuel Economy Test and the Federal Short Cycle Test.

Highway Fuel Economy Test (HFET) - The HFET followed the FTP with the engine at normal operating temperature. The vehicle was first preconditioned on the dynamometer at 50 mph for three minutes. Within one minute of the end of preconditioning, the truck was brought to idle and the test begun. One sample was taken during the HFET which is 765 seconds long and covers 10.2 miles. Fuel economy was calculated from emission results using the carbon balance equation. Load settings and inertia weights were identical to those used for the Federal Test Procedure. Results of this test are listed in Appendix B.

Modal Testing - The modal exhaust emission measurements were made up of two separate tests: steady states sampled at idle and 5, 10, 15, 30, 45, and 60 miles per hour and the Surveillance Driving Sequence which consists of thirty-two accel/decel modes each of which is separated by a constant speed mode. Load settings and inertia weights were identical to those used for the Federal Test Procedure. Idle and steady state results for each vehicle are listed in Appendix C. Table 4 contains a summary of the thirty-two accel/decel modes. The individual results for the SDS are contained in the final report on the overall program (reference 1).

Federal Short Cycle Test Procedure - The Federal Short Cycle Test was performed on all vehicles. This nine mode test is 125 seconds long and covers a distance of 0.75 miles. Inertia weight, horsepower loads, and manual transmission shift points were the same as prescribed for the Federal Test Procedure.

The test was preceded by a six-minute idle period with the engine compartment open. At the end of the six-minute idle, the test was started. These results are listed in Appendix D.

Idle Test Procedure - For this test, undiluted tailpipe exhaust is sampled using portable analyzers with the engine at idle and the transmission in neutral. Equilibrium of engine rpm and the undiluted CO, HC and NO readings were maintained before the readings were recorded. The Idle Test was preceded by a six-minute soak at idle with the engine compartment open. Results from this test are listed in Appendix E.

Federal Three Mode Test Procedure - For the Three Mode Test, undiluted tail-pipe exhaust was sampled during three steady state operating conditions; high speed, low speed and idle. The dynamometer load simulated the average power which occurs at the appropriate speed on the FTP, with all light-duty vehicles being grouped into weight classes. The inertia weight was set at 1750. Dynamometer load was set a specified horsepower for the high speed mode and a different horsepower for the low speed mode. A six-minute soak with the engine compartment open and engine idling preceded the Three Mode Test.

Discussion

Test Results - Complete FTP and HFET results for each truck are attached as Appendices A and B, respectively. Average results are displayed as histograms in Figure 1. Except for HC results on one truck, all FTP emission values are within the 1979 Federal Standards. This is quite remarkable considering that four of the trucks were certified by the heavy duty test procedure and six of the trucks by the less stringent 1977-78 light duty test procedure which allowed lower dynamometer horsepower settings. Average exhaust emission results by model year and trucks meeting 1979 Federal Standards are attached as Table 1. The average emission levels of these trucks compare closely to results of other testing on diesel passenger cars performed in the FY75 and FY77 Emission Factors Programs. They also compare closely with the twenty 1978 Oldsmobile Diesels tested at EPA's lab in Ann Arbor earlier this year. In the FY77 program, a total of nineteen Mercedes-Benz and one Peugeot diesel passenger cars were tested. In the FY75 EF diesel testing, all twenty were Mercedes-Benz. The model years ranged from 1964 to 1977 for the FY75 and FY77 EF Programs. Listed in Table 2 are the average emission values of: 1) FY78 EF Diesel Trucks, 2) EPA Olds Diesel Cars, 3) the vehicles tested in the FY75 and FY77 Emission Factors Programs.

Short cycles - The data generated from the Federal Short Cycle, Two Speed Idle, and the Federal Three-Mode test showed very low emissions with little variance from vehicle to vehicle. The complete short cycle results are attached as Appendices D, E and F.

Fuel Economy - Miles-per-gallon (mpg) figures over both the FTP and HFET were calculated for each test. Due to the fact that the test horsepower for all trucks tested were determined by the frontal area method applicable to only 1979 and later models, it was only possible to compare the test results of the 1979's with the EPA Gas Mileage Guide. Ten 1979 Chevrolet and GMC Trucks were in this category. The average values are displayed in Figure 2. The test results showed that they averaged about 93% of the Guide's FTP values and 88% of the HFET. The questionnaire completed by each of these owners included questions which asked for the owner's estimate of the vehicle's fuel economy under city, highway, and combined driving conditions.

Of those that responded, the owners' figures were 103% of the Guide values for the FTP, 86% for the HFET, and 91% for the combined mileage values. Responses of the owners were also compared to the actual test numbers generated in this program. In this case, the owner's estimates were 110% of the FTP, 98% of the HFET, and 102% of the combined. The fuel economy on individual vehicles are listed in Table 3. The HFET emission results along with the emission test parameters are listed in Appendix B.

Participant Profile - Most owners were satisfied with the performance of their vehicle's engine although some had experienced major problems with internal engine parts, injector pumps, injectors, transmission and cooling lines, as well as oil leaks. Two trucks required major engine rebuilding before 50,000 miles. All except one felt that they had maintained their vehicles in accordance with manufacturer's recommendations. A listing of these responses is attached as Appendix G.


Conclusions


Based on the results of this effort, it appears that these diesel engines exhibit low exhaust emission levels with no significant deterioration. Some shortfall in fuel economy was noted although the owners' estimates were consistent with the actual values from the test.

References:

1. "Study of Emissions from 1975-1979 Light Duty Trucks", EPA-460/3-80-008 March, 1980


Figure 1
Testing of 1977-1979 Diesel Trucks
20 Trucks





AVERAGE FUEL ECONOMY FOR 10 1979 MODEL YEAR
CHEVROLET AND GMC TRUCKS ENGINE FAMILY 932J9

Figure 2



1979 FEDERAL TEST PROCEDURE

MODEL YEAR	VEH	AVERAGE ODOM	НС	со	co ₂	NOxc	FUEL FTP	ECONOMY HFET
1975	0							
1976	0		•					
1977	2	66289	2.40	3.20	476.2	1.91	20.82	24.10
1978	8	30109	0.80	1.91	560.6	1.79	17.97	21.82
1979	10	9593	0.63	1.76	569.8	1.79	17.71	21.98

TOTAL	20	23469	0.87	1.97	556.8	1.80	18.09	22.11

EMISSION RESULTS ARE IN GRAMS PER MILE FUEL ECONOMY IS IN MILES PER GALLON

DIESEL TRUCKS MEETING 1979 FEDERAL STANDARDS

MODEL YEAR	NO. VEH	<1.7 NO.	HC gm/mi PCT	<18 NO.	CO gm/mi PCT	N <2.3 NO.		ALL NO.	SSED THREE PCT
1975	0	•							
1976	0				•				
1977	2	1	50	2	100	2	100	1	50
1978	8	8	100	8	100	8	100	8	100
1979	10	10	100	10	100	10	100	10	100
40 45-40-40									
TOTAL	20	19	95	20	100	20	100	19	95

Table 2 Average Test Results

	N	Odometer	FTP (gm/mi) Odometer HC CO NOx				onomy (mpg) <u>HFET</u>
FY78 E.F. Trucks	20	23469	.87	1.97	1.80	18.1	22.1
EPA Olds Cars	20	48194	.83	1.63	1.40	21.3	31.3
FY75 E.F. Cars	20	76473	.80	2.2	1.60	23.9	29.8
FY77 E.F. Cars	20	86318	1.12	2.9	1.43	24.2	31.3

The data generated from the short cycle tests showed very low emissions with little variance from vehicle to vehicle. Complete short cycle results are attached as Appendices D, E, and F.

Table 3
Listing of Fuel Economy on Individual Trucks

Veh.	Model						Miles	per Gallon	(minutes pe	er gallon fo	or idle)		
No.	Year	Make	<u>Model</u>	CID	<u>Idle</u>	5 mph	10 mph	15 mph	30 mph	45 mph	60 mph	FTP	HFET
1376	1978	GMC	C150	350	154.1	8.7	17.6	25.4	24.7	25.0	20.7	16.3	22.4
1377	1978	Chev	C10	350	112.5	10.7	19.9	28.1	32.3	26.4	21.0	18.2	23.2
1378	1977	IH	Scout	198	339.8	26.4	26.5	23.3	30.1	29.7	21.3	20.9	23.4
1379	1979	GMC	C150	350	112.2	9.5	18.7	27.5	31.1	25.6	20.1	17.9	22.2
1380	1978	Chev	C10	350	135.9	12.0	19.3	27.3	31.1	26.3	20.6	18.1	23.1
1381	1977	TH	Trav	198	314.8	23.4	21.6	18.9	26.6	31.9	22.2	20.8	24.8
1382	1979	Chev	C10	350	136.5	11.9	16.9	24.5	28.7	23.9	18.9	17.4	21.1
1383	1978	IH	Scout	198	294.4	20.2	21.4	31.1	32.7	25.1	18.2	20.6	21.2
1384	1979	Chev	C10	350	114.4	10.0	17.6	26.1	30.1	26.1	20.1	18.7	22.5
1385	1979	GMC	C150	350	120.3	10.4	19.4	28.5	32.0	26.7	21.7	18.7	23.5
1386	1978	MERB	207D	146	342.1	14.6	24.4	21.5	25.9	26.4	18.3	19.3	21.4
1387	1979	GMC	C150	350	104.5	9.0	17.3	25.3	29.4	25.2	20.1	16.4	21.8
1388	1979	Chev	C10	350	111.7	9.6	18.0	25.0	27.9	23.6	19.4	17.0	20.7
1389	1979	GMC	C150	350	120.4	10.5	22.2	25.3	29.1	25.1	19.8	17.9	21.9
1390	1978	GMC	C150	350	114.7	10.1	19.4	19.8	26.4	25.9	20.4	17.5	22.3
1391	1979	Chev	C10	350	112.8	9.7	18.3	25.9	29.9	25.8	20.7	17.6	22.1
1392	1979	Chev	C10	350	113.1	9.5	20.1	26.9	30.5	25.5	19.3	18.0	21.8
1393	1979	GMC	C150	350	118.2	10.2	17.6	25.5	30.0	26.2	21.1	17.9	22.4
1394	1978	Chev	C10	350	139.5	13.2	16.8	25.0	29.3	24.6	17.4	17.0	20.1
1395	1978	GMC	C150	350	113.9	9.8	20.9	25.9	29.9	24.9	18.9	17.5	21.2
		Н	larmonic m	nean	136.9	11.3	19.4	25.0	29.2	25.9	19.9	18.1	22.1

12
Table 4

Summary Of Model Results on Diesel Trucks (Legend)

SURVEILLANCE DRIVING SEQUENCE

	Mod	ie			Average Accel-	
No	Type	Speed Range	Time in Mode	Average Speed	eration Rate	Distance
		(mph)	(sec)	(mph)	(mph/sec)	(miles)
						•
1	Accel	0-30	12	18.05	2.50	0.0602
2	Decel	30-0	16	16.66	-1.88	0.0741
3	Accel	0-15	8	9.04	1.88	0.0201
4	Accel	15-30	11	23.07	1.36	0.0705
5	Accel	30-45	13	37.65	1.15	0.1360
6	Decel	45-30	12	38.05	-1.25	0.1268
7	Accel	30-60	17	45.80	1.76	0.2163
8	Decel	60-45	12	51.48	-1.25	0.1716
9	Accel	45-60	14	52.54	1.07	0.2043
10	Decel	60-15	30	40.40	-1.50	0.3367
11	Accel	15-60	26	43.42	1.73	0.3136
12	Decel	60-0	21	33.83	-2.86	0.1973
13	Accel	0-60	32	37.27	1.88	0.3313
14	Decel	60-30	23	46.86	-1.30	0.2994
15	Decel	30-15	9	23.18	-1.67	0.0579
16	Decel	15-0	8	7.81	-1.88	0.0173
17	Accel	0-45	. 22	28.85	2.05	0.1759
18	Decel	45-15	16	31.33	-1.88	0.1392
19	Accel	15-45	18	30.55	1,67	0.1528
20	Decel	45-0	19	24.72	-2.37	0.1304
21	Accel	0-60	. 25	38.28	2.40	0.2654
22	Decel	60-0	28	33.88	-2.14	0.2634
23	Accel	0-30	15	17.73	2.00	0.0737
24	Accel	30-60	25	45.14	1.20	0.3134
25	Decel	60-30	18	47.23	-1.67	0.2362
26	Decel	30-0	10	15.99	-3.00	0.0444
27	Accel	0-60	38	38.01	1.58	0.4009
28	Decel	60-0	35	33.87	-1.71	0.3293
29	Accel	0-30	18	17.73	1.67	0.0886
30	Accel	30-60	21	44.55	1.43	0.2599
31	Decel	60-30	14	46.63	-2.14	0.1813
32	Decel	30-0	13	16.40	-2.31	0.0592

Table 4

Summary of Modal Results on Diesel Trucks
19 Trucks

Mode		-Emissi	on Results	(gm/mi)-	
NO.	HC	CO	co_2	NOX	MPG
1	1.04	2.88	1069.7	3.27	9.4
2	1.00	1.61	258.6	1.31	38.5
3	1.79	3.89	1088.8	3.73	9.2
4	1.01	2.07	673.7	2.59	15.0
5	. 68	1.51	618.2	2.26	16.3
6	.56	1.05	195.3	1.12	51.2
7	.60	2.12	828.8	2.43	12.2
8	.60	1.40	281.0	1.46	35.7
9	.62	1.84	679.7	2.29	14.9
10	.71	1.16	202.2	1.10	49.3
11	.60	2.09	858.1	2.55	11.8
12	.76	1.33	214.1	1.21	46.6
13	.65	2.28	906.1	2.83	11.2
14	.65	1.14	206.1	1.15	48.5
15	.76	1.25	204.5	1.17	48.7
16	1.96	3.25	500.6	2.21	19.9
17	.80	2.15	890.2	2.89	11.4
18	.64	1.14	169.2	.98	58.8
19	.69	1.96	781.5	2.61	12.9
20	.75	1.34	197.7	1.08	50.3
21	.62	2.54	996.5	2.81	10.2
22	.70	1.51	223.0	1.19	44.7
23	1.18	2.77	955.9	3.37	10.6
24	.58	1.73	710.0	2.37	14.2
25	.61	1.13	209.5	1.17	47.7
26	.99	1.73	266.8	1.45	37.3
27	.61	1.97	803.2	2.68	12.6
28	.74	1.35	223.4	1.19	44.7
29	1.19	2.65	861.7	3.21	11.7
30	.60	1.96	765.3	2.39	13.2
31	•59	1.20	218.8	1.23	45.7
32	•94	1.68	258.3	1.36	38.6

APPENDIX A

LISTING OF FEDERAL TEST PROCEDURE RESULTS ON INDIVIDUAL VEHICLES

VEH.	MODL YEAR	MAKE	MODL	CID	T	EST T	(PE	EMISS	SION	RESULTS	(gm/mi) NO _{xc}	 FUEL ECON MPG
I I I	HC: CO (a CO (s _i	0 pp act]: pec]:	om he 0.1 N/A	%CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS IP MODAL,	1.18	2.4 2.1 1.8 2.1	648.5 535.2 536.2 558.8	1.35 1.50 1.39 1.44	15.49 18.76 18.79 17.99
II I	HC: CO [a CO [si	0 p act]: pec]:	om hex 0.1 N/A	ane %CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS IP MODAL,	0.74 0.75 0.48 0.67 DIESEL	1.6 1.8 1.4 1.6	553.9 518.7	1.79 1.83 1.64 1.77	15.60 18.20 19.48 17.91
. I	HC: CO [a CO [s;	3 p; act]: pec]:	om hex 0.1 N/A	%CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS IP MODAL,	1.99 1.62 1.27 1.60 DIESEL	3.4 3.6 3.1	704.9 556.5 563.0 588.8	1.42 1.37 1.29 1.35	14.20 17.95 17.82 17.00
I I I	HC: CO [a CO [si	6 p; act]: pec]:	o.0 0.0 N/A	%CO	BASE BASE BASE	COLD HOT 75 F	TRANS	0.78 0.54 0.59 DIESEL	1.9 1.7 1.6 1.7	658.8 560.7 546.1 576.9	1.66 1.80 1.61 1.72	15.32 18.00 18.49 17.50

APPENDIX A

LISTING OF FEDERAL TEST PROCEDURE RESULTS ON INDIVIDUAL VEHICLES

VE:	H. 	MODL YEAR	MAKE	MODL	CID	TI	EST T	YPE	EMISS HC	SION CO	RESULTS CO ₂	(gm/mi) NO _{XC}		FUEL ECON MPG
	IH IC IC	C: O [:	3 p act]: pec]:	pm he: 0.1 N/A	ane %CO %CO	BASE BASE BASE	COLD HOT 75 F	STABI TRANS	1.01 0.91 0.63 0.86 DIESEL	2.2 2.1 1.7 2.0	724.6 603.3 565.3 617.9	1.80 1.90 1.71 1.83		13.92 16.70 17.85 16.31
	IH IC IC	C: 0 [s	pec]:	pm hex 0.1 N/A	%CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL,	1.11 0.77 0.63 0.80 DIESEL	2.3 2.0 1.8 2.0	632.8 537.1 529.7 554.8	1.65 1.73 1.62 1.68		15.90 18.75 19.04 18.16
	IH IC IC	0 [s	22 p; act]: pec]:	pm hex 0.1 N/A	ane %CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL,	1.35 1.67 1.16 1.47 DIESEL	2.8 2.6 2.8	544.4 454.7 476.3 479.0	1.65 1.85 1.60 1.74		18.40 21.91 21.02 20.85
	IH IC IC	C: 0 [s	0 p act]: pec]:	om hex 0.1 N/A	ane %CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL.	0.82 0.62 0.45 0.62 DIESEL	1.8 1.7 1.4 1.6	653.9 541.0 541.7 564.4	1.74 1.78 1.73 1.76		15.43 18.65 18.66 17.88
	IH IC IC	C: O [s	0 p; act]: pec]:	om hex 0.1 N/A	%CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL,	1.23 1.08 0.81 1.03 DIESEL	2.2 2.0 1.7 1.9	556.6	1.63 1.68 1.55 1.64		18.08
	IH IC IC	0 [s	31 p act]: pec]:	pm hex 0.1 N/A	ane %CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL,	2.25 4.09 2.67 3.33 DIESEL	3.7 3.9 3.1 3.6	497.1 475.8 450.9 473.4	2.08 2.16 1.96 2.09		19.95 20.56 21.92 20.78
	IH IC IC	C: O [s	0 p; act]: pec]:	pm he: 0.1 N/A	%CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL,	0.54 0.51 0.40 0.49 DIESEL	2.1 1.8 1.6 1.8	694.2 551.3 555.3 581.8	1.71 1.85 1.65 1.77	•	14.55 18.31 18.20 17.36
	IH IC IC	C: O [s	0 p; act]: pec]:	om hex 0.1 N/A	%CO %CO	BASE BASE BASE	COLD HOT 75 F	TRANS STABI TRANS TP MODAL,	0.33 0.19 0.22 0.22 DIESEL	1.4 1.2 1.2 1.2	598.9 449.3 490.4 491.3	2.43 2.20 2.25 2.26		16.90 22.53 20.64 20.60

 $\label{eq:APPENDIXA} \textbf{A}$ LISTING OF FEDERAL TEST PROCEDURE RESULTS ON INDIVIDUAL VEHICLES

VEH. MODL NO. YEAR MAKE MODL CID TEST TYPE	EMISSION HC CO	RESULTS CO ₂	(gm/mi) NO _{XC}	FUEL ECON MPG
1384 1971 CHEV C10 350 BASE COLD TRANS IHC: 0 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.69 2.1 0.46 1.7 0.64 2.0	593.2 536.2 509.4 540.6	1.86 1.99 1.82 1.92	16.99 18.78 19.82 18.65
1385 1971 GMC C150 350 BASE COLD TRANS IHC: 0 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.52 1.5 0.33 1.3 0.52 1.5	624.0 524.3 511.2 541.3	1.63 1.76 1.68 1.71	16.18 19.26 19.79 18.66
1386 1971 MERB 207D 146 BASE COLD TRANS IHC: 0 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.49 1.6 0.27 1.3 0.47 1.5	608.8 487.0 525.9 522.7	1.97	16.58 20.72 19.24 19.32
1387 1971 GMC C150 350 BASE COLD TRANS IHC: 3 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.58 1.7 0.40 1.5 0.55 1.7	699.2 603.2 583.9 617.7	1.80 1.92 1.77 1.86	14.45 16.74 17.32 16.36
1388 1971 CHEV C10 350 BASE COLD TRANS IHC: 3 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.54 1.8 0.41 1.5 0.56 1.8	667.0 579.1 566.1 593.7	1.78	15.13 17.43 17.86 17.01
1389 1971 GMC C150 350 BASE COLD TRANS IHC: 0 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.57 1.9 0.41 1.6 0.56 1.8	633.5 552.0 531.2 563.1	1.93 2.09 1.91 2.01	15.93 18.28 19.02 17.92
1390 1971 GMC C150 350 BASE COLD TRANS IHC: 0 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.87 1.8 0.53 1.4 0.79 1.7	666.9 578.8 502.3 576.1	1.61 1.77 1.43 1.64	15.13 17.41 20.10 17.51
1391 1971 CHEV C10 350 BASE COLD TRANS IHC: 0 ppm hexane BASE COLD STABI ICO [act]: 0.1 %CO BASE HOT TRANS ICO [spec]: N/A %CO BASE 75 FTP OTHER TESTS: HFET, SHORT TESTS, MODAL	0.61 1.9 0.44 1.6 0.54 1.8	634.0 562.1 548.7 573.2	1.78 1.80 1.77 1.79	15.94 17.95 18.42 17.61

Appendix B

Listing of Highway Fuel Economy & Emission Results on Individual Vehicles

St. Louis Diesels Fuel Test Act. I.W. Veh. Model Dyno -Emission Results (gm/mi)-Econ. co_2 Model HP MPG No. Year Make Lbs. <u>HC</u> <u>co</u> N0x1376 1978 GMC C150 4500 19.5 0.44 1.2 451.8 1.43 22.36 1377 C10 4500 19.5 0.48 1978 Chev 1.3 435.2 1.51 23.19 +1378 4500 1977 IHScout 17.0 1.03 2.3 427.3 1.67 23.44 1379 1979 4500 19.5 **GMC** C150 0.38 1.0 455.8 1.61 22.19 +1380 1978 C10 4500 19.5 0.64 1.2 435.8 1.36 23.14 Chev +1381 1977 IH Trav 4500 17.0 2.65 3.1 397.0 2.01 24.80 1382 1979 4500 C10 19.5 0.34 1.2 480.0 1.49 21.07 Chev +1383 1978 4000 17.0 0.21 ΙH Scout 1.3 476.2 2.35 21.24 1384 1979 Chev C10 4500 19.5 0.39 1.3 448.2 1.74 22.54 1385 1979 **GMC** 4500 0.9 C150 19.5 0.29 430.1 1.57 23.53 1386 207D 5000 19.5 0.16 0.16 473.3 2.34 1978 Merb 21.41 1387 1979 GMC C150 4500 19.5 0.30 1.0 464.5 1.60 21.79 1388 1979 C10 4500 489.3 Chev 19.5 0.28 1.1 1.62 20.68 1389 1979 GMC C150 4500 19.5 0.37 1.69 1.2 461.1 21.92 1390 1978 GMC C150 4500 19.5 0.27 1.1 454.2 1.34 22.28 1391 1979 C10 4500 19.5 0.56 1.2 Chev 456.5 1.61 22.12 1392 1979 C10 4500 19.5 0.61 1.3 462.2 21.83 Chev 1.31 1393 1979 **GMC** C150 4500 19.5 0.40 1.0 452.2 22.36 1.54 1394 1978 C10 4500 19.5 1.34 498.5 20.10 Chev 2.3 1.19 1395 1978 **GMC** C150 4500 19.5 0.63 1.3 475.6 1.38 21.22

Appendix C

	VEH.	YEAR	MAKE	MODL	CID		VEH.	YEAR	MAKE	MODL	CID
MODE	1376	1978	GMC	C150	350		1377	1978	CHEV	C10	350
MODE NO.	HC	СО	C02	NOX	MPG		HC	CO	c02	NOX	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.17 1.70 0.93 1.22 0.69 0.71 0.04	0.396557 1.57 1.32	65.0 1162.2 570.4 394.6 407.2 403.0 490.6	0.21 3.40 2.24 1.35 1.78 1.58	154.1 8.7 17.6 25.4 24.7 25.0 20.7	. <u>-</u>	0.13 1.73 0.82 0.52 0.41 0.67	0.4953.141.021.3	89.5 934.7 505.0 356.4 312.4 381.4 481.9	0.28 2.77 1.99 1.29 1.54 1.77	112.5 10.7 19.9 28.1 32.3 26.4 21.0
	VEH.	YEAR	MAKE	MODL	CID	•	VEH.	YEAR	MAKE	MODL	CID
	+1378	1977	IH	SCOU	198		1379	1979	GMC	C150	350
MODE NO.	нс	СО	C02	NOX	MPG		нс	co	c 02	NOV	ирс
Idle	0.00								CO2	NOX	MPG
5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.69 1.33 4.63 2.61 0.36 0.23	0.1503636	29.8 379.9 375.7 414.1 325.3 337.9	0.22 2.81 2.10 2.27 1.89 1.73 2.28	339.8 26.5 26.5 30.1 29.7 21.3		0.17 1.99 0.75 0.45 0.42	0.3 3.8 1.0 9.0 1.8	89.7 1059.8 538.2 367.2 324.9 395.5 503.2	0.32 3.52 2.01 1.28 1.56 1.67 2.01	112.2 9.5 18.7 27.5 31.1 25.6 20.1
• ,	VEH.	YEAR	MAKE	MODL	CID	•	VEH.	YEAR	MAKE	MODL	CID
	+1380	1978	CHEV	C10	350		+1381	1977	ĪH	TRAV	198
MODE NO.	НС	СО	·C02	NOX	MPG		нс	со	CO2	NOX	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.19 2.17 1.19 0.69 0.48 0.58	0.5 5.8 1.9 1.2	73.6 833.7 8520.0 367.8 324.7 384.1 489.0	0.20 2.13 1.91 1.28 1.40 1.47 1.69	135.9 12.0 19.3 27.3 31.1 26.3 20.6		0.14 0.83 6.41 2.55 1.85 1.02 0.88	0.2 8.3 9.8 4.3 2.3	31.6 428.1 440.2 521.5 372.6 312.1 450.1	0.18 2.63 2.13 2.73 2.12 2.02 2.88	314.8 23.4 21.6 18.9 26.6 31.9 22.2
	VEH.	YEAR	MAKE	MODL	CID		VEH.	YEAR	MAKE	MODL	CID
	1382	1979	CHEV	C10	350		+1383	1978	IH	SCOU	198
MODE NO.	нс	со	C02	NOX	MPG		нс	со	CO2	NOX	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.12 1.28 0.72 0.48 0.41 0.43 0.33	0.2 4.6 2.1 1.5 1.1 1.1	73.8 840.6 596.3 411.9 351.6 421.9 537.0	0.23 2.62 2.96 1.88 1.75 1.60 1.98	136.5 11.9 16.9 24.5 28.7 23.9	é	0.07 0.62 0.43 0.27 0.18 0.19 0.48	0.0 0.4 2.1 1.1 0.9 1.0 2.2	34.3 501.9 470.1 324.8 309.0 403.2 555.4	0.33 4.56 2.72 1.97 1.90 2.32 3.71	294.4 20.2 21.4 31.1 32.7 25.1 18.2

EMISSION RESULTS IN GRAMS PER MILE (PER MINUTE FOR IDLE) FUEL ECONOMY IN MILES PER GALLON (MINUTES PER GALLON FOR IDLE)

Appendix C

*											
	VEH.	YEAR	MAKE	MODL	CID		VEH.	YEAR	MAKE	MODL	CID
	1384	1979	CHEV	C10	350		1385	1979	GMC	C150	350
MODE NO.	нс	со	C02	NOX	MPG		нс	СО	C02	NOX	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.11 1.01 0.69 0.43 0.36 0.49	0.6 6.8 4.1 1.9 1.5 1.2	87.7 1000.9 570.0 385.8 334.3 386.4 501.8	0.35 4.04 3.40 2.09 1.79 1.87 2.41	114.4 10.0 17.6 26.1 30.1 26.1 20.1		0.12 1.18 0.56 0.36 0.22 0.16 0.32	0.3 4.6 0.7 0.9	83.7 971.0 519.3 354.7 316.6 378.7 466.3	0.34 3.81 2.62 1.60 1.81 2.10	120.3 10.4 19.4 28.5 32.0 26.7 21.7
	VEH.	YEAR	MAKE	MODL	CID		VEH.	YEAR	MAKE	MODL	CID
	1386	1978	MERB	207D	146		1387	1979	GMC	C150	350
MODE NO.	нс	со	C02	мох	MPG		нс	со	C 02	хои	MPG
Idle 5 MPH 10 MPH 15 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.02 0.76 0.37 0.34 0.19 0.11	0.2 1.8 2.8 1.5 1.1	29.3 688.1 413.2 467.4 390.3 383.4 553.7	0.17 2.85 1.74 1.90 1.96 2.32 3.89	342.1 14.6 24.4 21.5 25.9 26.4 18.3		0.16 1.60 0.80 0.47 0.30 0.21	0.4 5.3 1.6 1.1 0.8 0.9	96.29 119.7 1581.7 1589.4 104.4 104.4	0.40 4.68 2.50 1.70 1.69 1.86 2.24	104.5 9.0 17.3 25.3 29.4 25.2 20.1
	VEH.	YEAR	MAKE	MODL	CID		VEH.	YEAR	MAKE	MODL	CID
	1388	1979	CHEV	C10	350		1389	1979	GMC	C150	350
MODE NO.	нс	CO	C02	NOX	MPG		нс	со	C02	иох	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.01 1.33 0.67 0.39 0.28 0.31 0.39	0.2 4.3 1.9 1.0 1.1 1.2	90.7 1054.0 557.5 402.5 362.1 428.8 520.1	0.40 4.57 2.71 1.87 1.70 1.90 2.18	111.7 9.6 18.0 25.0 27.9 23.6 19.4		0.10 0.97 0.92 0.65 0.26 0.31	0.4 3.2 2.2 1.8 1.1	83.7 961.6 451.2 396.7 347.5 402.7 512.0	0.37 4.41 2.04 2.03 2.00 1.96 2.32	120.4 10.5 22.2 25.3 29.1 25.1 19.8
	VEH.	YEAR	MAKE	MODL	CID		VEH.	YEAR	MAKE	MODL	CID
	1390	1978	GMC	C150	350		1391	1979	CHEV	C10	350
MODE NO.	нс	со	CO2	NOX	MPG		нс	со	C02	иох	MPG
Idle 5 MFH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.01 2.00 0.75 0.74 0.57 0.40		87.9 991.7 519.2 507.8 381.2 390.1 496.7	0.28 3.05 2.06 2.29 1.63 1.56 1.83	114.7 10.1 19.4 19.8 26.4 25.9 20.4	ي.	0.15 1.59 0.79 0.51 0.39 0.44	0.4 5.3 1.1 1.0 1.0	89.2 040.6 550.3 389.9 338.0 390.6	0.33 3.63 2.50 1.61 1.73 1.77 2.09	112.8 9.7 18.3 25.9 29.9 25.8 20.7

EMISSION RESULTS IN GRAMS PER MILE (PER MINUTE FOR IDLE) FUEL ECONOMY IN MILES PER GALLON (MINUTES PER GALLON FOR IDLE)

Appendix C

	VEH.	YEAR	MAKE	MODL	CID	VEH.	YEAR	MAKE	MODL	CID
	1392	1979	CHEV	C 10	350	1393	1979	GMC	C150	350
MODE NO.	НС	СО	C02	NOX	MPG	НС	CO	c02	NOX	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.13 1.96 0.91 0.51 0.47 0.52 0.63	0.3 5.8 1.8 1.6 1.2	89.1 1056.8 500.3 374.0 330.1 396.3 524.6	0.31 3.50 1.58 1.47 1.49 1.54	113.1 9.5 20.1 26.9 30.5 25.5 19.3	0.00 1.61 0.81 0.36 0.37 0.44	0.3 6.7 2.3 1.8 1.1 0.9	85.6 987.7 987.5 987.5 987.7 987.7 987.7 987.7	0.28 3.17 2.35 1.53 1.61 1.70	118.2 10.2 17.6 25.5 30.0 26.2 21.1
	VEH. 1394	YEAR 1978	MAKE CHEV	MODL C10	CID 350	VEH. 1395	YEAR 1978	MAKE GMC	MODL C150	CID 350
MODE NO.	НС	со	C02	NOX	MPG	нс	со	CO2	NOX	MPG
Idle 5 MPH 10 MPH 15 MPH 30 MPH 45 MPH 60 MPH	0.26 2.75 1.59 0.93 0.86 1.17 0.38	0.6 6.8 4.7 2.8 1.9 2.2	71.2 750.3 595.0 399.6 341.7 406.9 578.8	0.15 1.45 1.72 1.09 1.13 1.28 1.68	139.5 13.2 16.8 25.0 29.3 24.6 17.4	0.11 1.27 0.49 0.36 0.576	0.4 5.1 2.0 1.3 0.9 1.1	88.3 1029.3 482.4 389.7 337.6 404.8 534.7	0.29 3.33 1.58 1.69 1.57 1.86	113.9 29.9 25.9 29.9 24.9

EMISSION RESULTS IN GRAMS PER MILE (PER MINUTE FOR IDLE) FUEL ECONOMY IN MILES PER GALLON (MINUTES PER GALLON FOR IDLE)

APPENDIX D

LISTING OF FEDERAL SHORT CYCLE EMISSION RESULTS ON INDIVIDUAL VEHICLES

VEH.	MODL YEAR	MAKE	MODL	CID	SEQ.	- EMISS	SION RES	SULTS (gr	n/mi)- NOxc	FUEL ECON MPG
1376	1978	GMC	C150	350	BASE	0.74	1.9	456.7	1.44	22.02
1377	1978	CHEV	C10	350	BASE	0.59	1.6	418.9	1.39	24.04
+1378	1977	IH	SCOU	198	BASE	1.43	2.5	377.6	1.41	26.36
1379	1979	GMC	C150	350	BASE	0.59	1.6	434.6	1.54	23.18
+1380	1978	CHEV	C10	350	BASE	0.86	1.6	404.6	1.29	24.83
+1381	1977	IH	TRAV	198	BASE	3.30	2.8	371.2	1.62	26.35
1382	1979	CHEV	C10	350	BASE	0.51	1.5	447.4	1.51	22.54
+1383	1978	IH	SCOU	198	BASE	0.20	1.0	374.5	1.74	27.02
1384	1979	CHEV	C10	350	BASE	0.46	1.7	421.5	1.58	23.91
1385	1979	GMC	C150	350	BASE	0.39	1.2	409.8	1.45	24.64
1386	1978	MERB	207D	146	BASE	0.27	1.4	409.4	1.71	24.67
1387	1979	GMC	C150	350	BASE	0.47	1.4	456.2	1.51	22.13
1388	1979	CHEV	C10	350	BASE	0.32	1.5	479.1	1.55	21.09
1389	1979	GMC	C150	350	BASE	0.34	1.5	441.1	1.67	22.89
1390	1978	GMC	C150	350	BASE	0.37	1.5	439.9	1.32	22.95
1391	1979	CHEV	C10	350	BASE	0.59	1.6	434.6	1.48	23.18
1392	1979	CHEV	C10	350	BASE	0.72	1.7	442.2	1.23	22.76
1393	1979	GMC	C150	350	BASE	0.52	1.5	435.2	1.44	23.17
1394	1978	CHEV	C10	350	BASE	1.36	2.6	445.6	1.05	22.42
1395	1978	GMC	C150	350	BASE	0.51	1.4	375.7	1.17	26.81

APPENDIX E

LISTING OF IDLE EMISSION RESULTS ON INDIVIDUAL VEHICLES

VEH.	MODL YEAR	MAKE-	MODL	CID	SEQ.	HC ppmh	IDLE CO	NO ppm
1376	1978	GMC	C150	350	BASE	3	0.08	39
1377	1978	CHEV	C10	350	BASE	0	0.08	37
+1378	1977	IH	SCOU	198	BASE	. 21	0.05	93
1379	1979	GMC	C150	350	BASE	0	0.07	39
+1380	1978	CHEV	C10	350	BASE	0	0.09	32
+1381	1977	IH	TRAV	198	BASE	30	0.10	44
1382	1979	CHEV	C10	350	BASE	. 1	0.08	67
+1383	1978	IH	SCOU	198	BASE	0.	0.06	128
1384	1979	CHEV	C10	350	BASE	0	0.07	69
1385	1979	GMC	C150	350	BASE	0	0.06	61
1386	1978	MERB	207D	146	BASE	1	0.05	98
1387	1979	GMC	C150	350	BASE	4	0.09	75
1388	1979	CHEV	C10	350	BASE	2	0.05	62
1389	1979	GMC	C150	350	BASE	0	0.06	56
1390	1978	GMC	C150 -	350	BASE	1	0.07	40
1391	1979	CHEV	C10	350	BASE	0	0.07	53
1392	1979	CHEV	C10	350	BASE	0	0.06	29
1393	1979	GMC	C150	350	BASE	C	0.07	48
1394	1978	CHEV	C10	350	BASE	3	0.10	27
1395	1978	GMC	C150	350	BASE	. 5	0.04	55

APPENDIX F

LISTING OF FEDERAL THREE MODE EMISSION RESULTS ON INDIVIDUAL VEHICLES

VEH.	MODL YEAR	MAKE	MODL	CID	SEQ.	MODE	RLHP	HC ppmh	CO %	D bud
1376	1978	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.06 0.05 0.06 0.05	148 141 88 46
1377	1978	CHEV	C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.07 0.07 0.07 0.06	160 139 82 45
+1378	1977	IH	SCOU	198	BASE BASE BASE	52 MPH 25 MPH IDLE (N)	22.9 10.0	0 0 0	0.13 0.05 0.06	309 291 128
1379	1979	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.04 0.04 0.04 0.04	169 148 98 43
+1380	1978	CHEV	C10 -	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0	0.08 0.08 0.08 0.09	140 135 77 40
+1381	1977	IH	TRAV	198	BASE BASE BASE	52 MPH 25 MPH IDLE (N)	22.9 10.0	43 22 18	0.11 0.05 0.06	329 291 61
1382	1979	CHEV	C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	3 6 6	0.08 0.08 0.08 0.08	154 155 102 72
+1383	1978	IH	SCOU	198	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	22.0 9.0	0 0 0	0.08 0.06 0.05 0.06	388 319 249 151
1384	1979	CHEV	C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	2354	0.05 0.05 0.05 0.04	174 164 99 71
1385	1979	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.06 0.05 0.05 0.05	193 167 115 61
1386	1978	MERB	207D	146	BASE BASE BASE	52 MPH 25 MPH IDLE (N)	25.0 11.0	0 0 0	0.07 0.05 0.05	435 299 110

APPENDIX F

LISTING OF FEDERAL THREE MODE EMISSION RESULTS ON INDIVIDUAL VEHICLES

VEH.	MODL YEAR	MAKE	MODL	CID	SEQ.	MODE	RLHP	HC ppmh	CO %	NO ppm
1387	1979	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 7 8 10	0.09 0.09 0.09 0.09	188 158 135 88
1388	1979	CHEV	·C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	4 7 8 8	0.06 0.06 0.06 0.05	195 154 117 64
1389	1979	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 2 5 4	0.07 0.06 0.06 0.06	178 167 117 65
1390	1978	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.05 0.05 0.05 0.05	152 147 83 44
1391	1979	CHEV	C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 1 2 3	0.06 0.06 0.06 0.05	175 151 106 53
1392	1979	CHEV	C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.05 0.04 0.05 0.04	89 92 53 32
1393	1979	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.06 0.05 0.06 0.06	180 166 104 54
1394	1978	CHEV	C10	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 8 8	0.10 0.08 0.09 0.10	114 113 59 36
1395	1978	GMC	C150	350	BASE BASE BASE BASE	52 MPH 25 MPH IDLE (D) IDLE (N)	25.0 10.0	0 0 0	0.06 0.05 0.06 0.05	134 147 84 56

APPENDIX G

LISTING OF VEHICLE DRIVEABILITY PROBLEMS AND MAINTENANCE INFORMATION

VEH.	MODL YEAR	MAKE	MODL	MAIN CAT	TENA FE	NCE CF	REPAIR	RIVEABILITY RS TYPE	Y PROBL WHEN	EMS EFFECT
1376 1377 1378 1379 1380	1978 1978 1977 1979 1978	GMC CHEV IH GMC CHEV	C150 C10 SCOU C150 C10	1 1 1 1	N Y N'	Y Y Y Y	NO YES NO NO NO	2	4	2
1381 1382 1383 1384 1385	1977 1979 1978 1979 1979	IH CHEV IH CHEV GMC	TRAV C10 SCOU C10 C150	1 1 1 1	Y N Y N	N Y Y N Y	YES NO NO NO YES	6	4	2
1386 1387 1388 1389 1390	1978 1979 1979 1979 1978	MERB GMC CHEV GMC GMC	207D C150 C10 C150 C150	1 1 1 1	Y N Y N	N Y N Y Y	NO NO YES NO YES	2 6	2	2
1391 1392 1393 1394 1395	1979 1979 1979 1978 1978	CHEV CHEV GMC CHEV GMC	C10 C10 C150 C10 C150	1 1 1 1	N Y Y N N	Y N N N	NO YES YES NO YES	3 6 3	2 3 4	2 2 2

MAINTENANCE INFORMATION

- CAT Has the catalytic converter ever been replaced on this vehicle
 (1: no catalyst; 2: yes; 3: no; 4: don't know)
 Note: If catalytic converter has been removed, question
 is answered 'no'.
- FE Do you accurately keep records of the fuel economy on this vehicle (Y: yes; N: no)
- CF Are you concerned with the fuel economy of this vehicle
 (Y: yes; N: no)

DRIVEABILITY PROBLEMS

- REPAIRS Have you had any repairs to your vehicle for the correction of driveability problems
 - TYPE What repairs were performed on your vehicle to correct
 driveability problems (1: none; 2: Injector; 3: engine;
 4: emission control; 5: ignition system; 6: other; 7: don't know)
 - WHEN How long ago were these repairs accomplished? (1: no repairs; 2: 0-3 months; 3: 3-6 months; 4: over 6 months; 5: don't know)
- EFFECT Were these repairs effective in correcting the driveability problems? (1: no repair; 2: yes; 3: no)

	Vehicle No.	Vear	Make	Model	Odometer	VIN	$C_{f_{f_{\mathcal{Y}}}}$	chpressway	utty st.		Ssway	Rural Road	, -		Other Business		Between Home	S E		Driving	<u>Estimat</u>	<u>:e</u> _/
	1376	78	GMC	C150	49842	TCZ148S521094	L	L	S	S	L	S	L	L	S	12	4	-	-	18		
*	1377	78	Chev	C10	33498	CCZ1485198744	A	S	L	L	L	A	L	L	L	24	6	-	-	15		
	1378	77 79	IH GMC	Scout	4081 9 8568	G0063GGD5302 TCZ149S522640	A	L	L	L	S	L C	A	L	S	35	6	-	- 21	25	•	
	1379 1380	79 78	Che v	C150 C10	846 <i>6</i>	CCZ149S322640 CCZ148S215995	L L	S A	L S	S L	L L	S L	L S	L A	S L	10 9	8 4	19	24	-		
	1381	70 77	IH	Trav	91760	G0103GGD30567	L	A. 1	L	A	L	L	S L	A A	L	20	4	_ 22	23	-		
	1382	7 <i>7</i>	Chev	ClO	7863	CCZ149S118976	L L	L	Ĺ	S	S	L	S	L	S	30	2	-	- -	20		
	1383	78	IH	Scout	22358	HO103HGD46422	Ā	L	L	L	L	Ĺ	Ĺ	S	S	15	6	18	25	-		
	1384	79	Chev	C10	11823	CCZ1495188762	L.	Ā	L	Ĺ	L	s	S	L	L	13	4	_	_	24		26
	1385	79	GMC	C150	16627	TCZ149J508787	L	A	S	L	L	A	L	Ĺ	L	5	6	_	_	18		•
	1386	78	Merb	207D	13402	6015011801943	S	L	L	M	S	L	L	L	A	99	16		٠ ــ	26		
	1387	79	GMC	C150	11475	TCZ149J518040	Α	L	L	L	L	Α	L	L	L	17	2	-	23	-		
	1388	79	Chev	C10	4466	CCZ149J185893	L	A	L	L	L	S	L	S	L	7	6	-	19	_		
	1389	79	GMC	C150	5951	TCZ149S528508	Α	L	S	L	L	A	S	L	L	29	4	-	20	-		
	1390	78	GMC	C150	27480	TCZ148S534191	M	S	S	L	L	L	A	L	S	12	4	_	-	19		
	1391	79	Chev	C10	10378	CCZ149S187323	М	S	S	L	L	L	L	A	L	2	12	20	-			
	1392	79	Chev	C10	7920	CCZ149S148145	L	L	S	S	L	S	L	S	L	20	6	-	-	18		,
	1393	79 76	GMC	C150	10867	TCZ149S517001	M	S.	L	S	L	A	L	A	L	7	6	-	-	21		
	1394	78	Chev	C10	48104	CCZ148S183967	A	L	L	L	L	A	L	A	L	18	20	-	20			
	1395	78	GMC	C150 Avg.	3772 7 23469	TCZ148S528924	A	L	L _.	L	L	A	L	A	L	18	16	-	-	-		•

Appendix G

Legend: L: Little (less than 20%)
S: Some (21% to 50%)
M: Most (51% to 75%)
A: All (more than 75%)

Appendix G

					مرئ		o o o o o o o o o o o o o o o o o o o	, , , , , , , , , , , , , , , , , , ,	Set Parelly,	S. Carlotte S. Car	Š.	\$ ⁷	Strand of Western Strand of We	\$	~	
Copy Copy	So.	7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	top _y	A A	Area Projector	Safe Ask	How of the Performance	2. (2. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	S OCH	Ho, Chy Cong Chy Change	Vehic, Wash	Ante Kainte	Patrice of Warranty Reserved to the second sections of the second second sections of the sections of the second sections of the second sections of the sections of the second sections of the sections of	Proposition of Fr.	* ************************************	Total Pallage
1376	78	GMC	C150	No	NA	Mostly	12-24	Too New	Never	Unknown	Yes	3+	Inj. P, Inj., O.L.	Mobil	No	
1377	78	Chev	C10	No	NA	Yes	12	6-12	Self	0-6	Yes	3+	TR, Inj. P.,	Bonafide	Yes	
1378	77	IH '	Scout		S,RI,PA		.0-6	6-12	Self	0-6	Yes	3+	0.L.	Texaco	No	
1379	79 70	CMC	C150	No	NA	Yes	None	Too new	Never	0-6	Yes	None	NA	Unknown	No	
1380	78	Chev	C10	Yes	Р.	Yes	None	Too new		Unknown	Yes	None	NA ·	Kerr-McGee	· No	
1381	77	IH	Trav	No	NA	Yes	None	Too new	Never	0-6	No	None	NA	Texaco	No	
1382	79	Chev	C10	No	NA	Yes	None	Too new	Never	0-6	Yes	None	NA	Amoco	No	
1383	78	IH	Scout	No	NA -	Yes	None	Too new	Never	0-6	Yes	None	NA	Various	No	
1384	79	Chev	C10	Yes R	-		None	Too new	Never	0-6	Yes	None	NA .	Various	No	
1385	79	GMC	C150	Yes	S	Mostly	Unknown	Unknown	Unknown		Yes	3+	Inj.	Unknown	No	
1386	78	Merb	207D	No	NA	Yes	.12	0-6	Clinic	0-6	Yes	. 1	0.L.	Freedom	No	27
1387	79	GMC	C150	No	NA	No	None	Too new	Never	0-6	Yes	None	NA	Various	No	7
1388	79 70	Chev	C10	No	NA	Yes	None	Too New	Never	0-6	Yes	3+	Inj.	Zephyr	No	
1389	79	GMC	C150	No `	NA ·	Yes	None	Too New	Never	0-6	Yes	1	HPL	Техасо	No	
1390	78	GMC	C150	No	NA	Mostly	12-24	0-6	dealer	0-6	Yes	3+	0.L., Inj.*	Unknown	No	
1391	79	Chev	C10	No	NA	Yes	12	0-6	Self	0-6	Yes	3+	0.L.	Phillips	No	-
1392	79	Chev	C10	No	NA	No	None	Too New	Never	0-6	Yes	3+	Inj. P., P., O.L.		No	
1393	79	GMC	C150	Yes	NA	Mostly	0-6	0-6	Garage	0-6	Yes	2	TR.	Various	No	
1394	78	Chev	C10	Yes	NA	Mostly	12	6-12	Self	0-6	Yes	None	NA	Various	No	
1395	78	GMC	C150	No	NA	Yes	12	0-6	Self	0-6	Yes	None	**	Various	No	

H.S.: Hard Starting

P.A.: Poor Acceleration

Inj.: Injectors

T.C.L.: Transmission Cooling Line

F.P.: Fuel Pump

R.I.: Rough Idle

D.: Driveability

O.L.: Oil Leaks

P.: Ping

S.: Stumbling

Inj. P: Replaced Injector Pump

TR: Transmission

HPL: High Pressure Line

P: Piston

^{*} Engine Rebuilt at 21,000 miles

^{**} Had new engine installed