



# Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003070 Transaction Set 838C  
Trading Partner Profile (Confirmation)

Implementation Convention



U.S. DEPARTMENT OF COMMERCE  
Technology Administration  
National Institute of  
Standards and Technology

**T**he National Institute of Standards and Technology was established in 1988 by Congress to “assist industry in the development of technology . . . needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries.”

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry’s competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency’s basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department’s Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST’s research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

---

### **Office of the Director**

- National Quality Program
- International and Academic Affairs

### **Technology Services**

- Standards Services
- Technology Partnerships
- Measurement Services
- Technology Innovation
- Information Services

### **Advanced Technology Program**

- Economic Assessment
- Information Technology and Applications
- Chemical and Biomedical Technology
- Materials and Manufacturing Technology
- Electronics and Photonics Technology

### **Manufacturing Extension Partnership Program**

- Regional Programs
- National Programs
- Program Development

### **Electronics and Electrical Engineering Laboratory**

- Microelectronics
- Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields<sup>1</sup>
- Electromagnetic Technology<sup>1</sup>
- Optoelectronics<sup>1</sup>

### **Chemical Science and Technology Laboratory**

- Biotechnology
- Physical and Chemical Properties<sup>2</sup>
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

### **Physics Laboratory**

- Electron and Optical Physics
- Atomic Physics
- Optical Technology
- Ionizing Radiation
- Time and Frequency<sup>1</sup>
- Quantum Physics<sup>1</sup>

### **Materials Science and Engineering Laboratory**

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability<sup>1</sup>
- Polymers
- Metallurgy
- NIST Center for Neutron Research

### **Manufacturing Engineering Laboratory**

- Precision Engineering
- Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

### **Building and Fire Research Laboratory**

- Structures
- Building Materials
- Building Environment
- Fire Safety Engineering
- Fire Science

### **Information Technology Laboratory**

- Mathematical and Computational Sciences<sup>2</sup>
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- Software Diagnostics and Conformance Testing

---

<sup>1</sup>At Boulder, CO 80303.

<sup>2</sup>Some elements at Boulder, CO.

# **Federal Implementation Guideline for Electronic Data Interchange**

## **ASC X12 003070 Transaction Set 838C Trading Partner Profile (Confirmation)**

### **Implementation Convention**

Electronic Commerce Acquisition Program Management Office  
Standard Management Committee - Secretariat  
National Institute of Standards and Technology  
Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

January 1998



**U.S. DEPARTMENT OF COMMERCE**  
William M. Daley, Secretary

**Technology Administration**  
Gary R. Bachula, Acting Under Secretary for Technology

**National Institute of Standards and Technology**  
Raymond G. Kammer, Director



## **Reports on Information Technology**

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

**National Institute of Standards and Technology Special Publication 881-49**  
**Natl. Inst. Stand. Technol. Spec. Publ. 881-49, 16 pages (Jan. 1998)**  
**CODEN: NSPUE2**

**U.S. GOVERNMENT PRINTING OFFICE**  
**WASHINGTON: 1998**

---

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402

# 838 Trading Partner Profile

Functional Group ID=TD

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Trading Partner Profile Transaction Set (838) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to request, change, verify or transmit business profile information to or from a trading partner. This information can be used by the receiver to facilitate the processing of the sender's business transactions. The transaction set may be used to convey government survey information, business classification, general survey information, summary supplier ratings, changes in the EDI environment information, tax information, entity relationships, and general business profile information to update automated information data bases between trading partners.

## Notes:

1. Use this transaction set to acknowledge the successful processing of a previously received request for registration as a Federal Government trading partner.
2. Use this transaction set to inform a registering party that a request to register was partially processed. When used in this manner, use the transaction set to provide the reason(s) why the request could not be fully processed.
3. Successful confirmation will be determined in part, only upon the validation of the registering party's DUNS and TIN numbers, as provided in the 838 contractor registration transaction set.
4. Validation of registration will take some time, therefore, registering parties should not anticipate an immediate confirmation of successful or partial registration. Registrants are advised to wait until they have received an official response from the registration process.
5. Do not use this transaction set to notify a registering party of an unsuccessful registration. Use the 824 transaction set to notify a registrant of an application problem that precludes a successful registration.

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BTP	Beginning Segment For Trading Partner Profile	M	1		
Not Used	021	REQ	Request Information	O	1		
	025	PER	Administrative Communications Contact	O	1		
Not Used	027	SP1	Specification Identifier	O	>1		
			LOOP ID - LX			>1	
	029	LX	Assigned Number	O	1		
	030	PLA	Place or Location	O	1		
Not Used	040	LCD	Place/Location Description	O	>1		
Not Used	050	LIN	Item Identification	O	>1		
			LOOP ID - NI			>1	
	060	N1	Name	O	1		
Not Used	070	N2	Additional Name Information	O	2		
Not Used	080	N3	Address Information	O	2		
Not Used	090	N4	Geographic Location	O	1		
	100	N9	Reference Identification	O	>1		
Not Used	110	PER	Administrative Communications Contact	O	>1		

## 838C - Trading Partner Registration (Confirmation)

Not Used	120	CUR	Currency	O	>1	
Not Used	130	TAX	Tax Reference	O	>1	
Not Used	140	FOB	F.O.B. Related Instructions	O	>1	
Not Used	150	ITD	Terms of Sale/Deferred Terms of Sale	O	>1	
Not Used	160	TD5	Carrier Details (Routing Sequence/Transit Time)	O	>1	
Not Used	165	SPI	Specification Identifier	O	>1	
Not Used	170	FBB	Foreign and Industry Business	O	>1	n1
Not Used	171	DTM	Date/Time Reference	O	2	
Not Used	172	MEA	Measurements	O	>1	

LOOP ID - LCD				>1	
---------------	--	--	--	----	--

Not Used	173	LCD	Place/Location Description	O	1
Not Used	174	N2	Additional Name Information	O	1
Not Used	175	N4	Geographic Location	O	1
Not Used	177	DMG	Demographic Information	O	>1
Not Used	178	MEA	Measurements	O	>1

LOOP ID - TPD				>1	
---------------	--	--	--	----	--

	180	TPD	Trading Partner Detail	O	1
Not Used	190	N9	Reference Identification	O	>1
Not Used	200	PID	Product/Item Description	O	>1
Not Used	210	DTM	Date/Time Reference	O	>1
Not Used	215	LS	Loop Header	O	1

LOOP ID - TUD				>1	
---------------	--	--	--	----	--

Not Used	220	TUD	Trade Union Data	O	1
Not Used	230	DTM	Date/Time Reference	O	>1
Not Used	240	N1	Name	O	1
Not Used	250	N2	Additional Name Information	O	2
Not Used	260	N3	Address Information	O	2
Not Used	270	N4	Geographic Location	O	1
Not Used	280	PER	Administrative Communications Contact	O	>1
Not Used	285	LE	Loop Trailer	O	1

LOOP ID - SPR				>1	
---------------	--	--	--	----	--

Not Used	290	SPR	Supplier Rating	O	1
Not Used	300	N9	Reference Identification	O	>1
Not Used	310	DTM	Date/Time Reference	O	>1

LOOP ID - PAM				>1	
---------------	--	--	--	----	--

Not Used	320	PAM	Period Amount	O	1
Not Used	330	DTM	Date/Time Reference	O	>1
Not Used	340	TAX	Tax Reference	O	>1
Not Used	350	CUR	Currency	O	>1

LOOP ID - TXN				>1	
---------------	--	--	--	----	--

Not Used	360	TXN	Transaction Capabilities	O	1
Not Used	370	N9	Reference Identification	O	>1
Not Used	380	DTM	Date/Time Reference	O	>1

LOOP ID - LM				>1	
--------------	--	--	--	----	--

Not Used	381	LM	Code Source Information	O	1
Not Used	382	LQ	Industry Code	M	>1



## 838C - Trading Partner Registration (Confirmation)

			LOOP ID - ENE		>1
Not Used	390	ENE	Electronic Systems Environment	O	1
			LOOP ID - N1		>1
Not Used	400	N1	Name	O	1
Not Used	410	N2	Additional Name Information	O	2
Not Used	420	N3	Address Information	O	2
Not Used	430	N4	Geographic Location	O	1
Not Used	440	TPD	Trading Partner Detail	O	>1
Not Used	450	PID	Product/Item Description	O	>1
Not Used	460	N9	Reference Identification	O	>1
Not Used	470	PER	Administrative Communications Contact	O	>1
			LOOP ID - TXN		>1
Not Used	480	TXN	Transaction Capabilities	O	1
Not Used	490	N9	Reference Identification	O	>1
Not Used	500	DTM	Date/Time Reference	O	>1
Not Used	510	ERI	Entity Relationship	O	>1
Not Used	520	AMT	Monetary Amount	O	>1
Must Use	530	SE	Transaction Set Trailer	M	1

**Transaction Set Notes**

1. With each occurrence of the PLA loop, the sum of FBB03 for separately identified countries cannot exceed 100.

**Segment:** **ST** Transaction Set Header  
**Position:** 010  
**Loop:**  
**Level:**  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:** 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).  
**Comments:**

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 838 Trading Partner Profile	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>Use to transmit a unique number assigned by the originator of the transaction set. This number may be system generated.</i>	M AN 4/9



**Segment:** **BTP** Beginning Segment For Trading Partner Profile  
**Position:** 020  
**Loop:**  
**Level:**  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the type and purpose of the profile data  
**Syntax Notes:** 1 If BTP08 is present, then BTP07 is required.  
2 If BTP09 is present, then BTP08 is required.  
**Semantic Notes:** 1 BTP01 indicates the purpose of this EDI transmission.  
2 BTP02 is the identifying number of this transaction.  
3 BTP03 and BTP04 are the transaction set date and time.  
4 BTP06 indicates the status of the data content within the transaction.  
5 BTP07 indicates reference number or previous reference number associated with this transaction.  
6 BTP08 and BTP09 are date and time associated with BTP07.

**Comments:****Notes:**

*When cancelling a previously transmitted confirmation of registration use of the transaction set, use BTP07/08/09 to carry the number, date and time of the transmission being cancelled.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	BTP01	353	Transaction Set Purpose Code Code identifying purpose of transaction set	M ID 2/2
			00 Original <i>Use to indicate the original confirmation of a request for registration. Use if the transmission contains either an acknowledgment of a successful registration or a partial acceptance of a request for registration.</i>	
			01 Cancellation <i>Use to indicate a cancellation of a previously transmitted response to a request for registration.</i>	
			07 Duplicate <i>Use to indicate a duplicate response to a request for registration. Use only when informed that the original response to a request for registration was not received.</i>	
Must Use	BTP02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>Use to indicate a unique number, assigned by the originator of the transaction set, that can be used as a reference in a subsequent transaction set. This number may be system generated.</i>	M AN 1/30
Must Use	BTP03	373	Date Date (YYMMDD) <i>Use to indicate the date the transaction set was created.</i>	M DT 6/6
Must Use	BTP04	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) <i>Use to indicate the time the transaction set was created. Use local time. Use only the HHMM format (e.g., 1030, 0925, etc.).</i>	M TM 4/8
Must Use	BTP05	640	Transaction Type Code	M ID 2/2

			Code specifying the type of transaction			
			TP	Trading Partner Information		
Must Use	BTP06	353	Transaction Set Purpose Code			O ID 2/2
			Code identifying purpose of transaction set			
			11	Response		
			Use to indicate that this transmission is a response to a previously submitted initial request to register, or a change to, or annual renewal of a previously successful registration.			
Must Use	BTP07	127	Reference Identification			X AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
			Use in other than cancellations, to indicate the reference number contained in BTP02 of the request for registration transaction set. Use in cancellations to indicate the number of the cancelled transmission.			
Must Use	BTP08	373	Date			X DT 6/6
			Date (YYMMDD)			
			Use in other than cancellations, to indicate the date contained in BTP03 of the request for registration transaction set. Use in cancellations to indicate the date of the cancelled transmission.			
Must Use	BTP09	337	Time			O TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)			
			Use in other than cancellations, to indicate the time in BTP04 of the request for registration transaction set. Use in cancellations to indicate the time of the cancelled transmission.			
Not Used	BTP10	591	Payment Method Code			O ID 3/3
			Code identifying the method for the movement of payment instructions			



**Segment:** **PER** Administrative Communications Contact

**Position:** 025

**Loop:**

**Level:**

**Usage:** Optional

**Max Use:** 1

**Purpose:** To identify a person or office to whom administrative communications should be directed

**Syntax Notes:** 1 If either PER03 or PER04 is present, then the other is required.

2 If either PER05 or PER06 is present, then the other is required.

3 If either PER07 or PER08 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:** *Use this segment to provide the toll free commercial telephone number for registering parties to call to obtain information regarding doing business using Electronic Data Interchange (EDI) or to inquire about their registration.*

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Must Use</b>	<b>PER01</b>	<b>366</b>	<b>Contact Function Code</b> Code identifying the major duty or responsibility of the person or group named EA EDI Coordinator <i>Use to indicate the Electronic Commerce Information Center contact.</i>	<b>M ID 2/2</b>
<b>Not Used</b>	<b>PER02</b>	<b>93</b>	<b>Name</b> Free-form name	<b>O AN 1/60</b>
	<b>PER03</b>	<b>365</b>	<b>Communication Number Qualifier</b> Code identifying the type of communication number TE Telephone <i>Use to indicate the toll free commercial telephone number. Ensure the 800 area code is included.</i>	<b>X ID 2/2</b>
	<b>PER04</b>	<b>364</b>	<b>Communication Number</b> Complete communications number including country or area code when applicable	<b>X AN 1/80</b>
<b>Not Used</b>	<b>PER05</b>	<b>365</b>	<b>Communication Number Qualifier</b> Code identifying the type of communication number	<b>X ID 2/2</b>
<b>Not Used</b>	<b>PER06</b>	<b>364</b>	<b>Communication Number</b> Complete communications number including country or area code when applicable	<b>X AN 1/80</b>
<b>Not Used</b>	<b>PER07</b>	<b>365</b>	<b>Communication Number Qualifier</b> Code identifying the type of communication number	<b>X ID 2/2</b>
<b>Not Used</b>	<b>PER08</b>	<b>364</b>	<b>Communication Number</b> Complete communications number including country or area code when applicable	<b>X AN 1/80</b>
<b>Not Used</b>	<b>PER09</b>	<b>443</b>	<b>Contact Inquiry Reference</b> Additional reference number or description to clarify a contact number	<b>O AN 1/20</b>

**Segment:** **LX** Assigned Number  
**Position:** 029  
**Loop:** LX Optional  
**Level:**  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To reference a line number in a transaction set  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**  
**Notes:**

*Use to indicate the number of the iteration of the LX loop. For example, in the first iteration of the LX loop, insert the number 1 in LX01, in the second iteration of the LX loop (if there is a second iteration in the transmission), insert the number 2, and so on. This number may be system generated.*

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LX01	554	Assigned Number Number assigned for differentiation within a transaction set	M N0 1/6



**Segment:** **PLA** Place or Location  
**Position:** 030  
**Loop:** LX Optional  
**Level:**  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To indicate action to be taken for the location specified and to qualify the location specified

**Syntax Notes:**

**Semantic Notes:** 1 PLA03 is the effective date for the action identified in PLA01.  
 2 When used, PLA04 is the effective time for the action identified in PLA01.

**Comments:**

**Notes:** *Use is required in original response to a registration request. Do not use in cancellation.*

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PLA01	306	<b>Action Code</b> Code indicating type of action <i>Use to identify the action being taken in the response as either a successful registration or an inability to register the requesting party. Also include the effective date of the decision to register or reject the request.</i> IN Interim <i>Use to indicate that the registration application has been partially accepted, but that there is some non-essential data under review.</i> KA Registration Confirmed The application requesting registration was favorably acted upon and registration is confirmed <i>Use to indicate that a requesting party has been successfully registered.</i>	M ID 1/2
Must Use	PLA02	98	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual KK Registering Party The party requesting registration into a system <i>Use to identify the party submitting the request to register transaction set.</i>	M ID 2/3
Must Use	PLA03	373	<b>Date</b> Date (YYMMDD) <i>Use to indicate the effective date of the action described by the code value in PLA01.</i>	M DT 6/6
Not Used	PLA04	337	<b>Time</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	O TM 4/8
Not Used	PLA05	1203	<b>Maintenance Reason Code</b> Code identifying the reason for the maintenance change	O ID 2/3

<b>Segment:</b>	<b>N1</b> Name
<b>Position:</b>	060
<b>Loop:</b>	N1 Optional
<b>Level:</b>	
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To identify a party by type of organization, name, and code
<b>Syntax Notes:</b>	1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
<b>Semantic Notes:</b>	
<b>Comments:</b>	1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
<b>Notes:</b>	<i>There must be at least one iteration of the N1 loop in each transaction set to carry the address of the requesting party.</i>

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N101	98	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual KK Registering Party The party requesting registration into a system <i>Use to identify the party submitting the request for registration.</i>	M ID 2/3
Not Used	N102	93	<b>Name</b> Free-form name	X AN 1/60
	N103	66	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	X ID 1/2
	N104	67	<b>Identification Code</b> Code identifying a party or other code	X AN 2/20
Not Used	N105	706	<b>Entity Relationship Code</b> Code describing entity relationship	O ID 2/2
Not Used	N106	98	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual	O ID 2/3

<b>Segment:</b>	<b>N9</b>	<b>Reference Identification</b>
<b>Position:</b>	100	
<b>Loop:</b>	N1	Optional
<b>Level:</b>		
<b>Usage:</b>	Optional	
<b>Max Use:</b>	>1	
<b>Purpose:</b>	To transmit identifying information as specified by the Reference Identification Qualifier	
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of N902 or N903 is required.</li> <li>2 If N906 is present, then N905 is required.</li> <li>3 If either C04003 or C04004 is present, then the other is required.</li> <li>4 If either C04005 or C04006 is present, then the other is required.</li> </ol>	
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 N906 reflects the time zone which the time reflects.</li> <li>2 N907 contains data relating to the value cited in N902.</li> </ol>	
<b>Comments:</b>		
<b>Notes:</b>	<p><i>Use one iteration of this segment to provide:</i></p> <ol style="list-style-type: none"> <li>1. <i>A Commercial and Government Entity (CAGE) Code. This Code is required by many (primarily Department of Defense) applications.</i></li> <li>2. <i>Trading Partner notification of subsequent delivery of the unique Trading Partner Identification Number (TPIN) by U.S. Post Office mail.</i></li> </ol>	

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N901	128	Reference Identification Qualifier Code qualifying the Reference Identification W7 Commercial and Government Entity (CAGE) Code Code that identifies a commercial contractor authorized to do business with the U.S. Government	M ID 2/3
	N902	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>Use to specify the registrant's CAGE code.</i>	X AN 1/30
	N903	369	Free-form Description Free-form descriptive text <i>Use to advise a registrant that his\her unique TPIN will be forwarded to him\her via the U.S. Postal Service upon successful initial registration and renewal. Do not use when responding to interim changes to the registrant's data in the CCR.</i>	X AN 1/45
Not Used	N904	373	Date Date (YYMMDD)	O DT 6/6
Not Used	N905	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X TM 4/8
Not Used	N906	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	O ID 2/2
Not Used	N907	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O



## 838C - Trading Partner Registration (Confirmation)

Not Used	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification	M	ID 2/3
Not Used	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M	AN 1/30
Not Used	C04003	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04004	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN 1/30
Not Used	C04005	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04006	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN 1/30



**Segment:** **TPD** Trading Partner Detail  
**Position:** 180  
**Loop:** TPD Optional  
**Level:**  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To describe attribute of a trading partner  
**Syntax Notes:** 1 If either TPD02 or TPD03 is present, then the other is required.  
**Semantic Notes:**  
**Comments:**  
**Notes:**

*Use only in partial registrations, to indicate the reason(s) why the request to register could not be completely processed.*

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	TPD01	349	Item Description Type Code indicating the format of a description F Free-form	M ID 1/1
Not Used	TPD02	23	Commodity Code Qualifier Code identifying the commodity coding system used for Commodity Code	X ID 1/1
Not Used	TPD03	22	Commodity Code Code describing a commodity or group of commodities	X AN 1/30
	TPD04	352	Description A free-form description to clarify the related data elements and their content <i>Use to advise the registrant of a partial registration by indicating the nature of the data under review, or the problem precluding full registration. Use also to inform partially accepted registrants that they can inquire about the status of their registration by calling the EDI help desk. The telephone number is to be provided in the 1/PER/025 segment.</i>	O AN 1/80

**Segment:** **SE** Transaction Set Trailer  
**Position:** 530  
**Loop:**  
**Level:**  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:** 1 SE is the last segment of each transaction set.

## Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments	M N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
			<i>Use to indicate the total number of segments included in the transmission including the ST and SE segments.</i>	
Must Use	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
			<i>Use to transmit the same unique control number assigned by the originator of the transaction set, as the control number cited in ST02.</i>	

# *NIST* Technical Publications

## *Periodical*

---

**Journal of Research of the National Institute of Standards and Technology**—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

## *Nonperiodicals*

---

**Monographs**—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

**Handbooks**—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

**Special Publications**—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

**National Standard Reference Data Series**—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

**Building Science Series**—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

**Technical Notes**—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

**Voluntary Product Standards**—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

*Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.*

**Federal Information Processing Standards Publications (FIPS PUB)**—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

**NIST Interagency Reports (NISTIR)**—A special series of interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

**U.S. Department of Commerce**  
National Institute of Standards  
and Technology  
Gaithersburg, MD 20899-0001

Official Business  
Penalty for Private Use \$300