

NBS PUBLICATIONS



NBS SPECIAL PUBLICATION 654

U.S. DEPARTMENT OF COMMERCE/National Bureau of Standards



Sixth Annual Report and Directory of Accredited Laboratories

QC 100 .U57 No. 654 1983

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards' was established by an act of Congress on March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, and the Institute for Computer Sciences and Technology.

THE NATIONAL MEASUREMENT LABORATORY provides the national system of physical and chemical and materials measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; conducts materials research leading to improved methods of measurement, standards, and data on the properties of materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

Absolute Physical Quantities² — Radiation Research — Chemical Physics — Analytical Chemistry — Materials Science

THE NATIONAL ENGINEERING LABORATORY provides technology and technical services to the public and private sectors to address national needs and to solve national problems; conducts research in engineering and applied science in support of these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the ultimate user. The Laboratory consists of the following centers:

Applied Mathematics — Electronics and Electrical Engineering² — Manufacturing Engineering — Building Technology — Fire Research — Chemical Engineering²

THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides scientific and technical services to aid Federal agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.Ś.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following centers:

Programming Science and Technology — Computer Systems Engineering.

'Headquarters and Laboratories at Gaithersburg, MD, unless otherwise noted; mailing address Washington, DC 20234.
'Some divisions within the center are located at Boulder, CO 80303.



NBS special publication

CONTRACTOR OCTOR O

Sixth Annual Report and Directory of Accredited Laboratories

Wiley Hall

Office of Product Standards Policy National Bureau of Standards Washington, DC 20234



Library of Congress Catalog Card Number: 83-600576

National Bureau of Standards Special Publication 654
Natl. Bur. Stand. (U.S.), Spec. Publ. 654, 63 pages (Sept. 1983)
CODEN: XNBSAV

U.S. GOVERNMENT PRINTING OFFICE WASHINGTON: 1983

PREFACE

This is the sixth annual report of the Commerce Department's National Voluntary Laboratory Accreditation Program (NVLAP). It provides information for calendar year 1982 about the activities of the National Bureau of Standards (NBS) in conducting the program and identifies participating testing laboratories.

Upon request from a testing laboratory, NBS examines its professional and technical competence in specified areas of technology. Based on this assessment NBS accredits testing laboratories to perform tests in the areas of their established competence.

NVLAP benefits laboratories and their users. Laboratories are encouraged to raise their level of performance and receive recognition of their competence. Laboratory users are assured that laboratories have the personnel, equipment, procedures, and competence to provide reliable test data.

Through bilateral agreements between NBS and laboratory accreditation systems of other countries, NVLAP helps manufacturers who use accredited testing laboratories to obtain acceptance of their product overseas. This is important in countries that have governmental controls in their product distribution system.

Secretary of Commerce

Malcohn Baldings



NVLAP—82 SIXTH ANNUAL REPORT AND

DIRECTORY OF ACCREDITED LABORATORIES

Contents

		Page
PR	EFACE	iii
	Part I—Report of Program Activities	
1.	EXECUTIVE SUMMARY	1
2.	ESTABLISHED LABORATORY ACCREDITATION PROGRAMS Accreditation Actions Insulation LAP Concrete LAP Carpet LAP Stove LAP	1 1 2 2 2 2 2
	Acoustics LAP	2
3.	LAPS UNDER DEVELOPMENT OR BEING CONSIDERED Personnel Radiation Dosimetry Processing Electromagnetic Calibration Services Windows and Doors	2 2 3 3
4.	ADMINISTRATION AND OTHER ACTIVITIES Resources National Laboratory Accreditation Advisory Committee National Laboratory Accreditation Council Bilateral Agreements International Laboratory Accreditation Conference	3 3 3 4 4 5
Ap	pendix—LIST OF 1982 DOCUMENTS	6
	Part II—DIRECTORY OF ACCREDITED LABORATORIES	
 2. 	ACCREDITED LABORATORIES AND THE TEST METHODS FOR WHICH EACH LABORATORY IS ACCREDITED	9
۷.	METHODMETHODS AND THE LABORATORIES ACCREDITED FOR EACH TEST	51
3.	ACCREDITED LABORATORIES BY STATE	58



Part I

Report of Program Activities

1. EXECUTIVE SUMMARY

The National Voluntary Laboratory Accredi-(NVLAP) began two new tation Program Laboratory Accreditation Programs (LAP) during 1982, one for solid fuel room heaters and one for acoustical testing services. During 1982, 7 laboratories were newly accredited and laboratories renewed their accreditation. The distribution of laboratories included 33 under the LAP for thermal insulation materials "Insulation LAP"), 46 under the LAP for freshly mixed field concrete (the "Concrete LAP"), 23 under the LAP for carpet (the "Carpet LAP"), and 6 in the new LAP for solid fuel room heaters (the "Stove LAP"). Some laboratories are in more than one LAP. Twenty-one laboratories voluntarily terminated their accreditation during 1982. Sixtytwo regularly scheduled on-site visits and four monitoring visits were conducted during the year.

Three new LAPs were under development during 1982 or were being considered for development to accredit:

- Processors of personnel radiation dosimeters to serve the needs of the U.S. Nuclear Regulatory Commission and other Federal and State agencies;
- 2) Laboratories that test windows and doors (LAP requested by a private testing laboratory);
- 3) Laboratories that provide electromagnetic calibration services (LAP requested by an electronics manufacturer).

A total of \$741,000 was allocated for NVLAP activities for fiscal year 1982, no change from fiscal year 1981. A total of \$185,900 in fees was recovered in fiscal 1982 from laboratories seeking accreditation in order to offset the costs associated with their evaluation and accreditation. During the past year, the staffing level was equivalent to 11 full-time persons.

The National Laboratory Accreditation Advisory Committee was established by the Secretary of Commerce in August 1982 and met informally on December 3, 1982. The Committee's function is to advise and make recommendations to the Director of NBS to improve the effectiveness of NVLAP.

The attendees were particularly interested in reviewing revisions to the NVLAP procedures and criteria to be developed early in 1983. They supported international arrangements through the International Laboratory Accreditation Conference (ILAC) and the development of international agreements.

The need for coordination of accreditation activities at the national level was established at a workshop held at NBS in November, 1981. An organizational meeting was held in Washington, DC on September 17, 1982, to consider the formation of a quasipublic National Laboratory Accreditation Council (NLAC). Additional meetings are planned to see if a Council can be organized. The American National Standards Institute's (ANSI) Certification Committee on September 21, 1982, appointed a Task Group to study the possible participation of ANSI in the development of an NLAC.

Based on a Memorandum of Understanding signed by Dr. Ernest Ambler, Director of the National Bureau of Standards (NBS) and Mr. E. E. Bond, Chair of the National Association of Testing Authorities (NATA) of Australia effective in September, 1982, the results of testing laboratories accepted by these national systems will be reciprocally recognized. Additional bilateral agreements are being considered with laboratory accreditation systems in Canada, New Zealand, and the United Kingdom.

The Appendix to Part I of this report lists the major publications prepared by the NVLAP staff during 1982. Part II of this report is a directory of all laboratories accredited under NVLAP. The accredited laboratories are listed alphabetically, and are cross referenced by test method for each LAP and by State.

2. ESTABLISHED LABORATORY ACCREDITATION PROGRAMS

Accreditation Actions

NVLAP continued accreditation under the Insulation, Concrete, Carpet and Stove programs in

operation and in 1982 began operation of the Acoustical Testing Services LAP. Seven laboratories were newly accredited and 92 renewed their laboratories accreditation. An alphabetical listing of all accredited laboratories and the test methods for which each is accredited is provided in Part II, Section 1 of this report. Twenty-one laboratories voluntarily terminated their accreditation. At the end of the year, evaluations for initial accreditation of 13 new applicants were in progress.

Insulation LAP

The LAP for thermal insulation materials had 63 test methods for which accreditation could be sought. As of December 31, 1982, 33 laboratories were accredited to perform one or more of these test methods. Thirty regularly scheduled on-site visits and two monitoring visits to the laboratories were conducted during the year. The sixth and seventh rounds of proficiency testing for insulation test methods involving thermal conductivity, settled flammability and properties density, conducted. Proficiency testing results are published in "NVLAP Tech Briefs" (see Appendix for publication dates).

Concrete LAP

Accreditation could be sought for up to seven test methods involving freshly mixed field concrete. The methods were arranged into two groups which address (1) field testing and (2) laboratory and field testing. In addition, a single optional test method could be requested with either of the two groups. As of the end of 1982, 46 laboratories were accredited under the Concrete LAP.

Seven regularly scheduled on-site visits and two monitoring visits to the laboratories were conducted during the year. The results of the within-laboratory proficiency program were published in a NVLAP Tech Brief. The first Tech Brief for the between-laboratory proficiency program will be published early in 1983.

Carpet LAP

The LAP for carpet has 12 test methods for which accreditation may be sought. As of December 31, 1982, 23 laboratories were accredited for one or more of these test methods. The Department of Housing and Urban Development (HUD) uses test results produced by these laboratories as part of its carpet certification program. Nineteen regularly scheduled on-site visits to the laboratories were conducted during the year. The fourth and fifth rounds of proficiency testing for carpet test methods, involving colorfastness, pile

weight, pile thickness, strength, and flammability properties, were completed. The summary of rounds 1, 2, 3, and 4 was published in a Tech Brief.

Stove LAP

The notice of formal establishment of a program for accrediting laboratories that test solid fuel room heaters was announced in the *Federal Register* on April 20, 1982 (47 FR 16823-16827). The LAP for solid fuel room heaters had 21 test methods for which accreditation could be sought. As of December 31, 1982, six laboratories were accredited to perform one or more of these test methods. Six regularly scheduled on-site visits to the laboratories were conducted during the year.

Acoustics LAP

The formal establishment of a program for laboratories that provide acoustical testing services was announced in the *Federal Register* on September 10, 1982 (47 FR 39874-39878). The LAP for acoustical testing services had 49 test methods for which accreditation could be sought. There were no laboratories accredited as of December 31, 1982; however, seven laboratories had applied for accreditation. On-site visits were planned for the laboratories early in 1983. The first accreditation actions are expected by March 1983.

3. LAPS UNDER DEVELOPMENT OR BEING CONSIDERED

Personnel Radiation Dosimetry Processors

A technical workshop was held at NBS on April 12 and 13, 1982, to establish a uniform basis for the determination of a processor's compliance with NVLAP criteria. From the information and suggestions received, a draft LAP Handbook was developed and circulated to the industry overview committee for comments. A request for proposal for procuring the services of a testing laboratory to conduct the proficiency testing for this LAP was distributed to potential contractors. The deadline for submittal of proposal was set for January 14, 1983, with the contract to be awarded in April 1983. In response to a request for nominations of individuals with professional credentials personnel dosimetry processing to serve as NVLAP technical experts, 51 persons indicated interest in serving as assessors. An evaluation of the technical competence of the potential assessors for use by NVLAP was initiated. An announcement of the formal establishment of this LAP is expected during the second quarter of 1983.

Electromagnetic Calibration Services

A final finding of need to establish a LAP for testing laboratories that provide electromagnetic calibration services was published in the Federal Register on January 14, 1982 (47 FR 2146-2149). A public workshop to discuss the technical requirements for the LAP was held at NBS, Boulder, CO on July 1-2, 1982. A draft Handbook developed as a result of the workshop will be completed and distributed during the second quarter of 1983 to interested applicants seeking accreditation for the LAP. The details for the proficiency testing and the relationship of a Measurement Assurance Program (MAP) were still to be developed. A notice announcing the formal establishment of this LAP is expected in the third quarter of 1983.

Windows and Doors

On January 21, 1982, a Federal Register notice (47 FR 3025-3026) announced a request from HUD to establish a LAP, under NVLAP procedures for other Federal agencies (15 CFR Part 7b), for testing laboratories that test windows and doors. On May 28, 1982 Federal Register notice (47 FR 23509-23510) announced the decision of HUD to withdraw the request to allow other interested parties to act as proponents of the proposed program.

NBS received a letter from a private testing laboratory requesting that NBS, under the NVLAP "for everyone" (15 CFR, Part 7a), publish a preliminary finding of need to accredit laboratories that test window and door products. A Preliminary Finding of Need to Accredit Laboratories That Test Windows and Door Products was published in the *Federal Register* on August 24, 1982 (47 FR 36875-36878). The deadline for submission of comments was October 25, 1982. An analysis of the comments was initiated. A decision on whether to proceed or withdraw the request for the LAP is anticipated during the first quarter of 1983.

4. ADMINISTRATION AND OTHER ACTIVITIES

NVLAP operates under the legal authority vested in the Secretary of Commerce by 15 U.S.C. 272 and Reorganization Plan No. 3 of 1946, Part VI. Rules and regulations governing NVLAP (NVLAP Procedures) are found under Title 15, Parts 7a, 7b, and 7c of the Code of Federal Regulations. The Secretary has delegated the operational responsibility for NVLAP to the Director of NBS.

Resources

For fiscal year 1982, beginning October 1, 1981, \$741,000 was allocated for NVLAP activities. For fiscal year 1983, beginning October 1, 1982, \$698,000 was allocated. During the past year the staffing level was equivalent to 11 full-time persons. A total of \$185,900 in fees was recovered in fiscal year 1982 from laboratories seeking accreditation in order to offset the costs associated with their evaluation and accreditation.

National Laboratory Accreditation Advisory Committee

The Secretary of Commerce announced in the *Federal Register* on August 3, 1982 (47 FR 33529) the establishment of the National Laboratory Accreditation Advisory Committee (NLAAC). The Committee's charter was also approved.

The Committee's function is to make recommendations to the Director of NBS on the following issues:

- Ways to simplify and clarify the NVLAP procedures in order to reduce costs to the testing laboratories;
- 2) Informing NBS of the technical requirements of testing laboratories;
- 3) Evaluating the interaction of other laboratory accreditation systems with NVLAP;
- 4) Reviewing the development of international accreditation activities and assessing the impact of accreditation within the United States; and
- 5) Other issues which the Committee or other interested persons recommend to improve the efficiency of the NVLAP operations.

The Committee consists of approximately 24 members: one-third from Federal, State and local governments; one-third from testing laboratories, and one-third from users and beneficiaries of testing laboratories.

At year's end NBS had not yet received formal clearance for all of the nominees to the Committee. However, there were a number of important items relative to the operation of NVLAP which needed advice from a panel of experts. Therefore, an informal meeting of NLAAC was held on December 3, 1982, at NBS. The meeting was open to the public. In attendance were 14 of the Committee nominees and 17 other interested persons.

The agenda for the meeting, published with the announcement of the meeting in the *Federal Register* on November 12, 1982 (47 FR 51177), is shown below:

Agenda: Issues discussed at the meeting include:

1) Consideration of NVLAP accreditation criteria relative to other accreditation

- criteria (i.e., ISO Guide 25);
- 2) Simplification of operating procedures;
- 3) Review of bilateral agreements;
- 4) Review and evaluation of program goals for FY 83;
- 5) Implications of freedom of information regarding proficiency data;
- Questions concerning conflict of interest of assessors;
- 7) Consideration of the cost for laboratories in more than one LAP; and,
- 8) Programmatic alternatives to reduce NVLAP operating costs.

An additional issue was submitted by an accredited testing laboratory for consideration of the Committee. The issue concerned the need for users of accredited laboratories to know if a specific laboratory is "independent" or "corporate." The laboratory submitted, for comments, suggestions for defining an "independent" testing laboratory.

The committee members were asked to render a specific position by consensus of the group on two issues concerning the possible conflict-of-interest of Technical Experts (Agenda Item 6).

The two issues and the committee's votes were:

(1) Is it a conflict-of-interest to have an employee of a HUD approved certifier of carpet serve as a NVLAP on-site assessor of carpet test laboratories?

Vote: The consensus of the group was that there should be no problem with conflict-of-interest in this case. There was also agreement of the group that each conflict-of-interest case should be judged individually as it arises.

(2) Does NVLAP have special considerations to watch for if NVLAP uses on-site assessors whose time is contributed either personally or by their companies? NVLAP would reimburse them for travel and expenses.

Vote: The consensus of the group was that NVLAP should consider the use of contributed experts to perform the on-site assessments.

There were discussions and comments by the attendees on each of the agenda issues.

National Laboratory Accreditation Council (NLAC)

NBS Special Publication 632, "Laboratory Accreditation: Future Directions in the United States," summarizing a workshop held at NBS in November 1981, concludes that the consensus of participants wanted more coordination of accreditation activities at the national level. One suggestion on how to accomplish this was to form a quasi-public NLAC. The objectives of the council, to be managed by the private sector, would be as follows:

 Provide forums for written and oral exchange of information on all levels of accreditation in the United States;

- Develop criteria for comparing or evaluating laboratory accreditation systems;
- Encourage the recognition of laboratories among laboratory accreditation systems;
- Encourage use of existing laboratory accreditation systems where new needs arise;
- Foster consolidation of existing laboratory accreditation systems; and,
- Develop a basis for reciprocal recognition of laboratories among national and international systems.

An organizational meeting of a proposed NLAC was held in Washington, DC on September 17, 1982. There were 44 persons in attendance at this meeting, 12 from Federal, State or local government, and 32 from the private sector. Additional meetings are planned.

At a meeting of the ANSI Certification Committee, at ANSI headquarters in New York on September 21, 1982, a discussion was held on the proposed NLAC. Four members of the Certification Committee were appointed to a special task force to study the possible organization of an NLAC. It was decided to follow the developments of the NLAC group at ASTM rather than initiate a separate effort.

Bilateral Agreements

A memorandum of understanding (MOU) signed by Dr. Ernest Ambler, Director of the National Bureau of Standards (NBS) and Mr. E. E. Bond, Chairman of the Australian National Association of Testing Authorities (NATA) was completed on September 24, 1982, to provide mutual recognition of testing laboratories of these national systems. The MOU commits each system to:

- 1) Recognize the accreditation of a testing laboratory by NATA or NVLAP as being equivalent to an accreditation by the other.
- Recognize endorsed test reports issued by a laboratory accredited by NATA or NVLAP on the same basis as NATA or NBS recognizes endorsed test reports from its own accredited laboratories.
- 3) Recommend to other persons and organizations in their respective nations that such persons and organizations should recognize the accreditation granted to laboratories by the parties to this MOU as being equivalent to each other's accreditation.
- 4) Recommend to other persons and organizations in their respective nations that such persons and organizations should accept endorsed test reports issued under the laboratory accreditation system administered

by each of the parties to this MOU as being equivalent to endorsed test reports issued by laboratories accredited by the other party.

- 5) Maintain records of the terms of accreditation of laboratories accredited by each of the parties to this MOU and make this information generally available.
- 6) Publish criteria to accredit the laboratories in their own country, maintain on file the other country's criteria, and collaborate in the development and adoption of revised criteria for accreditation of testing laboratories to increase harmony between the two accreditation systems.
- 7) Agree to reassess their own laboratories on a regularly scheduled basis and collaborate in the development and adoption of laboratory examination methods and in particular, where practical, cooperation in operating proficiency testing programs.
- 8) Cooperate in promoting the development and adoption of laboratory accreditation principles internationally and in the development of international standards relating to laboratory accreditation.

An appendix to the MOU describes specific differences between laboratory evaluation criteria for each system.

In spite of differences in criteria, each party to the agreement agrees that: 1) the resulting accreditations granted to laboratories are comparable; 2) work will continue toward eliminating or minimizing differences; and, 3) any complaints about laboratories the other party has accredited will be resolved through joint cooperation.

As part of the agreement, NVLAP and NATA have exchanged personnel to study the operation of each system. They have also accompanied assessors for each system to assist in the on-site assessment of testing laboratories.

Additional bilateral agreements are being considered with laboratory accreditation systems in Canada, Mexico, New Zealand, and the United Kingdom. The agreements are expected to have language similar to the NATA agreement.

International Laboratory Accreditation Conference

The 6th Annual International Laboratory Accreditation Conference (ILAC) was held in Tokyo, Japan on October 18-22, 1982. The Director of the NBS Office of Product Standards Policy led the U.S. delegation, which included eight private sector representatives.

Reports from a number of working groups, committees and task forces were reviewed and included the following:

The second "International Directory of Laboratory Accreditation Systems and Other Schemes for Assessment of Testing Laboratories"

"The Selection and Training of Assessors for Testing Laboratory Assessment"

"Assessing and Evaluating Testing Laboratories"

"Suggested Procedures for the Operation of Proficiency Testing Programs by Laboratory Accreditation Systems"

"Comparative Analysis of Laboratory Accreditation Systems"

"Draft Guidelines for Development of a Quality Manual for Testing Laboratories," and

"Guidelines for the Determination of Calibration Intervals of Measuring Equipment Used in Testing Laboratories"

Work continues on collecting, analyzing, and disseminating information concerning bilateral and other agreements for the reciprocal recognition of laboratory accreditation systems and mutual acceptance of test reports.

Appendix

List of 1982 Documents

January	5th Isuse of the NVLAP News, January 1982
January 5	Federal Register: NVLAP: Acoustical Testing Services; Public Workshops (2/23/82-2/24/82 and 3/10/82-3/11/82)
January 14	Federal Register: Electromagnetic Calibration Services; Finding of Need
January 14	Federal Register: Quarterly Report (Oct. 1-Dec. 31, 1981)
January 21	Federal Register: Notice of Request for a LAP from HUD for windows and doors, and call for public comment
February	NVLAP Tech Brief, Carpet LAP, Round 3
February 17	Federal Register: Personnel Dosimetry Processing, Public Workshop; scheduled for April 12-13, 1982
March 5	Federal Register: Accreditation Process for Insulation, Concrete and Carpet Programs; Fees for Insulation, Concrete, and Carpet Programs
April 2	Federal Register: Electromagnetic Calibration Services, Public Workshop, July 1-2, NBS, Boulder, CO
April 14	Federal Register: Quarterly Report (Jan. 1-Mar. 31) 1st for 1982
April 20	Federal Register: Formal Establishment of Solid Fuel Room Heaters Program (Stove LAP) Federal Register: Fees for Stove Program
April 21	Federal Register: Carpet Testing, Public Workshop, May 26, 1982, CRI, Dalton, GA
May	NVLAP Tech Brief: Carpet LAP, Round 4
May 28	Federal Register: Discontinuation of the Laboratory Accreditation Program for Windows and Doors
June	6th Issue of the NVLAP News, June 1982
June	NVLAP Tech Brief: Within-Laboratory Proficiency Program for The Concrete LAP
June 3	Federal Register: Invitation to Participate in International Laboratory Accreditation Conference (ILAC) 1982
July	NVLAP Tech Brief: Carpet LAP, Summary of Rounds 1, 2, 3, and 4
July 16	Federal Register: NVLAP Quarterly Report (Apr. 1-June 30) 2nd for 1982
August 3	Federal Register: National Laboratory Accreditation Advisory Committee; Establishment
August 10	Federal Register: Announcement of Accreditation Action
August 18	Federal Register: Open Meeting of the U.S. Delegation to the International Laboratory Accreditation Conference 1982
August 23	NVLAP Lab Bulletin No. 7, Accreditation for ASTM 687-71, Thermal Resistance (Rec. Practice) Loose-Fill (Fibrous). Insulation LAP
August 24	Federal Register: Preliminary Finding of Need to Accredit Laboratories That Test Window and Door Products
September	NVLAP Fifth Annual Report of Calendar Year 1981

September	NVLAP Tech Brief: Insulation LAP, Rounds 5 and 6
September	NVLAP Brochures: for everyone (Part 7a procedures); for Federal agencies (Part 7b procedures); for private sector organizations (Part 7c procedures)
September 10	Federal Register: Formal Establishment of Acoustical Testing Services Laboratory Accreditation Program (Acoustics LAP) Federal Register: Fees for Acoustics Laboratory Accreditation Program
September 24	Memorandum of Understanding (MOU) between NVLAP and NATA from Australia
October	NVLAP Lab Bulletin No. 8: Addition of ASTM D2126 Procedure G and California Energy Commission Tests for Insulating Materials to the Thermal Insulation Materials Laboratory Accreditation Program
October	NVLAP Tech Brief: NVLAP Proficiency Testing, Insulation LAP, Settled Density, Rounds 3, 4, 5, 6, and 7
October	NVLAP Lab Bulletin No. 9: Guidelines for NVLAP Accredited Laboratories
October 27	Federal Register: NVLAP Quarterly Report (July 1-Sept. 30) 3rd for 1982
October 29	U.S. Department of Commerce News Release—International Trade to be Facilitated by NBS Recognition of Foreign Laboratory Accreditation Systems
November	NVLAP Tech Brief: NVLAP Proficiency Testing, Carpet LAP, Round 5
November 12	Federal Register: NVLAP; National Laboratory Accreditation Advisory Committee; Open Meeting
December	7th Issue of the NVLAP News, December 1982
December 16	Federal Register: NVLAP; Report of Laboratory Accreditation Actions for November 1982



Part II

Directory of Accredited Laboratories

This directory is current as of June 15, 1983

Section 1

ALPHABETICAL LISTING OF ACCREDITED LABORATORIES AND THE TEST METHODS FOR WHICH EACH LABORATORY IS ACCREDITED

NOTE: Testing laboratories accredited by the Secretary under these procedures are not immune from the necessity of being in compliance with all legal obligations and responsibilities imposed by existing Federal, State, and local laws, ordinances, and regulations, including those related to consumer protection and antitrust prohibitions.

A & H/FLOOD ENGINEERING

Attn: Paul E. Flood, 4421 Harrison Street, Hillside, IL 60162

Accreditation Renewal Date: April 1, 1984 Phone: (312) 449-0500

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

AGUIRRE ENGINEERS, INC.

Attn: Vukoslav E. Aguirre, P.O. Box 3814, Englewood, CO 80155

Phone: (303) 694-2277

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method

NVLAP Code Designation
02/S01 ASTM C39 Short Title
Compressive Strength of Cylindrical
Concrete Specimens
02/A02 ASTM C173 Air Content of Freshly Mixed Concrete
by the Volumetric Method

AMERICAN CARPET LABORATORIES, INC.

Attn: Michael D. Connell, P.O. Box 357, 111 West Nashville Street, Ringgold, GA 30736
Accreditation Renewal Date: January 1, 1984
Phone: (404) 935-5672

Short Title

NYLAI Coue	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/ D 01	ASTM D418	Methods of Testing Woven and Tufted
		Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/F03	DoC FF1-70	Methenamine Pill Test
03/B02	UM 44C	Attached Cushion Tests
	Addenda 2 and 3	

AMERICAN TESTING LABORATORIES, INC.

Attn: John S. Kassees, 784 Flory Mill Road, Box 4014, Lancaster, PA 17604

Accreditation Renewal Date: April 1, 1984 Phone: (717) 569-0488

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

APACHE BUILDING PRODUCTS COMPANY

Attn: Dennis W. Rosato, 2025 East Linden Avenue, Linden, NJ 07036

Phone: (201) 486-6723

Accreditation Renewal Date: October 1, 1983

NVI.AP Code Designation

NVLAP Code	Designation	Short Title
01/D18	ASTM D1622	Apparent density; Rigid cellular plastics
01/D21	ASTM D2126	Response to thermal and humid aging (proc. E); Rigid cellular plastics

NVLAP Code	Designation	Short Title
01/D27	ASTM D2126	Response to thermal and humid aging (proc. C); Rigid cellular plastics
01/S11	ASTM D1621	Compressive properties; Rigid cellular plastics (proc. A-Crosshead)
01/T06	ASTM C518	Thermal transmission properties; Heat flow meter

ARIZONA SAND AND ROCK COMPANY

Attn: Roy Stegall, 1801 East University Drive, P.O. Box 20067, Phoenix, AZ 85036
Accreditation Renewal Date: April 1, 1984
Phone: (602) 254-8465

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

ARNOLD GREENE TESTING LABORATORIES

Attn: Robert J. Halliday, 2 Millbury Street, Auburn, MA 01501

Phone: (617) 235-7330

Accreditation Renewal Date: January 1, 1984

		Section of UL 737 5th Edition (3/1/82)	Section of UL 1482 1st Edition (8/9/79) with revision pages through 8/31/81
NVLAP Cod	de Short Title		
	Physical/Fire Test Group		
04/F01	Test Installation	8	8
04/F02	Temperature Measurement	9	9
04/F03	Smoke Spillage (visual observ	vation)	11
04/F04	Radiant Fire Test	11	12 & 12A
04/F05	Coal Fire Test		11A
04/F06	Brand Fire Test	12	13 & 13A
04/F07	Flash Fire Test	13	14
04/F08	Strength Tests	15	15
04/F09	Stability Test	16	16
04/F10	Glazing Test	14	17
	Mobile Home Test Group		
04/M01	Test Installation	17	18
04/M02	Toxic Gas	17	18
04/M03	Drop Test	17	18

NVLAP Co	de Short Title		
	Electrical Test Group		
04/E01	Test Voltages	33	35
04/E02	Temperature Measurements,	34	36
	Electrical Components		
04/E03	Input Test	35	37
04/E04	Temperature Test,	36	38
	Electrical Components		
04/E05	Leakage Current	38	40
04/E06	Dielectric Withstand	37	39
04/E07	Locked Rotor (Stalled	39	41
	Motor) Temperature		
04/E08	Power Cord Strain Relief	40	25.4

THE ARUNDEL CORPORATION, GREENSPRING LABORATORY

Attn: David Wherley, 6806 Greenspring Avenue, Baltimore, MD 21209

Accreditation Renewal Date: January 1, 1984 Phone: (301) 296-6400

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

ASSOCIATED TESTING LABORATORIES

Attn: George J. Murphy, 23 Vincent Street, Wayne, NJ 07470

Accreditation Renewal Date: April 1, 1984 Phone: (201) 628-1363

NVLAP Code Designation Short Title

03/E01 AATCC 134/CRI 102 Electrostatic Propensity of Carpets

ATLANTIC TESTING LABORATORIES, LTD. CICERO DIVISION

Attn: Marcus Rotundo, P.O. Box 356, Cicero, NY 13039

Accreditation Renewal Date: April 1, 1984 Phone: (315) 699-5281

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

BIGELOW-SANFORD, INC., GEORGIA RUG MILL

Attn: Van A. Pullen, Lyerly Street, Summerville, GA 30747

Accreditation Renewal Date: January 1, 1984 Phone: (404) 857-2421

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted
		Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/F03	DoC FF1-70	Methenamine Pill Test
03/B01	UM 44C	Attached Cushion Tests
	Addendum 3	

BIGELOW-SANFORD, INC., TECHNICAL SERVICES

Attn: Hamir D. Merchant, P.O. Box 3089, Greenville, SC 29602

Accreditation Renewal Date: January 1, 1984 Phone: (803) 299-2630

NVLAP Code	Designation	S	Short Title
03/C01	AATCC 16E	(Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	(Colorfastness to Crocking
03/D01	ASTM D418	F	Methods of Testing Woven and Tufted Pile Floor Coverings Pile Weight - Uncoated (Para. 10-19) Pile Weight - Coated (Para. 20-29) as modified by UM 44C
		F	Pile Thickness - (Para. 30-36)
		Т	Fuft Height - (Para. 37-45) as modified by UM 44C
03/D02	DDD-C-95A	S	Shrinkage
03/S01	ASTM D1335 Federal Test Method	Т	Fuft Bind of Floor Coverings
	Standard 191-5100	Γ	Textile Test Method - Breaking Strength
	191-5950	Γ	Textile Test Method - Delamination
03/E01	AATCC 134/CRI 102	E	Electrostatic Propensity of Carpets
03/ F 03	DoC FF1-70	N	Methenamine Pill Test
03/F04	ASTM E648	R	Radiant Panel (Carpet)
03/B01	UM 44C Addendum 3	A	Attached Cushion Tests

BUTLER MANUFACTURING COMPANY RESEARCH CENTER

Attn: Marvin K. Snyder, 135th Street and Botts Road, Grandview, MO 64030

Accreditation Renewal Date: January 1, 1984 Phone: (816) 763-3022

NVLAP Code	Designation	Short Title
01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter

C. H. MASLAND AND SONS

Attn: David A. Boyles, P.O. Box 40, Carlisle, PA 17013

Phone: (717) 249-1866

Accreditation Renewal Date: January 1, 1984

DoC FF1-70

03/F03

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted
		Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination

CAPITOL CEMENT

Methenamine Pill Test

Attn: Thomas L. Vick, 11551 Nacogdouches Road, P.O. Drawer 33240, San Antonio, TX 78233 Accreditation Renewal Date: January 1, 1984 Phone: (512) 655-3010

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens

CENTRAL READY-MIXED CONCRETE, RESEARCH & TECHNICAL CENTER

Attn: Christine B. Andresen, 4350 South 13th Street, Milwaukee, WI 53221 Phone: (414) 282-4200

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens

CERTAINTEED CORPORATION, INSULATION GROUP, R & D LAB

Attn: W. Francis Olix, 1400 Union Meeting Road, Blue Bell, PA 19422

Accreditation Renewal Date: January 1, 1984 Phone: (215) 542-0500

NVLAP Code	Designation	Short Title
01/C02	HH-I-515	Corrosiveness; Cellulosic
(pa	ra. 4.8.5 in D version,	fiber (loose-fill)
	Amendment 1)	
01/D01	ASTM C136	Sieve or screen analysis
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D08	ASTM C302	Density; Preformed pipe insulation
01/D09	ASTM C303	Density; Preformed block insulation
01/D13	ASTM C519	Density; Loose-fill (fibrous)
01/D25	HH-I-515	Moisture absorption;
(pa	ra. 4.8.3 in D version,	Cellulosic fiber (loose-fill)
	Amendment 1)	
01/D26	HH-I-515	Settled density; Cellulosic fiber
(pa	ra. 4.8.1 in D version,	(loose-fill)
	Amendment 1)	
01/F01	ASTM D777	Flammability; Paper
(as	modified by HH-B-100B)	and paperboard
01/F05	ASTM E136	Behavior of Materials in a Vertical
		Tube Furnace
01/F07	HH-I-515	Critical radiant flux;
(pa	ra. 4.8.7 in D version,	Radiant Panel (cellulosic fiber,
	Amendment 1)	loose-fill)
01/F08	HH-I-515	Smoldering combustion;
(pai	ra. 4.8.8 in D version,	Cellulosic fiber (loose-fill)
	Amendment 1)	
01/S01	ASTM C165	Compressive properties; Thermal
		insulation (proc. A)
01/S08	ASTM C446	Breaking load/modulus of rupture;
		Preformed pipe insulation
01/S09	ASTM D781	Puncture test; Paperboard and fiberboard
01/S10	ASTM D828	Tensile breaking strength; Paper and
		paperboard .
01/T01	ASTM C177	Thermal transmission properties;
		Low-temperature guarded hot plate
01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/T05	ASTM C335	Thermal conductivity; Pipe insulation
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter
01/T09	ASTM C653	Thermal resistance (Rec.
		Practice); Blanket (mineral fiber)
01/T10	ASTM C687	Thermal resistance (Rec.
		Practice); Loose-fill (fibrous)
01/V04	ASTM E96	Water vapor transmission; Thin sheets
		(proc. A)

CERTIFIED TESTING LABORATORIES, INC.

Attn: John H. Frank, 1105 Riverbend Drive, P.O. Box 2041, Dalton, GA 30720

Accreditation Renewal Date: January 1, 1984 Phone: (404) 226-1400

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted
		Pile Floor Coverings

NVLAP Code	Designation	Short Title
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/ D 02	DDD-C-95A	Shrinkage
03/ S 01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/E01	AATCC 134/CRI 102	Electrostatic Propensity of Carpets
03/F03	DoC FF1-70	Methenamine Pill Test
03/F04	ASTM E648	Radiant Panel (Carpet)
03/B02	UM 44C	Attached Cushion Tests
	Addenda 2 and 3	

CHISHOLM TRAIL TESTING AND ENGINEERING COMPANY, INC.

Attn: James F. Rosendahl, 302 South Miller Street, Decatur, TX 76234

Phone: (817) 627-5216

Accreditation Renewal Date: January 1, 1984

Λ	VLAP Code	Designation	Short Title
	03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
	03/C02	AATCC 8	Colorfastness to Crocking
	03/ D 01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
			Pile Weight - Uncoated (Para. 10-19)
			Pile Weight - Coated (Para. 20-29)
			as modified by UM 44C
			Pile Thickness - (Para. 30-36)
			Tuft Height - (Para. 37-45) as
			modified by UM 44C
	03/ D 02	DDD-C-95A	Shrinkage
	03/ S 01	ASTM D1335	Tuft Bind of Floor Coverings
		Federal Test Method	
		Standard 191-5100	Textile Test Method - Breaking Strength
		191-5950	Textile Test Method - Delamination
	03/F03	DoC FF1-70	Methenamine Pill Test

COMMERCIAL TESTING COMPANY, INC.

Attn: Jonathan Jackson, 1215 South Hamilton Street, P.O. Box 985, Dalton, GA 30720
Accreditation Renewal Date: January 1, 1984
Phone: (404) 278-3935

NVLAP Code Designation	Short Title
01/C02 HH-I-515	Corrosiveness; Cellulosic
(para. 4.8.5 in D version,	fiber (loose-fill)
Amendment 1)	
01/D25 HH-I-515	Moisture absorption;
(para. 4.8.3 in D version,	Cellulosic fiber (loose-fill)
Amendment 1)	
01/D26 HH-I-515	Settled density; Cellulosic fiber
(para. 4.8.1 in D version,	(loose-fill)
Amendment 1)	
01/F07 HH-I-515	Critical radiant flux;
(para. 4.8.7 in D version,	Radiant Panel (cellulosic fiber,
Amendment 1)	loose-fill)

NVLAP Code	Designation	Short Title
01/F08	HH-I-515	Smoldering combustion;
(pa	ra. 4.8.8 in D version,	Cellulosic fiber (loose-fill)
	Amendment 1)	
01/T06	ASTM C518	Thermal transmission properties; Heat flow meter
01/V06	HH-I-515	Starch; Cellulosic fiber
(pa	ra. 4.8.9 in D version,	(loose-fill)
	Amendment 1)	
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/F01	ASTM E84	Surface Flammability (Carpet)
03/F03	DoC FF1-70	Methenamine Pill Test
03/F04	ASTM E648	Radiant Panel (Carpet)
03/B02	UM 44C	Attached Cushion Tests
	Addenda 2 and 3	

CONROCK CO., TESTING LABORATORY

Attn: Robert W. Floyd, P.O. Box 2950, Terminal Annex, Los Angeles, CA 90051 Phone: (213) 258-2777

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens

CONSTRUCTION TECHNOLOGY LAB, DIVISION OF PORTLAND CEMENT ASSOCIATION

Attn: T. J. Rowe, 5420 Old Orchard Road, Skokie, IL 60077

Accreditation Renewal Date: January 1, 1984 Phone: (312) 966-6200

1	NVLAP Code	Designation	Short Title
	02/M01	ASTM C31	Making and Curing Concrete Test
			Specimens in the Field
	02/M03	ASTM C172	Sampling Fresh Concrete
	02/P01	ASTM C143	Slump of Portland Cement Concrete

NVLAP Code	Designation	Short Title
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

CONTRACTORS SUPPLY CORPORATION OF WEST VIRGINIA, INC.

Attn: Anthony A. Gulo, 24th and Water Streets, P.O. Box 6587, Wheeling, WV 26003 Accreditation Renewal Date: January 1, 1984 Phone: (304) 232-1048

03/F03

DoC FF1-70

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens

CORONET CARPETS, INC.

Coronet Industries

Attn: Winfred L. Jones, Cleveland Drive, P.O. Box 1248, Dalton, GA 30720 Accreditation Renewal Date: January 1, 1984 Phone: (404) 259-4511

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/\$01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination

THE DOLESE COMPANY, ENGINEERING LABORATORY

Methenamine Pill Test

Attn: Kermit Severin, 20 NW 13th Street, P.O. Box 677, Oklahoma City, OK 73101

Phone: (405) 235-2311 Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete

NVLAP Code	Designation	Short Title
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/ S 01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

Note: This laboratory voluntarily terminated its accreditation on June 9, 1983

DOW CHEMICAL USA, FOAM PRODUCT RESEARCH, PRODUCT EVALUATION

Attn: Dale E. Keeler, P.O. Box 515, Granville, OH 43023

Phone: (614) 587-4313

Accreditation Renewal Date: January 1, 1984

ASTM C165

01/D07

01/D18

01/D19

01/D21

01/D23

01/D27

01/S01

NVLAP Code Designation Short Title ASTM C272 Water absorption; Core materials **ASTM D1622** Apparent density; Rigid cellular plastics Response to thermal and humid aging **ASTM D2126** (proc. B); Rigid cellular plastics Response to thermal and humid aging **ASTM D2126** (proc. E); Rigid cellular plastics **ASTM D2842** Water absorption; Rigid cellular plastics **ASTM D2126** Response to thermal and humid aging (proc. C); Rigid cellular plastics

Compressive properties; Thermal

insulation (proc. A) 01/S02 Breaking load/flexural strength; ASTM C203 Preformed block insulation 01/S11 **ASTM D1621** Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Thermal transmission properties; Heat 01/T06 ASTM C518 flow meter

01/V04 ASTM E96 Water Vapor Transmission: Thin Sheets

(proc. A)

DYNATECH R/D COMPANY, THERMOPHYSICS LABORATORY

Attn: Andre O. Desjarlais, 99 Erie Street, Cambridge, MA 02139 Phone: (617) 868-8050

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation 01/C02 HH-I-515

(para. 4.8.5 in D version,

Amendment 1)

01/D25 HH-I-515

(para. 4.8.3 in D version,

Amendment 1)

01/D26 HH-I-515

(para. 4.8.1 in D version,

Amendment 1)

01/T01 ASTM C177 Short Title

Corrosiveness; Cellulosic fiber

(loose-fill)

Moisture absorption;

Cellulosic fiber (loose-fill)

Settled density; Cellulosic fiber

(loose-fill)

Thermal transmission properties; Low-temperature guarded hot plate

NVLAP Code	Designation	Short Title
01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/T05	ASTM C335	Thermal conductivity; Pipe insulation
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter
01/V06	HH-I-515	Starch; Cellulosic fiber
(pai	a. 4.8.9 in D version,	(loose-fill)
	Amendment 1)	

EASTCOAST TESTING & ENGINEERING, INC.

Attn: Craig S. Smith, 430 NW Flagler Drive, Ft. Lauderdale, FL 33301

Accreditation Renewal Date: July 1, 1984 Phone: (305) 523-4244

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens

E & B CARPET MILLS, INC.

Attn: Robert H. Davis, 1020 Riverbend Drive, Dalton, GA 30720

Accreditation Renewal Date: January 1, 1984 Phone: (404) 278-3197

Short Title

03/C01	AATCC 16E	Colortastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted
		Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/F03	DoC FF1-70	Methenamine Pill Test

NVLAP Code Designation

ENGINEERING TESTING LABORATORY, CITY OF AKRON

Attn: Thomas H. Butler, 1420 Triplett Blvd., Bldg. #2, Akron, OH 44306

Accreditation Renewal Date: January 1, 1984 Phone: (216) 375-2861

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens

ENERGY SYSTEMS, INC.

Attn: Neil Tyson, 1705 Pumphrey Avenue, Auburn, AL 36830

Accreditation Renewal Date: January 1, 1984 Phone: (205) 821-9400

NVLAP Coo	de Short Title	Section of UL 737 5th Edition (3/1/82)	Section of UL 1482 1st Edition (8/9/79) with revision pages through 8/31/81
NVLAP COO	Physical/Fire Test Group		
04/F01	Test Installation	8	8
04/F01	Temperature Measurement	9	9
04/F02	Smoke Spillage (visual observ		11
04/F04	Radiant Fire Test	11	12 & 12A
04/F05	Coal Fire Test	11	12 & 12A 11A
04/F06	Brand Fire Test	12	·13 & 13A
04/F07	Flash Fire Test	13	13 & 13A
04/F08	Strength Tests	15	15
04/F09	Stability Test	16	16
04/F10	Glazing Test	14	17
04/110	Mobile Home Test Group	14	1,
04/M01	Test Installation	17	18
04/M02	Toxic Gas	17	18
04/M03	Drop Test	17	18
	Electrical Test Group		
04/E01	Test Voltages	33	35
04/E02	Temperature Measurements, Electrical Components	34	36
04/E03	Input Test	35	37
04/E04	Temperature Test,	36	38
	Electrical Components		
04/E05	Leakage Current	38	40
04/E06	Dielectric Withstand	37	39
04/E07	Locked Rotor (Stalled	39	41
	Motor) Temperature		
04/E08	Power Cord Strain Relief	40	25.4

ENERGY TESTING LABORATORY OF MAINE

Attn: J. Douglas Brownrigg, Southern Maine Vocational Technical Institute, Fort Road, South Portland, ME 04106

Phone: (207) 799-7303

Accreditation Renewal Date: January 1, 1984

Section of UL 737 5th Edition (3/1/82)	Section of UL 1482 1st Edition (8/9/79) with revision pages through 8/31/81
NVLAP Code Short Title	
Physical/Fire Test Group	
04/F01 Test Installation 8	8
04/F02 Temperature Measurement 9	9
04/F03 Smoke Spillage (visual observation)	11
04/F04 Radiant Fire Test 11	12 & 12A
04/F05 Coal Fire Test	11A
04/F06 Brand Fire Test 12	13 & 13A
04/F07 Flash Fire Test 13	14
04/F08 Strength Tests 15	15
04/F09 Stability Test 16	16
04/F10 Glazing Test 14	17

FACTORY MUTUAL RESEARCH CORPORATION

Attn: William F. Maroni, 1151 Boston-Providence Turnpike, Norwood, MA 02062
Accreditation Renewal Date: January 1, 1984
Phone: (617) 762-4300

NVLAP Code	Designation	Short Title
01/C02	HH-I-515	Corrosiveness; Cellulosic
(pa	ra. 4.8.5 in D version,	fiber (loose-fill)
4	Amendment 1)	,
01/D25	HH-I-515	Moisture absorption;
(pa:	ra. 4.8.3 in D version,	Cellulosic fiber (loose-fill)
	Amendment 1)	
01/D26	HH-I-515	Settled density; Cellulosic fiber
(pai	ra. 4.8.1 in D version,	(loose-fill)
	Amendment 1)	
01/F02	ASTM E84	Surface burning characteristics;
		Building materials
01/F07	HH-I-515	Critical radiant flux;
(pai	ra. 4.8.7 in D version,	Radiant Panel (cellulosic fiber,
_	Amendment 1)	loose-fill)
01/F08	HH-I-515	Smoldering combustion;
(pai	ra. 4.8.8 in D version,	Cellulosic fiber (loose-fill)
_	Amendment 1)	
01/V06	HH-I-515	Starch; Cellulosic fiber
(pai	ra. 4.8.9 in D version,	(loose-fill)
	Amendment 1)	
03/F01	ASTM E84	Surface Flammability (Carpet)
03/F04	ASTM E648	Radiant Panel (Carpet)

FOX & ASSOCIATES OF ARIZONA, INC.

Attn: Ronald L. Pruett, 3301 East Madison Street, Phoenix, AZ 85034

Accreditation Renewal Date: July 1, 1983 Phone: (602) 244-8197

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

GALAXY CARPET MILLS, TESTING LABORATORY

Phone: (404) 695-9611

Attn: Lou Childers, Industrial Blvd., P.O. Box 800, Chatsworth, GA 30705

Short Title

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation

TV LIT Cour	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted
		Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/F03	DoC FF1-70	Methenamine Pill Test
03/B02	UM 44C	Attached Cushion Tests
	Addenda 2 and 3	

GARCO TESTING LABORATORIES

Attn: Douglas L. Watson, 41 West Central Avenue, P.O. Box 7006, Salt Lake City, UT 84107
Accreditation Renewal Date: January 1, 1984
Phone: (801) 266-4498

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

GENERAL TESTING LABORATORIES, INC.

Attn: Lawrence Poisner, 1517 Walnut Street, Kansas City, MO 64108

Accreditation Renewal Date: January 1, 1984 Phone: (816) 471-1205

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens

GENSTAR STONE PRODUCTS CO., QUALITY CONTROL LABORATORY

Attn: Robert L. Chester, 10300 Pulaski Highway, White Marsh, MD 21162

Accreditation Renewal Date: January 1, 1984 Phone: (301) 628-4000

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

GEOSCIENCE LTD.

Attn: Heinz F. Poppendiek, 410 South Cedros Avenue, Solana Beach, CA 92075
Accreditation Renewal Date: January 1, 1984
Phone: (714) 755-9396

NVLAP Code	Designation	Short Title
01/D08	ASTM C302	Density; Preformed pipe insulation
01/F05	ASTM E136	Behavior of Materials in a Vertical Tube
		Furnace
01/ T 01	ASTM C177	Thermal transmission properties;
		Low-temperature guarded hot plate

GOLD BOND BUILDING PRODUCTS, A NATIONAL GYPSUM DIVISION, RESEARCH CENTER

Attn: Joseph Volk, 1650 Military Road, Buffalo, NY 14217

Accreditation Renewal Date: April 1, 1984 Phone: (716) 873-9750

NVLAP Code	Designation	Short Title
08/P03	ANSI/ASTM C423-81	Sound Absorption and Sound Absorption Coefficients
08/P05	ASTM C523-68(81)	Light Reflectance of Acoustical Materials
08/P06	ANSI/ASTM E90-82	Airborne Sound Transmission Loss of Building Partitions

NVLAP Code Designation Short Title
08/E21 AMA-1-II-67 Ceiling Sound Transmission Test by

Two-Room Method

GULF COAST TESTING LABORATORY

Attn: Doyne Reynolds, 1205 North Tancahua Street, P.O. Box 1148, Corpus Christi, TX 78403

Accreditation Renewal Date: January 1, 1984

Phone: (512) 882-5411

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

THE H. C. NUTTING COMPANY

Attn: James T. Larbes, 4120 Airport Road, P.O. Box C, Cincinnati, OH 45226
Accreditation Renewal Date: January 1, 1984
Phone: (513) 321-5816

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

HALES TESTING LABORATORIES, INC.

Attn: George H. Speers, 23286 Foley Street, P.O. Box 6124, Hayward, CA 94540
Accreditation Renewal Date: January 1, 1984
Phone: (415) 887-1430

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

HARDWOOD PLYWOOD MANUFACTURERS ASSOCIATION

Attn: William J. Groah, 1825 Michael Faraday Drive, P.O. Box 2789, Reston, VA 22090
Accreditation Renewal Date: January 1, 1984
Phone: (703) 435-2900

NVLAP Code Designation Short Title 01/F02 **ASTM E84** Surface burning characteristics; **Building materials** Critical radiant flux; 01/F07 HH-I-515 Radiant Panel (cellulosic fiber, (para. 4.8.7 in D version, Amendment 1) loose-fill) Surface Flammability (Carpet) 03/F01 ASTM E84

HERRON CONSULTANTS, INC.

Radiant Panel (Carpet)

Attn: Jon Hugh Peterson, 5555 Canal Road, Cleveland, OH 44125

Phone: (216) 447-1335

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation

AATCC 16E

03/C01

ASTM E648

03/F04

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

INDEPENDENT TEXTILE TESTING SERVICE, INC.

Attn: Cornelius C. Setter, 1499 Murray Avenue, P.O. Box 1948, Dalton, GA 30720
Accreditation Renewal Date: January 1, 1984
Phone: (404) 278-3013

Colorfastness to Light (Xenon Arc)

Short Title

03/C02	AATCC 8	Colorfastness to Crocking
03/ D 01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/ D 02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination
03/E01	AATCC 134/CRI 102	Electrostatic Propensity of Carpets
03/ F 03	DoC FF1-70	Methenamine Pill Test
03/F04	ASTM E648	Radiant Panel (Carpet)
03/B02	UM 44C	Attached Cushion Tests
	Addenda 2 and 3	

INSTA-FOAM PRODUCTS, INC.
Attn: Joseph John Elsev, 1500 Cedarwood Drive, Joliet, IL 60435

Attn: Joseph John Elsey, 1500 Cedarwood Drive, Joliet, IL 60435					
	Renewal Date: January 1, 198		Phone:	(815)	741-6851
NVLAP Code		Short Title			
01/D08	ASTM C302	Density; Preformed pipe insulation			
01/ D 09	ASTM C303	Density; Preformed block insulation			
01/D10	ASTM C355	Water vapor transmission; Thick			
		materials; Desiccant method			
01/D12	ASTM C411	Hot-surface performance;			
		High temperature insulation			
01/D15	ASTM D756	Weight and shape changes; Accelerated			
		service (proc. A); Plastics			
01/D16	ASTM D756	Weight and shape changes; Accelerated			
		service (proc. B); Plastics			
01/D17	ASTM D756	Weight and shape changes; Accelerated			
		service (proc. E); Plastics			
01/D18	ASTM D1622	Apparent density; Rigid cellular			
		plastics			
01/D19	ASTM D2126	Response to thermal and humid aging			
		(proc. B); Rigid cellular plastics			
01/ D 20	ASTM D2126	Response to thermal and humid aging			
		(proc. D); Rigid cellular plastics			
01/D21	ASTM D2126	Response to thermal and humid aging			
		(proc. E); Rigid cellular plastics			
01/D22	ASTM D2126	Response to thermal and humid aging			
		(proc. F); Rigid cellular plastics			
01/D23	ASTM D2842	Water absorption; Rigid cellular			
		plastics			
01/D27	ASTM D2126	Response to thermal and humid aging			
		(proc. C); Rigid cellular plastics			
01/D28	ASTM D2126	Response to Thermal and Humid Aging			
		(proc. G); rigid cellular plastics			
01/S11	ASTM D1621	Compressive properties; Rigid cellular			
		plastics (proc. A-Crosshead)			
01/T06	ASTM C518	Thermal transmission properties; Heat			
		flow meter			
01/V04	ASTM E96	Water Vapor Transmission; Thin Sheets			
		(proc. A)			

INTEST LABORATORIES, INC.

Attn: Donald L. Valsvik, 2820 Anthony Lane South, Minneapolis, MN 55418 Accreditation Renewal Date: January 1, 1984 Phone: (612) 781-2603

NVLAP Code	Designation	Short Title
01/C02	HH-I-515	Corrosiveness; Cellulosic
(pa	ra. 4.8.5 in D vers	on, fiber (loose-fill)
_	Ame	dment 1)
01/D26	HH-I-515	Settled density; Cellulosic fiber
(pa	ra. 4.8.1 in D vers	on, (loose-fill)
	Ame	dment 1)
01/F07	HH-I-515	Critical radiant flux;
(pa	ra. 4.8.7 in D vers	on, Radiant Panel (cellulosic fiber,
	Ame	dment 1) loose-fill)
01/F08	HH-I-515	Smoldering combustion;
(pai	ra. 4.8.8 in D vers	on, Cellulosic fiber (loose-fill)
	Ame	idment 1)

JIM WALTER RESEARCH CORPORATION

Attn: Alan P. Conroy, 10301 Ninth Street North, St. Petersburg, FL 33702

Accreditation Renewal Date: January 1, 1984 Phone: (813) 576-4171

NVLAP Code 01/D03 ASTM C209	NIII 4D C I	D	OI - MILI
(para. 6 in 72 version) 01/D04 ASTM C209			Short Title
olt/D04 ASTM C209			The state of the s
(para. 13 in 72 version) 01/D05 ASTM C209	-		
Ol/D05 ASTM C209 (para. 13 in 72 version) by D1037 (para. 100-106 in 72 version) Ol/D06 ASTM C209 (para. 13 in 72 version) by D1037 (para. 107-110 in 72 version) Ol/D09 ASTM C303 Ol/D20 ASTM D2126 Ol/F02 ASTM D2126 Ol/F02 ASTM E84 Ol/S02 ASTM C203 Ol/S03 ASTM C209 (para. 10 in 72 version) Ol/S04 ASTM C209 (para. 10 in 72 version) Ol/S05 ASTM C209 (para. 10 in 72 version) Ol/S06 ASTM C209 (para. 12 in 72 version) Ol/S07 ASTM C209 (para. 12 in 72 version) Ol/S08 ASTM C446 Ol/S08 ASTM C446 Ol/S08 ASTM C236 Ol/T01 ASTM C177 Ol/S09 ASTM C335 Ol/T04 ASTM C335 Ol/T05 ASTM C335 Ol/T05 ASTM C335 Ol/T06 ASTM C518 Ol/V04 ASTM E96 Ol/V04 ASTM E96 Ol/V04 ASTM E96 Ol/V04 ASTM E96 Ol/V04 ASTM C423-81 Ol/V04 ASTM C423-81 Ol/V04 ASTM C423-81 Ol/V04 ASTM C423-81 Water absorption, 24 hour; Board (cellulosic fiber) Linear expansion; Board (cellulosic fiber) Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Pareformed block insulation Transverse strength; Board (cellulosic fiber) Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Pareformed block insulation Transverse strength; Board (cellulosic fiber) Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Pareformed block insulation Transverse strength; Board (cellulosic fiber) Transverse stren			
(para. 13 in 72 version) by D1037 (para. 100-106 in 72 version) 01/D06 ASTM C209 (para. 13 in 72 version) by D1037 (para. 107-110 in 72 version) 01/D09 ASTM C303 01/D20 ASTM D2126 01/D21 ASTM D2126 01/F02 ASTM E84 01/S02 ASTM C203 01/S03 ASTM C203 01/S03 ASTM C209 (para. 9 in 72 version) 01/S04 ASTM C209 (para. 10 in 72 version) 01/S05 ASTM C209 (para. 11 in 72 version) 01/S06 ASTM C209 (para. 12 in 72 version) 01/S08 ASTM C209 (para. 12 in 72 version) 01/S08 ASTM C209 (para. 12 in 72 version) 01/S08 ASTM C446 01/T01 ASTM D1621 01/T04 ASTM C335 01/T05 ASTM C335 01/T06 ASTM C335 01/T06 ASTM C518 08/P03 ANSI/ASTM C423-81 08/P03 ANSI/ASTM C423-81 Board (cellulosic fiber) Linear expansion; Board (cellulosic fiber) Board (cellulosic fiber) Density; Preformed block insulation Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics (proc. A) Sound Absorption and Sound Absorption			
by D1037 (para. 100-106 in 72 version) 01/D06			•
(para. 100-106 in 72 version) 01/D06	(pa		Board (cellulosic fiber)
O1/D06 ASTM C209 (para. 13 in 72 version) by D1037 (para. 107-110 in 72 version) O1/D20 ASTM C303 O1/D20 ASTM D2126 O1/D21 ASTM D2126 O1/F02 ASTM E84 O1/S02 ASTM C203 O1/S03 ASTM C203 O1/S04 ASTM C209 (para. 10 in 72 version) O1/S05 ASTM C209 (para. 11 in 72 version) O1/S06 ASTM C209 (para. 12 in 72 version) O1/S07 ASTM C209 (para. 12 in 72 version) O1/S08 ASTM C446 O1/T01 ASTM D1621 O1/T01 ASTM C177 Clinear expansion; Board (cellulosic fiber) Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Preformed block insulation Transverse strength; Board (cellulosic fiber) Deflection at specified load; Board (cellulosic fiber) Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Preformed block insulation Transverse strenglation Cellulosic fiber) Deflection at specified load; Board (cellulosic fiber) Density; Preformed block insulation Transverse strength; Preformed plock insulation Tensile strength; Parallel to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface Breaking load/modulus of rupture; Preformed pipe insulation Compressive properties; Rigid cellular plastics O1/TO1 ASTM C236 Thermal transmission properties; Heat flow meter Water vapor transmission; Thin sheets (proc. A) Sound Absorption and Sound Absorption			
(para. 13 in 72 version) by D1037 (para. 107-110 in 72 version) 01/D09 ASTM C303 01/D20 ASTM D2126 01/D21 ASTM D2126 01/F02 ASTM E84 01/S02 ASTM C203 01/S03 ASTM C209 (para. 10 in 72 version) 01/S04 ASTM C209 (para. 11 in 72 version) 01/S05 ASTM C209 (para. 11 in 72 version) 01/S06 ASTM C209 (para. 12 in 72 version) 01/S07 ASTM C446 01/S08 ASTM C446 01/S08 ASTM C446 01/S08 ASTM C177 01/S04 ASTM C177 01/S05 ASTM C335 01/T06 ASTM C236 01/T05 ASTM C335 01/T06 ASTM C335 01/T06 ASTM C518 01/V04 ASTM E96 08/P03 ANSI/ASTM C423-81 Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Preformed block insulation Transverse strength; Preformed placi Surface Breaking load/fexural strength; Preformed pload; Godlinarias Compresive properties; Rigid cellular	(pa	ra. 100-106 in 72 version)	
by D1037 (para. 107-110 in 72 version) 01/D09 ASTM C303 01/D20 ASTM D2126 Response to thermal and humid aging (proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Surface Burning Characteristics; Building Materials Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Preformed block insulation Transverse strength; Board (cellulosic fiber) Deflection at specified load; Board (cellulosic fiber) Tensile strength; Parallel to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface Breaking load/modulus of rupture; Preformed pipe insulation Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Thermal transmission properties; Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal conductivity; Pipe insulation Thermal conductivity; Pipe insulation Thermal transmission; Thin sheets (proc. A) 8/P03 ANSI/ASTM C423-81 Density; Preformed block insulation Response to thermal and humid aging (proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Breaking load/flexural strength; Preformed block insulation Transverse strength; Prefor	01/ D 06	ASTM C209	
01/D09 ASTM C303 01/D20 ASTM D2126 Response to thermal and humid aging (proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Breaking load/flexural strength; Preformed block insulation Transverse strength; Board (cellulosic fiber) Deflection at specified load; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Preformed block insulation Transverse strength; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Board (cellulosic fiber) Tensile strength; Board (cellulosic fiber) Tensile strength; Board (cellulosic fiber) Tensile st	(pa	•	Board (cellulosic fiber)
01/D09 ASTM C303 01/D20 ASTM D2126 Response to thermal and humid aging (proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Breaking load/flexural strength; Preformed block insulation Transverse strength; Board (cellulosic fiber) Deflection at specified load; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Preformed block insulation Transverse strength; Board (cellulosic fiber) Tensile strength; Perpendicular to surface; Board (cellulosic fiber) Tensile strength; Board (cellulosic fiber) Tensile strength; Board (cellulosic fiber) Tensile strength; Board (cellulosic fiber) Tensile st	(pa	ra. 107-110 in 72 version)	
O1/D20 ASTM D2126 O1/D21 ASTM D2126 O1/D21 ASTM D2126 O1/F02 ASTM E84 O1/F02 ASTM E84 O1/S02 ASTM C203 O1/S03 ASTM C209 (para. 9 in 72 version) O1/S05 ASTM C209 (para. 11 in 72 version) O1/S06 ASTM C209 (para. 12 in 72 version) O1/S08 ASTM C446 O1/S08 ASTM C446 O1/S09 ASTM C446 O1/S01 ASTM D1621 O1/S01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot box o1/T05 ASTM C335 O1/T06 ASTM C356 O1/T06 ASTM C36 O1/T06 ASTM C356 O1/T06 ASTM C356 O1/V04 ASTM E96 O8/P03 ANSI/ASTM C423-81 O1/V04 ASTM E96 O1/P05 ASTM C43-81 O1/V04 ASTM C96 O1/V04 ASTM C93-81 O1/V04 ASTM C96 O1/V04 ASTM C93-81 O1/V04 ASTM C96 O1/V04 ASTM C93-81 O1/V04 ASTM C423-81 O1/V04 ASTM C423-81 O1/V04 ASTM C423-81 O1/V04 ASSTM C423-81 O1/V05 ANSI/ASTM C423-81 O1/V06 ANSI/ASTM C423-81 O1/V07 ANSI/ASTM C423-81 O1/V08 ANSI/ASTM C423-81 O1/V09 ANSI/ASTM C423-81 O1/V09 ANSI/ASTM C423-81 O1/V09 ASTM C30 O1/V09 ANSI/ASTM C423-81 O1/V09 ANSI/ASTM C423-81 O1/V09 ASTM C30 O1/V09 ANSI/ASTM C423-81		•	Density; Preformed block insulation
(proc. D); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Response to thermal and humid aging (proc. E); Rigid cellular plastics Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Preformed block insulation O1/S03 ASTM C209 Transverse strength; Board (cellulosic fiber) O1/S04 ASTM C209 Deflection at specified load; Board (cellulosic fiber) O1/S05 ASTM C209 Tensile strength; Parallel to surface; Board (cellulosic fiber) O1/S06 ASTM C209 Tensile strength; Perpendicular to surface Breaking load/modulus of rupture; Preformed pipe insulation O1/S08 ASTM C446 Breaking load/modulus of rupture; Preformed pipe insulation O1/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) O1/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate O1/T04 ASTM C236 Thermal conductivity; Pipe insulation O1/T05 ASTM C335 Thermal conductivity; Pipe insulation O1/T06 ASTM C518 Thermal transmission; Thin sheets (proc. A) O8/PO3 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/D20	ASTM D2126	
O1/D21 ASTM D2126 O1/F02 ASTM E84 O1/S02 ASTM C203 O1/S03 ASTM C209			
(proc. E); Rigid cellular plastics 01/F02 ASTM E84 Surface Burning Characteristics; Building Materials 01/S02 ASTM C203 Breaking load/flexural strength; Preformed block insulation Transverse strength; Board (cellulosic fiber) 01/S04 ASTM C209 (para. 10 in 72 version) 01/S05 ASTM C209 (para. 11 in 72 version) 01/S06 ASTM C209 (para. 12 in 72 version) 01/S08 ASTM C446 Dreflection at specified load; Board (cellulosic fiber) Tensile strength; Parallel to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface Breaking load/modulus of rupture; Preformed pipe insulation Compressive properties; Rigid cellular plastics (proc. A-Crosshead) 01/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation O1/T05 ASTM C335 Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/D21	ASTM D2126	
O1/F02 ASTM E84 O1/S02 ASTM C203 O1/S03 ASTM C209 (para. 9 in 72 version) O1/S04 ASTM C209 (para. 10 in 72 version) O1/S05 ASTM C209 (para. 11 in 72 version) O1/S06 ASTM C209 (para. 12 in 72 version) O1/S08 ASTM C446 O1/S08 ASTM C446 O1/S08 ASTM C177 O1/S09 ASTM C177 O1/S01 ASTM C177 O1/S01 ASTM C170 O1/S02 ASTM C170 O1/S03 ASTM C209 (para. 12 in 72 version) O1/S04 ASTM C170 O1/S05 ASTM C446 O1/T05 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate O1/T04 ASTM C335 O1/T05 ASTM C335 O1/T06 ASTM C518 O1/V04 ASTM E96 O8/P03 ANSI/ASTM C423-81 O1/S04 ASTM C423-81 Surface Burning Characteristics; Building Materials Breaking load/flexural strength; Preformed block insulation Transverse strength; Board (cellulosic fiber) Tensile strength; Parallel to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface Breaking load/modulus of rupture; Preformed pipe insulation Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Thermal transmission properties; Low-temperature guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter O1/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) Sound Absorption and Sound Absorption			
Building Materials 01/S02 ASTM C203 Breaking load/flexural strength; Preformed block insulation Transverse strength; (para. 9 in 72 version) 01/S04 ASTM C209 (para. 10 in 72 version) 01/S05 ASTM C209 (para. 11 in 72 version) 01/S06 ASTM C209 (para. 12 in 72 version) 01/S08 ASTM C446 Deflection at specified load; Board (cellulosic fiber) Tensile strength; Parallel to surface; Board (cellulosic fiber) Tensile strength; Perpendicular to surface Breaking load/modulus of rupture; Preformed pipe insulation Compressive properties; Rigid cellular plastics (proc. A-Crosshead) 01/S11 ASTM D1621 O1/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/F02	ASTM E84	
O1/S02 ASTM C203 O1/S03 ASTM C209 (para. 9 in 72 version) O1/S04 ASTM C209 (para. 10 in 72 version) O1/S05 ASTM C209 (para. 11 in 72 version) O1/S06 ASTM C209 (para. 12 in 72 version) O1/S08 ASTM C446 O1/T01 ASTM C177 O1/T04 ASTM C236 O1/T05 ASTM C236 O1/T05 ASTM C236 O1/T06 ASTM C335 O1/T06 ASTM C518 O1/V04 ASTM E96 O1/V04 ASTM E96 O1/S03 ASTM C203 O1/S04 ASTM C209 (para. 10 in 72 version) O2/S05 ASTM C209 (para. 11 in 72 version) O3/S06 ASTM C209 (para. 12 in 72 version) O4/S07 ASTM C446 O5/S07 Breaking load/modulus of rupture; Preformed pipe insulation O5/S08 ASTM C446 O6/S08 ASTM C446 O7/S08 ANSI/ASTM C443-81 O7/S08 ASTM C446 O7/S08 ANSI/ASTM C443-81 O7/S08 ANSI/ASTM C443-81 O7/S08 ASTM C446 O7/S08 ANSI/ASTM C443-81 O7/S08 ANSI/ASTM C444-81 O7/S08 ANSI/ASTM C444-81 O7/S08 ANSI/ASTM C444-81 O7/S08 ANSI/ASTM C444-81 O7/			
Preformed block insulation 01/S03 ASTM C209 Transverse strength; (para. 9 in 72 version) 01/S04 ASTM C209 Deflection at specified load; (para. 10 in 72 version) 01/S05 ASTM C209 Tensile strength; Parallel to surface; (para. 11 in 72 version) 01/S06 ASTM C209 Tensile strength; Perpendicular to (para. 12 in 72 version) 01/S08 ASTM C446 Breaking load/modulus of rupture; Preformed pipe insulation 01/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) 01/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate 01/T04 ASTM C236 Thermal conductance; Guarded hot box 01/T05 ASTM C335 Thermal conductivity; Pipe insulation 01/T06 ASTM C518 Thermal transmission; Thin sheets flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/S02	ASTM C203	
(para. 9 in 72 version) 01/S04 ASTM C209			
O1/S04 ASTM C209 Deflection at specified load; (para. 10 in 72 version) O1/S05 ASTM C209 Tensile strength; Parallel to surface; (para. 11 in 72 version) O1/S06 ASTM C209 Board (cellulosic fiber) O1/S08 ASTM C446 Breaking load/modulus of rupture; Preformed pipe insulation O1/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) O1/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate O1/T04 ASTM C335 Thermal conductance; Guarded hot box O1/T05 ASTM C335 Thermal conductivity; Pipe insulation O1/T06 ASTM C518 Thermal transmission properties; Heat flow meter O1/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption	01/S03	ASTM C209	Transverse strength;
(para. 10 in 72 version) 01/S05 ASTM C209	(pai	ra. 9 in 72 version)	Board (cellulosic fiber)
Ol/S05 ASTM C209 (para. 11 in 72 version) Ol/S06 ASTM C209 (para. 12 in 72 version) Ol/S08 ASTM C446 Breaking load/modulus of rupture; Preformed pipe insulation Ol/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Ol/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Ol/T04 ASTM C236 Thermal conductance; Guarded hot box Ol/T05 ASTM C335 Thermal conductivity; Pipe insulation Ol/T06 ASTM C518 Thermal transmission properties; Heat flow meter Ol/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption	01/S04	ASTM C209	Deflection at specified load;
(para. 11 in 72 version) Ol/S06 ASTM C209	(pai	ra. 10 in 72 version)	Board (cellulosic fiber)
O1/S06 ASTM C209 (para. 12 in 72 version) O1/S08 ASTM C446 O1/S11 ASTM D1621 O1/T01 ASTM C177 O1/T04 ASTM C236 O1/T05 ASTM C335 O1/T05 ASTM C335 O1/T06 ASTM C518 O1/V04 ASTM E96 O1/V04 ASTM E96 O1/V04 ASTM E96 O1/V04 ASTM E96 O1/V04 ANSI/ASTM C423-81 O1/V05 ANSI/ASTM C423-81 O1/V06 ANSI/ASTM C423-81 O1/V07 Tensile strength; Perpendicular to surface	01/S05	ASTM C209	Tensile strength; Parallel to surface;
(para. 12 in 72 version) 01/S08 ASTM C446 Breaking load/modulus of rupture; Preformed pipe insulation 01/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) 01/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate 01/T04 ASTM C236 Thermal conductance; Guarded hot box 01/T05 ASTM C335 Thermal conductivity; Pipe insulation 01/T06 ASTM C518 Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	(pai	ra. 11 in 72 version)	Board (cellulosic fiber)
Ol/S08 ASTM C446 Breaking load/modulus of rupture; Preformed pipe insulation Ol/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Ol/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Ol/T04 ASTM C236 Thermal conductance; Guarded hot box Ol/T05 ASTM C335 Thermal conductivity; Pipe insulation Ol/T06 ASTM C518 Thermal transmission properties; Heat flow meter Ol/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/S06	ASTM C209	Tensile strength; Perpendicular to
O1/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) O1/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate O1/T04 ASTM C236 Thermal conductance; Guarded hot box O1/T05 ASTM C335 Thermal conductivity; Pipe insulation O1/T06 ASTM C518 Thermal transmission properties; Heat flow meter O1/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption	(par	ra. 12 in 72 version)	surface
Ol/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Ol/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Ol/T04 ASTM C236 Thermal conductance; Guarded hot box Ol/T05 ASTM C335 Thermal conductivity; Pipe insulation Ol/T06 ASTM C518 Thermal transmission properties; Heat flow meter Ol/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption	01/S08	ASTM C446	Breaking load/modulus of rupture;
Ol/S11 ASTM D1621 Compressive properties; Rigid cellular plastics (proc. A-Crosshead) Ol/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Ol/T04 ASTM C236 Thermal conductance; Guarded hot box Ol/T05 ASTM C335 Thermal conductivity; Pipe insulation Ol/T06 ASTM C518 Thermal transmission properties; Heat flow meter Ol/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption			
plastics (proc. A-Crosshead) Ol/T01 ASTM C177 Thermal transmission properties; Low-temperature guarded hot plate Ol/T04 ASTM C236 Thermal conductance; Guarded hot box Ol/T05 ASTM C335 Thermal conductivity; Pipe insulation Ol/T06 ASTM C518 Thermal transmission properties; Heat flow meter Ol/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/S11	ASTM D1621	
Low-temperature guarded hot plate O1/T04 ASTM C236 Thermal conductance; Guarded hot box O1/T05 ASTM C335 Thermal conductivity; Pipe insulation O1/T06 ASTM C518 Thermal transmission properties; Heat flow meter O1/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) O8/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption			
Low-temperature guarded hot plate 01/T04 ASTM C236 Thermal conductance; Guarded hot box 01/T05 ASTM C335 Thermal conductivity; Pipe insulation 01/T06 ASTM C518 Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/T01	ASTM C177	
01/T04 ASTM C236 Thermal conductance; Guarded hot box 01/T05 ASTM C335 Thermal conductivity; Pipe insulation 01/T06 ASTM C518 Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption			
01/T05 ASTM C335 Thermal conductivity; Pipe insulation 01/T06 ASTM C518 Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption	01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/T06 ASTM C518 Thermal transmission properties; Heat flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/T05	ASTM C335	
flow meter 01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption			
01/V04 ASTM E96 Water vapor transmission; Thin sheets (proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption			
(proc. A) 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption	01/V04	ASTM E96	
08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption			
	08/P03	ANSI/ASTM C423-81	SA /

KELSO INDUSTRIES, INC., QUALITY CONTROL LABORATORY

Attn: Chris G. Slate, 7002 Industrial Road, P.O. Box 659, Galveston, TX 77553 Phone: (713) 744-5341

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete

NVLAP Code	Designation	Short Title
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

LANDER THERMAL CONDUCTIVITY LABORATORY

Attn: R. M. Lander, 1320 West 28th Street, Minneapolis, MN 55408

Accreditation Renewal Date: January 1, 1984 Phone: (612) 872-7230

NVLAP Code	Designation	Short Title
01/T01	ASTM C177	Thermal transmission properties;
		Low-temperature guarded hot plate
01/T05	ASTM C335	Thermal conductivity; Pipe insulation

LINCOLN-DEVORE TESTING LABORATORY, INC.

Attn: George D. Morris, 1000 West Fillmore Street, Colorado Springs, CO 80907
Accreditation Renewal Date: July 1, 1983
Phone: (303) 632-3595

Designation	Short Title
ASTM C31	Making and Curing Concrete Test
	Specimens in the Field
ASTM C172	Sampling Fresh Concrete
ASTM C143	Slump of Portland Cement Concrete
ASTM C138	Unit Weight, Yield, and Air Content
	(Gravimetric) of Concrete
ASTM C231	Air Content of Freshly Mixed Concrete
	by the Pressure Method
ASTM C39	Compressive Strength of Cylindrical
	Concrete Specimens
ASTM C173	Air Content of Freshly Mixed Concrete
	by the Volumetric Method
	ASTM C31 ASTM C172 ASTM C143 ASTM C138 ASTM C231 ASTM C39

LOUISIANA-PACIFIC CORPORATION, PABCO R & D LABORATORY

Attn: F. B. Hutto, Jr., 1110 Sixteen Road, Fruita, CO 81521

Accreditation Renewal Date: January 1, 1984 Phone: (303) 858-3694

NVLAP Code	Designation	Short Title
01/ T 01	ASTM C177	Thermal transmission properties;
		Low-temperature guarded hot plate
01/T05	ASTM C335	Thermal conductivity; Pipe insulation

MANVILLE CORPORATION, R & D CENTER

Attn: Joseph P. Ferraro, P.O. Box 5108, Denver, CO 80217

Phone: (303) 978-5553

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D03	ASTM C209	Thickness;
(par	ra. 6 in 72 version)	Board (cellulosic fiber)
01/D04	ASTM C209	Water absorption, 2 hour;
(pai	ra. 13 in 72 version)	Board (cellulosic fiber)

NWW 4D G 1	D	a
NVLAP Code		Short Title
01/D05	ASTM C209	Water absorption, 24 hour;
(pa	ra. 13 in 72 version)	Board (cellulosic fiber)
	by D1037	
(pai	ra. 100-106 in 72 version)	
01/ D 06	ASTM C209	Linear expansion;
(pai	ra. 13 in 72 version)	Board (cellulosic fiber)
-	by D1037	
(pa	ra. 107-110 in 72 version)	
01/D08	ASTM C302	Density; Preformed pipe insulation
01/D09	ASTM C303	Density; Preformed block insulation
01/D11	ASTM C356	Linear shrinkage; Soaking heat;
01/1011	710 TM C330	Preformed high temperature insulation
01/D12	ASTM C411	Hot-surface performance;
01/112	ASTM C411	- · · · · · · · · · · · · · · · · · · ·
01/1212	A CTM C510	High temperature insulation
01/D13	ASTM C519	Density; Loose-fill (fibrous)
01/D14	ASTM C520	Density; Granular loose-fill
01/F01	ASTM D777	Flammability; Paper
	modified by HH-B-100B)	and paperboard
01/F02	ASTM E84	Surface burning characteristics;
		Building materials
01/F05	ASTM E136	Behavior of Materials in a Vertical
		Tube Furnace
01/S01	ASTM C165	Compressive properties; Thermal
		insulation (proc. A)
01/S02	ASTM C203	Breaking load/flexural strength;
		Preformed block insulation
01/S03	ASTM C209	Transverse strength;
	ra. 9 in 72 version)	Board (cellulosic fiber)
01/S04	ASTM C209	Deflection at specified load;
	ra. 10 in 72 version)	Board (cellulosic fiber)
01/S05	ASTM C209	Tensile strength; Parallel to surface;
	ra. 11 in 72 version)	Board (cellulosic fiber)
01/S06	ASTM C209	Tensile strength; Perpendicular to
0-,		surface
-	ra. 12 in 72 version)	
01/ S 08	ASTM C446	Breaking load/modulus of rupture;
04.4700	. CT) (D = 0.1	Preformed pipe insulation
01/S09	ASTM D781	Puncture test; Paperboard and fiberboard
01/S10	ASTM D828	Tensile breaking strength; Paper and
		paperboard
01/ T 01	ASTM C177	Thermal transmission properties;
		Low-temperature guarded hot plate
01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/T05	ASTM C335	Thermal conductivity; Pipe insulation
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter
01/T09	ASTM C653	Thermal resistance (Rec.
		Practice); Blanket (mineral fiber)
01/T10	ASTM C687	Thermal resistance (Rec.
,		Practice); Loose-fill (fibrous)
01/V04	ASTM E96	Water vapor transmission; Thin sheets
01, 707	1101111 100	(proc. A)
08/P02	ANSI/ASTM C384-77	Impedance and Absorption of Acoustical
00/102	711101/ AUTHI C304-//	Materials
08/P04	ASTM C522-80	Airflow Resistance of Acoustical
06/ FU 4	A31W1 CJ22-00	Materials
		14141611415

MATERIALS SERVICE CORPORATION

Attn: John Albinger, 300 W. Washington Street, Chicago, IL 60606

Accreditation Renewal Date: January 1, 1984 Phone: (312) 372-3600

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens

NAHB RESEARCH FOUNDATION, INC.

Attn: Hugh Angleton, 627 Southlawn Lane, P.O. Box 1627, Rockville, MD 20850
Accreditation Renewal Date: January 1, 1984
Phone: (301) 762-4200

NVLAP Code	Designation	Short Title
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D13	ASTM C519	Density; Loose-fill (fibrous)
01/T06	ASTM C518	Thermal transmission properties; Heat flow meter
01/T09	ASTM C653	Thermal resistance (Rec. Practice); Blanket (mineral fiber)
01/T10	ASTM C687	Thermal resistance (Rec. Practice); Loose-fill (fibrous)

NORTHERN TESTING LABORATORIES, INC., BILLINGS AREA LABORATORY

Attn: Larry O'Dell, P.O. Box 30615, Billings, MT 59107

Accreditation Renewal Date: January 1, 1984 Phone: (406) 248-9161

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

NORTHERN TESTING LABORATORIES, INC., BOISE AREA LABORATORY

Attn: Roger W. Pocta, P.O. Box 7867, Boise, ID 83707

Accreditation Renewal Date: January 1, 1984 Phone: (208) 377-2100

NVLAP Code 02/M01	Designation ASTM C31	Short Title Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete

NVLAP Code	Designation	Short Title
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

NORTHERN TESTING LABORATORIES, INC., GREAT FALLS AREA LABORATORY Attn: Jerry A. Peterson, P.O. Box 951, Great Falls, MT 59403

Phone: (406) 453-1641

Phone: (614) 587-7024

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

OLIN CORPORATION, PHYSICAL TESTING LABORATORY

Attn: D. Robert Shine, 275 Winchester Avenue, Bldg. 117C, P.O. Box 30-275, New Haven, CT 06511
Accreditation Renewal Date: January 1, 1984
Phone: (203) 789-5892

NVLAP Code	Designation	Short Title
01/D18	ASTM D1622	Apparent density; Rigid cellular plastics
01/D19	ASTM D2126	Response to thermal and humid aging (proc. B); Rigid cellular plastics
01/D20	ASTM D2126	Response to thermal and humid aging (proc. D); Rigid cellular plastics
01/D21	ASTM D2126	Response to thermal and humid aging (proc. E); Rigid cellular plastics
01/D28	ASTM D2126	Response to thermal and humid aging (proc. G); Rigid cellular plastics
01/S07	ASTM C273	Shear test; Sandwich construction
01/\$11	ASTM D1621	Compressive properties; Rigid cellular plastics (proc. A-Crosshead)
01/T06	ASTM C518	Thermal transmission properties; Heat flow meter

OWENS-CORNING FIBERGLAS CORP., TECHNICAL CENTER LABORATORY

Attn: William M. Edmunds, Route 16, P.O. Box 415, Granville, OH 43023

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation 01/C01 ASTM C739 (para. 7.7 in 77 version) Short Title
Corrosiveness; Cellulosic fiber
(loose-fill)

NVLAP Code	Designation	Short Title
01/C02	HH-I-515	Corrosiveness; Cellulosic
(par	ra. 4.8.5 in D version,	fiber (loose-fill)
	Amendment 1)	
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D03	ASTM C209	Thickness;
(par	ca. 6 in 72 version)	Board (cellulosic fiber)
01/D04	ASTM C209	Water absorption, 2 hour;
(par	ra. 13 in 72 version)	Board (cellulosic fiber)
01/D05	ASTM C209	Water absorption, 24 hour;
(par	ra. 13 in 72 version)	Board (cellulosic fiber)
	by D1037	
(par	ra. 100-106 in 72 version)	
01/D06	ASTM C209	Linear expansion;
(par	ra. 13 in 72 version)	Board (cellulosic fiber)
•	by D1037	· · · · · · · · · · · · · · · · · · ·
(par	ra. 107-110 in 72 version)	
01/D07	ASTM C272	Water absorption; Core materials
01/D08	ASTM C302	Density; Preformed pipe insulation
01/D09	ASTM C303	Density; Preformed block insulation
01/D11	ASTM C356	Linear shrinkage; Soaking heat;
	•	Preformed high temperature insulation
01/D12	ASTM C411	Hot-surface performance;
		High temperature insulation
01/D13	ASTM C519	Density; Loose-fill (fibrous)
01/D15	ASTM D756	Weight and shape changes; Accelerated
		service (proc. A); Plastics
01/D16	ASTM D756	Weight and shape changes; Accelerated
		service (proc. B); Plastics
01/D17	ASTM D756	Weight and shape changes; Accelerated
		service (proc. E); Plastics
01/D18	ASTM D1622	Apparent density; Rigid cellular
		plastics
01/D19	ASTM D2126	Response to thermal and humid aging
		(proc. B); Rigid cellular plastics
01/D20	ASTM D2126	Response to thermal and humid aging
		(proc. D); Rigid cellular plastics
01/D21	ASTM D2126	Response to thermal and humid aging
		(proc. E); Rigid cellular plastics
01/D22	ASTM D2126	Response to thermal and humid aging
		(proc. F); Rigid cellular plastics
01/D23	ASTM D2842	Water absorption; Rigid cellular
		plastics
	ASTM C739	Moisture absorption; Cellulosic fiber
(para	a. 7.5 in 77 version)	(loose-fill)
01/D25	HH-I-515	Moisture absorption;
(para	a. 4.8.3 in D version,	Cellulosic fiber (loose-fill)
	Amendment 1)	
01/D26	HH-I-515	Settled density; Cellulosic fiber
(para	a. 4.8.1 in D version,	(loose-fill)
	Amendment 1)	
01/D27	ASTM D2126	Response to thermal and humid aging
		(proc. C); Rigid cellular plastics
	ASTM D777	Flammability; Paper
	nodified by HH-B-100B)	and paperboard
01/F02	ASTM E84	Surface burning characteristics;
		Building materials

NIII AD C.	J. Dutant	Cl A Trial
	de Designation	Short Title
01/F05	ASTM E136	Behavior of Materials in a
		Vertical Tube Furnace
01/F07	HH-I-515	Critical radiant flux;
(1	para. 4.8.7 in D version,	Radiant Panel (cellulosic fiber,
	Amendment 1)	loose-fill)
01/F08	HH-I-515	Smoldering combustion;
(1	para. 4.8.8 in D version,	Cellulosic fiber (loose-fill)
	Amendment 1)	
01/S01	ASTM C165	Compressive properties; Thermal
		insulation (proc. A)
01/S02	ASTM C203	Breaking load/flexural strength;
		Preformed block insulation
01/S03	ASTM C209	Transverse strength;
	para. 9 in 72 version)	Board (cellulosic fiber)
01/S04	ASTM C209	Deflection at specified load;
	para. 10 in 72 version)	Board (cellulosic fiber)
01/S05	ASTM C209	Tensile strength; Parallel to surface;
		Board (cellulosic fiber)
-	para. 11 in 72 version)	
01/S06	ASTM C209	Tensile strength; Perpendicular to
	para. 12 in 72 version)	surface
01/S07	ASTM C273	Shear test; Sandwich construction
01/S08	ASTM C446	Breaking load/modulus of rupture;
		Preformed pipe insulation
01/S09	ASTM D781	Puncture test; Paperboard and fiberboard
01/S10	ASTM D828	Tensile breaking strength; Paper and
		paperboard
01/S11	ASTM D1621	Compressive properties; Rigid cellular
		plastics (proc. A-Crosshead)
01/T01	ASTM C177	Thermal transmission properties;
01/101	ASIM CITT	i nermai transmission properties,
01/101	ASIM CITI	Low-temperature guarded hot plate
01/T01 01/T04	ASTM C236	Low-temperature guarded hot plate Thermal conductance; Guarded hot box
		Low-temperature guarded hot plate
01/T04	ASTM C236	Low-temperature guarded hot plate Thermal conductance; Guarded hot box
01/T04 01/T05	ASTM C236 ASTM C335	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation
01/T04 01/T05	ASTM C236 ASTM C335	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat
01/T04 01/T05 01/T06	ASTM C236 ASTM C335 ASTM C518	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec.
01/T04 01/T05 01/T06 01/T09	ASTM C236 ASTM C335 ASTM C518	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber)
01/T04 01/T05 01/T06	ASTM C236 ASTM C335 ASTM C518 ASTM C653	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec.
01/T04 01/T05 01/T06 01/T09 01/T10	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test
01/T04 01/T05 01/T06 01/T09 01/T10	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version,	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1)	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version,	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1)	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version,	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill)
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p 01/V06 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1) ANSI/ASTM C367-78	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill) Strength Properties, Prefabricated Architectural Acoustical Materials
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1)	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill) Strength Properties, Prefabricated Architectural Acoustical Materials Impedance and Absorption of Acoustical
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p 01/V06 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1) ANSI/ASTM C367-78 ANSI/ASTM C384-77	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill) Strength Properties, Prefabricated Architectural Acoustical Materials Impedance and Absorption of Acoustical Materials
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p 01/V06 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1) ANSI/ASTM C367-78	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill) Strength Properties, Prefabricated Architectural Acoustical Materials Impedance and Absorption of Acoustical Materials Sound Absorption and Sound Absorption
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p 01/V06 (p 08/P01 08/P02 08/P03	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1) ANSI/ASTM C367-78 ANSI/ASTM C384-77 ANSI/ASTM C423-81	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill) Strength Properties, Prefabricated Architectural Acoustical Materials Impedance and Absorption of Acoustical Materials Sound Absorption and Sound Absorption Coefficients
01/T04 01/T05 01/T06 01/T09 01/T10 01/V02 01/V03 01/V04 01/V05 (p 01/V06 (p	ASTM C236 ASTM C335 ASTM C518 ASTM C653 ASTM C687 ASTM D591 ASTM D2020 ASTM E96 HH-I-515 ara. 4.8.6 in D version, Amendment 1) HH-I-515 ara. 4.8.9 in D version, Amendment 1) ANSI/ASTM C367-78 ANSI/ASTM C384-77	Low-temperature guarded hot plate Thermal conductance; Guarded hot box Thermal conductivity; Pipe insulation Thermal transmission properties; Heat flow meter Thermal resistance (Rec. Practice); Blanket (mineral fiber) Thermal resistance (Rec. Practice); Loose-fill (fibrous) Starch in paper; Qualitative test Mildew (fungus) resistance; Paper and paperboard Water vapor transmission; Thin sheets (proc. A) Fungus; Cellulosic fiber (loose-fill) Starch; Cellulosic fiber (loose-fill) Strength Properties, Prefabricated Architectural Acoustical Materials Impedance and Absorption of Acoustical Materials Sound Absorption and Sound Absorption

NVLAP Code	Designation	Short Title
08/P05	ASTM C523-68 (81)	Light Reflectance of Acoustical Materials
08/P06	ANSI/ASTM E90-82	Airborne Sound Transmission Loss of Building Partitions
08/Pl0	ANSI S1.31-80	Sound Power Levels, Broad-Band Noise Sources in Reverberation Rooms (100 to 10,000 Hz)
08/P13	ANSI S1.32-80	Sound Power Levels, Discrete- Frequency and Narrow-Band Noise Sources in Reverberation Rooms (100 to 10,000 Hz)
08/E21	AMA-1-II-67	Ceiling Sound Transmission Test by Two-Room Method

OWENS-CORNING FIBERGLAS CORP., BARRINGTON, NEW JERSEY PLANT LABORATORY

Attn: Andrew Green, Davis & Shreeve Roads, Barrington, NJ 08007

Phone: (609) 547-9200

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D09	ASTM C303	Density; Preformed block insulation
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter

OWENS-CORNING FIBERGLAS CORP., DELMAR, NEW YORK PLANT LABORATORY Attn: Mark P. Arnold, Route 32, Feura Bush Road, Delmar, NY 12054

Accreditation Renewal Date: January 1, 1984 Phone: (518) 439-9341

NVLAP Code Designation Short Title

01/D02 ASTM C167 Thickness and density; Blanket and batt 01/T06 ASTM C518 Thermal transmission properties; Heat

flow meter

OWENS-CORNING FIBERGLAS CORP., FAIRBURN, GEORGIA PLANT LABORATORY
Attn: Larry Maynard, 700 McLaren Road, Fairburn, GA 30213

Accreditation Renewal Date: January 1, 1984 Phone: (404) 964-9811

NVLAP Code Designation Short Title

01/T06 ASTM C518 Thermal transmission properties; Heat

flow meter

OWENS-CORNING FIBERGLAS CORP., KANSAS CITY, KANSAS PLANT LABORATORY

Attn: Glen McCoy, 300 Sunshine Road, P.O. Box 15139, Kansas City, KS 66115

Accreditation Renewal Date: January 1, 1984 Phone: (913) 281-2811

NVLAP CodeDesignationShort Title01/D02ASTM C167Thickness and density; Blanket and batt01/D09ASTM C303Density; Preformed block insulation01/T06ASTM C518Thermal transmission properties; Heat

flow meter

OWENS-CORNING FIBERGLAS CORP., NEWARK, OHIO PLANT LABORATORY

Attn: P. D. Shull, Case Avenue, Newark, OH 43055

Phone: (614) 345-3441

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation

01/D02 ASTM C167 Thickness and density; Blanket and batt

01/D09 ASTM C303 Density; Preformed block insulation

01/T06 ASTM C518 Thermal transmission properties; Heat

flow meter

OWENS-CORNING FIBERGLAS CORP., SANTA CLARA, CALIFORNIA PLANT LABORATORY

Attn: Monte Schenkin, 960 Central Expressway, P.O. Box 89, Santa Clara, CA 95052
Accreditation Renewal Date: January 1, 1984
Phone: (408) 727-3535

NVLAP Code	Designation	Short Title
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/ D 09	ASTM C303	Density; Preformed block insulation
01/T'06	ASTM C518	Thermal transmission properties; Heat
		flow meter

OWENS-CORNING FIBERGLAS CORP., WAXAHACHIE, TEXAS PLANT LABORATORY

Attn: Mark Kwasowski, Interstate 35 East, Waxachie, TX 75165
Accreditation Renewal Date: January 1, 1984
Phone: (214) 937-1340

NVLAP Code	Designation	Short Title
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D09	ASTM C303	Density; Preformed block insulation
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter

PARRATT-WOLFF, INC.

Attn: Bruce L. Higgins, Fisher Road, East Syracuse, NY 13057

Accreditation Renewal Date: January 1, 1984 Phone: (315) 437-1429

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

PFS CORPORATION

Attn: Ed Starostovic, 2402 Daniels Street, Madison, WI 53704

Accreditation Renewal Date: January 1, 1984 Phone: (608) 221-3361

		Section of UL 737 5th Edition (3/1/82)	Section of UL 1482 1st Edition (8/9/79)
			with revision pages through 8/31/81
NVLAP Cod	le Short Title		
	Physical/Fire Test Group		
04/F01	Test Installation	8	8
04/F02	Temperature Measurement	9	9
04/F03	Smoke Spillage (visual observ	ation)	11
04/F04	Radiant Fire Test	11	12 & 12A
04/F05	Coal Fire Test		11A
04/F06	Brand Fire Test	12	13 & 13A
04/F07	Flash Fire Test	13	14
04/F08	Strength Tests	15	15
04/F09	Stability Test	16	16
04/F10	Glazing Test	14	17
	Mobile Home Test Group		
04/M01	Test Installation	17	18
04/M02	Toxic Gas	17	18
04/M03	Drop Test	17	18
	Electrical Test Group		
04/E01	Test Voltages	33	35
04/E02	Temperature Measurements,	34	36
	Electrical Components		
04/E03	Input Test	35	37
04/E04	Temperature Test,	36	38
	Electrical Components		
04/E05	Leakage Current	38	40
04/E06	Dielectric Withstand	37	39
04/E07	Locked Rotor (Stalled	39	41
	Motor) Temperature		
04/E08	Power Cord Strain Relief	40	25.4

PITTSBURGH TESTING LABORATORY

Attn: William H. Levelius, 850 Poplar Street, Pittsburgh, PA 15220

Accreditation Renewal Date: October 1, 1983 Phone: (412) 922-4000

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

QUIKRETE TECHNICAL CENTER

Attn: Thomas Pecuil, 2250 Stephenson Road, Lithonia, GA 30058

Accreditation Renewal Date: October 1, 1983 Phone: (404) 482-7264

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens

R. W. SIDLEY, INC., SIDLEY QUALITY CONTROL LABORATORY

Attn: Lawrence McCune, 6900 Madison Road, Thompson, OH 44086

Accreditation Renewal Date: January 1, 1984 Phone: (216) 298-3232

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02 (1402	A STN 4 C172	•
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

RIVERBANK ACOUSTICAL LABORATORY OF IITRI

Attn: Owen J. Viergutz, P.O. Box 189, 1512 Batavia Avenue, Geneva, IL 60134

Accreditation Renewal Date: April 1, 1984 Phone: (312) 567-4703

NVLAP Code	Designation	Short Title
08/P03	ANSI/ASTM C423-81	Sound Absorption and Sound Absorption Coefficients
08/P05	ASTM C523-68 (81)	Light Reflectance of Acoustical Materials
08/P06	ANSI/ASTM E90-82	Airborne Sound Transmission Loss of Building Partitions
08/P07	ANSI/ASTM E492-82	Impact Sound Transmission Through Floor-Ceiling Assemblies
08/Pl0	ANSI S1.31-80	Sound Power Levels, Broad-Band Noise Sources in Reverberation Rooms (100 to 10,000 Hz)
08/P17	ISO 3741-75	Sound Power Levels, Broad-Band Sources in Reverberation Rooms (100 to 10,000 Hz)
08/E01	ANSI B71.1-80 (para. 9 and 21)	Sound Level Tests; Power Lawn Mowers, Lawn and Garden Tractors and Lawn Tractors

SALEM CARPET LABORATORY

Attn: Michael A. Corbin, Highway 225 South, P.O. Box 160, Chatsworth, GA 30705
Accreditation Renewal Date: July 1, 1984
Phone: (404) 695-4663

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/ D 01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/F03	DoC FF1-70	Methenamine Pill Test
03/F04	ASTM E648	Radiant Panel (Carpet)
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination

SHAW INDUSTRIES, INC.

Attn: Carey Mitchell, Plant #4, S. Hamilton Street Ext., P.O. Drawer 2128, Dalton, GA 30720

Accreditation Renewal Date: January 1, 1984

Phone: (404) 278-3812

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/F03	DoC FF1-70	Methenamine Pill Test
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100	Textile Test Method - Breaking Strength
	191-5950	Textile Test Method - Delamination

SMITH-EMERY COMPANY

Attn: George E. Battey, Jr., 781 East Washington Boulevard, Los Angeles, CA 90021
Accreditation Renewal Date: January 1, 1984
Phone: (213) 749-3411

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method

NVLAP Code	Designation	Short Title
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

SOUTHWEST RESEARCH INSTITUTE, DEPARTMENT OF FIRE TECHNOLOGY

Attn: Carl A. Hafer, 6220 Culebra Road, San Antonio, TX 78284

Accreditation Renewal Date: January 1, 1984 Phone: (512) 684-5111

NVLAP Code	Designation	Short Title
03/F01	ASTM E84	Surface Flammability (Carpet)
03/F02	UL 992	Surface Flammability
03/F03	DoC FF1-70	Methenamine Pill Test
03/F04	ASTM E648	Radiant Panel (Carpet)

SPARRELL ENGINEERING RESEARCH CORPORATION

Attn: James K. Sparrell, Bristol Road, P.O. Box 130, Damariscotta, ME 04543

Accreditation Renewal Date: January 1, 1984 Phone: (207) 563-3224

NVLAP Code	Designation	Short Title
01/T01	ASTM C177	Thermal transmission properties;
		Low-temperature guarded hot plate
01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/T06	ASTM C518	Thermal transmission properties; Heat
		flow meter

STANDARD TESTING AND ENGINEERING COMPANY

Attn: Daniel B. Hapke, 3400 Lincoln Boulevard, Oklahoma City, OK 73105

Accreditation Renewal Date: January 1, 1984 Phone: (405) 528-0541

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

STRATTON LABORATORIES

Attn: Jack R. Kilgore, Highway 61, South, P.O. Box 1007, Cartersville, GA 30120
Accreditation Renewal Date: October 1, 1983
Phone: (404) 382-9350

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete

02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

STS CONSULTANTS LTD. NORTHBROOK ILLINOIS OFFICE

Phone: (312) 272-6520

Phone: (919) 787-5124

Attn: Michael T. Russell, 111 Pfingsten Road, Northbrook, IL 60062

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

STS CONSULTANTS LTD. RALEIGH NORTH CAROLINA OFFICE

Attn: Barney Hale, P.O. Box 12015, Research Triangle Park, NC 27709

Accreditation Renewal Date: April 1, 1984

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field .
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

THE TANNER COMPANIES, UNITED METRO DIVISION LABORATORY

Attn: Harold J. Wright, 3240 South 19th Avenue, Phoenix, AZ 85036

Accreditation Renewal Date: January 1, 1984 Phone: (602) 262-1323

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete

NVLAP Code	Designation	Short Title
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

TESTING ENGINEERS, INC., OAKLAND DIVISION

Attn: Clifford N. Craig, 2811 Adeline Street, P.O. Box 24075, Oakland, CA 94623
Accreditation Renewal Date: January 1, 1984
Phone: (415) 835-3142

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

TESTING ENGINEERS, INC., SANTA CLARA DIVISION

Attn: Lee W. Mattis, 401 Aldo Avenue, Santa Clara, CA 95050

Phone: (408) 988-8888

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title	
02/M01	ASTM C31	Making and Curing Concrete Test	
		Specimens in the Field	
02/M03	ASTM C172	Sampling Fresh Concrete	
02/P01	ASTM C143	Slump of Portland Cement Concrete	
02/W01	ASTM C138	Unit Weight, Yield, and Air Content	
		(Gravimetric) of Concrete	
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete	
		by the Pressure Method	
02/S01	ASTM C39	Compressive Strength of Cylindrical	
		Concrete Specimens	
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete	
		by the Volumetric Method	

TEXAS TESTING LABORATORIES, INC.

Attn: Robert L. Henry, 1526 S. Good-Latimer Expressway, P.O. Box 2144, Dallas, TX 75221
Accreditation Renewal Date: January 1, 1984
Phone: (214) 428-7481

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method

NVLAP Code	Designation	Short Title
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

TWIN CITY TESTING AND ENGINEERING LABORATORY, INC.

Attn: Richard Stehly, 662 Cromwell Avenue, St. Paul, MN 55114

Phone: (612) 645-3601

Phone: (312) 272-8800

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
01/D18	ASTM D1622	Apparent density; Rigid cellular plastics
01/T04	ASTM C236	Thermal conductance; Guarded hot box
01/V04	ASTM E96	Water vapor transmission; thin sheets (proc. A)
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete by the Volumetric Method

UNDERWRITERS LABORATORIES, INC., NORTHBROOK, ILLINOIS

Attn: Steve Mazzoni, 333 Pfingsten Road, Northbrook, IL 60062

Accreditation Renewal Date: January 1, 1984

NVLAP Code	Designation	Short Title
01/C01	ASTM C739	Corrosiveness; Cellulosic fiber
(pai	ra. 7.7 in 77 version)	(loose-fill)
01/C02	HH-I-515	Corrosiveness; Cellulosic fiber
(pai	ra. 4.8.5 in D version,	(loose-fill)
	Amendment 1)	
01/D01	ASTM C136	Sieve or screen analysis
01/D02	ASTM C167	Thickness and density; Blanket and batt
01/D03	ASTM C209	Thickness;
(pai	ra. 6 in 72 version)	Board (cellulosic fiber)
01/D04	ASTM C209	Water absorption, 2 hour;
(pai	ra. 13 in 72 version)	Board (cellulosic fiber)
01/D05	ASTM C209	Water absorption, 24 hour;
(pai	ra. 13 in 72 version)	Board (cellulosic fiber)
	by D1037	
(par	ra. 100-106 in 72 version)	
01/D06	ASTM C209	Linear expansion;
(par	ca. 13 in 72 version)	Board (cellulosic fiber)
	by D1037	
(par	ra. 107-110 in 72 version)	
01/D08	ASTM C302	Density; Preformed pipe insulation
01/D09	ASTM C303	Density; Preformed block insulation
01/D13	ASTM C519	Density; Loose-fill (fibrous)
01/D14	ASTM C520	Density; Granular loose-fill
01/D18	ASTM D1622	Apparent density; Rigid cellular plastics

NVLAP Code Designation	Short Title
01/D24 ASTM C739	Moisture absorption; Cellulosic fiber
·	(loose-fill)
(para. 7.5 in 77 version) 01/D25 HH-I-515	Moisture absorption;
	• · · · · · · · · · · · · · · · · · · ·
(para. 4.8.3 in D version,	Cellulosic fiber (loose-fill)
Amendment 1) 01/D26 HH-I-515	
	Settled density; Cellulosic fiber (loose-fill)
(para. 4.8.1 in D version, Amendment 1)	· · · · · · · · · · · · · · · · · · ·
01/F02 ASTM E84	
01/F02 ASTM E04	Surface burning characteristics; Building materials
01/F06 ASTM C739	Flame resistance permanency; Cellulosic
(para. 10.4 in 77 version)	fiber (loose-fill)
01/F07 HH-I-515	Critical radiant flux;
(para. 4.8.7 in D version,	Radiant Panel (cellulosic fiber,
(para. 4.8.7 in D version, Amendment 1)	· ·
01/F08 HH-I-515	Smoldering combustion;
(para. 4.8.8 in D version,	Cellulosic fiber (loose-fill)
(para. 4.8.8 in D version, Amendment 1)	
01/S02 ASTM C203	Breaking load/flexural strength;
01/302 ASTM C203	Preformed block insulation
01/S03 ASTM C209	Transverse strength;
(para. 9 in 72 version)	Board (cellulosic fiber)
01/S04 ASTM C209	Deflection at specified load;
(para. 10 in 72 version)	Board (cellulosic fiber)
01/S05 ASTM C209	Tensile strength; Parallel to surface;
(para. 11 in 72 version)	Board (cellulosic fiber)
01/S06 ASTM C209	Tensile strength; Perpendicular to
(para. 12 in 72 version)	surface
01/S08 ASTM C446	Breaking load/modulus of rupture;
01/300 ASTM C++0	Preformed pipe insulation
01/S11 ASTM D1621	Compressive properties; Rigid cellular
01/ 511 1101111 151021	plastics (proc. A-Crosshead)
01/T06 ASTM C518	Thermal transmission properties; Heat
or, roo horn esto	flow meter
01/T09 ASTM C653	Thermal resistance (Rec.
	Practice); Blanket (mineral fiber)
01/T10 ASTM C687	Thermal resistance (Rec.
	Practice); Loose-fill (fibrous)
01/V02 ASTM D591	Starch in paper; Qualitative test
01/V03 ASTM D2020	Mildew (fungus) resistance; Paper and
	paperboard
01/V05 HH-I-515	Fungus; Cellulosic fiber
(para. 4.8.6 in D version,	(loose-fill)
Amendment 1)	· · · · · · · · · · · · · · · · · · ·
01/V06 HH-I-515	Starch; Cellulosic fiber
(para. 4.8.9 in D version,	(loose-fill)
Amendment 1)	
03/F01 ASTM E84	Surface Flammability (Carpet)
03/F02 UL 992	Surface Flammability
03/F03 DoC FF1-70	Methenamine Pill Test
03/F04 ASTM E648	Radiant Panel (Carpet)

		Section of UL 737 5th Edition (3/1/82)	Section of UL 1482 1st Edition (8/9/79) with revision pages through 8/31/81
NVLAP Cod	de Short Title		imough 6/31/61
	Physical/Fire Test Group		
04/F01	Test Installation	8	8
04/F02	Temperature Measurement	9	9
04/F03	Smoke Spillage (visual observ	ation)	11
04/F04	Radiant Fire Test	11	12 & 12A
04/F05	Coal Fire Test		11A
04/F06	Brand Fire Test	12	13 & 13A
04/F07	Flash Fire Test	13	14
04/F08	Strength Tests	15	15
04/F09	Stability Test	16	16
04/F10	Glazing Test	14	17
	Mobile Home Test Group		
04/M01	Test Installation	17	18
04/M02	Toxic Gas	17	18
04/M03	Drop Test	17	18
	Electrical Test Group		
04/E01	Test Voltages	33	35
04/E02	Temperature Measurements, Electrical Components	34	36
04/E03	Input Test	35	37
04/E04	Temperature Test,	36	38
01,201	Electrical Components		
04/E05	Leakage Current	38	40
04/E06	Dielectric Withstand	37	39
04/E07	Locked Rotor (Stalled Motor) Temperature	39	41
04/E08	Power Cord Strain Relief	40	25.4

UNDERWRITERS LABORATORIES, INC., SANTA CLARA, CALIFORNIA LABORATORY Attn: Steven Roll, 1655 Scott Boulevard, Santa Clara, CA 95050

Phone: (408) 985-2400

Accreditation Renewal Date: January 1, 1984

MUL ID CO. I	D :	CI . TT' . I
NVLAP Code	Designation	Short Title
01/D13	ASTM C519	Density; Loose-fill (fibrous)
01/D26	HH-I-515	Settled density; Cellulosic fiber
(pa	ara. 4.8.1 in D version,	(loose-fill)
	Amendment	1)
01/F02	ASTM E84	Surface burning characteristics;
		Building materials
01/F07	HH-I-515	Critical radiant flux;
(pa	ra. 4.8.7 in D version,	Radiant Panel (cellulosic fiber,
	Amendment 1	l) loose-fill)
01/F08	HH-I-515	Smoldering combustion;
(pa	ra. 4.8.8 in D version,	Cellulosic fiber (loose-fill)
	Amendment	1)

		Section of UL 737 5th Edition (3/1/82)	Section of UL 1482 1st Edition (8/9/79) with revision pages through 8/31/81
NVLAP Cod	de Short Title		
	Physical/Fire Test Group		
04/F01	Test Installation	8	8
04/F02	Temperature Measurement	9	9
04/F03	Smoke Spillage (visual observ	ation)	11
04/F04	Radiant Fire Test	11	12 & 12A
04/F05	Coal Fire Test		11A
04/F06	Brand Fire Test	12	13 & 13A
04/F07	Flash Fire Test	13	14
04/F08	Strength Tests	15	15
04/F09	Stability Test	16	16
04/F10	Glazing Test	14	17
	Mobile Home Test Group		
04/M01	Test Installation	17	18
04/M02	Toxic Gas	17	18
04/M03	Drop Test	17	18
	Electrical Test Group		
04/E01	Test Voltages	33	35
04/E02	Temperature Measurements,	34	36
	Electrical Components		
04/E03	Input Test	35	37
04/E04	Temperature Test,	36	38
	Electrical Components		
04/E05	Leakage Current	38	40
04/E06	Dielectric Withstand	37	39
04/E07	Locked Rotor (Stalled	39	41
	Motor) Temperature		
04/E08	Power Cord Strain Relief	40	25.4

UNION ROCK AND MATERIALS CORP.

Attn: Howard B. Pugh, Sr., 2800 Central Avenue, P.O. Box 8007, Phoenix, AZ 85066
Accreditation Renewal Date: July 1, 1983
Phone: (602) 276-4211

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical Concrete Specimens

UNITED STATES GYPSUM COMPANY

Attn: William Porter, 700 N. U.S. Highway 45, Libertyville, IL 60048

Accreditation Renewal Date: July 1, 1984

Phone (312) 362-9797

Phone: (201) 792-2400

Phone: (213) 723-7181

NVLAP Code Designation

01/T06 ASTM C518 Short Title

Thermal Transmission Properties; Heat

Flow Meter

UNITED STATES TESTING COMPANY, INC., HOBOKEN, NEW JERSEY LABORATORY

Attn: Carl B. Yoder, 1415 Park Avenue, Hoboken, NJ 07030

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation Short Title

ASTM E84 Surface burning characteristics; 01/F02

Building materials

Critical radiant flux; 01/F07 HH-I-515

(para. 4.8.7 in D version, Radiant Panel (cellulosic fiber,

> Amendment 1) loose-fill)

01/T06 ASTM C518 Thermal transmission properties; Heat

flow meter

AATCC 16E Colorfastness to Light (Xenon Arc) 03/C01

Colorfastness to Crocking 03/C02 AATCC 8

ASTM D418 Methods of Testing Woven and Tufted 03/D01

Pile Floor Coverings

Pile Weight - Uncoated (Para. 10-19) Pile Weight - Coated (Para. 20-29) as modified by UM 44C

Pile Thickness - (Para. 30-36)

Tuft Height - (Para. 37-45) as modified by UM 44C

03/D02 DDD-C-95A Shrinkage

03/S01 **ASTM D1335** Tuft Bind of Floor Coverings

Federal Test Method

Textile Test Method - Breaking Strength Standard 191-5100 Textile Test Method - Delamination 191-5950

Surface Flammability (Carpet) ASTM E84

03/F01 03/F03 DoC FF1-70 Methenamine Pill Test 03/F04 ASTM E648 Radiant Panel (Carpet) 03/B02 UM 44C Attached Cushion Tests

Addenda 2 and 3

UNITED STATES TESTING COMPANY, INC., CALIFORNIA DIVISION

Attn: Bernd Givon, 5555 Telegraph Road, Los Angeles, CA 90040

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation Short Title

01/C02 HH-I-515 Corrosiveness; Cellulosic

(para. 4.8.5 in D version, fiber (loose-fill)

Amendment 1)

HH-I-515

01/D26

Response to thermal and humid aging 01/D21 **ASTM D2126**

(proc. E); Rigid cellular plastics Settled density; Cellulosic fiber

(loose-fill) (para. 4.8.1 in D version,

Amendment 1)

Surface burning characteristics; 01/F02 **ASTM E84**

Building materials

ASTM E136 Behavior of Materials in a Vertical 01/F05

Tube Furnace

NVLAP Code	Designation	Short Title
01/F07	HH-I-515	Critical radiant flux;
(pai	ra. 4.8.7 in D version, Amendment 1)	Radiant Panel (cellulosic fiber, loose-fill)
01/S11	ASTM D1621	Compressive properties; Rigid cellular plastics (proc. A-Crosshead)
01/V04	ASTM E96	Water vapor transmission; Thin sheets (proc. A)
01/V06	HH-I-515	Starch; Cellulosic fiber
(pai	ra. 4.8.9 in D version,	(loose-fill)
	Amendment 1)	
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/ D 01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/F03	DoC FF1-70	Methenamine Pill Test
03/F04	ASTM E648	Radiant Panel (Carpet)
		-

UNITED STATES TESTING COMPANY, INC., TULSA DIVISION

Attn: Fred D. Wampnar, 1341 North 108th East Avenue, Tulsa, OK 74116

Accreditation Renewal Date: January 1, 1984 Phone: (918) 437-8333

Short Title

NVLAP Code Designation 01/C02 HH-I-515 Corrosiveness: Cellulosic (para. 4.8.5 in D version, fiber (loose-fill) Amendment 1) 01/D18 **ASTM D1622** Apparent density; Rigid cellular plastics 01/D25 HH-I-515 Moisture absorption; (para. 4.8.3 in D version, Cellulosic fiber (loose-fill) Amendment 1) 01/D26 HH-I-515 Settled density; Cellulosic fiber (para. 4.8.1 in D version, (loose-fill) Amendment 1) 01/F08 HH-I-515 Smoldering combustion; (para. 4.8.8 in D version, Cellulosic fiber (loose-fill) Amendment 1) 01/V05 HH-I-515 Fungus; Cellulosic fiber (para. 4.8.6 in D version, (loose-fill) Amendment 1) 01/V06 HH-I-515 Starch; Cellulosic fiber (para. 4.8.9 in D version, (loose-fill) Amendment 1)

W. R. GRACE & COMPANY, CONSTRUCTION PRODUCTS DIVISION LABORATORY

Attn: Forrest R. Hurley, 62 Whittemore Avenue, Cambridge, MA 02140

Accreditation Renewal Date: January 1, 1984

NVLAP Code Designation Short Title 02/M01 ASTM C31

Making and Curing Concrete Test

Phone: (617) 876-1400

Specimens in the Field 02/M03 ASTM C172 Sampling Fresh Concrete

NVLAP Code	Designation	Short Title
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

THE WALT KEELER COMPANY, INC.

Attn: Kelly B. Callison,, 826 East Lincoln Street, P.O. Box 197, Wichita, KS 67201
Accreditation Renewal Date: January 1, 1984
Phone: (316) 265-0615

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method

WALTER CARPETS WEST POINT PEPPERELL

Attn: Don E. Kovach, 14641 East Don Julian Road, P.O. Box 1252, City of Industry, CA 91749

Accreditation Renewal Date: January 1, 1984

Phone: (213) 968-1464

NVLAP Code	Designation	Short Title
03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	ASTM D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100 191-5950	Textile Test Method - Breaking Strength Textile Test Method - Delamination
03/F03	DoC FF1-70	Methenamine Pill Test

WEST VIRGINIA DEPARTMENT OF HIGHWAYS MATERIALS CONTROL, SOIL AND TESTING DIVISION

Attn: Thomas M. Dugan, 312 Michigan Avenue, Charleston, WV 25311

Accreditation Renewal Date: April 1, 1984 Phone: (304) 348-3160

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete

NVLAP Code	Designation	Short Title
02/W01	ASTM C138	Unit Weight, Yield, and Air Content (Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
02/S01	ASTM C39	by the Pressure Method Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

WESTERN TECHNOLOGIES, INC.

Attn: Gary Baker, 3737 East Broadway Road, P.O. Box 21387, Phoenix, AZ 85036
Accreditation Renewal Date: January 1, 1984
Phone: (602) 268-1381

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

WISS, JANNEY, ELSTNER AND ASSOCIATES, INC.

Attn: Jerry G. Stockbridge, 330 Pfingsten Road, Northbrook, IL 60062

Accreditation Renewal Date: July 1, 1984 Phone: (312) 272-7400

NVLAP Code Designation Short Title

NVLAP Code Designation

01/T04 ASTM C236 Thermal conductance; guarded hot box

WORLD CARPETS, INC.

Attn: Wayne Murdock, One World Plaza, Dalton, GA 30720

Accreditation Renewal Date: January 1, 1984 Phone: (404) 278-8000

Short Title

03/C01	AATCC 16E	Colorfastness to Light (Xenon Arc)
03/C02	AATCC 8	Colorfastness to Crocking
03/D01	AST M D418	Methods of Testing Woven and Tufted Pile Floor Coverings
		Pile Weight - Uncoated (Para. 10-19)
		Pile Weight - Coated (Para. 20-29)
		as modified by UM 44C
		Pile Thickness - (Para. 30-36)
		Tuft Height - (Para. 37-45) as
		modified by UM 44C
03/D02	DDD-C-95A	Shrinkage
03/S01	ASTM D1335	Tuft Bind of Floor Coverings
	Federal Test Method	
	Standard 191-5100 191-5950	Textile Text Method - Breaking Strength Textile Test Method - Delamination
03/F03	DoC FF1-70	Methenamine Pill Test

Section 2

TEST METHODS AND THE LABORATORIES ACCREDITED FOR EACH TEST METHOD

The following index provides a cross reference of accredited laboratories with test methods under each LAP. Each page number under each test method refers to the page number in Section 1 of this Directory in which, for each laboratory, the name, address, primary contact, phone number, and list of accredited test methods are identified.

INSULATION LAP—CORROSIVENESS TEST METHODS

01/C01 ASTM C739 Corrosiveness; cellulosic fiber (loose-fill) (para. 7.7 in 77 version) 32, 43

01/C02 HH-I-515 Corrosiveness; cellulosic fiber (loose-fill) (para. 4.8.5 in D version, Amendment 1) 15, 16, 19, 22, 27, 32, 43, 47, 48

01/C03 California Energy Commission Tests for insulating materials: Corrosiveness—Mineral fiber blankets and loosefill

INSULATION LAP—DIMENSIONS, STABILITY, AND DENSITY PROPERTIES TEST METHODS

01/D01 ASTM C136 Sieve or screen analysis 15, 43

01/D02 ASTM C167 Thickness and density; blanket and batt 15, 29, 31, 32, 35, 35, 36, 36, 36, 43

01/D03 ASTM C209 Thickness; board (cellulosic fiber) (para. 6 in 72 version) 28, 29, 32, 43

01/D04 ASTM C209 Water absorption, 2 hour; board (cellulosic fiber) (para. 13 in 72 version) 28, 29, 32, 43

01/D05 ASTM C209 Water absorption, 24 hour; board (cellulosic fiber) (para. 13 in 72 version by D1037; para. 100-106 in 72 version)

28, 29, 32, 43

01/D06 ASTM C209 Linear expansion; board (cellulosic fiber) (para. 13 in 72 version by D1037; para. 107-110 in 72 version)

28, 29, 32, 43

01/D07 ASTM C272 Water absorption; core materials

01/D08 ASTM C302 Density; preformed pipe insulation 15, 24, 27, 29, 32, 43

01/D09 ASTM C303 Density; preformed block insulation 15, 27, 28, 29, 32, 35, 36, 36, 36, 43

01/D11 ASTM C356 Linear shrinkage; soaking heat; preformed high temperature insulation 29, 32

01/D12 ASTM C411 Hot-surface performance; high temperature insulation 27, 29, 32

01/D13 ASTM C519 Density; loose-fill (fibrous) 15, 29, 31, 32, 43, 45

01/F08 HH-I-515 Smoldering combustion; cellulosic fiber (loose-fill) (para. 4.8.8 in D version, Amendment 1) 15, 16, 22, 27, 32, 43, 45, 48

INSULATION LAP—STRENGTH PROPERTIES TEST METHODS

- 01/S01 ASTM C165 Compressive properties; thermal insulation (proc. A) 15, 19, 29, 32
- 01/S02 ASTM C203 Breaking load/flexural strength; preformed block insulation 19, 28, 29, 32, 43
- 01/S03 ASTM C209 Transverse strength; board (cellulosic fiber) (para. 9 in 72 version) 28, 29, 32, 43
- 01/S04 ASTM C209 Deflection at specified load; board (cellulosic fiber) (para. 10 in 72 version) 28, 29, 32, 43
- 01/S05 ASTM C209 Tensile strength; parallel to surface; board (cellulosic fiber) (para. 11 in 72 version) 28, 29, 32, 43
- 01/S06 ASTM C209 Tensile strength; perpendicular to surface (para. 12 in 72 version) 28, 29, 32, 43
- 01/S07 ASTM C273 Shear test; sandwich construction 32, 32
- 01/S08 ASTM C446 Breaking load/modulus of rupture; preformed pipe insulation 15, 29, 32, 43
- 01/S09 ASTM D781 Puncture test; paperboard and fiberboard 15, 29, 32
- 01/S10 ASTM D828 Tensile breaking strength; paper and paperboard 15, 29, 32
- 01/S11 ASTM D1621 Compressive properties; rigid cellular plastics (proc. A-crosshead) 10, 19, 27, 28, 32, 32, 43
- 01/S12 California Energy Commission tests for insulating materials: Bond strength—Spray applied cellulose 01/S13 California Commission tests for insulating materials: Bond deflection—Spray applied cellulose 01/S14 California Energy Commission tests for insulating materials: Air erosion—Spray applied cellulose

INSULATION LAP—THERMAL PROPERTIES TEST METHODS

- 01/T01 ASTM C177 Thermal transmission properties; low-temperature guarded hot plate 15, 19, 24, 28, 29, 29, 32, 40
- 01/T04 ASTM C236 Thermal conductance; guarded hot box 13, 15, 19, 24, 28, 29, 32, 40, 43, 50
- 01/T05 ASTM C335 Thermal conductivity; pipe insulation 15, 19, 27, 28, 29, 29, 32
- 01/T06 ASTM C518 Thermal transmission properties; heat flow meter 10, 13, 15, 16, 19, 19, 27, 28, 29, 31, 32, 35, 35, 35, 35, 36, 36, 36, 40, 43, 47, 47
- 01/T09 ASTM C653 Thermal resistance (rec. practice); blanket (mineral fiber) 15, 29, 31, 32, 43
- 01/T10 ASTM C687 Thermal resistance (rec. practice); loose-fill (fibrous) 15, 29, 31, 32, 43

INSULATION LAP—VAPOR BARRIERS PROPERTIES TEST METHODS

- 01/D14 ASTM C520 Density; granular loose-fill 29, 43
- 01/D15 ASTM D756 Weight and shape changes; accelerated service (proc. A); plastics 27, 32
- 01/D16 ASTM D756 Weight and shape changes; accelerated service (proc. B); plastics 27, 32
- 01/D17 ASTM D756 Weight and shape changes; accelerated service (proc. E); plastics 27, 32
- 01/D18 ASTM D1622 Apparent density; rigid cellular plastics 10, 19, 27, 32, 32, 43, 43, 48
- 01/D19 ASTM D2126 Response to thermal and humid aging (proc. B); rigid cellular plastics 19, 27, 32, 32
- 01/D20 ASTM D2126 Response to thermal and humid aging (proc. D); rigid cellular plastics 27, 28, 32, 32
- 01/D21 ASTM D2126 Response to thermal and humid aging (proc. E); rigid cellular plastics 10, 19, 27, 28, 32, 32, 47
- 01/D22 ASTM D2126 Response to thermal and humid aging (proc. F); rigid cellular plastics 27, 32
- 01/D23 ASTM D2842 Water absorption; rigid cellular plastics 19, 27, 32
- 01/D24 ASTM C739 Moisture absorption; cellulosic fiber (loose-fill) (para. 7.5 in 77 version) 32, 43
- 01/D25 HH-I-515 Moisture absorption; cellulosic fiber (loose-fill) (para. 4.8.3 in D version, Amendment 1) 15, 16, 19, 22, 32, 43, 48
- 01/D26 HH-I-515 Settled density; cellulosic fiber (loose-fill) (para. 4.8.1 in D version, Amendment 1) 15, 16, 19, 22, 27, 32, 43, 45, 47, 48
- 01/D27 ASTM D2126 Response to thermal and humid aging (proc. C); rigid cellular plastics 10, 19, 27, 32
- 01/D28 ASTM D2126 Response to thermal and humid aging (proc. G); rigid cellular plastics 27, 32
- 01/D29 California Energy Commission tests for insulating materials: Installed compressed thickness

INSULATION LAP—FIRE PROPERTIES TEST METHODS

- 01/F01 ASTM D777 (as modified by HH-B-100B) Flammability; paper and paperboard 15, 29, 32
- **01/F02 ASTM E84 Surface burning characteristics; building materials** 22, 26, 28, 29, 32, 43, 45, 47, 47
- 01/F05 ASTM E136 Behavior of materials in a vertical tube furnace 15, 24, 29, 32, 47
- 01/F06 ASTM C739 Flame resistance permanency; cellulosic fiber (loose-fill) (para. 10.4 in 77 version) 43

01/F07 HH-I-515 Critical radiant flux; radiant panel (cellulosic fiber, loose-fill) (para. 4.8.7 in D version, Amendment 1)

15, 16, 22, 26, 27, 32, 43, 45, 47, 47

01/V02 ASTM D591 Starch in paper; qualitative test 32, 43

01/V03 ASTM D2020 Mildew (fungus) resistance; paper and paperboard 32, 43

01/V04 ASTM E96 Water vapor transmission; thin sheets (proc. A) 15, 19, 27, 28, 29, 32, 43, 47

01/V05 HH-I-515 Fungus; cellulosic fiber (loose-fill) (para. 4.8.6 in D version, Amendment 1) 32, 43, 48

01/V06 HH-I-515 Starch; ecllulosic fiber (loose-fill) (para. 4.8.9 in D version, Amendment 1) 16, 19, 22, 32, 43, 48

CONCRETE LAP TEST METHODS

02/M01 ASTM C31 Making and Curing Concrete Test Specimens in the Field

02/M03 ASTM C172 Sampling Fresh Concrete

02/P01 ASTM C143 Slump of Portland Cement Concrete

02/W01 ASTM C138 Unit Weight, Yield, and Air Content (Gravimetric) of Concrete

02/A01 ASTM C231 Air Content of Freshly Mixed Concrete by the Pressure Method
9, 9, 10, 11, 12, 12, 14, 14, 17, 17, 18, 18, 23, 23, 24, 24, 25, 25, 25, 51, 26, 28, 29, 31, 31, 31, 32, 36, 37, 38, 38, 39, 40, 41, 41, 41, 42, 42, 42, 43, 46, 48, 49, 49, 50, 20, 51, 51

02/S01 ASTM C39 Compressive Strength of Cylindrical Concrete Specimens
9, 9, 10, 11, 12, 12, 14, 14, 17, 17, 18, 18, 23, 23, 24, 24, 25, 25, 25, 51, 26, 28, 29, 31, 31, 31, 32, 36, 37, 38, 39, 40, 41, 41, 41, 42, 42, 42, 43, 46, 48, 49, 50, 20, 51, 51

02/A02 ASTM C173 Air Content of Freshly Mixed Concrete by the Volumetric Method
9, 9, 10, 11, 12, 12, 14, 14, 17, 18, 23, 23, 24, 25, 25, 26, 28, 29, 31, 31, 32, 36, 37, 38, 39, 40, 41,
41, 41, 42, 42, 42, 43, 48, 49

CARPET LAP TEST METHODS

03/C01 AATCC 16E Colorfastness to Light (Xenon Arc)

10, 13, 13, 14, 15, 16, 16, 18, 20, 23, 26, 39, 39, 47, 47, 49, 50

03/C02 AATC 8 Colorfastness to Crocking

10, 13, 13, 14, 15, 16, 16, 18, 20, 23, 26, 39, 39, 47, 49, 50

03/D01 ASTM D418 Methods of Testing Woven and Tufted Pile Floor Coverings: Pile Weight—Uncoated (Para. 10-19); Pile Weight—Coated (Para. 20-29) as modified by UM 44C; Pile Thickness (Para. 30-36); Tuft Height—(Para. 37-45) as modified by UM 44C

10, 13, 13, 14, 15, 16, 16, 18, 20, 23, 26, 39, 39, 47, 47, 49, 50

03/D02 DDD-C-95A Shrinkage

10, 13, 13, 14, 15, 16, 16, 18, 20, 23, 26, 39, 39, 47, 49, 50

03/S01 ASTM D1335 Tuft Bind of Floor Coverings (Federal Test Method: Standard 191-5100, Textile Test Method—Breaking Strength; Federal Test Method: Standard 191-5950, Textile Test Method—Delamination Strength)

10, 13, 13, 14, 15, 16, 16, 18, 20, 23, 26, 39, 39, 40, 47, 49, 50

03/E01 AATCC 134/CRI 102 Electrostatic Propensity of Carpets 12, 13, 15, 26

03/F01 ASTM E84 Surface Flammability (Carpet) 16, 22, 26, 40, 43, 47

03/F02 UL 992 Surface Flammability 40, 43

03/F03 DoC FF1-70 Methenamine Pill Test 10, 13, 13, 14, 15, 16, 16, 18, 20, 23, 26, 39, 39, 40, 40, 43, 47, 47, 49, 50

03/F04 ASTM E648 Radiant Panel (Carpet) 13, 15, 16, 22, 26, 40, 40, 43, 47, 47

03/B01 UM 44C, Adendum 3 Attached Cushion Tests 13, 13

03/B02 UM 44C, Addendum 2 and 3 Attached Cushion Tests 10, 15, 16, 23, 26, 47

STOVE LAP-ELECTRICAL TEST GROUP

04/E01 Test Voltages 11, 21, 37, 43, 45

04/E02 Temperature Measurements, Electrical Components 11, 21, 37, 43, 45

04/E03 Input Test 11, 21, 37, 43, 45

04/E04 Temperature Test, Electrical Components 11, 21, 37, 43, 45

04/E05 Leakage Current 11, 21, 37, 43, 45

04/E06 Dielectric Withstand 11, 21, 37, 43, 45

04/E07 Locked Rotor (Stalled Motor) Temperature 11, 21, 37, 43, 45

04/E08 Power Cord Strain Relief 11, 21, 37, 43, 45

STOVE LAP-PHYSICAL/FIRE TEST GROUP

04/F02 Test Installation 11, 21, 22, 37, 43, 45

04/F02 Temperature Measurement 11, 21, 22, 37, 43, 45

04/F03 Smoke Spillage (visual observation) 11, 21, 22, 37, 43, 45

04/F04 Radiant Fire Test 11, 21, 22, 37, 43, 45

04/F05 Coal Fire Test 11, 21, 22, 37, 43, 45

04/F06 Brand Fire Test 11, 21, 22, 37, 43, 45

- **04/F07 Flash Fire Test** 11, 21, 22, 37, 43, 45
- 04/F08 Strength Tests 11, 21, 22, 37, 43, 45
- **04/F09 Stability Test** 11, 21, 22, 37, 43, 45
- **04/F10 Glazing Test** 11, 21, 22, 37, 43, 45

STOVE LAP-MOBILE HOME FIRE TEST GROUP

- 04/M01 Test Installation 11, 21, 37, 43, 45
- 04/M02 Toxic Gas 11, 21, 37, 43, 45
- 04/M03 Drop Test 11, 21, 37, 43, 45

32

ACOUSTICS LAP-PRECISION TEST METHODS

- 08/P01 ANSI/ASTM C367-78 Strength Properties, Prefabricated Architectural Acoustical Materials
- 08/P02 ANSI/ASTM C384-77 Impedance and Absorption of Acoustical Materials 29, 32
- 08/P03 ANSI/ASTM C423-81 Sound Absorption and Sound Absorption Coefficients 24, 28, 32, 38
- 08/P04 ASTM C522-80 Airflow Resistance of Acoustical Materials 29, 32
- 08/P05 ASTM C523-68 (81) Light Reflectance of Acoustical Materials 24, 32, 38
- 08/P06 ANSI/ASTM E90-82 Airborne Sound Transmission Loss of Building Partitions 24, 32, 38
- 08/P07 ANSI/ASTM E492-82 Impact Sound Transmission Through Floor-Ceiling Assemblies 38
- 08/P08 ANSI/ASTM E596-78 Noise Reduction of Sound-Isolating Enclosures
- 08/P09 ASTM E756-82 Vibration Damping Properties of Materials
- 08/P10 ANSI S1.31-80 Sound Power Levels, Broad-Band Noise Sources in Reverberation Rooms 32, 38
- 08/P11 ANSI S1.31-80 Sound Power Levels, Broad-Band Noise Sources in Reverberation Rooms (direct method only)
- 08/P12 ANSI S1.31-80 Sound Power Levels, Broad-Band Noise Sources in Reverberation Rooms (comparison method only)
- 08/P13 ANSI S1.32-80 Sound Power Levels, Discrete-Frequency and Narrow-Band Noise Sources in Reverberation Rooms

08/P14 ANSI S1.35-79 Sound Power Levels, Noise Sources in Anechoic and Hemi-Anechoic Rooms

08/P15 ANSI S1.35-79 Sound Power Levels, Noise Sources in Anechoic Rooms (anechoic room method only) 08/P16 ANSI S1.35-79 Sound Power Levels, Noise Sources in Hemi-Anechoic Rooms (hemi-anechoic room method only)

08/P17 ISO 3741-75 Sound Power Levels, Broad-Band Sources in Reverberation Rooms 38

08/P18 ISO 3741-75 Sound Power Levels, Broad-band Sources in Reverberation Rooms (direct method only)

08/P19 ISO 3741-75 Sound Power Levels, Broad-band Sources in Reverberation Rooms (comparison method only)

08/P20 ISO 3742-75 Sound Power Levels, Discrete-Frequency and Narrow-Band Sources in Reverberation Rooms

08/P21 ISO 3745-77 Sound Power Levels, of Noise Sources in Anechoic and Semi-Anechoic Rooms

08/P22 ISO 3745-77 Sound Power Levels of Noise Sources in Anechoic Rooms (anechoic room method only)

08/P23 ISO 3745-77 Sound Power Levels of Noise Sources in Semi-Anechoic Rooms (semi-anechoic room method only)

ACOUSTICS LAP—ENGINEERING TEST METHODS

08/E01 ANSI B71.1-80 (para. 9 and 21) Sound Level Tests; Power Lawn Mowers, Lawn and Garden Tractors and Lawn Tractors

38

08/E02 ANSI S1.29-79 Measurement of Noise Emitted by Computer and Business Equipment

08/E03 ANSI S1.34-80 Sound Power Levels, Noise Sources over a Reflecting Plane

08/E04 ANSI S3.19-75 Noise Protection, Hearing Protectors and Earmuffs

08/E05 ANSI S5.1-71 Measurement of Sound from Pneumatic Equipment

08/E06 ANSI S5.1-71 Measurement of Sound from Pneumatic Equipment (small machines only)

8/E07 ANSI S5.1-71 Measurement of Sound from Pneumatic Equipment (portable compressors and large items of pneumatic plant only)

08/E08 ANSI S5.1-71 Measurement of Sound from Pneumatic Equipment (stationary plant equipment only)

08/E09 ISO 362-81 Noise Emitted by Accelerating Road Vehicles

08/E10 ISO 512-79 Sound Pressure Levels, Vehicle Signaling Devices

08/E11 ISO 3744-81 Sound Power Levels of Noise Sources Over a Reflecting Plane

08/E12 ISO 5130-82 Noise Emitted by Stationary Road Vehicles

08/E13 SAE J192a-75 Exterior Sound Level of Snowmobiles

08/E14 SAE J1161-76 Sound Level Measurement Procedure for Snow Vehicles

08/E15 Title 40, CFR, Part 205 Transportation Equipment Noise Emission Measurements

08/E16 Title 40, CFR, Part 205 (Subpart B only) Transportation Equipment Noise Emission Measurements

08/E17 Title 40, CFR, Part 205 (Subpart D only) Transportation Equipment Noise Emission Measurements

08/E18 Title 40, CFR, Part 205 (Subpart E only) Transportation Equipment Noise Emission Measurements

08/E19 Title 40, CFR, Part 205 (Subpart F only) Transportation Equipment Noise Emission Measurements

08/E20 AMCA Test Code 300-1967 Test Code for Sound Ratings

08/E21 AMA-1-II-67 Ceiling Sound Transmission Test by Two-Room Method 24, 32

08/E22 EEC 81/334 (Annex I, para. 5.2) Sound Levels of Motor Vehicles

08/E23 EEC 70/388 (Annex I, paras. 1.2.1, 1.2.2, 1.2.3, and 2) Type Approval of an Audible Warning Device

08/E24 TRIAS 20-1980 Noise Test Procedures for Motor Vehicles

08/E25 TRIAS 21-1979 Horn Sound Level Test Procedure for Motor Vehicles

08/E26 ECE Regulation No. 28 Sound Levels of Vehicle Audible Warning Devices

Section 3

ACCREDITED LABORATORIES BY STATE

The following index provides a cross reference of accredited laboratories by State. Each page number after each State refers to the page number in Section 1 of this Directory in which, for each laboratory, the name, address, phone number, and list of accredited test methods are identified.

ALABAMA: 21

ARIZONA: 11, 23, 41, 46, 50

CALIFORNIA: 17, 24, 25, 36, 39, 42, 42, 45, 47, 49

COLORADO: 9, 29, 29, 29 CONNECTICUT: 32

FLORIDA: 20, 28

GEORGIA: 10, 13, 15, 16, 18, 20, 23, 26, 35, 38, 39,

39, 40, 50 **IDAHO:** 31

ILLINOIS: 9, 17, 27, 31, 38, 41, 43, 47

KANSAS: 35, 49 KENTUCKY: MAINE: 40, 22

MARYLAND: 12, 24, 31

MASSACHUSETTS: 11, 19, 22, 48

MINNESOTA: 27, 29, 43

MISSOURI: 13, 24 MONTANA: 31, 32

NEVADA: 51

NEW JERSEY: 10, 12, 35, 47 NEW YORK: 12, 24, 35, 36 NORTH CAROLINA: 41 OHIO: 19, 25, 26, 32, 36, 38

OKLAHOMA: 18, 40, 48

PENNSYLVANIA: 10, 14, 15, 37

SOUTH CAROLINA: 13

TEXAS: 14, 16, 25, 28, 36, 40, 42

UTAH: 23 VIRGINIA: 26

WEST VIRGINIA: 18, 49 WISCONSIN: 14, 37 The following two laboratories were inadvertently omitted from the Directory after production of this publication was begun and have been added to the end of this Directory in order to provide the latest information on accredited laboratories.

HARDING-LAWSON ASSOCIATES

Attn: James E. Nichols, 940 Matley Lane, Reno, NV 89502

Accreditation Renewal Date: July 1, 1983

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens


VIRGINIA CONCRETE LABORATORY

Attn: Richard A. Buckelew, Box 666, Springfield, VA 22150

Accreditation Renewal Date: April 1, 1984 Phone: (703) 354-6111

NVLAP Code	Designation	Short Title
02/M01	ASTM C31	Making and Curing Concrete Test
		Specimens in the Field
02/M03	ASTM C172	Sampling Fresh Concrete
02/P01	ASTM C143	Slump of Portland Cement Concrete
02/W01	ASTM C138	Unit Weight, Yield, and Air Content
		(Gravimetric) of Concrete
02/A01	ASTM C231	Air Content of Freshly Mixed Concrete
		by the Pressure Method
02/S01	ASTM C39	Compressive Strength of Cylindrical
		Concrete Specimens .
02/A02	ASTM C173	Air Content of Freshly Mixed Concrete
		by the Volumetric Method

Phone: (702) 329-6123



NBS-114A (REV. 2-80)			
U.S. DEPT. OF COMM. 1. PUBLICATION OR REPORT NO.	erforming Organ. Report No. 3. Publication Date		
BIBLIOGRAPHIC DATA	September 1983		
SHEET (See instructions)	September 1900		
4. TITLE AND SUBTITLE			
NVLAP, Sixth Annual Report and Directory o	f Accredited Laboratories (for the		
period January 1, 1982, to December 31, 19	82)		
Contract of the Contract of th			
5. AUTHOR(S)			
Wiley A. Hall			
6. PERFORMING ORGANIZATION (If joint or other than NBS, see	in structions) 7. Contract/Grant No.		
NATIONAL BUREAU OF STANDARDS			
DEPARTMENT OF COMMERCE	8. Type of Report & Period Covered		
WASHINGTON, D.C. 20234	Annual		
9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRE	SS (Street, City, State, ZIP)		
same as 6.			
10. SUPPLEMENTARY NOTES			
Library of Congress Catalog Card Number	: 83-600576		
Document describes a computer program; SF-185, FIPS Sof	sware Summary is attached		
11. ABSTRACT (A 200-word or less factual summary of most signif			
bibliography or literature survey, mention it here)	cane information. If woodment increases a dignificant		
This annual report of the National Voluntary Laboratory Accreditation Program (NVLAP) is prepared in accordance with NVLAP Procedures (Title 15 CFR Parts 7a, 7b, and 7c). Part I summarizes significant activities, including program changes, accreditation actions and ongoing discussions concerning laboratory accreditation on the national and international levels. Part II is a directory of laboratories currently accredited on behalf of the Secretary of Commerce.			
12 KEY WORDS (S			
12. KEY WORDS (Six to twelve entries; alphabetical order; capitalize only proper names; and separate key words by semicolons) accredited laboratories; laboratory accreditation process; laboratory accreditation programs			
13. AVAILABILITY	14. NO. OF		
	PRINTED PAGES		
X Unlimited	63		
For Official Distribution. Do Not Release to NTIS Order From Superintendent of Documents, U.S. Government	Printing Office Washington, D.C.		
20402. Sovernment	15. Price		
Order From National Technical Information Service (NTIS), Springfield, VA. 22161 \$4.50			



NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent Bureau publications in both NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$18; foreign \$22.50. Single copy, \$5.50 domestic; \$6.90 foreign.

NONPERIODICALS

Monographs—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NBS under the authority of the National Standard Data Act (Public Law 90-396).

NOTE: The principal publication outlet for the foregoing data is the Journal of Physical and Chemical Reference Data (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

Order the above NBS publications from: Superintendent of Documents, Government Printing Office, Washington, DC 20402.

Order the following NBS publications—FIPS and NBSIR's—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NBS Interagency Reports (NBSIR)—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

U.S. Department of Commerce National Bureau of Standards

Washington, D.C. 20234 Official Business Penalty for Private Use \$300





POSTAGE AND FEES PAID U.S. DEPARTMENT OF COMMERCE COM-215

SPECIAL FOURTH-CLASS RATE BOOK