



feet


METRIC SYSTEM

is the unit of length, the gram, which is the unit of mass (weight), and the liter, which is the unit of capacity. (There is also a unit of area, the are, which is equal to 100 square meters.) The principal units of the metric system are the meter, which

and multiples of the basic units, named by combining the proper ing the one-tenth part; "deka-," meaning ten times; "hecto-," The recognized prefixes are "milli-," meaning the one-thousandth part; "centi-," meaning the one-hundredth part; "deci-," meanprefix with the name of the basic unit to form selfdefining terms. Other units in the metric system are the decimal subdivisions

> meaning one hundred times; and "kilo-," meaning one thousand times. Not all of these prefixes are in general use; those most commonly employed are "centi-," "milli-," and "kilo-." Thus, for example, "milliliter" means the one-thousandth part of a liter, gram" means 1000 grams. "centimeter" means the one-hundredth part of a meter, and "kilo-

for pharmaceuticals, the abbreviation "mcg" is often used for microgram; in scientific work the recognized abbreviation is μg . microgram, equal to 1 thousandth of a milligram. In formulas A very small metric weight subdivision frequently used is the



METRIC-U.S. EQUIVALENTS

= 0.04 inch = 0.39 inch {= 39.37 inches {= 1.09 yards = 0.62 statute mile	LENGTH	
1 cubic centimeter 1 liter		s o.r.)
ПП	CAPACITY	second d
0.27 fluid dram 1.06 liquid quarts	TTY	To second decimal place)
1 gram 1 kilogram 1 metric ton		
= 0.04 ounce av = 2.20 pounds a = 1000 kilograms = 2204.62 pounds a = 1.10 tons	WEIGHT	

1 millimeter 1 centimeter

1 kilometer

meter

avoirdupois voirdupois avoirdupois



HOUSEHOLD WEIGHTS AND MEASURES

The purpose of this card is to present in convenient form the weights and measures tables most useful for household purposes. together with associated weights and measures information of general household interest.

ADVICE TO THE HOUSEWIFE

Buy solid commodities by weight whenever possible. In any event, buy by definite quantity whenever practicable, and not by money's worth.

worth. Learn the price per pound, per quart, etc., of what you buy, Learn to read the scale indications, and observe the weighing of your purchases, Check your purchases for price extension and quantity received. Mere package size may be deceptive. Read and compare labeled quantities in

relation to price.

Demand accurate weight and measure in your purchases just as you demand

Demand accurate weight and measure in your purenases just as you demand accurate change from the cashier.

Some stores provide scales on which you can check the weights of your purchases. Use them!

Become acquainted with your local or State weights and measures official, and consult him if in doubt on any weights and measures matter.

Report suspected inaccuracies or violations of the weights and measures laws and measures official.

and regulations to your weights and measures official.

CALORIES

The "calorie" is basically a unit of measure of heat. The large, or great, calorie is defined as the amount of heat required to raise the temperature of one kilogram of water one degree centigrade. This calorie is used as the unit for expressing the heat-producing or energy-producing value of food. When it is said that a certain amount of a particular food contains so many calories, this statement means that the specified amount of that food is capable of releasing to the body the specified amount of energy, through oxidation in the tissues of the digested protein, fat, and carbohydrate constituents of the food.

Energy values in excess of those expended for bodily activities are stored in the body as fut.

A 30-page pamphlet published by the U.S. Department of Agriculture and entitled "Nutritive Value of Foods," presents tabular information on the nutritive value of a large number of foods, including calorie values. Copies of this publication, which is designated by the number H & G Bulletin 72, may be purchased from the Superintendent of Documenta, U.S. Government Printing Office, Washington 25, D.C., at 20 cents a copy.

EQUIVALENTS OF THE COMMON CAPACITY UNITS USED IN THE KITCHEN

Units	Fluid drams	Tea- spoon- fuls	Table- spoon- fuls	Fluid ounces	tup- fuls	Gills (½ cup- fuls)	Cup- fuls	Liquid pints	Liquid quarts		Liters	Units
1 fluid dram equals 1 teaspoonful equals 1 tablespoonful cquals	1 1½ 4	3/4 1 3	1/4 1/3 1	1/8 1/6 1/2	1/16 1/12 1/4	1/ ₃₂ 1/ ₂₄ 1/ ₈	1/64 1/48 1/16	1/ ₁₂₈ 1/ ₉₆ 1/ ₃₂	½56 1/102 1/64	3.7 4.9 15	0.004 0.005 0.015	Equals 1 fluid dram Equals 1 teaspoonful Equals 1 tablespoon-
1 fluid ounce equals ¼ cupful equals 1 gill (½ cupful) equals.	8 16 32	6 12 24	2 4 8	$\frac{1}{2}$	1/2 1 2	1/4 1/2 1	1/8 1/4 1/2	1/16 1/8 1/4	1/32 1/16 1/8	30 59 118	0.030 0.059 0.118	ful Equals 1 fluid ounce Equals ¼ cupful Equals 1 gill (½ cup-
1 cupful equals	64 128 256 0.27 270	48 96 192 0.20 203	16 32 64 0.068 67.6	8 16 32 0.034 33.8	4 8 16 0.017 16.9	2 4 8 0.0084 8.45	1 2 4 0.0042 4.23	1½ 1 2 0.0021 2.11	1/4 1/2 1 0.0011 1.06	237 473 946 1 1000	0.237 0.473 0.946 1/1000	ful) Equals 1 cupful Equals 1 liquid pint Equals 1 liquid quart Equals 1 milliliter* Equals 1 liter

For all household purposes 1 milliliter may be considered as equal to 1 cubic centimeter.

NOTE.—Values in italics are correct to the number of significant figures shown; all others are exact values.

APPROXIMATE WEIGHTS OF SOME COMMODITIES IN AVOIRDUPOIS OUNCES PER CUP

Citrus fruit juice (fresh) 8½ Cornflakes 1 Corn meal 5	Milk (dry) 4½ Oatmeal 3 Pancake mix 5	Raisins (seedless) 5 Rice 7 Shortening (vegetable) 7 Sugar (brown, moist, firmly packed) 7½ Sugar (granulated) 7 Water 8½
--------------------------------------------------------	-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The foregoing weights are approximate only, and should not be used for determining whether or not correct weight is received when commodities are bought.

RULES FOR COMPUTING CIRCUMFERENCE, AREAS, AND VOLUMES

Note.—Express all dimensions in terms of the same unit-for example, in terms of feet. A computed area will then be in terms of the square of the dimensional unit used-for example, square feet-and a computed volume will be in terms of the cube of the dimensional unit used-for example, cubic feet.

Circumference of circle: 3.1416×diameter. Area of circle: 0.7854×diameter×diameter. Area of rectangle: Length x width. Capacity of rectangular bin: Length x width x depth.

Volume of cylinder: 0.7854 x diameter x diameter x height. Approximate capacity of container having sloping sides: Vertical height × one-half the sum of top area and bottom area.

16-76089-2

[OVER]

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Price 5 cents,

WEIGHTS AND MEASURES TABLES

TROY WEIGHT

(Including some metric equivalents, to second decimal place)

1 ton 1 hundred-1 pound 1 ounce 1 dram '1 long or = 2240weight gross ton AVOIRDUPOIS WEIGHT = 2000= $\begin{cases} 16 \\ 7000 \end{cases}$ $\left\{\begin{array}{c} 16\\ 4371/2 \end{array}\right.$ 2711/32 grains 16 drams) grains ounces)= grains pounds \ pounds==\begin{cases} 907.18 kilograms \\ 0.91 metric ton pounds 453.59 grams 0.45 kilogram 28.35 grams

1 pound 1 ounce 1 pennyweight = (Used for precious metals) 480 grains
12 ounces 5760 grains 24 grains 20 pennyweights = 31.10 grams =373.24 grams

1 pound 1 scruple 1 dram 1 ounce APOTHECARIES WEIGHT 5760 grains 480 grains 12 ounces 20 grains 3 scruples 8 drams =373.24 grams 31.10 grams

Note The "grain" is the same in avoirdupois, troy, and apothecaries weight

LINEAR MEASURE

1 foot 1 yard 1 statute 1 rod (The "knot" is a unit of speed, equal to 1 nautical mile per hour). (1 international nautical mile=1852 6076.11549 feet). (1 furlong=1/8 statute mile). 320 1760 5280 16½ feet 51/2 yards rods yards feet feet inch inches =1609.34 meters 30.48 centimeters 0.91 meter 2.54 centimeters meters=

1 acre 1 section 1 square mile= 1 square rod == 1 square foot= 1 square yard= of land =1 mile square AREA MEASURE 4840 square yards == 43560 square feet 640 acres 144 square inches 160 square rods 301/4 square 9 square feet yards =259.000.40hectares hectare

CUBIC MEASURE

1 cubic yard = 1 cubic foot =1728 cubic inches=28.32 cubic deci-27 cubic feet = 0.76 cubic meter meters

LIQUID MEASURE

ounce 1 gill 1 gallon 1 pint 1 fluid 1 quart 231 cubic inches 2 pints 32 fluid ounces 16 fluid ounces 4 fluid ounces fluid drams = 29.57 milliliters = 3.79 liters Ď =473.16 milliliters 0.95 liter

DRY MEASURE

1 quart = 1 bushel peck = 2150.42 cubic inches J 2 pints 8 quarts 4 pecks quarts =3.52 dekaliters =1.10 liters =8.81 liters

MISCELLANEOUS EQUIVALENTS (To second decimal place)

bushel, U.S. $= \begin{cases} 2150.42 \text{ cubic inches} \\ 1.24 \text{ cubic feet} \\ \text{carat (precious stones)} = 200 \text{ milligrams} \\ \text{calloy)} \end{cases}$ $= \begin{cases} 2150.42 \text{ cubic feet} \\ 1.24 \text{ cubic feet} \\ \text{milligrams} \end{cases}$ $= \begin{cases} 1/28 \text{ cubic feet} \\ 7.48 \text{ gallons} \\ 0.80 \text{ bushel} \end{cases}$
42 cubic inches 24 cubic feet milligrams ½4 part cubic feet 48 gallons 80 bushel

	\vdash	\vdash		\vdash			\vdash		
	fluid o	hand		1 gallon, U.S.			gallon	ł	
	1 fluid ounce, British			U.S.			I gallon, British Imperial = {		
	Br						sh		
2	itish						dul		
							eria		
			_	<u> </u>	_				
							160		
	0.96 fluid ounce,	4		0.83	0.13		ö	1.20	
U	fluid	inch	Iη	gall	cubi	В	fluid	gall	
S	no	es	npei	n,	c fc	ritis	l ou	ons,	
	nce,		ial	Brit	ğ	₽	nces	<u>u</u> .	
				ish			9 2	Ś	

_	r pound avoiraupois		1.22 pounds, troy or
			apothecaries
	I pound, troy or apothe-	()	0.82 pound
<u></u>	caries		avoirdupois
	1 quart, dry, U.S.		1.16 quarts, liquid,
	1 guart liquid II g		57.75 cubic inches
	- quare, aiquiu, C.D.		0.83 quart, British



WEIGHTS AND MEASURES TABLES (Including some metric equivalents, to second decimal place)



Note The "grain" is the same in avoirdupois, troy	y, and apothecaries weight.	
LINEAR MEASURE 1 inch = 2.54 centimeters 1 foot = 12 inches = 30.48 centimeters 1 yard = 3 feet = 0.91 meter 1 foot = 5½ yards 1 foot = 5½ yards 1 foot = 15½ feet 1 statute 320 rods 16520 feet 1 furlong=½ statute mile (1 international nautical mile=1852 meters=6076.11549 feet), (The "knot" is a unit of speed, equal to 1 nautical mile per hour;	AREA MEASURE 1 square foot= 144 square inches 1 square yard= 9 square feet 1 square rod = 30½ square 1 square rod = 30½ square rods 48360 square feet 1 square mile= 640 acres = 259.00 1 section of land =1 mile square	CUBIC MEASURE 1 cubic foot =1728 cubic inches=28.32 cubic decimeters 1 cubic yard = 27 cubic feet = 0.76 cubic meter
cai fille per flour/.		

	LIQUID MEASURE	DRY MEASURE
1 fluid ounce 1 gill 1 pint 1 quart 1 gallon	= 8 fluid drams = 4 fluid ounces = 4 gills 16 fluid ounces = 2 pints 32 fluid ounces = 4 quarts = 3.79 liters	1 quart = 2 pints = 1.10 liters 1 peck = 8 quarts = 8.81 liters 1 bushel=

MISCELLANEOUS EQUIVALENTS

(10 second decimal place)								
1 carat (precious stones) = 20 1 carat (fineness of gold=	0 milligrams	gallon, British Imperial =	British 0.13 cuhic foot	1 pound avoirdupois 1 pound, troy or apothecaries	avoirdupois			
alloy) 1 cord (firewood) = 12	8 cubic feet	gallon, U.S. =	Imperial	1 quart, dry, U.S.	$= \begin{cases} 67.20 \text{ cubic inches} \\ 1.16 \text{ quarts, liquid.} \end{cases}$			
rennic root	0.80 bushel 1	fluid ounce, British =	4 inches 0.96 fluid ounce, U.S.	1 quart, liquid, U.S.	= { U.S. 57.75 cwbic inches 0.83 quart, British			
1 furlong ={ 22 1 fathom =	% mile 1 6 feet	fluid ounce, U.S	1.04 fluid ounces, British	1 quart, British	= 1.20 quarts, liquid, U.S.			


METRIC SYSTEM

The principal units of the metric system are the meter, which is the unit of length, the gram, which is the unit of mass (weight), and the liter, which is the unit of capacity. (There is also a unit of area, the arc, which is equal to 100 square meters.)

Other units in the metric system are the decimal subdivisions and multiples of the basic units, named by combining the proper prefix with the name of the basic unit to form self-defining terms. The recognized prefixes are "milli-," meaning the one-thousandth part; "centi-," meaning the one-hundredth part; "deci-," mcaning the one-tenth part; "deka-," meaning ten times; "heeto-,"

meaning one hundred times; and "kilo-," meaning one thousand times. Not all of these prefixes are in general use; those most commonly employed are "centi-," "milli-," and "kilo-." Thus, for example, "milliliter" means the one-thousandth part of a liter, "centimeter" means the one-hundredth part of a meter, and "kilogram" means 1000 grams.

A very small metric weight subdivision frequently used is the microgram, equal to 1 thousandth of a milligram. In formulas for pharmaceuticals, the abbreviation "mcg" is often used for microgram; in scientific work the recognized abbreviation is μg ,



METRIC-U.S. EQUIVALENTS (To second decimal place)

	LENCTH		CAPAC	ITY	1	WEICHT
1 millimeter 1 centimeter 1 meter 1 kilometer	= 0.04 inch = 0.39 inch {= 39.37 inches = 1.09 yards = 0.62 statute mile	1 cubic centimeter 1 liter	-	0.27 fluid dram 1.06 llquid quarts	1 gram 1 kilogram 1 metric ton	= 0.04 ounce avoirdupois = 2.20 pounds avoirdupois =1000 kilograms =2204.62 pounds avoirdupois = 1.10 tons



