





Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003060 Transaction Set 806 Project Schedule Reporting

Implementation Convention



U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of
Standards and Technology

he National Institute of Standards and Technology was established in 1988 by Congress to "assist industry in the development of technology ... needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries."

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry's competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency's basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department's Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST's research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

Office of the Director

- National Quality Program
- · International and Academic Affairs

Technology Services

- Standards Services
- Technology Partnerships
- Measurement Services
- · Technology Innovation
- Information Services

Advanced Technology Program

- · Economic Assessment
- Information Technology and Applications
- · Chemical and Biomedical Technology
- · Materials and Manufacturing Technology
- · Electronics and Photonics Technology

Manufacturing Extension Partnership Program

- · Regional Programs
- National Programs
- Program Development

Electronics and Electrical Engineering Laboratory

- Microelectronics
- · Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields¹
- Electromagnetic Technology¹
- Optoelectronics¹

Chemical Science and Technology Laboratory

- · Biotechnology
- Physical and Chemical Properties²
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

Physics Laboratory

- · Electron and Optical Physics
- Atomic Physics
- · Optical Technology
- Ionizing Radiation
- Time and Frequency
- · Quantum Physics1

Materials Science and Engineering Laboratory

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability¹
- Polymers
- Metallurgy
- NIST Center for Neutron Research

Manufacturing Engineering Laboratory

- Precision Engineering
- · Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

Building and Fire Research Laboratory

- Structures
- Building Materials
- · Building Environment
- · Fire Safety Engineering
- Fire Science

Information Technology Laboratory

- Mathematical and Computational Sciences²
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- Software Diagnostics and Conformance Testing

¹At Boulder, CO 80303.

²Some elements at Boulder, CO.

Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003060 Transaction Set 806 Project Schedule Reporting

Implementation Convention

Electronic Commerce Acquisition Program Management Office Standard Management Committee - Secretariat National Institute of Standards and Technology Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

January 1998



U.S. DEPARTMENT OF COMMERCE William M. Daley, Secretary

Technology Administration
Gary R. Bachula, Acting Under Secretary for Technology

National Institute of Standards and Technology Raymond G. Kammer, Director

Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

National Institute of Standards and Technology Special Publication 881-46
Natl. Inst. Stand. Technol. Spec. Publ. 881-46, 56 pages (Jan. 1998)
CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE WASHINGTON: 1998

806 Project Schedule Reporting

Functional Group ID=PJ

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Project Schedule Reporting Transaction Set (806) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set provides for the transmission of planning, scheduling, and status information. The purpose of this transaction set is to establish an initial plan, report progress against the plan, and report changes to the plan. It is designed to serve the needs of government agencies, prime contractors and their subcontractors.

Notes:

- 1. The purpose of this draft implementation convention is to provide a general framework that can be used to exchange a variety of planning, scheduling, and resource information between the Department of Defense (DoD) agencies and their contractors. This includes proposal, initial or baseline, change or update, and status details.
- 2. While specific commercial off the shelf planning and scheduling software was reviewed for the type of data that needed to be included in this transaction set, this implementation convention is designed to be used with ANY software tool that may be used by the contractor or government agency. The objective is to define the core data exchange requirements in a neutral format i.e., it is not customized to fit one specific software tool.
- 3. It is anticipated that the 806 transaction set and this implementation convention will be used for bi-directional data exchange. That means it can be used by the contractor to send information to their government customer and it can be used by the government agency to send information to the contractor. Generally, the N1 (Name) loop in table 1 of the transaction set identifies the sending or receiving party.
- 4. This implementation convention is meant to define the FORMAT of the data that will be exchanged. The CONTENT of the data is always governed by any applicable Contract Data Requirements List (CDRL), Data Item Description (DID), or contract Statement of Work (SOW).
- 5. The example appendix for this implementation convention provides additional reference information on how this transaction set is used to exchange planning and scheduling data.

Heading:

Must Use	Pos. No. 010	Seg. <u>ID</u> ST	Name Transaction Set Header	Req. <u>Des.</u> M	Max.Use 1	Loop Repeat	Notes and Comments
Must Use	020	BPP	Beginning Segment for Project Schedule Reporting	M	1		
	030	REF	Reference Identification	О	>1		
			LOOP ID - NI			>1	
Must Use	040	N1	Name	О	1	la dinekalis tidi selik kenerikisi en elise e e e i	parado cariforni e como como como como como como como co
	050	N2	Additional Name Information	О	2		
	060	N3	Address Information	О	2		
	070	N4	Geographic Location	О	1		
Not Used	080	REF	Reference Identification	О	>1		
Must Use	090	PER	Administrative Communications Contact	O	>1		
Not Used	100	DTM	Date/Time Reference	О	>1		

Detail:

003060F806_0 15 July 1997

	Pos.	Seg. <u>ID</u>	Name LOOP ID - CAL	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
	010	CAL	Calendar Calendar	O		>1 ************************************	
Not Used	020	QTY	Quantity	0	>1		
Not Osed	030	DTM	Date/Time Reference	0	>1		
	030	DIM			<u></u>		
			LOOP ID - RSC			>1	
	040	RSC	Resource	0	1		
Not Used	050	REF	Reference Identification	0	>1		
Not Used	060	DTM	Date/Time Reference	0	>1		
Not Used	070	QTY	Quantity	0	>1		
Not Used	080	AMT	Monetary Amount	0	>1		
Not Used	090	PCT	Percent Amounts	0	>1		
Not Used	100	RPA	Rate Amounts or Percents	0	>1		
			LOOP ID - TID			>1	
Must Use	110	TID	Task Identification	O	1		
	120	REF	Reference Identification	O	>1		
	130	DTM	Date/Time Reference	О	>1		
	140	QTY	Quantity	O	>1		
	150	AMT	Monetary Amount	O	>1		
	160	PCT	Percent Amounts	О	>1		
	170	N1	Name	O	>1		
	180	PER	Administrative Communications Contact	О	>1		
	190	PID	Product/Item Description	O	>1		
	200	MSG	Message Text	О	>1		
			LOOP ID - RSC		······································	>1	
	210	RSC	Resource	O	ine in seineth line is som bine in in the line is the seine in the line is the seine in the line is the seine in the line is t	letteritimiskenstetimbioentimes	
	220	REF	Reference Identification	O	>1		
	230	DTM	Date/Time Reference	О	>1		
	240	QTY	Quantity	О	>1		
	250	AMT	Monetary Amount	О	>1		
	260	PCT	Percent Amounts	O	>1		
Not Used	270	RPA	Rate Amounts or Percents	О	>1		
	280	PAM	Period Amount	О	>1		
			LOOP ID - MLS			>1	
	290	MLS	Milestone	O	teritalisti kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari 1	tion of the market of the Property of the State of the St	
	300	REF	Reference Identification	О	>1		
	310	DTM	Date/Time Reference	О	>1		
	320	QTY	Quantity	О	>1		
	330	AMT	Monetary Amount	О	>1		
	340	PCT	Percent Amounts	O	>1		
Must Use	350	SE	Transaction Set Trailer	M	1		<u></u>

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use:

Purpose:

To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes:

1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

		Data	Element Summar y		
Ref.	Data				
Des.	Element	<u>Name</u>		Attr	<u>ributes</u>
ST01	143	Transaction S	Set Identifier Code	M	ID 3/3
		Code uniquely	y identifying a Transaction Set		
		806	X12.196 Project Schedule Repor	ting	
ST02	329	Transaction S	Set Control Number	M	AN 4/9
		, ,	•		ction set
		× -			
	Des. ST01	Des. Element ST01 143	Ref. Data Des. Element Name ST01 143 Transaction Code uniquely 806 ST02 329 Transaction Identifying confunctional grown ariginator's and originator's and or	Des. 143 Transaction Set Identifier Code Code uniquely identifying a Transaction Set 806 X12.196 Project Schedule Report ST02 329 Transaction Set Control Number Identifying control number that must be unique within functional group assigned by the originator for a transaction of the transaction program. This number is the	Ref. Data Des. Element ST01 143 Transaction Set Identifier Code Code uniquely identifying a Transaction Set 806 X12.196 Project Schedule Reporting ST02 329 Transaction Set Control Number Identifying control number that must be unique within the transaction affunctional group assigned by the originator of the transaction originator's application program. This number is the same as the

BPP Beginning Segment for Project Schedule Reporting Segment: 020 Position: Loop: Heading Level: Usage: Mandatory Max Use: Purpose: To indicate the beginning of the Project Schedule Reporting Transaction Set and program identifying numbers 1 At least one of BPP04 BPP05 or BPP06 is required. **Syntax Notes:** BPP02 is the transaction set date. **Semantic Notes:** 1 2 BPP05 is the program name. 3 BPP06 is the program number identification. 4 BPP07 is the report effective date. BPP09 is the schedule number identification. 6 BPP10 is available for a schedule title or reference. BPP11 is the schedule date or schedule effective date. BPP12 is the priority rating reference number.

Comments:

			Data E	lement Summary
	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	BPP01	353		et Purpose Code M ID 2/2
			Code identifyin	ng purpose of transaction set
			00	Original
			04	Change
			05	Replace
			14	Advance Notification
				Use this code in the event preliminary schedule data must be transmitted. This preliminary transmission is then followed with a final transmission (code 20) to provide the final schedule data.
			20	Final Transmission
			22	Use this code to transmit final schedule data when preliminary data has been sent (code 14).
			22	Information Copy
				Use this code in the event an information copy of the schedule data needs to go to a specific receiving party. This receiving party is named in the N1 (Name) segment (use code ZD, Party to Receive Reports, in N101).
Must Use	BPP02	373	Date Date (YYMMD	M DT 6/6 DD)
			Enter the date in purposes only.	the data report was created. This date is used for reference
Must Use	BPP03	1164		hedule Data Type M ID 2/2 fy the network or schedule or type of presentation
			02	Logic Network Precedence Diagramming Method Method to illustrate tasks and relationships over time using the activity on node method

			03	Bar Chart (Gantt Chart)		
				Method to illustrate tasks; primarily a	listin	g of task
				names and duration of tasks; duration		own with
			0.4	lines to illustrate start and finish dates Milestone	5	
			04		C	
				Method to illustrate significant events events may represent significant deliv		
				tasks to measure contract progress	Claule	es of other
			05	Line of Balance (LOB)		
				Method to illustrate manufacturing de	elivera	bles or other
				tasks		
			06	Task List		
				Simple listing of tasks required to con	-	
	BPP04	367	Contract Number		X	AN 1/30
			Contract number			
			Enter the contract	number.		
	BPP05	352	Description		X	AN 1/80
				otion to clarify the related data elements		
			Request for Quote	short description of the program. If the or Request for Proposal (RFQ/RFP), et and provide the solicitation or proporter/030) segment.	enter t	he description
	BPP06	127	Reference Identific	cation	X	AN 1/30
			Reference informat	ion as defined for a particular Transacti	on Set	or as
				ference Identification Qualifier		
			Enter the program	number.	- ·	
	nnn.5		35. Sünditeria kanna maalamaa kanna kanna misinta ah	IN PROPERTY OF THE PROPERTY OF		70.00
ust Use	BPP07	373	Date Date (YYMMDD)		0	DT 6/6
				Section data This is considered to be the	a data	the data was
			2 45	fective date. This is considered to be th from the source database.	e aaie	ine uaiu was
ust Use	BPP08	755	Report Type Code		0	ID 2/2
				title or contents of a document, report	or sup	porting item
			21	Recovery Plan		
			26	Production Plan		
				Use this code for an Integrated Mast	er Pla	n (IMP).
			31	Master Schedule		Accounty.
				Use this code for an Integrated Mast (IMS).	er Scl	iedule
	BPP09	127	Reference Identific	cation	0	AN 1/30
			Reference informat	ion as defined for a particular Transacti	on Set	or as
			specified by the Re	ference Identification Qualifier		
			code can be used to	chedule reference number for this tran o link related transaction sets together ting 839 or Specifications/Technical I	(for ex	cample, with a
			Section 1			
	BPP10	352	Description		0	AN 1/80

A free-form description to clarify the related data elements and their content Enter the name or short description of the schedule. **Must Use** BPP11 373 Date \mathbf{o} DT 6/6 Date (YYMMDD) Enter the schedule status effective date. This is the Time Now date for the data. BPP12 127 Reference Identification O AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use this data element to enter a version number for the schedule data. **BPP13** 786 **Security Level Code** 0 ID 2/2 Code indicating the level of confidentiality assigned by the sender to the information following Typically all data is assumed to be company proprietary information and is treated as government non-classified information (code 90). In the event codes 92, 93, or 94 are used, additional security measures such as encryption are used to protect the data. 11 Competition Sensitive 90 Government Non-Classified 92 Government Confidential

Government Secret

Government Top Secret

15 July 1997

93

94

REF Reference Identification Segment:

Position:

Loop:

Level: Heading Usage: Optional >1

Max Use:

Notes:

Purpose: To specify identifying information

Syntax Notes: At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required. 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments: REF04 contains data relating to the value cited in REF02.

Use this segment to convey any additional reference numbers that are needed to identify or further qualify the schedule information being transmitted.

			Data Elen	nent Summary	
Ref. Des. E Must Use REF01		Data Element 128	Name Reference Identification of the code qualifying the code of t	ication Qualifier e Reference Identification	Attributes M ID 2/3
			39	Proposal Number	
			72	Schedule Reference Number	
				Identifies a number for a program scheexample, a logic type of network) or we to complete a specific task or set of tax Use this code to indicate there is a resolute Schedule Reporting (806) transaction complements this transaction set. The reference number entered in REF02 same unique reference number entere (1/BPP/020) in the related 806 transactions.	vorking schedule sks lated Project 1 set(s) that 1 e unique should be the 1 ed in BPP09
			92	Change Document Number	operationism. Protestare
				Reference numbers to track changes n	nade to a contract
			AT	Appropriation Number	
			C4	Change Number	
			CA	Cost Allocation Reference	
				Use this code to indicate there is a real Reporting (839) transaction set(s) that this transaction set. The unique referenced in REF02 should be the same reference number entered in REF02 the 839 transaction set.	nt complements rence number e unique
			KS	Solicitation	
				A discreet number assigned by the put to differentiate between different solic	

Technical Document Number

Use this code to indicate there is a related Specifications/Technical Information (841)

transaction set(s) that complements this transaction set. The unique reference number entered in REF02 should be the same unique reference number entered in SPI03 (1/SPI/020) in the 841 transaction set.

NJ

Must Use	REF02	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transactio	n Sei	or as
			specified by the Reference Identification Qualifier		
			Use to enter the reference number.		
			Contribution with the property and the contribution of		
Not Used	REF03	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements a	and th	neir content
Not Used	REF04	C040	Reference Identifier	0	
			To identify one or more reference numbers or identification	num	bers as
			specified by the Reference Qualifier		
Not Used	C04001	128	Reference Identification Qualifier	M	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04002	127	Reference Identification	M	AN 1/30
			Reference information as defined for a particular Transaction	n Set	or as
			specified by the Reference Identification Qualifier		
Not Used	C04003	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction	n Set	or as
			specified by the Reference Identification Qualifier		
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction	n Set	or as
			specified by the Reference Identification Qualifier		

Segment: N1 Name

Position: 040

Loop: N1 Optional (Must Use)

Level: Heading

Usage: Optional (Must Use)

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must

provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes: 1. This segment is required. As a minimum, use this segment to provide information about the party sending the schedule data. As an option, include information about

the party receiving the schedule data.

2. Whenever possible, identification and address information should be provided using N101, N103, and N104. Use N102 and segments N2, N3, and N4 as applicable when this information cannot be provided by using one of the codes listed in N103.

	D 4	-	Data Elem	ent Summary			
Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	Name Entity Identifier C Code identifying an	ode organizational entity, a physical location	M	ributes ID 2/2 an individual	
			FR	Message From	,		
				Use this code to identify the organiza schedule data.	tion s	ending the	
			ТО	Message To	mate of the state	and the same	
				Use this code to identify the organiza schedule data.	tion r	eceiving the	
			ZD	Party to Receive Reports			
				The organization designated to receive	e repo	orts	
					Use this code to identify the organiza an information copy of the schedule		hat receives
	N102	93	Name	Control of the Control of Control	X	AN 1/35	
			Free-form name				
	N103	66	Identification Cod	e Qualifier	X	ID 1/2	
			Code designating the Code (67)	ne system/method of code structure used	l for I	dentification	
			1	D-U-N-S Number, Dun & Bradstreet			
			9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix			
			10	Department of Defense Activity Addr (DODAAC)	ess C	ode	
			33	Commercial and Government Entity (CAG	E)	
	N104	67	Identification Cod	e	X	AN 2/20	
			Code identifying a	party or other code			

Not Used	N105	706	Entity Relationship Code	0	ID 2/2
			Code describing entity relationship		
Not Used	N106	98	Entity Identifier Code	0	ID 2/2
			Code identifying an organizational entity, a physical loc	cation, or	an individual

Segment: N2 Additional Name Information

Position: 050

Loop: N1 Optional (Must Use)

Level: Heading Usage: Optional

Max Use: 2

Purpose: To specify additional names or those longer than 35 characters in length

Syntax Notes: Semantic Notes: Comments:

Notes:

This segment should only be used when N102 is used and it is necessary to provide

additional name information.

	Ref.	Data		
	Des.	Element	Name	<u>Attributes</u>
Must Use	N201	93	Name	M AN 1/35
			Free-form name	
	N202	93	Name	O AN 1/35
			Free-form name	

Segment: N3 Address Information

Position: 060

Loop: N1 Optional (Must Use)

Level: Heading Usage: Optional

Max Use: 2

Purpose: To specify the location of the named party

Syntax Notes: Semantic Notes:

Comments:

Notes: This segment should only be used when N102 is used.

	Ref.	Data		
	Des.	Element	Name	<u>Attributes</u>
Must Use	N301	166	Address Information Address information	M AN 1/35
	N302	166	Address Information	O AN 1/35
			Address information	

Segment: N4 Geographic Location

Position: 070

Loop: N1 Optional (Must Use)

Level: Heading Usage: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.

Semantic Notes:

Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to

specify a location.

2 N402 is required only if city name (N401) is in the U.S. or Canada.

Notes: This segment should only be used when N102 is used.

	Ref.	Data			
	Des.	Element	Name	Att	<u>ributes</u>
	N401	19	City Name	0	AN 2/30
			Free-form text for city name		
	N402	156	State or Province Code	0	ID 2/2
			Code (Standard State/Province) as defined by appropriate	goverr	ment agency
	N403	116	Postal Code	0	ID 3/15
			Code defining international postal zone code excluding pu (zip code for United States)	nctuat	ion and blanks
	N404	26	Country Code	0	ID 2/3
			Code identifying the country		
Not Used	N405	309	Location Qualifier	X	ID 1/2
			Code identifying type of location		
Not Used	N406	310	Location Identifier	0	AN 1/30
			Code which identifies a specific location		

PER Administrative Communications Contact Segment: 090 Position: Loop: N1 Optional (Must Use) Heading Level: Usage: Optional (Must Use) Max Use: Purpose: To identify a person or office to whom administrative communications should be directed **Syntax Notes:** If either PER03 or PER04 is present, then the other is required. If either PER05 or PER06 is present, then the other is required. If either PER07 or PER08 is present, then the other is required. **Semantic Notes:** Comments: Notes: This segment is required. **Data Element Summary** Ref. Data **Attributes** Element Name Des. **Must Use** PER01 366 **Contact Function Code** M ID 2/2 Code identifying the major duty or responsibility of the person or group named CD Contract Contact **Must Use** PER02 93 Name AN 1/35 Free-form name Provide the last name, first name, and middle initial if available. Include blank spaces between name components and periods after initials. Omit the comma between the last name and first name. **Must Use** PER03 365 Communication Number Qualifier ID 2/2 X Code identifying the type of communication number AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) **EM** Electronic Mail FT Federal Telecommunications System (FTS) FX Facsimile IT International Telephone TE Telephone AN 1/80 Must Use PER04 364 **Communication Number** Complete communications number including country or area code when applicable PER05 365 **Communication Number Qualifier** X ID 2/2 Code identifying the type of communication number AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) **EM** Electronic Mail EX Telephone Extension When used, there must be a previous communication number citing either national or international telephone number.

Facsimile

Federal Telecommunications System (FTS)

FT

FX

		IT	International Telephone		
		TE	Telephone		
PER06	364	Communicati	on Number	X	AN 1/80
		Complete com applicable	munications number including country or	area coo	le when
PER07	365	Communicati	on Number Qualifier	X	ID 2/2
		Code identifying	ng the type of communication number		
		AU	Defense Switched Network		
		EM	Department of Defense telecommu successor of the Automatic Voice I (AUTOVON) Electronic Mail		s system and
		EX	Telephone Extension		
		FT	When used, there must be a previous number citing either national or in telephone number. Federal Telecommunications Systems	nternatio	onal
		FX	Facsimile		
		IT	International Telephone		
		TE	Telephone		
PER08	364	Communication		X	AN 1/80
		Complete com applicable	munications number including country or	area cod	le when
PER09	443	Contact Inqui	ry Reference	O	AN 1/20
		Additional refe	erence number or description to clarify a c	ontact n	umber
		Use this data e	element to enter the title of the person na	med in I	PERO2.

Segment: CAL Calendar

Position: 010

Loop: CAL Optional

Level: Detail
Usage: Optional

Max Use:

Purpose: To identify the calendar and working shift details for the plan or schedule
Syntax Notes: 1 If either CAL14 or CAL15 is present, then the other is required.
Semantic Notes: 1 CAL01 identifies whether a reference number is a calendar or shift.

Comments:

			Data Element Summary		
	Ref.	Data			
	Des.	Element	<u>Name</u>	Att	ributes
Must Use	CAL01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M	ID 2/3
			70 Calendar Number		
			Identifies a working calendar (for exa	mnle	Monday
			through Friday) for a company, division	_	•
Must Use	CAL02	127	Reference Identification	M	AN 1/30
			Reference information as defined for a particular Transaction	on Se	t or as
			specified by the Reference Identification Qualifier		
			Enter the number or name of the calendar.		
	~				
Not Used	CAL03	344	Unit of Time Period or Interval	0	ID 2/2
BT . TT .	G 1 T 0 1	0.00	Code indicating the time period or interval	_	TD 0/0
Not Used	CAL04	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	O	ID 3/3
Nick III.	CAL05	272	Date		DT 6/6
Not Used	CALUS	373	Date (YYMMDD)	0	D1 0/0
Not Used	CAL06	337	Time	0	TM 4/8
Not Osea	CALO	331	Time expressed in 24-hour clock time as follows: HHMM,	_	
			HHMMSSD, or HHMMSSDD, where H = hours (00-23), M		
			59), S = integer seconds (00-59) and DD = decimal seconds		
			are expressed as follows: $D = tenths (0-9)$ and $DD = hundred$	edths	
Not Used	CAL07	623	Time Code	0	ID 2/2
			Code identifying the time. In accordance with International		
			Organization standard 8601, time can be specified by a + or in hours in relation to Universal Time Coordinate (UTC) times		1
			restricted character, + and - are substituted by P and M in the		
Not Used	CAL08	678	Ship/Delivery or Calendar Pattern Code	0	ID 1/2
			Code which specifies the routine shipments, deliveries, or co	alend	lar pattern
			Refer to 003060 Data Element Dictionary for acceptable co	de va	lues.
Not Used	CAL09	374	Date/Time Qualifier	0	ID 3/3
			Code specifying type of date or time, or both date and time		
Not Used	CAL10	373	Date	O	DT 6/6
			Date (YYMMDD)		
Not Used	CAL11	337	Time	0	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM,		
			HHMMSSD, or HHMMSSDD, where $H = hours (00-23)$, $N = hours (00-23)$, $N = hours (00-59)$, $N = hours (00-59)$, and $N = hours (00-23)$, $N = hours (00-23)$		•
			are expressed as follows: $D = tenths (0-9)$ and $DD = hundred$	-	
Not Used	CAL12	623	Time Code	O	ID 2/2
			Code identifying the time. In accordance with International	Stan	

			Organization standard 8601, time can be specified by a +		
			in hours in relation to Universal Time Coordinate (UTC)	time; si	nce + is a
			restricted character, + and - are substituted by P and M in	the cod	les that follow
Not Used	CAL13	678	Ship/Delivery or Calendar Pattern Code	O	ID 1/2
			Code which specifies the routine shipments, deliveries, o	r calend	lar pattern
Not Used	CAL14	673	Quantity Qualifier	X	ID 2/2
			Code specifying the type of quantity		
Not Used	CAL15	380	Quantity	X	R 1/15
			Numeric value of quantity		
Not Used	CAL16	369	Free-form Description	O	AN 1/45
			Free-form descriptive text		

Segment: DTM Date/Time Reference

Position: 030

Loop: CAL Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify pertinent dates and times

Syntax Notes: 1 At least one of DTM02 DTM03 or DTM06 is required.

2 If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

	Ref.	Data			
	Des.	Element	<u>Name</u>	Att	<u>ributes</u>
Must Use	DTM01	374	Date/Time Qualifier	M	ID 3/3
			Code specifying type of date or time, or both date and time		
			263 Holiday		
			A non-working day reserved for a com holiday	ıpany	or national
Must Use	DTM02	373	Date	X	DT 6/6
			Date (YYMMDD)		
Not Used	DTM03	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, HHMMSSD, or HHMMSSDD, where H = hours (00-23), N 59), S = integer seconds (00-59) and DD = decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundred	M = m; deci	inutes (00- imal seconds
Not Used	DTM04	623	Time Code	O	ID 2/2
			Code identifying the time. In accordance with International Organization standard 8601, time can be specified by a + or in hours in relation to Universal Time Coordinate (UTC) tir restricted character, + and - are substituted by P and M in the	- and ne; si	l an indication nce + is a
Not Used	DTM05	624	Century	0	N0 2/2
			The first two characters in the designation of the year (CCY	Y)	
Not Used	DTM06	1250	Date Time Period Format Qualifier	X	ID 2/3
			Code indicating the date format, time format, or date and time		
Not Used	DTM07	1251	Date Time Period	X	AN 1/35
			Expression of a date, a time, or range of dates, times or date	s and	times

RSC Resource Segment:

Position: 040

RSC Loop: Optional

Level: Detail Usage: Optional

Max Use:

Purpose:

To identify resource details for tasks or activities

Syntax Notes: Semantic Notes:

Comments:

RSC04

306

Notes: Use this segment to describe the available resources.

Data Element Summary Ref. Data Des. Element Name Attributes RSC01 **Must Use** 1180 Resource Code (or Identifier) AN 1/20 To identify a resource code or identifier (such as a specific skill, department, or material) Enter the name or code of the resource. RSC02 352 Description AN 1/80 A free-form description to clarify the related data elements and their content RSC03 1181 **Resource Type** ID 2/2 Code identifying the type of allocation or resource being scheduled **EF Equipment Founded** Equipment with an operator Use this code to identify all types of equipment. LA Labor

LD Labor Double Time

LE

LO Labor Overtime (Time and a Half)

 \mathbf{o}

ID 1/2

LP Labor Premium LS Labor Straight Time

Material MA

Material, Consumable MC MN Material, Nonconsumable

Other OT

SC Subcontract

Code indicating type of action

Action Code

Add 1

2 Change (Update)

3 Delete Segment: TID Task Identification

Position: 110

Loop: TID Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use:

Purpose:

To identify the work task and activity, what type of task it is, and related information

Syntax Notes:

Semantic Notes: 1 TID07 is the calendar number identification.

2 TID08 is the shift number identification.

Comments:

Notes: This segment is required.

			Data Flam	ont Cummany
	Ref.	Data	Data Elem	ent Summary
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	TID01	1173	Task ID Qualifier	M ID 2/2
			•	e task or activity or event type
			03	Activity
				Generic activity or work task
			04	Interface Activity (when 2 or more separate networks are combined to create 1 network) An activity that links one or more separate, but related, project plans Milestone
				A specific event or deliverable item
			08	Constraint - Finish to Start
				A relationship type for activities - the succeeding activity can't start until the preceding activity is complete
			09	Constraint - Start to Finish
			10	A relationship type for activities - the preceding activity can't start until the succeeding activity is finished Constraint - Finish to Finish
			11	A relationship type for activities - the preceding activity can't finish until the succeeding activity is finished Constraint - Start to Start
				A relationship type for activities - the preceding activity can't start until the succeeding activity starts
Must Use	TID02	1174	Task Identifier To identify a task o	O AN 1/20 r activity or event number
			2) · · · · · · · · · · · · · · · · · · ·	ilestone identification number or code. If the Task ID raint (code 08, 09, 10, or 11), enter the predecessor task ber or code.
	TID03	1175	Relationship Task	Identifier O AN 1/20
			•	d (successor) task or activity or event number
			If the Task ID Qua Interface Activity (lifier is a constraint (code 08, 09, 10, or 11) or an code 04), enter the succeeding or related task ber or code. For activities or milestones (TID01 is code 03
	TID04	352	Description	O AN 1/80
			A free-form descrip	tion to clarify the related data elements and their content

	TID05	1297	Work Status	Code	O	ID 1/2	
			Code indicatin	Code indicating the status for a work task			
			CO	Complete			
			ST	Started			
	TID06	306	Action Code		O	ID 1/2	
			Code indicatin	g type of action			
			1	Add			
			2	Change (Update)			
			3	Delete			
	TID07	127	Reference Ide	ntification	0	AN 1/30	
			specified by th	rmation as defined for a particular Transe Reference Identification Qualifier			
			Enter the cale	ndar identification number or referenc	e for the to	isk.	
Not Used	TID08	127	Reference Ide	ntification	O	AN 1/30	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
	TID09	1178	Level	Ì	O	AN 1/3	
			Reporting strue	cture identification			
				the reporting level of the task. Enter of the task. Enter of 1", "2", "3", and so forth.	number i	related to the	
			10 m				

REF Reference Identification Segment:

Position: 120

TID Loop: Optional (Must Use)

Level: Detail Optional Usage:

Max Use: >1

Purpose:

To specify identifying information

Syntax Notes:

At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required. If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

REF04 contains data relating to the value cited in REF02.

Use this segment to provide additional reference numbers related to the task or milestone described in the TID segment.

			Data El	lement Summary
	Ref. Des.	Data Element	Name	Attributes
Must Use	REF01	128		tification Qualifier M ID 2/3
				the Reference Identification
			43	Supporting Document Number
				Supports or clarifies information and values represented in a document
				Use this code to provide an Integrated Master Plan (IMP) or Integrated Master Schedule (IMS) reference number.
			73	Statement of Work (SOW)
			7.4	Description of a product or service to be procured under a contract; statement of requirements
			74	Work Breakdown Structure (WBS)
			75	A product-oriented family tree composed of hardware, software, services, and data that completely defines the project or program Organization Breakdown Structure
			77	A functionally oriented family tree that shows organization relationships and is used as the framework for assigning work responsibilities Work Package
				A detailed, short span task or material item identified by a contractor for doing the work required to complete the contract
			78	Planning Package
				A logical aggregation of work within a cost account (see code 79) that can be identified and budgeted, but not yet defined into work packages
			79	Cost Account
			80	A management control point for cost and schedule planning and control; it represents that work assigned to one responsible organization element and to one work breakdown structure element Charge Number
			00	A number used by financial systems to identify
				a country for a set in country 1

accounts for costs incurred on a contract

			88	Work Center		
				Identifies a specific work area in a ma	nufac	turing
			67	process		
			C7	Contract Line Item Number		
			CT	Contract Number	nor of mobile, and annual	manag engan .
				Use this code to identify a related, bu contract number for the task or miles the TID segment. This code is only u are contract interdependencies in the The contract number entered in BPP	stone sed w sche 04 ide	described in when there dule data. entifies the
				contract number that applies to the endata.	uure s	scneaule
			FI	File Identifier	\$0.000,000,000,0 00,000 ,000,000	aanna aanoimina markatatata ah
				Use this code to identify a related file name in REF03.	. Ent	er the file
			L4	Proposal Paragraph Number	to a this commence of the	terbinite
			WO	The place in a proposal where addition can be found Work Order Number	ial inf	formation
			,,, 0	Number assigned for work including r	nateri	al and labor
				beyond normal work required to fulfil		
	REF02	127	Reference Iden		X	AN 1/30
				mation as defined for a particular Transaction	n Set	or as
				Reference Identification Qualifier ement for all codes entered in REF01 with	4140 a	
			code FI (file ide	•	ine e	xcepuon oj
	REF03	352	Description	titilikaantoisitta kilkosta vasi 200-minuta verikoisi. – 100-esperandos tustakantoista tutti tahtiitataan maas	X	AN 1/80
			A free-form des	cription to clarify the related data elements	and tl	neir content
			Use this data eledent.	ement when REF01 is code FI. Enter the	file n	ame in this
Not Used	REF04	C040	Reference Iden	tifier	O	medical continue.
				or more reference numbers or identification	num	bers as
N Y 4 Y Y N	G0.4004	100	•	Reference Qualifier	3.7	ID 0/2
Not Used	C04001	128		tification Qualifier the Reference Identification	M	ID 2/3
Not Used	C04002	127	Reference Iden		M	AN 1/30
Not Oseu	C04002	127		mation as defined for a particular Transaction		
				Reference Identification Qualifier		
Not Used	C04003	128		tification Qualifier	X	ID 2/3
				the Reference Identification		
Not Used	C04004	127	Reference Iden		X	AN 1/30
				mation as defined for a particular Transaction Reference Identification Qualifier	n Set	or as
Not Used	C04005	128		tification Qualifier	X	ID 2/3
1,00 0500	00.000	-20		the Reference Identification		
Not Used	C04006	127	Reference Iden		X	AN 1/30
				mation as defined for a particular Transaction Reference Identification Qualifier	n Set	or as

DTM Date/Time Reference Segment:

Position: 130

Loop: TID Optional (Must Use)

Level: Detail Optional Usage: Max Use: >1

Purpose:

To specify pertinent dates and times

1 At least one of DTM02 DTM03 or DTM06 is required. Syntax Notes:

If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes: Comments:

			Data Eler	nent Summary
	Ref.	Data		
	Des.	Element	Name	Attributes
Must Use	DTM01	374	Date/Time Qualif	
			• • • •	ype of date or time, or both date and time
			196	Start
			197	End
			240	Baseline Start
				The start date of baseline or original plan
			241	Baseline Complete
				The complete date of the baseline or original plan
			242	Actual Start
				The actual start date for a task or activity
			243	Actual Complete
				The actual complete date for a task or activity
			244	Estimated Start
				The revised plan or estimate of the start date for a task
			245	or activity
			245	Estimated Completion
				The revised plan or estimate of the complete date for a task or activity
			246	Start no earlier than
				Fixed start date for a task or activity - cannot begin
				before this date
			247	Start no later than
				Fixed start date for a task or activity - cannot begin after
			0.40	this date
			248	Finish no later than
				Fixed finish date for a task or activity - cannot end after this date
			249	Finish no earlier than
			217	Fixed finish date for a task or activity - cannot end
				before this date
			250	Mandatory (or Target) Start
				Fixed start date - must begin on this date
			251	Mandatory (or Target) Finish
				Fixed finish date - must finish on this date
			252	Early Start
				The earliest date a task or activity can begin
			253	Early Finish

				The earnest date a task of activity can end
			254	Late Start
				The latest date a task or activity can begin
			255	Late Finish
				The latest date a task or activity can end
			256	Scheduled Start
				The scheduled start for a task or activity based on
				resource needs
			257	Scheduled Finish
				The scheduled finish for a task or activity based on
				resource needs
			416	Optimistic Late Start
				Best case latest date a task or activity can begin
				Use this code to indicate the previous month estimated start date.
			417	Optimistic Late Finish
				Best case latest date a task or activity can end
				Use this code to indicate the previous month estimated complete date.
			420	Most Likely Late Start
			420	Most likely latest date a task or activity can begin
				Use this code to indicate the previous month minus 1
				(2 months back) estimated start date.
			421	Most Likely Late Finish
				Most likely latest date a task or activity can end
				Use this code to indicate the previous month minus 1 (2 months back) estimated complete date.
			424	Pessimistic Late Start
				Worst case latest date a task or activity can begin
				Use this code to indicate the previous month minus 2 (3 months back) estimated start date.
				13 months outry estimated start dute.
			425	Pessimistic Late Finish
				Worst case latest date a task or activity can end
				Use this code to indicate the previous month minus 2 (3 months back) estimated complete date.
Must Use	DTM02	373	Date	X DT 6/6
Must Ose	D 1 1V1UZ	313	Date (YYMMDD)	A D1 0/0
Not Used	DTM03	337	Time	X TM 4/8
Not Used	DIMOS	337	Time expressed in 2 HHMMSSD, or HH 59), S = integer second	24-hour clock time as follows: HHMM, or HHMMSS, or IMMSSDD, where H = hours (00-23), M = minutes (00-onds (00-59) and DD = decimal seconds; decimal seconds lows: D = tenths (0-9) and DD = hundredths (00-99)
Not Used	DTM04	623	Time Code	O ID 2/2 e time. In accordance with International Standards
			in hours in relation	and 8601, time can be specified by a + or - and an indication to Universal Time Coordinate (UTC) time; since + is a + and - are substituted by P and M in the codes that follow

The earliest date a task or activity can end

Not Used	DTM05	624	Century	0	N0 2/2
			The first two characters in the designation of the year (CCYY	<i>(</i>)	
Not Used	DTM06	1250	Date Time Period Format Qualifier	X	ID 2/3
			Code indicating the date format, time format, or date and time	e for	mat
Not Used	DTM07	1251	Date Time Period	X	AN 1/35
			Expression of a date, a time, or range of dates, times or dates	and	times

QTY Quantity Segment:

Position: 140

TID Optional (Must Use)

Loop: Level: Detail Usage: Optional >1

Max Use:

To specify quantity information

Purpose: Syntax Notes: **Semantic Notes:** Comments:

			Data Eleme	ent Summary	
	Ref. <u>Des.</u>	Data Element	Nama		Attributes
Must Use	<u>Des.</u> QTY01	673	Name Quantity Qualifier		Attributes M ID 2/2
Trade obc	V -20-	0,0	Code specifying the	type of quantity	141 110 212
			1B	Current Duration (in calendar units)	
				The current amount of time needed to or activity	complete a task
			1C	Remaining Duration (in calendar units)	
				The remaining amount of time needed task or activity	
			1D	Total Float (in calendar units)	
			15	The amount of time a task or activity c expanded before it impacts the project	•
			1E	Free Float (in calendar units)	
				The amount of time a task or activity c expanded without impacting on a subseactivity	•
			1F	Lag (as in Lag Time - in calendar units)
				The amount of time delay	
			1G	Lead Time (in calendar units)	
				The amount of intial lead time	
			A2	Optimistic Duration	
				Best case amount of the time needed to or activity	complete a task
			AV	Budget	
				Use this code to indicate the total numbudgeted for the task described in the	
Must Use	QTY02	380	Quantity	Therefore, and the second seco	M R 1/15
Widst Osc	Q1102	300	Numeric value of qu	antity	
	QTY03	C001	Composite Unit of	·	0
			•	site unit of measure (See Figures Appe	ndix for examples
			of use)		
Must Use	C00101	355	Unit or Basis for M		M ID 2/2
			which a measuremen		
			when QTY01 is code	nt if it is necessary to indicate the calence 1B, 1C, 1D, 1E, 1F, 1G, or A2.	dar units used
			DA	Days	
			HR	Hours	
			WK	Week	

Not Used	C00102	1018	Exponent Power to which a unit is raised	О	R 1/15
Not Used	C00103	649	Multiplier Value to be used as a multiplier to obtain a new value		R 1/10
Not Used	C00104	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres which a measurement has been taken	O ssed, or	ID 2/2 manner in
Not Used	C00105	1018	Exponent Power to which a unit is raised	0	R 1/15
Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being express which a measurement has been taken	O ssed, or	ID 2/2 manner in
Not Used	C00108	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres which a measurement has been taken	O ssed, or	ID 2/2 manner in
Not Used	C00111	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00112	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres which a measurement has been taken	O ssed, or	ID 2/2 manner in
Not Used	C00114	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10

AMT Monetary Amount Segment:

Position:

150 TID Optional (Must Use)

Loop: Level: Detail Usage: Max Use: Optional >1

Purpose: To indicate the total monetary amount Syntax Notes:

Semantic Notes: **Comments:**

Must Use	Ref. <u>Des.</u> AMT01	Data Element 522	Name Amount Qualifier Code Code to qualify amount		Att:	ributes ID 1/2
			B5	Budgeted		
				Use this code to indicate the total bud task identified in the TID segment.	geted	cost for the
Must Use	AMT02	782	Monetary Amount Monetary amount		M	R 1/15
Not Used	AMT03	478	Credit/Debit Flag Code indicating who	Code ether amount is a credit or debit	0	ID 1/1

PCT Percent Amounts Segment:

Position: 160

TID Loop: Optional (Must Use)

Detail Level: Usage: Optional Max Use: >1

To qualify percent amounts and supply percent amounts Purpose:

Syntax Notes: Semantic Notes: **Comments:**

	Ref.	Data		·
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	PCT01	1004	Percent Qualifier	M ID 1/2
			Code to qualify per	cent
			10	Complete
				The percent of work completed for a given activity, task, or event
			11	Remaining
				The percent of remaining work for a given activity, task, or event
			17	Physical (Percent) Completed
				A percent measure of the actual work completed versus the passage of time
Must Use	PCT02	954	Percent	M R 1/10
			Percentage expresse	ed as a decimal

N1 Name Segment:

Position: 170

> Loop: TID Optional (Must Use)

Level: Detail Optional Usage:

Max Use:

>1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: At least one of N102 or N103 is required.

If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments:

1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes:

Use this segment to identify a work team related to the task or milestone described in

the TID segment.

Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	Name Entity Identifier Code Code identifying an organizational entity, a ph W1 Work Team	Attributes M ID 2/2 The system of an individual
			W2 Supplier Work Team	
Must Use	N102	93	Name Free-form name	X AN 1/35
			Enter the name or reference code for the wor	k team.
Not Used	N103	66	Identification Code Qualifier Code designating the system/method of code s Code (67)	X ID 1/2 structure used for Identification
Not Used	N104	67	Identification Code Code identifying a party or other code	X AN 2/20
Not Used	N105	706	Entity Relationship Code Code describing entity relationship	. O ID 2/2
Not Used	N106	98	Entity Identifier Code Code identifying an organizational entity, a ph	O ID 2/2 aysical location, or an individual

Segment: PER Administrative Communications Contact

Position: 180

Loop: TID Optional (Must Use)

Level: Detail
Usage: Optional
ax Use: >1

Max Use: >
Purpose: T

To identify a person or office to whom administrative communications should be directed

Syntax Notes: 1 If either PER03 or PER04 is present, then the other is required.

If either PER05 or PER06 is present, then the other is required.
If either PER07 or PER08 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

Use this segment to identify a responsible person for the task or milestone described in

the TID segment.

			Data l	Element Summary		
	Ref. Des.	Data Element	Name			ributes
Must Use	PER01	366	Contact Func		M	ID 2/2
			Code identifying the major duty or responsibility of the person or group named			
			RP	Responsible Person		
Must Use	PER02	93	Name Free-form nam	ne	O	AN 1/35
			Provide the last name, first name, and middle initial if available. Include blank spaces between name components and periods after initials.			
	PER03	365	Communicati	on Number Qualifier	X	ID 2/2
			Code identifying the type of communication number			
			AU	Defense Switched Network		
			EM	Department of Defense telecommuni- successor of the Automatic Voice Ne (AUTOVON) Electronic Mail		
			FT		(ETC)	
				Federal Telecommunications System	(F13)	
			FX	Facsimile		
			IT	International Telephone		
			TE	Telephone		
	PER04	364	Communication		X	AN 1/80
			applicable	munications number including country or an		
	PER05	365		on Number Qualifier	X	ID 2/2
			Code identifying the type of communication number			
			AU	Defense Switched Network		
			T) (Department of Defense telecommunic successor of the Automatic Voice Ne (AUTOVON)		s system and
			EM	Electronic Mail		
			EX	Telephone Extension	Madd Anna Control	
				When used, there must be a previous number citing either a national or in telephone number.	terna	tional
			FT	Federal Telecommunications System	(FTS)	

		FX	Facsimile		
		IT	International Telephone		
		TE	Telephone		
PER06	364	Communication	on Number	X	AN 1/80
		Complete commapplicable	munications number including country or	area cod	le when
PER07	365	Communication	on Number Qualifier	X	ID 2/2
		Code identifyir	ng the type of communication number		
		AU	Defense Switched Network		
		EM	Department of Defense telecommu successor of the Automatic Voice N (AUTOVON) Electronic Mail		s system and
		EX	Telephone Extension		
		J.Y.	When used, there must be a previous number citing either a national or telephone number.		
		FT	Federal Telecommunications Syste	m (FTS)	
		FX	Facsimile		
		IT	International Telephone		
		TE	Telephone		
PER08	364	Communication	on Number	X	AN 1/80
		Complete commapplicable	nunications number including country or	area cod	le when
PER09	443	Contact Inqui	•	0	AN 1/20
		Additional refe	rence number or description to clarify a c	ontact n	umber

Not Used

Segment:	PID	Product/Item Description
Deginent.		1 Toddecottem Description

190 Position:

> TID Loop: Optional (Must Use)

Detail Level: Optional Usage: >1

Max Use:

Comments:

Purpose: To describe a product or process in coded or free-form format

Syntax Notes: If PID04 is present, then PID03 is required. 2 At least one of PID04 or PID05 is required.

3 If PID07 is present, then PID03 is required. If PID08 is present, then PID03 is required. 4

1 Use PID03 to indicate the organization that publishes the code list being referred to. **Semantic Notes:**

2 PID04 should be used for industry-specific product description codes.

PID08 describes the physical characteristics of the product identified in PID04. A 3 "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.

PID09 is used to identify the language being used in PID05.

If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If 1 PID01 equals "X", then both PID04 and PID05 are used.

2 Use PID06 when necessary to refer to the product surface or layer being described in the segment.

PID07 specifies the individual code list of the agency specified in PID03.

Notes: If the task relates to production in a manufacturing type of environment, use this segment to provide details about the item being produced.

			Data	Element Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	PID01	349	Item Descrip	tion Type ng the format of a description	M	ID 1/1
				•		
			F	Free-form		
Must Use	PID02	750		cess Characteristic Code ing the general class of a product or process	O charac	ID 2/3 teristic
			08	Product		
			09	Sub-product		
			12	Type and/or Process		
Not Used	PID03	559	Agency Qual		X	ID 2/2
			Code identify	ing the agency assigning the code values		
Not Used	PID04	751		cription Code	X	AN 1/12
			A code from a characteristic	an industry code list which provides specific	data al	bout a product
Must Use	PID05	352	Description		X	AN 1/80
			A free-form d	escription to clarify the related data elemen	ts and tl	heir content
Not Used	PID06	752	•	er/Position Code	0	ID 2/2
			Code indication	ng the product surface, layer or position that	is bein	g described
Not Used	PID07	822	Source Subqu		0	AN 1/15
			A reference th	nat indicates the table or text maintained by	the Sou	
Not Used	PID08	1073		lition or Response Code ng a Yes or No condition or response	0	ID 1/1
Not Used	PID09	819	Language Co		0	ID 2/3
			Code designat	ting the language used in text, from a standa the International Standards Organization (1		
			•			

Segment: MSG Message Text

Position: 200

Loop: TID Optional (Must Use)

Level: Detail Usage: Optional

Max Use: >1

Purpose: To provide a free-form format that allows the transmission of text information

Syntax Notes: Semantic Notes:

Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of

page, advance a line, etc.

Notes: Only use this segment one time to provide limited text about the task described in the

TID segment.

	Ref. Des.	Data Element	Name	Att	ributes
Must Use	MSG01	933	Free-Form Message Text	M	AN 1/264
Must Osc	MSG01	733	Free-form message text	141	AIN 1/204
Not Used	MSG02	934	Printer Carriage Control Code	0	ID 2/2
			A field to be used for the control of the line feed of the rece	iving	printer

Segment: RSC Resource

Position: 210

RSC Optional

Level: Detail Usage: Optional

Max Use: 1

Loop:

Purpose:

To identify resource details for tasks or activities

Syntax Notes: Semantic Notes:

Comments:

Notes: Use this segment to describe the resources assigned to a given task. Use the related

segments in this Resource loop to provide additional information about the resource

assigned to the task.

	Ref.	Data		·		
	Des.	Element	Name		Att	ributes
Must Use	RSC01	1180	Resource Code ((or Identifier)	M	AN 1/20
			To identify a resomaterial)	ource code or identifier (such as a specific	skill,	department, or
			Enter the name of	or code of the resource.		
	RSC02	352	Description		0	AN 1/80
			A free-form desc	ription to clarify the related data elements	and t	heir content
	RSC03	1181	Resource Type		O	ID 2/2
			Code identifying	the type of allocation or resource being so	hedul	led
			01	Consumable		
			02	Recurring		
			03	One of		
	RSC04	306	Action Code		0	ID 1/2
			Code indicating t	ype of action		
			1	Add		
			2	Change (Update)		
			3	Delete		

REF Reference Identification **Segment:**

Position: 220

> **RSC** Loop: Optional

Level: Detail Usage: Optional >1

Max Use:

To specify identifying information Purpose:

Syntax Notes: At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required. 2 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Comments:

Notes: Use this segment to provide reference numbers related to the resource described in the Resource segment.

			Data Ele	ement Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>			ributes
Must Use	REF01	128		ification Qualifier	M	ID 2/3
			Code qualifying	the Reference Identification		
			70	Calendar Number		
				Identifies a working calendar (for example)	mple,	Monday
				through Friday) for a company, division	on, or	labor group
			87	Functional Category		
				An organization or groups of organiza	tions	with a
				common operational orientation such	as Qu	ality Control
				Engineering, etc		
			DP	Department Number		
	REF02	127	Reference Ident	ification	X	AN 1/30
				nation as defined for a particular Transaction	on Se	t or as
				Reference Identification Qualifier	A TANAN BARBAR	AMAZONA .
			Use this data ele	ment when REF01 is code 70 (Calendar i	Numb	er).
			Co. State County of protogram that are standard	ti di 1925 kan kan 1924 di 1924 kan 1924 kan 1924 kan 1925 kan 1925 kan 1925 kan 1925 kan 1925 kan 1925 kan 19		
	REF03	352	Description		X	AN 1/80
			A free-form desc	ription to clarify the related data elements	and t	heir content
			1	ment when REF01 is code 87 (Functiona	l Cate	egory) or DP
			(Department).			
			. O Sed a madel material control of a succession		Dinapose segmentation	(Militarithus
Not Used	REF04	C040	Reference Ident		0	
			_	or more reference numbers or identification	num	bers as
N T	G0 1001	400		Reference Qualifier	3.6	TD 0/0
Not Used	C04001	128		ification Qualifier	M	ID 2/3
	G0 1000	40=		the Reference Identification		137.1/20
Not Used	C04002	127	Reference Ident		M	AN 1/30
				nation as defined for a particular Transaction Reference Identification Qualifier	on se	t or as
Not Used	C04003	128		ification Qualifier	X	ID 2/3
Not Oscu	C04003	120		the Reference Identification	7.	119 2/3
Not Used	C04004	127	Reference Ident		X	AN 1/30
Not Oscu	C04004	127		nation as defined for a particular Transaction		
				Reference Identification Qualifier		
Not Used	C04005	128		ification Qualifier	X	ID 2/3
			Code qualifying	the Reference Identification		
Not Used	C04006	127	Reference Ident	ification	X	AN 1/30

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

DTM Date/Time Reference Segment:

230 Position:

> Loop: **RSC** Optional

Level: Detail Usage: Optional Max Use: >1

Purpose:

To specify pertinent dates and times

1 At least one of DTM02 DTM03 or DTM06 is required. **Syntax Notes:**

If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

	Ref.	Data	Data Elci	ment Summar y		
	Des.	Element	Name		Att	ributes
Must Use	DTM01	374	Date/Time Quality	fier	M	ID 3/3
				ype of date or time, or both date and time		
			193	Period Start		
			194	Period End		
			196	Start		
			197	End		
			256	Scheduled Start		
				The scheduled start for a task or activities resource needs	ty ba	sed on
			257	Scheduled Finish		
				The scheduled finish for a task or active resource needs	vity b	ased on
Must Use	DTM02	373	Date		X	DT 6/6
			Date (YYMMDD)			
Not Used	DTM03	337	Time		X	TM 4/8
			HHMMSSD, or H 59), S = integer se	24-hour clock time as follows: HHMM, HMMSSDD, where H = hours (00-23), No conds (00-59) and DD = decimal seconds	M = ms; dec	ninutes (00- imal seconds
Not Used	DTM04	623	are expressed as for Time Code	ollows: $D = tenths (0-9)$ and $DD = hundred$	odths	(00-99) ID 2/2
Not Used	D 1 1 1 1 1 4	023		he time. In accordance with International	•	
				dard 8601, time can be specified by $a + or$		
			~	n to Universal Time Coordinate (UTC) tin		
			restricted characte	r, + and - are substituted by P and M in the		
Not Used	DTM05	624	Century		0	N0 2/2
				acters in the designation of the year (CCY		
Not Used	DTM06	1250		l Format Qualifier	X	ID 2/3
				e date format, time format, or date and ti		
Not Used	DTM07	1251	Date Time Period		X	AN 1/35
			Expression of a da	ite, a time, or range of dates, times or date	es and	times

QTY Quantity Segment:

Position:

240 RSC Optional Loop:

Level: Detail Optional Usage: Max Use:

To specify quantity information

Purpose: Syntax Notes: **Semantic Notes:**

Comments:

			Data Elem	ent Summary			
	Ref. <u>Des.</u>	Data Element	Name		A ++	ribu	itas
Must Use	QTY01	673	Quantity Qualifier		M		2/2
Must Osc	QIIVI	073	Code specifying the		141	110	
			1P	Resource (Quantity) available			
			1Q	Resource amount such as labor hours available for a task or activity Total Resource (Quantity)	or ma	iteria	ıl dollars
			470	Total amount of the resources available duration of the task or activity	ole for	the t	total
			1R	Level Resource (Quantity)			
			AV	The amount of resources available fo the duration of the task or activity Budget	r each	time	unit for
Must Use	QTY02	380	Quantity Numeric value of q	uantity	M	R	1/15
	QTY03	C001	Composite Unit of	Measure	0		
			_	osite unit of measure (See Figures App	endix	for e	examples
Must Use	C00101	355			M sed, or		2/2 nner in
			HR	Hours			
			UN	Unit			
			WM	Working Months			
Not Used	C00102	1018	Exponent	Working Working	0	R	1/15
iot esca	200102	1010	Power to which a un	nit is raised	Ŭ		1,10
Not Used	C00103	649	Multiplier		0	R	1/10
			_	a multiplier to obtain a new value			
Not Used	C00104	355	Unit or Basis for M	Teasurement Code	0	ID	2/2
				e units in which a value is being express	sed, or	mai	nner in
	G0040#	4040	which a measureme	ent has been taken	_	_	4.44
Not Used	C00105	1018	Exponent Power to which a un	nit is raised	0	R	1/15
Not Used	C00106	649	Multiplier	a multiplier to obtain a new value	O	R	1/10
Not Used	C00107	355	Unit or Basis for M	-	0	ID	2/2
			Code specifying the which a measureme	e units in which a value is being expressent has been taken	sed, or	mar	nner in

Not Used	C00108	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres which a measurement has been taken	O sed, or	ID 2/2 manner in
Not Used	C00111	1018	Exponent Power to which a unit is raised	0	R 1/15
Not Used	C00112	649	Multiplier Value to be used as a multiplier to obtain a new value	O	R 1/10
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres which a measurement has been taken	O sed, or	ID 2/2 manner in
Not Used	C00114	1018	Exponent Power to which a unit is raised	O	R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10

AMT Monetary Amount Segment:

Position: 250

RSC Optional

Loop: Level: Detail Usage: Optional Max Use:

Purpose: To indicate the total monetary amount

Syntax Notes: Semantic Notes: Comments:

			Data Di	ment Summai y		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	AMT01	522	Amount Qualifi	er Code	M	ID 1/2
			Code to qualify a	mount		
			B5	Budgeted		
Must Use	AMT02	782	Monetary Amou	ınt	M	R 1/15
			Monetary amoun	t		
Not Used	AMT03	478	Credit/Debit Fla	ng Code	O	ID 1/1
			Code indicating	whether amount is a credit or debit		

PCT Percent Amounts Segment:

260 Position:

RSC Loop: Optional

Level: Detail Optional Usage: Max Use: >1

To qualify percent amounts and supply percent amounts Purpose:

Syntax Notes: **Semantic Notes: Comments:**

Must Use	Ref. <u>Des.</u> PCT01	Data Element 1004	Name Percent Qualifier Code to qualify percent	cent	Att. M	ributes ID 1/2
			14	Availability Factor		
				A resource availability percentage		
			15	Efficiency Factor		
			16	Scrap or Rework Yield		
Must Use	PCT02	954	Percent		M	R 1/10
			Percentage expresse	ed as a decimal		

Segment: PAM Period Amount

Position: 280

Loop: RSC Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To indicate a quantity, and/or amount for an identified period

Syntax Notes: 1 If any of PAM01 PAM02 or PAM03 is present, then all are required.

2 At least one of PAM02 PAM05 or PAM14 is required.

- 3 If either PAM04 or PAM05 is present, then the other is required.
 4 If either PAM06 or PAM07 is present, then the other is required.
- 5 If PAM07 is present, then at least one of PAM08 or PAM09 is required.
- If PAM07 is present, then PAM06 is required.If PAM08 is present, then PAM07 is required.
- 8 If PAM09 is present, then PAM07 is required.
- 9 If PAM10 is present, then at least one of PAM11 or PAM12 is required.

10 If PAM11 is present, then PAM10 is required.

11 If either PAM13 or PAM14 is present, then the other is required.

Semantic Notes: Comments:

Notes:

1 PAM10, PAM11, or PAM12 are used when two dates are required.

Use this segment when quantities, amounts, and percents need to be related to one or two dates.

			Data Element Summary		
	Ref.	Data			
	Des.	Element	<u>Name</u>	Att	ributes
	PAM01	673	Quantity Qualifier	X	ID 2/2
			Code specifying the type of quantity		
			AV Budget		
	PAM02	380	Quantity	X	R 1/15
			Numeric value of quantity		
	PAM03	C001	Composite Unit of Measure	X	
			To identify a composite unit of measure (See Figures Appof use)	pendix	for examples
Must Use	C00101	355	Unit or Basis for Measurement Code	M	ID 2/2
			Code specifying the units in which a value is being express which a measurement has been taken HR Hours WM Working Months	sed, or	manner in
Not Used	C00102	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00103	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00104	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expres which a measurement has been taken	sed, or	manner in
Not Used	C00105	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00106	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00107	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expres which a measurement has been taken	sed, or	
Not Used	C00108	1018	Exponent	0	R 1/15

			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	0	R 1/10
1,000	000217		Value to be used as a multiplier to obtain a new value		/
Not Used	C00110	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expres	sed, or	manner in
			which a measurement has been taken		
Not Used	C00111	1018	Exponent	0	R 1/15
		< 40	Power to which a unit is raised		
Not Used	C00112	649	Multiplier	0	R 1/10
NT 4 TT - 1	000110	255	Value to be used as a multiplier to obtain a new value	0	TD 0/0
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres	0	ID 2/2
			which a measurement has been taken	seu, oi	пашет п
Not Used	C00114	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
	PAM04	522	Amount Qualifier Code	X	ID 1/2
			Code to qualify amount		
			B5 Budgeted		
	PAM05	782	Monetary Amount	X	R 1/15
			Monetary amount		
	PAM06	344	Unit of Time Period or Interval	X	ID 2/2
			Code indicating the time period or interval		
			KL As Required		
			MO Month		
	PAM07	374	Date/Time Qualifier	X	ID 3/3
	1 2 11/10 /	314	Code specifying type of date or time, or both date and time		10 3/3
			196 Start	,	
	PAM08	373	Date	X	DT 6/6
	1 AUTUO	313		А	D1 0/0
Not Hood	D 4 N/100	227	Date (YYMMDD)	v	TOM 4/0
Not Used	PAM09	337	Time Time expressed in 24-hour clock time as follows: HHMM.	X or H	TM 4/8
			HHMMSSD, or HHMMSSDD, where H = hours (00-23),		
			59), S = integer seconds (00-59) and DD = decimal second		•
			are expressed as follows: $D = tenths (0-9)$ and $DD = hundred$	edths	(00-99)
	PAM10	374	Date/Time Qualifier	X	ID 3/3
			Code specifying type of date or time, or both date and time	2	
			197 End		
	PAM11	373	Date	X	DT 6/6
			Date (YYMMDD)		
Not Used	PAM12	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM		
			HHMMSSD, or HHMMSSDD, where $H = hours (00-23)$,		•
			59), S = integer seconds (00-59) and DD = decimal second are expressed as follows: D = tenths (0-9) and DD = hundr		
Not Used	PAM13	1004	Percent Qualifier	eams X	(00-99) ID 1/2
1,01,0300	Z Z ZIVIZZ	2007	Code to qualify percent	4.	112
Not Used	PAM14	954	Percent	X	R 1/10
			Percentage expressed as a decimal		-, - •

15 July 1997

MLS Milestone Segment:

290 Position:

> Loop: MLS Optional

Level: Detail Optional Usage: Max Use:

Purpose: To identify milestone details for tasks or activities

Syntax Notes: Semantic Notes: Comments:

> Use this segment to describe milestones associated with a task. Use the related Notes:

segments in this Milestone loop to provide additional information about the milestone

described in this segment.

			Data En	cinent Summary		
	Ref.	Data	**			••
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	MLS01	1171	Milestone Numb	per Identification	M	AN 1/20
			To identify a mil	estone number		
			Enter the name,	code, or reference number for th	e milestone.	
	MLS02	352	Description	annication de accession e del material de la company d	O	AN 1/80
			A free-form desc	ription to clarify the related data e	lements and the	heir content
	MLS03	1297	Work Status Co	de	O	ID 1/2
			Code indicating	the status for a work task		
			CO	Complete		
			RE	Revised		
			ST	Started		
	MLS04	306	Action Code		0	ID 1/2
			Code indicating	type of action		
			1	Add		
			2	Change (Update)		
			3	Delete		

Segment: REF Reference Identification

Position: 300

Loop: MLS Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

1 REF04 contains data relating to the value cited in REF02.

Use this segment to provide reference numbers related to the milestone described in the Milestone segment.

			Data El	ement Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Must Use	REF01	128	Reference Iden	tification Qualifier	M	ID 2/3
			Code qualifying	the Reference Identification		
			77	Work Package		
			80	A detailed, short span task or materia a contractor for doing the work require contract Charge Number		
				A number used by financial systems to	to ider	ntify
				accounts for costs incurred on a contr		ittiy
			81	Symbol Number (for Milestone or LC		orts)
			WO	Symbols are used for graphical representations and Line of the various symbols indicate planned completed, and slipped events; symbols mutually agreed upon between supplications of the various symbols.	of Bala , revisons ols use	ance reports; ed, ed are
				Number assigned for work including beyond normal work required to fulfi		
Must Use	REF02	127	Reference Iden	•	X	AN 1/30
			Reference inform	nation as defined for a particular Transacti		
	22206		-	Reference Identification Qualifier		1.77.4.000
Not Used	REF03	352	Description		X	AN 1/80
				cription to clarify the related data elements		neir content
Not Used	REF04	C040	Reference Iden		O	
			•	or more reference numbers or identification	n num	bers as
	50.1001	400		Reference Qualifier	2.5	TD 0/0
Not Used	C04001	128		tification Qualifier	M	ID 2/3
	G0 1000			the Reference Identification		
Not Used	C04002	127	Reference Ident		M	AN 1/30
				nation as defined for a particular Transacti	on Sei	or as
Not Used	C04003	128	_	Reference Identification Qualifier tification Qualifier	X	ID 2/3
1101 0304	C04003	120		the Reference Identification	A	10 2/3
Not Used	C04004	127	Reference Iden	tification	X	AN 1/30
				nation as defined for a particular Transacti Reference Identification Qualifier	on Set	

Not Used	C04005	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transacti specified by the Reference Identification Qualifier	on Se	t or as

DTM Date/Time Reference Segment:

Position:

MLS Optional Loop:

Level: Detail Usage: Optional Max Use: >1

Purpose:

To specify pertinent dates and times

1 At least one of DTM02 DTM03 or DTM06 is required. **Syntax Notes:**

If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

	-		Data Elem	nent Summary		
	Ref.	Data	N			
B.C 4 T.L.	Des.	Element	Name Data/Time Onalif			ributes
Must Use	DTM01	374	Date/Time Qualifi	er pe of date or time, or both date and time	M	ID 3/3
			196	Start		
			197	End		
			240	Baseline Start		
				The start date of baseline or original p	lan	
			241	Baseline Complete		
				The complete date of the baseline or o	rigina	al plan
			242	Actual Start		
				The actual start date for a task or activ	ity	
			243	Actual Complete		
				The actual complete date for a task or	activi	ity
			244	Estimated Start		
				The revised plan or estimate of the sta	rt dat	e for a task
				or activity		
			245	Estimated Completion		
				The revised plan or estimate of the cortask or activity	nplet	e date for a
Must Use	DTM02	373	Date (YYMMDD)		X	DT 6/6
Not Used	DTM03	337	Time		X	TM 4/8
			-	24-hour clock time as follows: HHMM,		
				HMMSSDD, where $H = hours (00-23)$, $N = hours (00-23)$,
				onds (00-59) and DD = decimal seconds llows: D = tenths (0-9) and DD = hundre		
Not Used	DTM04	623	Time Code	100 movs: $D = 10$ mind 10 mind 10 mind 10	O	(00-99) ID 2/2
Not Oscu	DIMIO	025		e time. In accordance with International	•	
			· -	ard 8601, time can be specified by a + or		
				to Universal Time Coordinate (UTC) tire		
				, + and - are substituted by P and M in th		
Not Used	DTM05	624	Century	the decimal of the second (CCV)	0	N0 2/2
NI - 4 TI 1	DOM: 40.	1050		cters in the designation of the year (CCY		ID 2/2
Not Used	DTM06	1250	Date Time Period	date format, time format, or date and tire	X ma for	ID 2/3
Not Head	DTMO	1251		ata Element Dictionary for acceptable co		
Not Used	DTM07	1251	Date Time Period Expression of a dat	e, a time, or range of dates, times or date	X es and	AN 1/35
			Expression of a dat	e, a time, or range or dates, times of date	s and	tilles

QTY Quantity Segment:

Position:

320 MLS Optional

Loop: Level: Detail Usage: Optional Max Use: >1

Purpose: To specify quantity information

Syntax Notes: **Semantic Notes: Comments:**

	Dof	Data	Data Elelli	ent Summary		
Must Use	Ref. <u>Des.</u> QTY01	Data Element 673	Name Quantity Qualifier		Att M	ributes ID 2/2
			Code specifying the			
			AT	Actual		
			AV	Budget		
			VE	Earned Value		
				The value of completed work or comp work effort expressed in quantity unit		ically hours
Must Use	QTY02	380	Quantity		M	R 1/15
			Numeric value of q			
	QTY03	C001	Composite Unit of		0	
			of use)	osite unit of measure (See Figures App	endix	for examples
Must Use	C00101	355		Aeasurement Code	M	ID 2/2
				e units in which a value is being express	sed, or	manner in
			which a measureme HR	Hours		
			IIK			
				Use this code to identify that the qua QTY02 is for hours - i.e., the number		
				to the milestone.	oj m	ours retuteu
				The musicine.		
			UN	Unit	atamilianetekk	hamminist et et et en milioarañ est translika
			011	Use this code to assign unit weights	to the	milastona
				The figure entered in QTY02 is used		
				earned value when the milestone is c		
				certain "weight" or percentage of th	_	
				allocated to a task that has many mil	eston	es.
Not Used	C00102	1018	Exponent Power to which a u	and the results mentioned and amount of the control	O	R 1/15
NI - 4 TI I	C00102	(40		int is raised	0	D 1/10
Not Used	C00103	649	Multiplier Value to be used as	a multiplier to obtain a new value	0	R 1/10
Not Used	C00104	355		Aeasurement Code	0	ID 2/2
				e units in which a value is being express	sed, or	
			which a measureme			
Not Used	C00105	1018	Exponent		0	R 1/15
			Power to which a u	nit is raised		
Not Used	C00106	649	Multiplier		0	R 1/10
				a multiplier to obtain a new value		
Not Used	C00107	355	Unit or Basis for N	Aeasurement Code	0	ID 2/2

			Code specifying the units in which a value is being expres which a measurement has been taken	sed, or	manner in
Not Used	C00108	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00110	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expres which a measurement has been taken	sed, or	manner in
Not Used	C00111	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expression which a measurement has been taken	sed, or	manner in
Not Used	C00114	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		

AMT Monetary Amount Segment:

330 Position:

Loop: MLS Optional

Level: Detail Usage: Optional

Max Use: >1

To indicate the total monetary amount

Purpose: Syntax Notes: Semantic Notes: **Comments:**

Must Use	Ref. <u>Des.</u> AMT01	Data <u>Element</u> 522	Name Amount Qualifier Code Code to qualify amount		Att M	ributes ID 1/2
			Code to quan	ry amount		
			B5	Budgeted		
			CW	Earned Value		
			CX	Actual		
Must Use	AMT02	782	Monetary An Monetary am		M	R 1/15
Not Used	AMT03	478	Credit/Debit Code indication	Flag Code ng whether amount is a credit or debit	О	ID 1/1

Segment: PCT Percent Amounts

Position: 340

Loop: MLS Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose:

To qualify percent amounts and supply percent amounts

Syntax Notes: Semantic Notes: Comments:

Notes:

Use this segment as an alternative to using the Quantity segment to assign an earned value weight to a particular milestone. This weight percent is used to calculate earned value for a task that has many milestones - each milestone is worth so much earned value when complete. The earned value that can be earned when the given milestone is completed may be entered as a quantity (hours) or monetary amount (dollars) in the QTY or AMT segments in this Milestone loop.

				Biomont Summing		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	ributes
Must Use	PCT01	1004	Percent Qua	lifier	M	ID 1/2
			Code to quali	ify percent		
			18	Percent of Value		
Must Use	PCT02	954	Percent		M	R 1/10
			Percentage ex	epressed as a decimal		

Segment: SE Transaction Set Trailer

Position: 350

Loop:

Level: Detail
Usage: Mandatory

Max Use:

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

			- J		
	Ref.	Data			
	Des.	Element	<u>Name</u>	Attr	ributes
Must Use	SE01	96	Number of Included Segments	M	N0 1/10
			Total number of segments included in a transaction set inclusegments	ıding	ST and SE
Must Use	SE02	329	Transaction Set Control Number	M	AN 4/9
			Identifying control number that must be unique within the tr	ransac	ction set
			functional group assigned by the originator for a transaction	set	
			SE02 is the same number as the number in ST02.		

NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency Reports (**NISTIR**)—A special series of interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

U.S. Department of Commerce National Institute of Standards and Technology Gaithersburg, MD 20899–0001

Official Business Penalty for Private Use \$300