U.S. Department of the Interior U.S. Geological Survey

Prepared in cooperation with the PUERTO RICO ENVIRONMENTAL QUALITY BOARD

Water-Quality Reconnaissance of Laguna Tortuguero, Vega Baja, Puerto Rico, March 1999-May 2000



Open-File Report 2006-1049



Cover photograph

View of the Laguna Tortuguero, Vega Baja, Puerto Rico. Photograph taken by Francisco Maldonado-Isales, September 2006.

Water-Quality Reconnaissance of Laguna Tortuguero, Vega Baja, Puerto Rico, March 1999-May 2000

By Luis R. Soler-López, Senén Guzmán-Ríos, and Carlos Conde-Costas

Prepared in cooperation with the

PUERTO RICO ENVIRONMENTAL QUALITY BOARD

Open-File Report 2006-1049

U.S. Department of the Interior U.S. Geological Survey

U.S. Department of the Interior

Dirk Kempthorne, Secretary

U.S. Geological Survey

P. Patrick Leahy, Acting Director

U.S. Geological Survey, Reston, Virginia: 2006

For sale by U.S. Geological Survey, Information Services Box 25286, Denver Federal Center Denver, CO 80225

For more information about the USGS and its products: Telephone: 1-888-ASK-USGS World Wide Web: http://www.usgs.gov/

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Suggested citation:

Soler-López, L.R., Guzmán-Ríos, Senén, and Conde-Costas, Carlos, 2006, Water-quality evaluation of Laguna Tortuguero, Vega Baja, Puerto Rico, March 1999-May 2000: U.S. Geological Survey Open-File Report 2006-1049, 19 p.

Contents

Abstract	
Introduction	
Purpose and Scope 1	
Methods and Procedures	
Water Quality of Laguna Tortuguero	
References Cited	

Figures

1.	Map showing location of Laguna Tortuguero, Vega Baja, Puerto Rico, between	
	the Río Cibuco and the Río Grande de Manatí, east and west of the towns of Manatí	
	and Vega Baja, respectively	2
2.	Map showing location of water-quality stations at Laguna Tortuguero, Vega Baja,	
	Puerto Rica	3
3.	Graphs showing temperature and pH measurements, and dissolved oxygen, total	
	nitrogen, and total phosphorus concentration at stations 1, 2, 4, and 5 in and near	
	the Laguna Tortuguero, March 1999 to May 2000	17

Tables

1.	U.S. Geological Survey station identification numbers, station names, and geographic coordinates for the Laguna Tortuguero water-quality sampling stations
2.	Water-quality constituents and physical and biological characteristics analyzed and calculated at stations 1, 2, 4, and 5 in the Laguna Tortuguero, Vega Baja, Puerto Rico
3.	Physical parameters at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000
4.	Nitrogen species concentrations at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico from March 1999 to May 2000
5.	Phosphorus species and organic carbon concentrations at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000
6.	Chlorophyll <i>a</i> and <i>b</i> , and plankton biomass concentrations at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000
7.	Total hardness and alkalinity as calcium carbonate, and major ions concentration at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000
8.	Diel study data on temperature, specific conductance, dissolved oxygen, and dissolved oxygen saturation at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, August 3-4, 2000

Conversion Factors, Water-Quality Units, and Acronyms

Multiply	Ву	To obtain
	Length	
meter (m)	3.281	foot (ft)
kilometer (km)	0.6214	mile (mi)
	Area	
hectare (ha)	2.471	acre
	Flow rate	
cubic meter per second (m^3/s)	35.31	cubic foot per second (ft ³ /s)

Temperature in degrees Celsius (°C) may be converted to degrees Fahrenheit (°F) as follows: °F = (1.8 x °C) + 32

Water-quality units used in this report

μ S/c m	microsiemens per centimeter
mg/L	milligrams per liter
μg/L	micrograms per liter

Acronyms used in this report:

PRDNER	Puerto Rico Department of Natural and Environmental Resources
PREQB	Puerto Rico Environmental Quality Board
USGS	U.S. Geological Survey

Water-Quality Reconnaissance of Laguna Tortuguero, Vega Baja, Puerto Rico, March 1999-May 2000

By Luis R. Soler-López, Senén Guzmán-Ríos, and Carlos Conde-Costas

Abstract

The Laguna Tortuguero, a slightly saline to freshwater lagoon in north-central Puerto Rico, has a surface area of about 220 hectares and a mean depth of about 1.2 meters. As part of a water-quality reconnaissance, water samples were collected at about monthly and near bi-monthly intervals from March 1999 to May 2000 at four sites: three stations inside the lagoon and one station at the artificial outlet channel dredged in 1940, which connects the lagoon with the Atlantic Ocean. Physical characteristics that were determined from these water samples were pH, temperature, specific conductance, dissolved oxygen, dissolved oxygen saturation, and discharge at the outlet canal. Other water-quality constituents also were determined, including nitrogen and phosphorus species, organic carbon, chlorophyll a and b, plankton biomass, hardness, alkalinity as calcium carbonate, and major ions. Additionally, a diel study was conducted at three stations in the lagoon to obtain data on the diurnal variation of temperature, specific conductance, dissolved oxygen, and dissolved oxygen saturation. The data analysis indicates the water quality of Laguna Tortuguero complies with the Puerto Rico Environmental Quality Board standards and regulations.

Introduction

The Laguna Tortuguero is located in Vega Baja, Puerto Rico (fig. 1), about 30 kilometers (km) west of San Juan. This slightly saline to freshwater coastal lagoon, with specific conductance ranging from 800 to 1,700 microsiemens per centimeters (µS/cm) at 25 degrees Celsius (°C), has a surface area of about 220 hectares (ha), a maximum depth of about 2.5 meters (m), and a mean depth of about 1.2 m (Quiñones and Fusté, 1977). An artificial outlet channel is present in the northcentral part of the lagoon (fig. 2), which was dredged in 1940. Discharge from the lagoon to the Atlantic Ocean is mostly ground water, because the lagoon constitutes the principal ground-water discharge feature of the North Coast Limestone upper aquifer between the Río Grande de Manatí and the Río Cibuco (Cherry, 2001) (fig. 2). The Laguna Tortuguero and its immediate surroundings were designated a natural reserve area by the Puerto Rico Department of Natural and Environmental Resources (PRDNER) in 1978, because of its environmental

uniqueness. The Puerto Rico Environmental Quality Board (PREQB) classifies the Laguna Tortuguero as an SE Class lagoon, a surface-water body with exceptional ecological value (Puerto Rico Environmental Quality Board, 2003). As of today (2005), the lagoon is a passive recreational area that also is used as a natural "laboratory" for the scientific community.

In 1974-75, a baseline study was conducted to determine concentrations of chemical constituents and physical and biological characteristics in the Laguna Tortuguero. Additional data are needed to evaluate whether any substantial variations in water quality have occurred in the lagoon since the prior reconnaissance. The U.S. Geological Survey (USGS), in cooperation with the PREQB, conducted a study to determine concentrations of selected chemical constituents and physical and biological characteristics in the Laguna Tortuguero from March 1999 to May 2000. The results can be used by water managers to implement strategies to protect the lagoon and its function as a natural reserve.

Purpose and Scope

The purpose of this report is to present and summarize results of a water-quality reconnaissance for selected chemical constituents and physical and biological characteristics at four sites in and near the Laguna Tortuguero. Determinations were made for discharge, pH, temperature, specific conductance, dissolved oxygen, dissolved oxygen saturation, nitrogen and phosphorus species, organic carbon, chlorophyll a and b, plankton biomass, major ions, and alkalinity as calcium carbonate. Results also are presented for a diel study that was conducted during August 3-4, 2000, at three stations within the lagoon to obtain data on the diurnal variations of temperature, specific conductance, and dissolved oxygen. Diurnal variations in dissolved oxygen can be used in estimating community productivity because its concentration in water bodies is affected by biological metabolic processes, such as photosynthesis and respiration. Community productivity is defined as the rate in which new organic matter is created or consumed by autotrophic and heterotrophic processes, respectively. Aquatic autotrophic organisms produce organic matter by photosynthesis (or chemosynthesis) resulting in the production of carbohydrates and dissolved oxygen. Aquatic heterotrophic organisms incorporate organic matter into their tissue by respiration resulting in the synthesis of proteins and dissolved oxygen consumption.




Figure 1. Location of Laguna Tortuguero, Vega Baja, Puerto Rico, between the Río Cibuco and the Río Grande de Manatí, east and west of the towns of Manatí and Vega Baja, respectively.




Figure 2. Location of water-quality stations at Laguna Tortuguero, Vega Baja, Puerto Rico.

Introduction 3

Methods and Procedures

Water samples were collected at stations 2, 4, and 5 in the Laguna Tortuguero and at station 1 in the outlet channel of the lagoon (fig. 2) from March 1999 to May 2000. These sites were established to coincide with some of the locations sampled in the 1974-75 water-quality reconnaissance study (Quiñones and Fusté, 1977). The USGS station identification numbers, station names, and geographic coordinates are listed in table 1.

Water-quality constituents that were analyzed in the study include physical characteristics (pH, temperature, specific conductance, and dissolved oxygen), nitrogen and phosphorus species, organic carbon, chlorophyll *a* and *b*, plankton biomass, hardness, alkalinity as calcium carbonate, and major ions. Measurements of pH, temperature, specific conductance, and dissolved oxygen were obtained in the field at stations 1, 2, 4, and 5 by means of using a water-quality multi-parameter instrument. Instantaneous discharge was measured only at the outlet channel site (station 1) during sample collection. Surfacewater samples (0.3-m deep) were collected by using the "handdip" method in the lagoon and by using depth- and widthintegration techniques at the outlet channel. Determinations were made for nitrogen and phosphorus species, organic carbon, chlorophyll *a* and *b*, plankton biomass, hardness, alkalinity and major ions according to USGS protocols (U.S. Geological Survey, 1998). All of these surface-water constituents were determined at stations 1, 2, 4, and 5, except for chlorophyll *a* and *b*, which were determined only at stations 2, 4, and 5.

The following were collected on a monthly basis: physical characteristics (pH, temperature, specific conductance, dissolved oxygen, and discharge), dissolved concentration for nutrients, total organic carbon concentration, chlorophyll *a* and *b* concentration, plankton biomass concentration, total hardness as calcium carbonate, and dissolved concentrations of major ions. The total concentration for nutrients and dissolved organic carbon were determined on a near bi-monthly basis. The water samples were analyzed at the former USGS Water Quality Research Laboratory in Ocala, Florida, and at the USGS National Water Quality Laboratory in Denver, Colorado. Water-quality constituents and physical and biological characteristics that were analyzed for this study are listed in table 2.

Table 1. U.S. Geological Survey (USGS) station identification numbers, station names, and geographic coordinates for the Laguna Tortuguero water-quality sampling stations.

USGS identification number	Station name	Latitude	Longitude
50038200	Laguna Tortuguero number 1 (outlet)	18°28'29"	66°26'50"
50038191	Laguna Tortuguero number 2	18°27'53"	66°27'50"
50038193	Laguna Tortuguero number 4	18°27'55"	66°26'40"
50038194	Laguna Tortuguero number 5	18°27'52"	66°25'50"

Table 2. Water-quality constituents and physical and biological characteristics analyzed and calculated at stations 1, 2, 4, and 5 in the Laguna Tortuguero, Vega Baja, Puerto Rico.

Station name	Constituents and physical and biological characteristics
Laguna Tortuguero number 1	pH, temperature, specific conductance, dissolved oxygen, dissolved-oxygen saturation percent, nutrients, organic carbon, plankton biomass, hardness as calcium carbonate, major ions, and discharge
Laguna Tortuguero number 2	pH, temperature, specific conductance, dissolved oxygen, dissolved-oxygen saturation percent, nutrients, organic carbon, chlorophyll <i>a</i> and <i>b</i> , hardness as calcium carbonate, major ions, and plankton biomass
Laguna Tortuguero number 4	pH, temperature, specific conductance, dissolved oxygen, dissolved-oxygen saturation percent, nutrients, organic carbon, chlorophyll <i>a</i> and <i>b</i> , hardness as calcium carbonate, major ions, and plankton biomass
Laguna Tortuguero number 5	pH, temperature, specific conductance, dissolved oxygen, dissolved-oxygen saturation percent, nutrients, organic carbon, chlorophyll <i>a</i> and <i>b</i> , hardness as calcium carbonate, major ions, and plankton biomass

Water Quality of Laguna Tortuguero

The quality of surface water can be described in terms of its chemical constituents and physical and biological characteristics. The PREQB standards for SE-Class surfacewater bodies, such as the Laguna Tortuguero, establish that no existing natural chemical constituents and physical and biological characteristics should be altered by human activities in order to preserve their existing natural phenomena and processes. Summaries of selected surface-water-quality data (March 1999 to May 2000) are presented in tables 3 to 7. Specifically, measurements of physical characteristics (pH, temperature, specific conductance, dissolved oxygen, and discharge) are given in table 3; nitrogen species concentrations are given in table 4; phosphorus species and organic carbon concentrations are given in table 5; values of biological characteristics (chlorophyll a and b and plankton biomass) are given in table 6; and concentrations of hardness, alkalinity, and major ions are given in table 7. The diel study for temperature, specific conductance, dissolved oxygen, and dissolved oxygen saturation are presented in table 8.

The Laguna Tortuguero is considered to be in a nearnatural state (Puerto Rico Environmental Quality Board, 2003), so there are no specific values and concentrations established for the various chemical constituents and physical and biological characteristics. Therefore, in order to categorize these constituents and characteristics, the water quality of the lagoon was compared with the PREQB standards for nearly comparable SB-Class water bodies; coastal and estuarine waters used for primary and secondary contact (for example, fishing and boating) and intended for the propagation and preservation of desirable species, including those that are threatened or endangered (Puerto Rico Environmental Quality Board, 2003). The Laguna Tortuguero fits part of this characterization because it is used as a recreational area and visitors often wade, fish, and boat in the lagoon.

Determinations of pH, temperature, dissolved oxygen, total nitrogen, and total phosphorus were made at stations 1, 2, 4, and 5 from March 1999 to May 2000 (fig. 3). The PREOB regulated standards should be between 7.3 to 8.5 units for pH, should not exceed 32.2 °C for temperature, should not be below 5.0 milligrams per liter (mg/L) for dissolved oxygen, should not exceed 5.0 mg/L for total nitrogen concentration, and should not exceed 1.0 mg/L for total phosphorus concentration. These standards should not be disrupted other than for natural reasons. Nearly all of the values and concentrations measured during this study were within the standards (fig. 3). However, one pH value at station 1 was outside the standard range, three dissolved oxygen concentrations at stations 2, 4, and 5 were below the standard, and one total nitrogen concentration at station 5 equaled the standard. The overall results indicate that the water quality of Laguna Tortuguero complies with the PREQB standards and regulations.

 Table 3.
 Physical parameters at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from

 March 1999 to May 2000.
 Page 2000.

[pH in standard units; T, temperature in degrees Celsius; SC, specific conductance in microsiemens per centimeter at 25°; DO, dissolved oxygen in milligrams per liter; DO sat, dissolved oxygen saturation in percent; Q, discharge in cubic meters per second, number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data]

50038191 Station 2	Time	pH (00400)	T (00010)	SC (00095)	DO (00300)	D0 sat	Q (00061)
03/10/1999	1300	8.4	27.8	1,580	9.9	127	
04/16/1999	1500	7.9	30.5	1,670	8.7	117	
05/14/1999	1030	8.2	29.2	1,720	2.2	29	
06/16/1999	1315	7.9	30.9	1,690	9.1	123	
07/16/1999	1235	8.0	28.9	1,590	8.6	112	
08/20/1999	1300	7.4	31.3	1,540	7.9	108	
09/17/1999	1350	7.9	31.3	1,540	9.2	112	
10/15/1999	1400	7.9	29.9	1,500	8.2	109	
11/19/1999	1200	7.4	26.4	1,200	6.7	84	
12/20/1999	1215	8.1	25.7	1,130	9.0	110	
01/21/2000	1330	7.8	24.8	1,110	8.6	104	
02/17/2000	1300	8.2	26.6	1,180	10.2	128	
03/22/2000	1300						
05/04/2000	1320						
Mean		7.9	28.6	1,450	8.2	105	

50038193 Station 4	Time	рН	Т	SC	DO	DO sat	۵
03/10/1999	1530	8.4	28.0	1,060	9.6	124	
04/16/1999	1440	8.0	30.1	1,140	8.7	115	
05/14/1999	1145	8.4	29.3	1,180	2.4	31	
06/16/1999	1650	8.4	30.8	1,150	8.7	117	
07/16/1999	1220	8.1	29.0	1,140	7.6	99	
08/20/1999	1440	8.1	31.3	1,140	7.6	104	
09/17/1999	1450	8.1	31.5	1,140	9.3	127	
10/15/1999	1530	8.1	29.8	1,100	8.9	118	
11/19/1999	1315	7.7	26.7	920	6.4	80	
12/20/1999	1400	8.0	25.6	840	9.8	120	
01/21/2000	1400	8.0	24.8	790	9.0	110	
02/17/2000	1420	8.0	26.6	820	10.5	131	
03/22/2000	1410						
05/04/2000	1430						
Mean		8.1	28.6	1,030	8.2	106	

 Table 3.
 Physical parameters at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from

 March 1999 to May 2000.
 —Continued

[pH in standard units; T, temperature in degrees Celsius; SC, specific conductance in microsiemens per centimeter at 25°; DO, dissolved oxygen in milligrams per liter; DO sat, dissolved oxygen saturation in percent; Q, discharge in cubic meters per second, number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data]

50038194 Station 5	Time	рН	Т	SC	DO	DO sat	۵
03/10/1999	1640	8.4	27.9	1,060	10.1	129	
04/16/1999	1550	7.9	30.3	1,120	9.1	122	
05/14/1999	1415	8.4	29.7	1,150	2.9	38	
06/16/1999	1600	8.4	30.9	1,150	9.0	121	
07/16/1999	1425	8.1	29.4	1,160	9.1	120	
08/20/1999	1615	8.3	31.8	1,120	8.0	110	
09/17/1999	1545	8.3	31.8	1,140	9.8	135	
10/15/1999	1645	8.3	29.9	1,090	9.4	124	
11/19/1999	1345	7.8	26.9	960	7.9	99	
12/20/1999	1445	8.2	25.7	830	9.2	112	
01/21/2000	1415	8.1	24.6	780	9.6	116	
02/17/2000	1520	8.3	26.8	820	11.3	142	
03/22/2000	1450						
05/04/2000	1400						
Mean		8.2	28.8	1,030	8.8	114	

50038200 Station 1	Time	рН	Т	SC	DO	D0 sat	۵
03/10/1999	1200	7.8	27.5	1,010	6.4	82	0.14
04/21/1999	1210	7.8	29.5	1,100	6.2	82	0.17
05/14/1999	1100	7.9	29.5	1,160	6.8	90	0.17
06/16/1999	1230	8.1	31.0	710	6.2	84	0.27
07/16/1999	1330	7.8	29.7	1,070	6.6	90	0.48
08/20/1999	1315	7.9	31.5	1,170	6.2	85	0.27
09/17/1999	1430	8.1	31.5	1,140	9.3	87	0.35
10/15/1999	1355	7.1	30.0	1,080	6.4	85	0.28
11/19/1999	1230	7.7	26.7	860	6.4	80	1.09
12/20/1999	1220	7.7	25.5	820	7.0	86	0.98
01/21/2000	1355	7.9	24.5	780	7.5	90	0.78
02/17/2000	1340	8.0	27.0	810	7.4	93	0.48
03/22/2000	1330						
05/04/2000							
Mean		7.8	28.7	980	6.9	86	

 Table 4.
 Nitrogen species concentrations at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico from

 March 1999 to May 2000.
 State

[All concentrations are in milligrams per liter and expressed as N, except where indicated. Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; <, less than]

Date	Time	Ammonia, dissolved (00608)	Ammonia, total (00610)	Nitrite, dissolved (00613)	Nitrite total (0015)	Nitrite plus nitrate, dissolved (00631)	Nitrite plus nitrate, total (00630)	Organic nitrogen, dissolved (00607)	Organic nitrogen, total (00605)	Nitrogen, total as N (00600)	Nitrogen, total as NO ₃ (71887)		
	50038191 Laguna Tortuguero number 2												
03/10/1999	1300	0.06		< 0.01	< 0.01	0.11		0.40		0.58			
04/16/1999	1500	0.28	0.29	0.01	0.01	0.22	0.23	0.80	1.21	1.73			
05/14/1999	1030	0.47	0.47	< 0.01	< 0.01	0.21	0.22	0.60	1.13	1.82			
06/16/1999	1315	0.24	0.15	0.02	0.01	0.25	0.24	0.59	0.72	1.14	5.05		
07/16/1999	1235	0.11		< 0.01		0.14		0.77		1.01			
08/20/1999	1300	0.19	0.20	< 0.01	< 0.01	0.13	0.14	0.77	0.8	1.14	5.05		
09/17/1999	1350	0.26		< 0.01		0.20		0.57		1.07			
10/15/1999	1400	0.28	0.27	< 0.01	< 0.01	0.18	0.18	0.67	0.83	1.28	5.67		
11/19/1999	1200	0.23		< 0.01		0.12		0.69		1.04			
12/20/1999	1215	0.18	0.19	0.01	< 0.01	0.21	0.21	0.50	0.74	1.11	4.91		
01/21/2000	1330	0.16		< 0.01		0.19		0.51					
02/17/2000	1300	0.13	0.15	< 0.01	< 0.01	0.21	0.19	0.55	0.71	1.09	4.82		
03/22/2000	1300	0.11		< 0.01				0.58					
05/04/2000	1320	0.22	0.22	0.01	0.01	0.34	0.34	0.70	1.08	1.64	7.26		
Mean		0.21	0.24	0.01	0.01	0.19	0.22	0.62	0.90	1.17	5.46		
				500381	93 Laguna 1	ortuguero num	ıber 4						
03/10/1999	1530	0.09		0.01		0.34		0.41		0.84			
04/16/1999	1440	0.21	0.22	< 0.01	0.01	0.42	0.43	0.68	0.98	1.63			
05/14/1999	1145	0.23	0.26	0.01	0.01	0.52	0.53	0.90	1.04	1.62			
06/16/1999	1650	0.13	0.14	0.02	0.02	0.38	0.38	0.75	0.86	1.38	6.11		
07/16/1999	1220	0.19		< 0.01		0.43		0.64		1.27			
08/20/1999	1440	0.26	0.27	< 0.01	0.01	0.41	0.40	0.69	1.03	1.70	7.53		
09/17/1999	1450	0.28		0.01		0.42		0.47		1.19			
10/15/1999	1530	0.28	0.29	0.02	0.02	0.45	0.45	0.56	0.81	1.55	6.86		
11/19/1999	1315	0.25		0.01		0.52		0.66		1.43			
12/20/1999	1400	0.29	0.29	0.02	0.03	1.90	1.90	0.40	0.53	2.70	12.0		
01/21/2000	1400	0.23		0.02		1.20		0.33		1.76			
02/17/2000	1420	0.24	0.27	0.02	0.03	1.10	1.10	0.73	0.56	1.90	8.41		
03/22/2000	1410	0.23		0.08		0.83	1.00	0.53		2.00	8.85		
05/04/2000	1430	0.20	0.21	0.02	0.02	0.58	0.58	0.61	0.70	1.49			
Mean		0.22	0.24	0.02	0.02	0.68	0.72	0.60	0.81	1.58	8.29		

Table 4. Nitrogen species concentrations at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico from March 1999 to May 2000. Continued

[All concentrations are in milligrams per liter and expressed as N, except where indicated. Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; <, less than]

Date	Time	Ammonia, dissolved (00608)	Ammonia, total (00610)	Nitrite, dissolved (00613)	Nitrite total (0015)	Nitrite plus nitrate, dissolved (00631)	Nitrite plus nitrate, total (00630)	Organic nitrogen, dissolved (00607)	Organic nitrogen, total (00605)	Nitrogen, total as N (00600)	Nitrogen, total as NO ₃ (71887)			
	50038194 Laguna Tortuguero number 5													
03/10/1999	1640	0.07		0.01		0.27		0.44						
04/16/1999	1550	0.14	0.18	<0.01	0.01	0.18	0.24	0.8	1.42	1.84				
05/14/1999	1415	0.17	0.22	< 0.01	< 0.01	0.27	0.26	0.75	4.48	4.96				
06/16/1999	1600	0.10	0.10	0.01	0.01	0.23	0.23	0.66	0.72	1.03	4.56			
07/16/1999	1425	0.08		<0.01		0.18		0.71						
08/20/1999	1615	0.12	0.12	0.01	< 0.01	0.13	0.12	0.75	0.88	1.12	4.96			
09/17/1999	1545	0.20		< 0.01		0.23		0.48		0.91				
10/15/1999	1645	0.19	0.21	0.01	0.01	0.26	0.27	0.73	0.79	1.27	5.62			
11/19/1999	1345	0.20		0.01		0.27		0.68						
12/20/1999	1445	0.27	0.28	0.02	0.02	1.30	1.30	0.53	0.40	2.00	8.85			
01/21/2000	1415	0.27		0.03		1.40		0.39		2.06				
02/17/2000	1520	0.23	0.24	0.02	0.02	1.00	1.10	0.43	0.49	1.80	7.97			
03/22/2000	1450	0.20		0.02		0.70	1.00	0.47		2.00	8.85			
05/04/2000	1400	0.18	0.20	0.02	0.02	0.54	0.54	0.48	1.10	1.84	8.14			
Mean		0.17	0.19	0.01	0.01	0.50	0.51	0.59	1.29	1.65	6.99			
				500382	00 Laguna 1	Fortuguero num	nber 1							
03/10/1999	1200	0.19	0.19	0.01	0.01	0.31	0.32	0.47	0.74	1.25				
04/21/1999	1210	0.28	0.28	0.01	0.01	0.31	0.30	0.82	1.02	1.61				
05/14/1999	1100	0.30	0.31	0.01	0.01	0.54	0.54	0.67	1.09	1.94				
06/16/1999	1230	0.22	0.23	0.02	0.02	0.40	0.41	0.65	0.87	1.51	6.68			
07/16/1999	1330													
08/20/1999	1315	0.26	0.27	< 0.01	< 0.01	0.25	0.25	0.73	0.93	1.45	6.42			
09/17/1999	1430	0.29		0.02		0.35		0.61						
10/15/1999	1355	0.32	0.33	0.02	0.02	0.44	0.45	0.78	0.87	1.65	7.30			
11/19/1999	1230	0.25		0.01		0.40		0.73						
12/20/1999	1220	0.28	0.28	0.03	0.03	1.40	1.40	0.56	0.57	2.25	10.2			
01/21/2000	1355	0.26		0.03		1.40		0.44						
02/17/2000	1340	0.27	0.29	0.03	0.02	1.10	1.10	0.43	0.51	1.90	8.41			
03/22/2000	1330	0.30		0.02		0.75	1.00				8.85			
05/04/2000														
Mean		0.26	0.27	0.02	0.02	0.64	0.33	0.63	0.83	1.70	7.98			

Table 5. Phosphorus species and organic carbon concentrations at selected water-quality stations in the Laguna Tortuguero,Vega Baja, Puerto Rico, from March 1999 to May 2000.

[All concentrations are in milligrams per liter. Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; E, estimated; <, less than]

Date	Time	Phos- phorus, dissolved as P (00666)	Phos- phorus, total as P (00665)	Ortho phos- phorus, dissolved as P (00671)	Ortho phos- phorus, total as P (70507)	Ortho phos- phate, dissolved as PO ⁴ (00660)	Organic carbon, total as C (00680)	Organic carbon, dissolved as C (00681)
		5	0038191 Lagur	na Tortuguero r	umber 2			
03/10/1999	1300	< 0.02		<0.01			9.3	
04/16/1999	1500	< 0.02	< 0.02	< 0.01	0.01		9.5	9.0
05/14/1999	1030	< 0.02	< 0.02	<0.01	0.01		9.7	
06/16/1999	1315	< 0.02	< 0.02	< 0.01	0.01		12.0	11.0
07/16/1999	1235	< 0.02		< 0.01			8.8	
08/20/1999	1300	< 0.02	< 0.02	<0.01	0.01		8.9	8.9
09/17/1999	1350	< 0.02		< 0.01			8.7	
10/15/1999	1400	< 0.02	< 0.02	< 0.01	0.01		8.4	7.9
11/19/1999	1200	< 0.02		0.03		0.09	7.7	
12/20/1999	1215	< 0.02	< 0.02	0.03	0.03	0.09	10.0	8.9
01/21/2000	1330	< 0.02		0.01		0.03	8.8	
02/17/2000	1300	< 0.02	< 0.02	0.02	0.01	0.06	8.7	8.7
03/22/2000	1300	< 0.02		0.01			9.0	
05/04/2000	1320	< 0.02	< 0.02	<0.01	0.01		10.0	9.6
Mean			0.02	< 0.01	0.01	0.07	9.2	9.1
		Į	50038193 Lagu	na Tortuguero r	number 4			
03/10/1999	1530	< 0.02		< 0.01			8.5	
04/16/1999	1440	E 0.02	< 0.02	< 0.01	0.01		9.5	9.1
05/14/1999	1145	< 0.02	< 0.02	< 0.01	0.01		9.7	
06/16/1999	1650	E 0.02	0.02	0.02	0.01	0.06	12.0	9.6
07/16/1999	1220	0.04		< 0.01			8.5	
08/20/1999	1440	< 0.02	< 0.02	< 0.01	0.01		8.9	8.3
09/17/1999	1450	< 0.02		< 0.01			8.8	
10/15/1999	1530	< 0.02	< 0.02	< 0.01	0.01		8.2	7.9
11/19/1999	1315	< 0.02		0.02		0.06	7.5	
12/20/1999	1400	< 0.02	< 0.02	0.03	0.03	0.09	6.3	5.6
01/21/2000	1400	< 0.02		0.02		0.06	6.1	
02/17/2000	1420	0.02	< 0.02	< 0.01	0.01		9.1	5.8
03/22/2000	1410	< 0.02		< 0.01			6.0	
05/04/2000	1430	< 0.02	< 0.02	< 0.01	0.01		9.2	7.5
Mean		0.02	0.02	0.01	0.01	0.07	8.6	8.0

Table 5. Phosphorus species and organic carbon concentrations at selected water-quality stations in the Laguna Tortuguero,Vega Baja, Puerto Rico, from March 1999 to May 2000.

[All concentrations are in milligrams per liter. Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; E, estimated; <, less than]

Date	Time	Phos- phorus, dissolved as P (00666)	Phos- phorus, total as P (00665)	Ortho phos- phorus, dissolved as P (00671)	Ortho phos- phorus, total as P (70507)	Ortho phos- phate, dissolved as PO ⁴ (00660)	Organic carbon, total as C (00680)	Organic carbon, dissolved as C (00681)
		Ę	i0038194 Lagur	a Tortuguero r	umber 5			
03/10/1999	1640	< 0.02		< 0.01			8.6	
04/16/1999	1550	< 0.02	< 0.02	< 0.01	0.01		9.9	9.6
05/14/1999	1415	< 0.02	E 0.03	0.01	0.01		10.0	
06/16/1999	1600	< 0.02	< 0.02	< 0.01	0.01		10.0	8.9
07/16/1999	1425	< 0.02		< 0.01			9.1	
08/20/1999	1615	< 0.02	< 0.02	< 0.01	0.01		10.0	8.8
09/17/1999	1545	< 0.02		< 0.01			9.2	
10/15/1999	1645	< 0.02	0.02	< 0.01	0.01		8.2	7.9
11/19/1999	1345	< 0.02		0.02		0.06	7.5	
12/20/1999	1445	0.02	0.02	0.01	0.01	0.09	6.4	6.2
01/21/2000	1415	< 0.02		0.02		0.06	6.0	
02/17/2000	1520	< 0.02	0.02	< 0.01	0.01		7.8	5.8
03/22/2000	1450	< 0.02		< 0.01			6.6	
05/04/2000	1400	< 0.02	0.02	< 0.01	0.01		8.0	7.7
Mean			0.02	< 0.01	0.01	0.07	8.4	7.8
		Ę	i0038200 Lagur	a Tortuguero r	umber 1			
03/10/1999	1200	< 0.02	< 0.02	< 0.01	0.01		8.5	
04/21/1999	1210	E 0.03	< 0.02	< 0.01	0.01	0.03	9.5	9.5
05/14/1999	1100	< 0.02	< 0.02	< 0.01	0.01		9.2	
06/16/1999	1230	< 0.02	< 0.02	< 0.01	0.01		10.0	9.3
07/16/1999	1330						9.6	
08/20/1999	1315	< 0.02	< 0.02	< 0.01	< 0.01		9.3	8.7
09/17/1999	1430	< 0.02		< 0.01	< 0.01		8.9	
10/15/1999	1355	< 0.02	< 0.02	< 0.01	< 0.01	0.06	8.2	7.9
11/19/1999	1230	< 0.02	< 0.02	0.03		0.09	8.4	
12/20/1999	1220	< 0.02	< 0.02	< 0.02	< 0.01	0.06	10.2	6.2
01/21/2000	1355	0.01		0.01		0.03	5.5	
02/17/2000	1340	< 0.02	< 0.02	< 0.01	< 0.01		5.9	5.7
03/22/2000	1330						6.3	
05/04/2000								
Mean		0.01	0.01	0.01	< 0.01	0.05	8.4	7.9

Table 6. Chlorophyll *a* and *b*, and plankton biomass concentration at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000.

[Chlorophyll *a* and *b* in micrograms per liter, plankton biomass in milligrams per liter; Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; <, less than].

Date	Time	Chloro- phyll <i>a</i> (70953)	Chloro- phyll <i>b</i> (70954)	Biomass, plankton, dry weight (81354)	Biomass, plankton, ash weight (81353)	Biomass, plankton, ash-free weight (49953)		Time	Chloro- phyll <i>a</i> (70953)	Chloro- phyll <i>b</i> (70954)	Biomass, plankton, dry weight (81354)	Biomass, plankton, ash weight (81353)	Biomass, plankton, ash-free weight (49953)		
	50038191 Laguna Tortuguero number 2								50038193 Laguna Tortuguero number 4						
03/10/1999	1300	0.57	< 0.10	276.4	271.2	5.2		1530	2.20	< 0.1	261.4	254.8	6.6		
04/16/1999	1500	2.60	< 0.10	459.7	447.3	12.4		1440	2.00	< 0.1	456.3	445.7	10.6		
05/14/1999	1030	0.76	< 0.10	272.0	264.8	7.2		1145	0.51	< 0.1	279.2	271.6	7.6		
06/16/1999	1315	2.30	< 0.10	275.0	268.2	6.8		1650	2.10	< 0.1	266.6	261.4	5.2		
07/16/1999	1235	1.20	< 0.10	271.4	264.8	6.6		1220	2.30	< 0.1	274.0	267.4	6.6		
08/20/1999	1300	0.83	< 0.10	273.2	267.8	5.4		1440	1.10	< 0.1	273.6	267.2	6.4		
09/17/1999	1350	1.10	< 0.10	272.6	267.2	5.4		1450	1.50	< 0.1	276.2	270.0	6.2		
10/15/1999	1400	1.20	< 0.10	271.4	264.2	7.2		1530	1.80	< 0.1	275.0	267.4	7.6		
11/19/1999	1200	1.80	< 0.10	263.6	258.2	5.4		1315	1.40	< 0.1	270.4	263.6	6.8		
12/20/1999	1215	2.30	< 0.10	261.2	254.8	6.4		1400	1.60	< 0.1	271.2	265.4	5.8		
01/21/2000	1330	1.90	< 0.10	274.2	268.4	5.8		1400	1.20	< 0.1	272.4	266.6	5.8		
02/17/2000	1300	2.20	< 0.10	277.8	270.6	7.2		1420	1.60	< 0.1	271.2	264.8	6.4		
03/22/2000	1300	2.10	< 0.10	366.4	356.8	9.6		1410	1.70	< 0.1	268.2	274.4	6.2		
05/04/2000	1320	2.60	< 0.10	305.3	297.6	7.7		1430	1.60	< 0.1	339.3	336.8	2.5		
Mean		1.70	< 0.10	294.3	287.3	7.0			1.60	< 0.1	290.1	283.6	6.5		
		50038194 L	aguna Tortu.	uguero number	5				50	038200 Lagu	ına Tortuguero	number 1			
03/10/1999	1640	0.76	<0.10	272.6	268.4	4.2		1200							
04/16/1999	1550	1.30	< 0.10	460.0	448.7	11.3		1210			281.6	272.6	9.0		
05/14/1999	1415	0.58	< 0.10	262.8	257.4	5.4		1100			275.4	268.8	6.6		
06/16/1999	1600	1.80	< 0.10	260.0	254.2	5.8		1230			277.2	270.4	6.8		
07/16/1999	1425	1.80	< 0.10	273.8	267.6	6.2		1330			275.4	268.6	6.8		
08/20/1999	1615	0.79	< 0.10	286.4	278.2	8.2		1315			281.4	276.0	5.4		
09/17/1999	1545	2.30	< 0.10	273.0	267.2	5.8		1430			274.8	268.6	6.2		
10/15/1999	1645	1.30	< 0.10	268.0	261.0	7.0		1355			273.0	265.8	7.2		
11/19/1999	1345	1.10	<0.10	264.8	258.2	6.6		1230			276.4	269.4	7.0		
12/20/1999	1445	1.60	<0.10	267.2	261.0	6.2		1220			274.8	268.6	6.2		
01/21/2000	1415	0.99	<0.10	271.4	266.2	5.2		1355			275.6	270.2	5.4		
02/17/2000	1520	1.80	<0.10	273.0	267.2	5.8		1340			275.2	269.0	6.2		
03/22/2000	1450	1.30	<0.10	305.6	298.4	7.2		1330			269.4	262.8	6.6		
05/04/2000	1400	1.90	<0.10	343.0	335.7	7.3									
Mean		1.40	<0.10	291.5	285.0	6.5		1200			300.9	293.7	6.6		

Table 7. Total hardness and alkalinity as calcium carbonate, and major ions concentration at selected water-quality stations in the

 Laguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000.

[All concentrations are in milligrams per liter. Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; <, less than]

Date	Time	Hard- ness, total as CaCO ₃ (00900)	Acid neutra- lizing capacity as CaCO ₃ (00410)	Calci- um, dis- solved as Ca (00915)	Mag- nesium, dis- solved as Mg (00925)	Potas- sium, dis- solved as K (00935)	So- dium, dis- solved As Na (00930)	Chlo- ride, dis- solved as Cl (00940)	Fluo- ride, dis- solved as F (00950)	Silica, dis- solved as SiO ₂ (00955)	Sulfate, dis- solved as SO ₄ (00945)	
50038191 Laguna Tortuguero number 2												
03/10/1999	1300	239	116	56	24	5.4	200	380	<0.1	5.7	46	
04/16/1999	1500	245	116	57	25	5.9	210	410	<0.1	7.9	50	
05/14/1999	1030	274	125	65	27	7.0	220	420	<0.1	9.4	51	
06/16/1999	1315	256	105	58	27	6.3	230	410	<0.1	9.3	55	
07/16/1999	1235	212	93	47	23	5.2	190	370	<0.1	8.0	48	
08/20/1999	1300	249	100	57	26	5.8	190	390	<0.1	11.0	50	
09/17/1999	1350	237	110	57	23	5.2	190	360	<0.1	11.0	47	
10/15/1999	1400	223		53	22	5.1	180	360	<0.1	10.0	46	
11/19/1999	1200	194	97	48	18	4.0	140	280	<0.1	8.7	35	
12/20/1999	1215	204		52	18	3.7	130	260	<0.1	8.0	31	
01/21/2000	1330	200		52	17	3.8	120	240	<0.1	7.0	29	
02/17/2000	1300	211	121	55	18	4.0	140	270	<0.1	6.4	32	
03/22/2000	1300											
05/04/2000	1320											
Mean		229	109	55	22	5.1	178	346	<0.1	8.5	43	
			5	0038193 La	guna Tortug	uero numbe	er 4					
03/10/1999	1530	189	112	46	18	3.5	120	230	<0.1	6.3	27	
04/16/1999	1440	195	115	45	20	4.3	130	260	<0.1	7.7	31	
05/14/1999	1145	206	115	48	21	3.9	130	260	<0.1	9.2	33	
06/16/1999	1650	198	98	43	22	4.6	150	270	<0.1	9.9	34	
07/16/1999	1220	199	110	45	21	4.3	140	240	<0.1	9.2	30	
08/20/1999	1440	206		48	21	4.5	150	270	<0.1	10.0	33	
09/17/1999	1450	207	120	50	20	3.9	130	240	< 0.1	10.0	30	
10/15/1999	1530	211		53	19	4.2	120	250	< 0.1	11.0	29	
11/19/1999	1315	183	115	47	16	3.2	95	180	< 0.1	9.0	23	
12/20/1999	1400	214		61	15	2.5	73	150	<0.1	7.7	20	
01/21/2000	1400	198		56	14	2.5	70	130	<0.1	7.0	18	
02/17/2000	1420	193	139	54	14	2.6	76	150	<0.1	6.3	20	
03/22/2000	1410	191		50	16	3.0	95	180		6.5	23	
05/04/2000	1430	193		46	19	3.6	110	220		7.9	29	
Mean		199	116	49	18	3.6	114	216	<0.1	8.4	27	

Table 7. Total hardness and alkalinity as calcium carbonate, and major ions concentration at selected water-quality stations in theLaguna Tortuguero, Vega Baja, Puerto Rico, from March 1999 to May 2000.—Continued

[All concentrations are in milligrams per liter. Number in parenthesis is the U.S. Geological Survey laboratory parameter code; ---, no data; <, less than]

Date	Time	Hard- ness, total as CaCO ₃ (00900)	Acid neutra- lizing capacity as CaCO ₃ (00410)	Calci- um, dis- solved as Ca (00915)	Mag- nesium, dis- solved as Mg (00925)	Potas- sium, dis- solved as K (00935)	So- dium, dis- solved As Na (00930)	Chlo- ride, dis- solved as Cl (00940)	Fluo- ride, dis- solved as F (00950)	Silica, dis- solved as SiO ₂ (00955)	Sulfate, dis- solved as SO ₄ (00945)
			5	0038194 La	guna Tortug	uero numbe	er 5				
03/10/1999	1640	191	114	45	19	3.6	120	240	<0.1	6.3	27
04/16/1999	1550	187	107	42	20	4.3	140	260	<0.1	7.9	31
05/14/1999	1415	199	107	45	21	4.8	140	260	< 0.1	9.2	33
06/16/1999	1600	189	94	41	21	4.6	150	280	< 0.1	9.9	35
07/16/1999	1425	185	92	41	20	4.4	140	250	< 0.1	9.5	31
08/20/1999	1615	196	100	44	21	4.2	140	260	< 0.1	10.0	32
09/17/1999	1545	197	100	46	20	4.1	140	240	< 0.1	10.0	30
10/15/1999	1645	205		49	20	4.2	120	250	< 0.1	11.0	29
11/19/1999	1345	176	103	44	16	3.3	110	200	< 0.1	8.8	25
12/20/1999	1445	202		56	15	2.7	78	150	<0.1	8.0	20
01/21/2000	1415	195		55	14	2.5	69	140	< 0.1	7.0	18
02/17/2000	1520	188	136	52	14	2.6	78	140	< 0.1	6.3	19
03/22/2000	1450	186		48	16	2.9	92	180		6.5	23
05/04/2000	1400	196		47	19	3.5	110	220		8.0	29
Mean		192	106	47	18	3.7	116	219	< 0.1	8.5	27
			5	0038200 La	guna Tortug	uero numbe	er 1				
03/10/1999	1200	198	120	48	19	3.8	120	230	<0.1	6.4	28
04/21/1999	1210	214	110	51	21	4.5	140	270	<0.1	8.4	33
05/14/1999	1100	215	120	50	22	5.2	140	280	<0.1	9.2	33
06/16/1999	1230	205	110	46	22	4.8	150	280	<0.1	10.0	34
07/16/1999	1330	190	100	43	20	4.4	140	240	<0.1	8.8	32
08/20/1999	1315	204	110	47	21	4.5	150	270	<0.1	10.0	33
09/17/1999	1430	205	110	49	20	4.1	130	250	<0.1	10.0	30
10/15/1999	1355	217	120	54	20	4.3	120	250	< 0.1	11.0	30
11/19/1999	1230	174	112	45	15	3.2	92	180	<0.1	8.4	23
12/20/1999	1220	204	125	57	15	2.7	70	150	<0.1	7.8	20
01/21/2000	1355	200	149	57	14	2.5	70	140	<0.1	6.8	19
02/17/2000	1340	190	143	54	14	2.6	77	150	< 0.1	6.3	20
03/22/2000	1330	191		50	16	3.0	94	180	< 0.1	6.5	23
05/04/2000											
Mean		200	119	50	19	3.9	117	224	< 0.1	8.6	28

 Table 8.
 Diel study data on temperature, specific conductance, dissolved oxygen, and dissolved oxygen saturation, at selected waterquality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, August 3-4, 2000.

[Temperature in degrees Celsius; specific conductance in microsiemens per centimeter at 25°; dissolved oxygen in milligrams per liter; dissolved oxygen saturation in percent]

Date	Time	Temper- ature	Specific conduc- tance	Dis- solved oxygen	Dis- solved oxygen satura- tion		Time	Temper- ature	Specific conduc- tance	Dis- solved oxygen	Dis- solved oxygen satura- tion
	50038191	Laguna To	rtuguero nun	nber 2			5	0038193 Laç	juna Tortugu	ero number	4
08/03/2000	1042	29.84	1,500	8.08	107		1030	29.52	1,100	7.62	100
08/03/2000	1140	29.89	1,500	8.27	110		1130	29.57	1,100	7.58	100
08/03/2000	1242	30.12	1,500	8.68	115		1230	29.85	1,100	8.43	112
08/03/2000	1340	30.40	1,500	8.28	111		1330	29.97	1,100	8.12	108
08/03/2000	1440	30.69	1,500	7.75	105		1433	30.20	1,100	7.50	100
08/03/2000	1547	30.98	1,500	7.75	105		1540	30.38	1,100	7.70	103
08/03/2000	1646	31.06	1,500	8.30	113		1637	30.39	1,100	8.15	110
08/03/2000	1745	31.01	1,500	8.44	114		1737	30.36	1,100	7.88	106
08/03/2000	1847	30.91	1,500	8.24	112		1838	30.47	1,100	8.05	108
08/03/2000	1950	30.71	1,500	8.04	108		1940	30.36	1,100	7.72	104
08/03/2000	2110	30.53	1,500	7.84	105		2056	30.24	1,100	7.52	100
08/03/2000	2215	30.43	1,500	7.66	103		2210	29.92	1,100	7.50	100
08/03/2000	2310	30.22	1,500	7.47	99		2300	29.93	1,100	7.53	100
08/04/2000	0018	30.11	1,500	7.48	99		0007	29.90	1,100	7.48	99
08/04/2000	0100	29.90	1,500	7.65	102		0110	29.60	1,100	7.35	97
08/04/2000	0210	29.90	1,500	7.27	97		0220	29.50	1,100	6.88	91
08/04/2000	0307	29.81	1,500	7.18	95		0315	29.34	1,100	6.84	90
08/04/2000	0410	29.75	1,500	7.18	95		0420	29.30	1,100	6.89	91
08/04/2000	0513	29.63	1,500	6.98	92		0522	29.21	1,100	6.79	89
08/04/2000	0605	29.60	1,500	7.51	99		0614	29.19	1,100	7.29	95
080/4/2000	0700	29.53	1,500	7.49	99		0710	29.18	1,100	7.26	95
08/04/2000	0810	29.51	1,500	8.01	106	_	0823	29.21	1,100	7.83	102

 Table 8.
 Diel study data on temperature, specific conductance, dissolved oxygen, and dissolved oxygen saturation, at selected water-quality stations in the Laguna Tortuguero, Vega Baja, Puerto Rico, August 3-4, 2000.—Continued

[Temperature in degrees Celsius; specific conductance in microsiemens per centimeter at 25°; dissolved oxygen in milligrams per liter; dissolved oxygen saturation in percent]

Date	Time	Temper- ature	Specific conduc- tance	Dis- solved oxygen	Dis- solved oxygen satura- tion
	50038194	Laguna Tor	tuguero num	nber 5	
08/03/2000	1020	29.66	1,100	8.33	110
08/03/2000	1120	29.79	1,100	8.31	110
08/03/2000	1225	30.03	1,100	8.59	114
08/03/2000	1320	30.23	1,100	8.91	118
08/03/2000	1425	30.50	1,100	8.02	108
08/03/2000	1533	30.76	1,100	8.47	115
08/03/2000	1630	30.79	1,100	8.34	113
08/03/2000	1727	30.69	1,100	8.45	114
08/03/2000	1831	30.64	1,100	8.42	113
08/03/2000	1928	30.57	1,100	8.18	110
08/03/2000	2046	30.46	1,100	8.00	108
08/03/2000	2200	30.37	1,100	7.97	107
08/03/2000	2332	30.16	1,100	7.77	103
08/04/2000	2400	29.90	1,100	7.59	101
08/04/2000	0120	30.07	1,100	7.74	103
08/04/2000	0235	29.96	1,100	7.24	96
08/04/2000	0330	29.85	1,100	7.22	96
08/04/2000	0430	29.79	1,100	7.24	96
08/04/2000	0532	29.72	1,100	7.15	94
08/04/2000	0620	29.61	1,100	7.74	102
080/4/2000	0730	29.57	1,100	7.84	103
08/04/2000	0830	29.63	1,100	8.24	109




Figure 3. Temperature and pH measurements, and dissolved oxygen, total nitrogen, and total phosphorus concentration at stations 1, 2, 4, and 5 in and near the Laguna Tortuguero, March 1999 to May 2000.




Figure 3. Temperature and pH measurements, and dissolved oxygen, total nitrogen, and total phosphorus concentration at stations 1, 2, 4, and 5 in and near the Laguna Tortuguero, March 1999 to May 2000.—Continued




Figure 3. Temperature and pH measurements, and dissolved oxygen, total nitrogen, and total phosphorus concentration at stations 1, 2, 4, and 5 in and near the Laguna Tortuguero, March 1999 to May 2000.—Continued

References Cited

- Cherry, G.S., 2001, Simulation of flow in the upper north coast limestone aquifer, Manatí-Vega Baja area, Puerto Rico: U.S. Geological Survey Water-Resources Investigations Report 00-4266, 82 p.
- Puerto Rico Environmental Quality Board, 2003, Junta de Calidad Ambiental de Puerto Rico, Reglamentos de estándares de calidad de agua de Puerto Rico, Versión Enmendada: Marzo 2003, 82 p.
- Quiñones-Márquez, Ferdinand, and Fusté, L.A., 1977, Limnology of Laguna Tortuguero, Puerto Rico: U. S. Geological Survey Water-Resources Investigations Report 77-122, 84 p.
- U.S. Geological Survey, 1998, National field manual for the collection of water-quality data: Techniques of Water-Resources Investigations, Book 9, Handbooks for Water-Resources Investigations, 9 chps.

Soler-López and others—Water-Quality Reconnaissance of Laguna Tortuguero, Vega Baja, Puerto Rico, March 1999-May 2000—OFR 2006-1049